

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 5/13/2019 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Substance

Substance name : Laurel Leaf Essential Oil Chemical name · Laurus Nobilis Leaf Oil CAS-No. : 84603-73-6 / 8007-48-5

Product code : 172

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

## 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Moje Sunce d.o.o. Franje Krezme 20 31 000 Osijek Croatia

#### 1.4. Emergency telephone number

No additional information available

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226 Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Skin sensitisation, Category 1 H317 Germ cell mutagenicity, Category 2 H341 Carcinogenicity, Category 2 H351 Aspiration hazard, Category 1 H304 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements: see section 16

### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Suspected of causing cancer. Suspected of causing genetic defects. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS07

GHS08

GHS09

Signal word (CLP) : Danger

: H226 - Flammable liquid and vapour. Hazard statements (CLP)

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H341 - Suspected of causing genetic defects (.).

H351 - Suspected of causing cancer (.).

H411 - Toxic to aquatic life with long lasting effects.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P261 - Avoid breathing vapour/ spray.

P264 - Wash contaminated skin thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear gloves/ protective clothing/ eye protection/ face protection.

P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - IF exposed or concerned: Get medical advice.

P331 - Do NOT induce vomiting.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use foam, carbon dioxide, dry powder or water fog to

P391 - Collect spillage.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents and container to a hazardous or special waste collection point.

## 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

2	Z	٥,	П	h	61	-	n	C	٠,	

 Name
 : Laurel Leaf Essential Oil

 CAS-No.
 : 84603-73-6 / 8007-48-5

0/10/140.	. 04000 10 01 0001 40 0	
Name	Product identifier	%
Cineole	(CAS-No.) 470-82-6 (EC-No.) 207-431-5	35 - 55
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4	<= 15
alpha-Terpineol acetate	(CAS-No.) 80-26-2 (EC-No.) 201-265-7	5 - 13
Beta-Pinene	(CAS-No.) 127-91-3 (EC-No.) 204-872-5	1 - 10
Alpha-pinenes	(CAS-No.) 80-56-8 / 127-91-3 (EC-No.) 201-291-9	1 - 10
Methyl Eugenol	(CAS-No.) 93-15-2 (EC-No.) 202-223-0	<= 6
Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5	<= 4.5
Eugenol	(CAS-No.) 97-53-0 (EC-No.) 202-589-1	<= 2.5
Methylchavicol	(CAS-No.) 140-67-0 (EC-No.) 205-427-8	<1

Full text of H-statements: see section 16

#### 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation

- : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
- First-aid measures after skin contact
- : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

5/13/2019 (Version: 1.0) EN (English) 2/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get medical advice/attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : Risk of lung oedema.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

## 5.3. Advice for firefighters

Precautionary measures fire : Evacuate area. Stop leak if safe to do so. Eliminate all ignition sources if safe to do so. Firefighting instructions : Cool laterally with water containers exposed to flames, even after the fire is extinguished. Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Remove ignition sources. Stop leak if safe to do so.

### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin and eyes.

## 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Clean up any spills as soon as possible,

using an absorbent material to collect it. Minimise generation of dust. Store away from

other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Flammable vapours may accumulate in the container. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid

contact with skin and eyes.

Hygiene measures : Wash contaminated clothin

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

## 7.3. Specific end use(s)

No additional information available

5/13/2019 (Version: 1.0) EN (English) 3/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection					
8.1. Control parameters					
Beta-Pinene (127-91-3)					
Germany TRGS 910 Acceptable concentration notes					
USA - ACGIH ACGIH TWA (ppm) 20 ppm					
0.0 5					

## 8.2. Exposure controls

## Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:	
Protective gloves made of PVC	
Eye protection:	
Safety glasses	
Skin and body protection:	
Near suitable protective clothing	
Respiratory protection:	
n case of insufficient ventilation, wear suitable respiratory equipment	

## Personal protective equipment symbol(s):







#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Flash point

Do not eat, drink or smoke when using this product.

# SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Pale yellow to yellow.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Density : 0.905 - 0.929 @ 20°C Solubility : Water: Insoluble in water Log Pow : No data available

: > 50 °C

Viscosity, kinematic

Viscosity, kinematic

Viscosity, dynamic

Explosive properties

Coxidising properties

Explosive limits

Coxidisal available

Coxidisal available

Coxidisal available

Coxidisal available

Coxidisal available

Coxidisal available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 9.2. Other information

Refractive index : 1.465 - 1.475 @ 20°C

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapour.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

## 10.5. Incompatible materials

Strong bases. Strong acids. Oxidizing agent.

## 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. fume.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

# Laurel Leaf Essential Oil (84603-73-6 / 8007-48-5)

LD50 oral 3333.33 mg/kg

## Cineole (470-82-6)

	LD50 oral rat	2480 mg/kg
	LD50 dermal	> 2000 mg/kg
	LC50 inhalation rat (mg/l)	> 20 mg/l

## Linalool (78-70-6)

Elitatooi (70-70-0)	
LD50 oral rat	3000 mg/kg
LD50 oral	2790 mg/kg
LD50 dermal rabbit	5610 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h

## Beta-Pinene (127-91-3)

Γ	LD50 dermal rat	≈ 4700 mg/kg

## Limonene (5989-27-5)

LD50 oral rat	4400 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l

## Eugenol (97-53-0)

STOT-single exposure

LD50 oral	1930 mg/kg
Skin corrosion/irritation :	Causes skin irritation.
Serious eve damage/irritation :	Causes serious eve irritation.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Suspected of causing genetic defects (.).

Carcinogenicity : Suspected of causing cancer (.).

Reproductive toxicity : Not classified

5/13/2019 (Version: 1.0) EN (English) 5/10

: Not classified

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

SECTION 12: Ecological information	ormation
------------------------------------	----------

1	2 1	1	ox	ici	tv
	_		<b>U</b> A		r A

Ecology - general : Toxic to aquatic life with long lasting effects.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Laurel Leaf Essential Oil (84603-73-6 / 8007-48-5)	
LC50 fish 1	1.6 mg/l Freshwater fish
EC50 Daphnia 1	1.91 mg/l Freshwater invertebrates
EC50 72h algae (1)	2.01 mg/l Freshwater algae

Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l
EC50 Daphnia 1	59 mg/l
EC50 96h algae (1)	88.3 mg/l

Limonene (5989-27-5)	
LC50 fish 1	≈ 33 mg/l
EC50 Daphnia 1	0.1 - 1 mg/l
ErC50 (algae) 0.1 - 1 mg/l	
12.2. Persistence and degradability	
Cineole (470-82-6)	
Persistence and degradability Not established.	

Linalool (78-70-6)		
	Persistence and degradability	Not established.

Beta-Pinene (127-91-3)	
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.

Alpha-pinenes (80-56-8 / 127-91-3)	
Persistence and degradability	Not established. May cause long-term adverse effects in the environment.

Methyl Eugenol (93-15-2)	
Persistence and degradability	Not established.

Limonene (5989-27-5)		ı	
	Persistence and degradability	Not established. May cause long-term adverse effects in the environment.	l

Eugenol (97-53-0)		
Persistence and degradability Not established.		
12.3. Bioaccumulative potential		
Cineole (470-82-6)		
Bioaccumulative potential Not established.		

Linalool (78-70-6)	
Log Pow	2.84 - 3.1

5/13/2019 (Version: 1.0) EN (English) 6/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Not established. Bioaccumulative potential

## Beta-Pinene (127-91-3)

Bioaccumulative potential Not established.

## Alpha-pinenes (80-56-8 / 127-91-3)

Bioaccumulative potential Not established.

## Methyl Eugenol (93-15-2)

Bioaccumulative potential Not established.

## Limonene (5989-27-5)

Not established. Bioaccumulative potential

## **Eugenol (97-53-0)**

Bioaccumulative potential Not established.

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions. Waste treatment methods

Must follow special treatment according to local regulation.

Additional information : Flammable vapours may accumulate in the container.

## **SECTION 14: Transport information**

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1169	UN 1169	UN 1169	UN 1169	UN 1169
14.2. UN proper shippin	g name			
EXTRACTS, AROMATIC, LIQUID	EXTRACTS, AROMATIC, LIQUID	Extracts, aromatic, liquid	EXTRACTS, AROMATIC, LIQUID	EXTRACTS, AROMATIC, LIQUID
Transport document descr	iption			
UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1169 Extracts, aromatic, liquid, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o	class(es)			
3	3	3	3	3
<b>1 1 1 1 1 1 1 1 1 1</b>	***************************************	<b>1 1 1 1 1 1 1 1 1 1</b>	¥2	<b>1 1 1 1 1 1 1 1 1 1</b>
14.4. Packing group				
III	III	III	III	III

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

# 14.6. Special precautions for user

# Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 601
Limited quantities (ADR) : 51
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T2

(ADK)

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Orange plates :

30 1169

: TP1

Tunnel restriction code (ADR) : D/E EAC code : 3YE

## Transport by sea

Special provisions (IMDG) : 223, 955
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D
Stowage category (IMDG) : A

Properties and observations (IMDG) : Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.

## Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 : 60L PCA max net quantity (IATA) CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L Special provisions (IATA) : A3 ERG code (IATA) : 3L

## Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EX, A

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ventilation (ADN) : VE Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 601
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T2
Portable tank and bulk container special provisions : TP1
(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Laurel Leaf Essential Oil is not on the REACH Candidate List

Laurel Leaf Essential Oil is not on the REACH Annex XIV List

Laurel Leaf Essential Oil is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Laurel Leaf Essential Oil is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Muta. 2	Germ cell mutagenicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

## SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product