

Running Prevail Locally

To get the exact look of the preview, follow these steps to set up a React environment with Tailwind CSS.

1. Prerequisites

Ensure you have [Node.js](#) installed.

2. Create the Project (using Vite)

Run these commands in your terminal:

```
# Create a new Vite project
npm create vite@latest prevail-app -- --template react

# Navigate into the folder
cd prevail-app

# Install dependencies
npm install
npm install lucide-react
npm install -D tailwindcss postcss autoprefixer
npx tailwindcss init -p
```

3. Configure Tailwind

Open `tailwind.config.js` and update the `content` array:

```
/** @type {import('tailwindcss').Config} */
export default {
  content: [
    "./index.html",
    "./src/**/*..{js,ts,jsx,tsx}",
  ],
  theme: {
    extend: {},
  },
  plugins: [],
}
```

4. Add the Mobile Wrapper

Because this app is designed for mobile, it will look "stretched" on a desktop monitor. To fix this,

open `src/App.jsx` (or `PrevailApp.jsx`) and wrap the return content in a container:

```
return (  
  <div className="min-h-screen bg-stone-200 flex justify-center items-center">  
    <div className="w-full max-w-[430px] h-[932px] overflow-hidden shadow-2xl relat  
      { /* PASTE THE GENERATED CODE HERE */ }  
    </div>  
  </div>  
>);
```

5. Add Fonts

Open `index.html` and add the following line inside the `<head>` tag to load the Serif font:

```
<link href="[https://fonts.googleapis.com/css2?family=Playfair+Display:ital,wght@0,
```

6. Run Local Server

```
npm run dev
```