```
function loopThroughArray() {
  const array1 = ['Ross', 'Monica', 'Chandler', 'Phoebe',
  'Joey', 'Rachel'];

  for (let i = 0; i < array1.length; i++) {
    Logger.log(array1[i]);
  }
}
```

Execution log

12:52:47 PM	Notice	Execution started
12:50:30 PM	Info	Ross
12:50:30 PM	Info	Monica
12:50:30 PM	Info	Chandler
12:50:30 PM	Info	Phoebe
12:50:30 PM	Info	Joey
12:50:30 PM	Info	Rachel
12:52:47 PM	Notice	Execution completed

Run Debug myFucntion Execution log

```
function myFucntion() {
  const array1 = [1, 2, 45, 32, 21, 88];
  const array2 = ['Ross', 'Monica', 'Chandler', 'Phoebe',
  'Joey', 'Rachel'];

  Logger.log(array2[array2.length - 1]);
  Logger.log(array2[array2.length]);
}
```

Execution log

12:50:02 PM	Notice	Execution started
12:47:46 PM	Info	Rachel
12:47:46 PM	Info	null
12:50:03 PM	Notice	Execution completed

```
1  function myFucntion() {
2    const array1 = [1, 2, 45, 32, 21, 88];
3    const array2 = ['Ross', 'Monica', 'Chandler', 'Phoebe',
     'Joey', 'Rachel'];
4
5    Logger.log(array1.length);
6  }
7
```

Execution log

12:49:00 PM	Notice	Execution started
12:46:43 PM	Info	6.0
12:49:00 PM	Notice	Execution completed

```
function myFucntion() {
  const array1 = [1, 2, 45, 32, 21, 88];
  const array2 = ['Ross', 'Monica', 'Chandler', 'Phoebe',
  'Joey', 'Rachel'];

  Logger.log(array1[0]);
  Logger.log(array2[2]);
}
```

Execution log

12:47:59 PM	Notice	Execution started
12:45:43 PM	Info	1.0
12:45:43 PM	Info	Chandler
12:48:00 PM	Notice	Execution completed

```
1   function myFucntion() {
2     const employee = {
3       firstName: 'John',
4       lastName: 'Doe',
5       sayHello() {
6         Logger.log('Hi there, my name is ' + this.firsName);
7       },
8     };
9
10    Logger.log(employee.firstName);
11    Logger.log(employee.lastName);
12    employee.sayHello();
13  }
14
```

Execution log

12:46:12 PM	Notice	Execution started
12:43:56 PM	Info	John
12:43:56 PM	Info	Doe
12:43:56 PM	Info	Hi there, my name is undefined
12:46:13 PM	Notice	Execution completed

```
function myFucntion() {
  for (let i = 0; i < 10; i++){
    Logger.log(i);
  }
}

```

Execution log

12:43:49 PM	Notice	Execution started
12:41:32 PM	Info	0.0
12:41:32 PM	Info	1.0
12:41:32 PM	Info	2.0
12:41:32 PM	Info	3.0
12:41:32 PM	Info	4.0
12:41:32 PM	Info	5.0
12:41:32 PM	Info	6.0
12:41:32 PM	Info	7.0
12:41:32 PM	Info	8.0
12:41:32 PM	Info	9.0
12:43:50 PM	Notice	Execution completed

```
1   function myFucntion() {
2     const a = 3;
3     const b = 6;
4     const result = addNumbers(a, b);
5     Logger.log('a + b = ' + result);
6   }
7
8   function addNumbers(a, b) {
9     const sum = a + b;
10    return sum;
11  }
```

Execution log

12:42:10 PM	Notice	Execution started
12:39:53 PM	Info	a + b = 9
12:42:10 PM	Notice	Execution completed

```
1  function myFucntion() {
2    addNumbers(3, 6);
3  }
4
5  function addNumbers(a, b) {
6    console.log(a + b);
7  }
8
```

Execution log

12:35:46 PM	Notice	Execution started
12:33:30 PM	Info	9
12:35:47 PM	Notice	Execution completed

```google_apps_script
function myFucntion() {
  const budget = 100;
  const threshold = 200;
  const department = 'sales';

  if (budget < threshold && department === 'sales') {
    Logger.log('The budget is below the threshold');
  } else if (budget === threshold && department === 'sales') {
    Logger.log('The budget is exactly at the threshold')
  } else {
    Logger.log('The budget is above threshold or wrong department');
  }
}
```

Execution log

12:31:31 PM	Notice	Execution started
12:29:14 PM	Info	The budget is below the threshold
12:31:32 PM	Notice	Execution completed

```
function myFucntion() {
  const budget = 100;
  const threshold = 200;

  if (budget < threshold) {
    Logger.log('The budget is below the threshold');
  } else if (budget === threshold) {
    Logger.log('The budget is exactly at the threshold')
  } else {
    Logger.log('The budget is above threshold');
  }
}
```

Execution log

12:29:42 PM	Notice	Execution started
12:27:25 PM	Info	The budget is below the threshold
12:29:42 PM	Notice	Execution completed

```google_apps_script
function myFucntion() {
  const budget = 100;
  const threshold = 200;

  if (budget < threshold) {
    Logger.log('The budget is below the threshold');
  }
}
```

Execution log

12:28:08 PM	Notice	Execution started
12:25:52 PM	Info	The budget is below the threshold
12:28:09 PM	Notice	Execution completed

```
1  function myFucntion() {
2    const a = 77;
3    const b = '77';
4    Logger.log(a == b);
5    Logger.log(a === b);
6  }
7
```

Execution log

12:23:40 PM	Notice	Execution started
12:21:23 PM	Info	true
12:21:23 PM	Info	false
12:23:40 PM	Notice	Execution completed

```
1  function myFucntion() {
2    const a = 67;
3    const b = 234;
4    const aIsLessThanB = a < b;
5    Logger.log(aIsLessThanB);
6  }
7
```

Execution log

12:22:25 PM	Notice	Execution started
12:20:08 PM	Info	true
12:22:25 PM	Notice	Execution completed

```
function myFucntion() {
  let a = 5;
  let b = 11;

  a += 3;
  b -= 6;

  Logger.log(a);
  Logger.log(b);
}
```

Execution log

12:21:11 PM	Notice	Execution started
12:18:54 PM	Info	8.0
12:18:54 PM	Info	5.0
12:21:11 PM	Notice	Execution completed

```
1   function myFucntion() {
2     let a = 5;
3     let b = 11;
4
5     a++;
6     b--;
7
8     Logger.log(a);
9     Logger.log(b);
10  }
11
```

Execution log

12:20:46 PM	Notice	Execution started
12:18:29 PM	Info	6.0
12:18:29 PM	Info	10.0
12:20:46 PM	Notice	Execution completed

```
function myFucntion() {
  let a = 5;
  let b = 11;

  a = a + 1;
  b = b - 1;

  Logger.log(a);
  Logger.log(b);
}
```

Execution log

12:18:48 PM	Notice	Execution started
12:16:31 PM	Info	6.0
12:16:31 PM	Info	10.0
12:18:48 PM	Notice	Execution completed

```
function arithmeticOperators() {
  Logger.log('3 + 2 = ' + (3 + 2));
  Logger.log('3 - 2 = ' + (3 - 2));
  Logger.log('3 * 2 = ' + 3 * 2);
  Logger.log('3 / 2 = ' + 3 / 2);
  Logger.log('3 ** 2 = ' + 3 ** 2);
  Logger.log('3 % 2 = ' + (3 % 2));
}
```

Execution log

12:17:05 PM	Notice	Execution started
12:14:48 PM	Info	3 + 2 = 5
12:14:48 PM	Info	3 - 2 = 1
12:14:48 PM	Info	3 * 2 = 6
12:14:48 PM	Info	3 / 2 = 1.5
12:14:48 PM	Info	3 ** 2 = 9
12:14:48 PM	Info	3 % 2 = 1
12:17:05 PM	Notice	Execution completed

```google-apps-script
function myFunction() {
  const a = 3;
  const b = 2;
  const sum = 3 + 2;
  Logger.log('The sum of a and b is ' + sum);

  // incorrect way
  Logger.log('The sum of a and b is ' + a + b);

  // correct way
  Logger.log('The sum of a and b is ' + (a + b));
}
```

Execution log

12:12:20 PM	Notice	Execution started
12:10:04 PM	Info	The sum of a and b is 5
12:10:04 PM	Info	The sum of a and b is 32
12:10:04 PM	Info	The sum of a and b is 5
12:12:21 PM	Notice	Execution completed

```
1  function myFunction() {
2    const a = 3;
3    const b = 2;
4    const sum = 3 + 2;
5    Logger.log('The sum of a  and b is ' + sum);
6  }
7
```

Execution log

12:08:40 PM	Notice	Execution started
12:06:24 PM	Info	The sum of a and b is 5
12:08:41 PM	Notice	Execution completed

```
1  function myFunction() {
2    const a = 3;
3    const b = 2;
4    const sum = 3 + 2;
5    Logger.log(sum);
6  }
7
```

Execution log

12:05:24 PM	Notice	Execution started
12:03:08 PM	Info	5.0
12:05:25 PM	Notice	Execution completed

```google_apps_script
function myFunction() {
  const userName = 'Luka';
  Logger.log('My name is ' + userName);

  const userAge = 27;
  Logger.log(userAge);

  const isAdult = true;
  Logger.log(isAdult);

  let userOccupation;
  Logger.log(userOccupation);

  userOccupation = 'Google Apps Script Developer';
  Logger.log(userOccupation);

  userOccupation = null;
  Logger.log(userOccupation);
}
```

Execution log

12:03:28 PM	Notice	Execution started
12:01:11 PM	Info	My name is Luka
12:01:11 PM	Info	27.0
12:01:11 PM	Info	true
12:01:11 PM	Info	null
12:01:11 PM	Info	Google Apps Script Developer
12:01:11 PM	Info	null
12:03:28 PM	Notice	Execution completed