



Alphabet

FAUSans Office Italic

Technical Documentation

Copyright © 2022 by HERRHEMKER

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written consent of the publisher. This publication and the information herein is furnished AS IS, is subject to change without notice, and should not be construed as a commitment by HERRHEMKER. HERRHEMKER assumes no responsibility for any errors or inaccuracies, makes no warranty of any kind (express, implied or statutory) with respect to this publication, and expressly disclaims any and all warranties of merchantability, fitness for particular purposes and noninfringement of third party rights. Brand or product names, used in this publication, are the trademarks or registered trademarks of their respective holders.

Document generated 2022/03/16-14:59:25



Table of Content

Sample	5
Encoded Characters	6
Basic Latin	6
Latin-1 Supplement	6
Latin Extended-A	7
Latin Extended-B	7
IPA Extensions	7
Spacing Modifier Letters	7
Combining Diacritical Marks	8
Greek and Coptic	8
Latin Extended Additional	8
General Punctuation	8
Superscripts and Subscripts	8
Currency Symbols	9
Letterlike Symbols	9
Number Forms	9
Mathematical Operators	9
Geometric Shapes	9
Dingbats	9
Miscellaneous Mathematical Symbols-A	10
Alphabetic Presentation Forms	10
Arabic Presentation Forms-B	10
Unencoded Glyphs	11
Case-Sensitive Forms	11
Discretionary Ligatures	11
Denominators, Fractions	11
Fractions	11
Fractions, Numerators	11
Lining Figures, Proportional Figures	11
Localized Forms	11
Oldstyle Figures	12
Oldstyle Figures, Tabular Figures	12
Ordinals, Superscript	12
Ornaments	12
Stylistic Alternates, Stylistic Set 1	12
Scientific Inferiors, Subscript	12
Superscript	12
Slashed Zero	12
Other	12
OpenType Layout Features	13
Substitution Features	13
Positioning Features	14
Technical Data	16
Identification	16
Names	16
Classification & Style	16
Vertical Metric	17



Transformation	17
Legal Information	18
Languages	19
Latin	19
Greek	19
Character Sets	20
Adobe	20
Apple Macintosh	20
ISO 8859	20
Microsoft Windows	20

Sample

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

0123456789

!"#\$%&'()+,-./:;<=>?@[\\]^_`{|}~*

Young frogs jump back quickly if zapped with six volts.

Voyez le brick géant que j'examine près du wharf.

Six big devils from Japan quickly forgot how to

Falsches Üben von Xylophonmusik quält jed

Six big devils from Japan quickly forgot

Zwölf Boxkämpfer jagten Viktor quer

Falsches Üben von Xylophonmusi

Young frogs jump back quickl

Falsches Üben von Xyl



Encoded Characters

All encoded characters should be accessible with every unicode capable application. For details about Unicode Blocks visit the [Unicode Website](#).

Basic Latin

Block from 0000 to 007F

0000	000D	0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	002C	002D
			!	"	#	\$	%	&	'	()	*	+	,	-
002E	002F	0030	0031	0032	0033	0034	0035	0036	0037	0038	0039	003A	003B	003C	003D
.	/	0	1	2	3	4	5	6	7	8	9	:	;	<	=
003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D
>	?	@	A	B	C	D	E	F	G	H	I	J	K	L	M
004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D
N	O	P	Q	R	S	T	U	V	W	X	Y	Z	[\]
005E	005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	006C	006D
^	_	`	a	b	c	d	e	f	g	h	i	j	k	l	m
006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D
n	o	p	q	r	s	t	u	v	w	x	y	z	{		}
007E															
~															

Latin-1 Supplement

Block from 0080 to 00FF

00A0	00A1	00A2	00A3	00A4	00A5	00A6	00A7	00A8	00A9	00AA	00AB	00AC	00AD	00AE	00AF
	ı	¢	£	¤	¥	/	§	¨	©	ª	«	¬	-	®	-
00B0	00B1	00B2	00B3	00B4	00B5	00B6	00B7	00B8	00B9	00BA	00BB	00BC	00BD	00BE	00BF
°	±	²	³	´	µ	¶	·	¸	¹	º	»	¼	½	¾	¿
00C0	00C1	00C2	00C3	00C4	00C5	00C6	00C7	00C8	00C9	00CA	00CB	00CC	00CD	00CE	00CF
À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
00D0	00D1	00D2	00D3	00D4	00D5	00D6	00D7	00D8	00D9	00DA	00DB	00DC	00DD	00DE	00DF
Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
00E0	00E1	00E2	00E3	00E4	00E5	00E6	00E7	00E8	00E9	00EA	00EB	00EC	00ED	00EE	00EF
à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
00F0	00F1	00F2	00F3	00F4	00F5	00F6	00F7	00F8	00F9	00FA	00FB	00FC	00FD	00FE	00FF
đ	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ

Latin Extended-A

Block from 0100 to 017F

0100	0101	0102	0103	0104	0105	0106	0107	0108	0109	010A	010B	010C	010D	010E	010F
Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ	Ċ	ċ	Č	č	Ď	ď
0110	0111	0112	0113	0114	0115	0116	0117	0118	0119	011A	011B	011C	011D	011E	011F
Ē	ē	Ĕ	ĕ	Ė	ė	Ę	ę	Ě	ě	Ĝ	ĝ	Ğ	ğ		
0120	0121	0122	0123	0124	0125	0126	0127	0128	0129	012A	012B	012C	012D	012E	012F
Ġ	ġ	Ĵ	ĵ	Ĥ	ĥ	Ħ	ħ	Ĩ	ĩ	Ī	ī	Ĭ	ĭ	Ĵ	ĵ
0130	0131	0132	0133	0134	0135	0136	0137	0138	0139	013A	013B	013C	013D	013E	013F
İ	ı	Ĳ	ĳ	Ĵ	ĵ	Ķ	ķ	κ	Ł	ł	Ł	ł	Ł	ł	Ł
0140	0141	0142	0143	0144	0145	0146	0147	0148	0149	014A	014B	014C	014D	014E	014F
Ł	ł	Ł	ł	Ń	ń	Ņ	ņ	Ň	ň	Ŋ	ŋ	Ō	ō	Ŏ	ŏ
0150	0151	0152	0153	0154	0155	0156	0157	0158	0159	015A	015B	015C	015D	015E	015F
Ŏ	ŏ	Œ	œ	Ŕ	ŕ	Ŗ	ŗ	Ř	ř	Ś	ś	Ŝ	ŝ	Ş	ş
0160	0161	0162	0163	0164	0165	0166	0167	0168	0169	016A	016B	016C	016D	016E	016F
Š	š	Ţ	ţ	Ť	ť	Ŧ	ŧ	Ũ	ũ	Ū	ū	Ŭ	ŭ	Ů	ů
0170	0171	0172	0173	0174	0175	0176	0177	0178	0179	017A	017B	017C	017D	017E	017F
Ů	ů	Ų	ų	Ŵ	ŵ	Ŷ	ŷ	Ÿ	Ž	ž	Ž	ž	Ž	ž	ƒ

Latin Extended-B

Block from 0180 to 024F

018F	0192	01B5	01B6	01F4	01F5	01FA	01FB	01FC	01FD	01FE	01FF	0218	0219	021A	021B
Ɔ	ƒ	Ʒ	Ʒ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ
0237															
Ɔ															

IPA Extensions

Block from 0250 to 02AF

0259
ə

Spacing Modifier Letters

Block from 02B0 to 02FF

02C6	02C7	02C9	02D8	02D9	02DA	02DB	02DC	02DD
ˆ	˜	˘	˙	˚	˛	˜	˜	˜

Combining Diacritical Marks

Block from 0300 to 036F

0300	0301	0302	0303	0304	0306	0307	0308	030A	030B	030C	0312	0313	0326	0327	0328
`	´	^	~	–	˘	•	¨	◌	¨	ˇ	/	/	/	˘	˘

Greek and Coptic

Block from 0370 to 03FF

037E	0384	0385	0386	0387	0388	0389	038A	038C	038E	038F	0390	0391	0392	0393	0394
;	´	ˆ	Α	•	Ε	Η	Ι	Ο	Υ	Ω	ϊ	Α	Β	Γ	Δ
0395	0396	0397	0398	0399	039A	039B	039C	039D	039E	039F	03A0	03A1	03A3	03A4	03A5
Ε	Ζ	Η	Θ	Ι	Κ	Λ	Μ	Ν	Ξ	Ο	Π	Ρ	Σ	Τ	Υ
03A6	03A7	03A8	03A9	03AA	03AB	03AC	03AD	03AE	03AF	03B0	03B1	03B2	03B3	03B4	03B5
Φ	Χ	Ψ	Ω	ϊ	ϋ	ά	έ	ή	ί	ϋ	α	β	γ	δ	ε
03B6	03B7	03B8	03B9	03BA	03BB	03BC	03BD	03BE	03BF	03C0	03C1	03C2	03C3	03C4	03C5
ζ	η	θ	ι	κ	λ	μ	ν	ξ	ο	π	ρ	ς	σ	τ	υ
03C6	03C7	03C8	03C9	03CA	03CB	03CC	03CD	03CE							
φ	χ	ψ	ω	ϊ	ϋ	ό	ύ	ώ							

Latin Extended Additional

Block from 1E00 to 1EFF

1E80	1E81	1E82	1E83	1E84	1E85	1E8A	1E8B	1E9E	1EF2	1EF3
Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	Ẇ	ẇ	Ẉ	ẉ	ẏ

General Punctuation

Block from 2000 to 206F

2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	200A	200B	2013	2014	2015	2018
												–	—	—	′
2019	201A	201C	201D	201E	2020	2021	2022	2024	2025	2026	202F	2030	2032	2033	2034
′	′	″	″	″	†	‡	•	•	•	•		‰	′	″	″
2039	203A	203C	2044	2052											
<	>	!!	/	%											

Superscripts and Subscripts

Block from 2070 to 209F

2070	2071	2074	2075	2076	2077	2078	2079	207A	207B	207C	207D	207E	207F	2080	2081
0	i	4	5	6	7	8	9	+	–	=	()	n	o	1



2082	2083	2084	2085	2086	2087	2088	2089	208A	208B	208C	208D	208E	2090	2091	2092
2	3	4	5	6	7	8	9	+	-	=	()	a	e	o
2094															
ə															

Currency Symbols

Block from 20A0 to 20CF

20AC	20AE	20B1	20B4	20B8	20B9	20BA	20BC	20BD	20BF
€	₣	₧	₡	₪	₹	₺	₴	₵	₶

Letterlike Symbols

Block from 2100 to 214F

2113	2116	2117	2120	2122	2126	212E
ℓ	Nº	Ⓟ	SM	TM	Ω	ℯ

Number Forms

Block from 2150 to 218F

2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	215A	215B	215C	215D	215E	215F
1/7	1/9	1/10	1/3	2/3	1/5	2/5	3/5	4/5	1/6	5/6	1/8	3/8	5/8	7/8	1/
2189															
0/3															

Mathematical Operators

Block from 2200 to 22FF

2202	2206	220F	2211	2212	2215	2219	221A	221E	222B	2245	2248	2259	2260	2264	2265
∂	Δ	∏	Σ	-	/	·	√	∞	∫	≅	≈	≠	≠	≠	≠
22C5															
·															

Geometric Shapes

Block from 25A0 to 25FF

25B4	25B8	25BE	25C2	25CA
▲	▶	▼	◀	◊

Dingbats

Block from 2700 to 27BF

2713	2717
✓	✗

Miscellaneous Mathematical Symbols-A

Block from 27C0 to 27EF

27E8	27E9
\langle	\rangle

Alphabetic Presentation Forms

Block from FB00 to FB4F

FB01	FB02
<i>fi</i>	<i>fl</i>

Arabic Presentation Forms-B

Block from FE70 to FEFF

FEFF

All unencoded glyphs are accessible with OpenType layout feature capable applications.

Case-Sensitive Forms

()	-	/	:	@	[\]	`	{	/	}	i	..	«
-	-	'	.	»	¿	^	v	u	.	o	o	~	”	-	-
-	-	-	-	-	-										
—	•	<	>	/	/										

Discretionary Ligatures

	-	-	-	-	-
HERE	<i>J</i>	<i>j</i>	<i>ÍJ</i>	<i>íj</i>	σ

Denominators, Fractions

-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
()	+	0	1	2	3	4	5	6	7	8	9	=	n	-

Fractions

Fractions, Numerators

-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
()	+	0	1	2	3	4	5	6	7	8	9	=	n	-

Lining Figures, Proportional Figures

-	-	-	-	-	-	-	-	-	-	-
6	0	1	2	3	4	5	7	8	9	

Localized Forms

i	L	l
-----	-----	-----

Oldstyle Figures

-	-	-	-	-	-	-	-	-	-	-
0	1	2	3	4	5	6	7	8	9	

Oldstyle Figures, Tabular Figures

-	-	-	-	-	-	-	-	-	-	-
0	1	2	3	4	5	6	7	8	9	

Ordinals, Superscript

-	-	-	-	-	-	-	-	-	-	-	-
<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>	<i>h</i>	<i>l</i>	<i>m</i>	<i>p</i>	<i>r</i>	<i>s</i>	<i>t</i>	<i>u</i>

Ornaments

-	-	-
HERF		

Stylistic Alternates, Stylistic Set 1

-	-
*	®

Scientific Inferiors, Subscript

-
<i>n</i>

Superscript

-	-	-
<i>a</i>	<i>o</i>	<i>è</i>

Slashed Zero

-	-	-	-
ø	ø	ø	ø

Other

-	-	-	-
□	\$	¢	ℙ

OpenType Layout Features

For details about OpenType Layout Features see the [OpenType Layout tag registry](#).

Substitution Features

- aalt** Access All Alternates
This feature makes all variations of a selected character accessible.
- calt** Contextual Alternates
In specified situations, replaces default glyphs with alternate forms which provide better joining behavior.
- dlig** Discretionary Ligatures
Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers those ligatures which may be used for special effect, at the user's preference.
- onum** Oldstyle Figures
This feature changes selected figures from the default lining style to oldstyle form.
- lnum** Lining Figures
This feature changes selected figures from oldstyle to the default lining form.
- pnum** Proportional Figures
Replaces figure glyphs set on uniform (tabular) widths with corresponding glyphs set on glyph-specific (proportional) widths.
- tnum** Tabular Figures
Replaces figure glyphs set on proportional widths with corresponding glyphs set on uniform (tabular) widths.
- zero** Slashed Zero
Some fonts contain both a default form of zero, and an alternative form which uses a diagonal slash through the counter. This feature allows the user to change from the default 0 to a slashed form.
- numr** Numerators
Replaces selected figures which precede a slash with numerator figures, and replaces the typographic slash with the fraction slash.
- dnom** Denominators
Replaces selected figures which follow a slash with denominator figures.
- frac** Fractions
Replaces figures separated by a slash with 'common' (diagonal) fractions.

- sup** Superscript
Replaces lining or oldstyle figures with superior figures (primarily for footnote indication), and may replace lowercase letters with superior letters (primarily for abbreviated French titles).
- sub** Subscript
The "sub" feature may replace a default glyph with a subscript glyph.
- sin** Scientific Inferiors
Replaces lining or oldstyle figures with inferior figures (smaller glyphs which sit lower than the standard baseline, primarily for chemical or mathematical notation). May also replace lowercase characters with alphabetic inferiors.
- ord** Ordinals
Replaces default alphabetic glyphs with the corresponding ordinal forms for use after figures.
- cas** Case-Sensitive Forms
Shifts various punctuation marks up to a position that works better with all-capital sequences or sets of lining figures; also changes oldstyle figures to lining figures.
- loc** Localized Forms
This feature enables localized forms of glyphs to be substituted for default forms.
- salt** Stylistic Alternates
Many fonts contain alternate glyph designs for a purely esthetic effect; these don't always fit into a clear category like swash or historical. This feature replaces the default forms with the stylistic alternates.
- ss01** Stylistic Set 1
Glyphs in stylistic sets may be designed to harmonise visually, interact in particular ways, or otherwise work together.
- m**grk Mathematical Greek
Replaces standard typographic forms of Greek glyphs with corresponding forms commonly used in mathematical notation (which are a subset of the Greek alphabet).
- orn**m Ornaments
This feature gives the user access to ornament glyphs (e.g. fleurons, dingbats and border elements) in the font.

Positioning Features



csp Capital Spacing

Globally adjusts inter-glyph spacing for all-capital text. Most typefaces contain capitals and lowercase characters, and the capitals are positioned to work with the lowercase. When capitals are used for words, they need more space between them for legibility and esthetics.

kern Kerning

Adjusts amount of space between glyphs, generally to provide optically consistent spacing between glyphs.

**Technical Data****Identification**

Table	Description	Value
-	File name	FAUSansOffice-Italic.ttf
-	File size	168376 bytes
-	MD5 checksum	C4F955D78443F9DC991D776C3D280C5F
head	created	Tue Mar 15 14:22:18 2022
head	modified	Wed Mar 16 11:46:12 2022
name	Unique font identifier	HERRHEMKER: FAUSans Office-Italic: 2022
name	Version string	Version 2.000; build 0007
glyf	Outline format	TrueType

Names

ID	Description	Value
1	Family name	FAUSans Office
2	Subfamily name	Italic
4	Full font name	FAUSans Office Italic
6	Postscript name	FAUSansOffice-Italic

Classification & Style

Table	Description	Value
OS/2	Width class	5 - Medium (normal)
OS/2	Weight class	400 - Normal (Regular)
post	Italic angle	-15.0°
OS/2	fsSelection style bits	Italic
head	macStyle bits	Italic
OS/2	PANOSE Family Kind	2 - Latin Text
OS/2	PANOSE Serif Style	2 - Normal Sans
OS/2	PANOSE Weight	5 - Book
OS/2	PANOSE Proportion	4 - Even Width
OS/2	PANOSE x-height	4 - Constant/Large

Vertical Metric



Table	Description	Value
	head	Units perEM
A	head	y Max
B	head	y Min
C	post	Underline Position
	post	Underline Size
D	OS/2	Strikeout Position
	OS/2	Strikeout Size
E	OS/2	Caps Height
F	OS/2	x Height
G	OS/2	Typo Ascender
H	OS/2	Typo Descender
	OS/2	Typo Linegap
I	OS/2	Win Ascender
J	OS/2	Win Descender
K	hhea	Ascender
L	hhea	Descender
	hhea	Linegap

Transformation

Superscript

E² x³ 8^M 5^x 2³

Table	Description	Value
OS/2	x Size	650
OS/2	x Offset	94
OS/2	y Size	600
OS/2	y Offset	350

Subscript

O₂ q₃ 8_M 5_x 4₁

Table	Description	Value
OS/2	x Size	650
OS/2	x Offset	-20
OS/2	y Size	600
OS/2	y Offset	75

Legal Information

ID	Description	Value
0	Copyright	Copyright © 2021 HERRHEMKER, www.herrhemker.com. ALL RIGHTS RESERVED.
7	Trademark	FAU Sans is a trademark of Friedrich-Alexander Universität Erlangen-Nürnberg
8	Manufacturer	HERRHEMKER
9	Designer	Adrian Frutiger, Akira Kobayashi
10	Font Description	Original HERRHEMKER Font. Font engineering and mastering by Alphabet Type GmbH. Unauthorised use strictly prohibited. ALL RIGHTS RESERVED
11	Vendor URL	http://www.herrhemker.com
12	Designer URL	http://www.herrhemker.com
13	License Description	Contact HERRHEMKER at http://www.herrhemker.com for details.
14	License Info URL	http://www.herrhemker.com



Languages

Information about languages is mainly based on the Unicode Common Locale Data Repository. For details visit the [Unicode CLDR Project](#).

Latin

Afrikaans	Galician	Makhuwa-Meetto	Scottish Gaelic
Albanian	Ganda	Makonde	Sena
Asu	German	Malagasy	Serbian
Basque	Gusii	Maltese	Shambala
Bemba	Hungarian	Manx	Shona
Bena	Icelandic	Meru	Slovak
Breton	Inari Sami	Morisyen	Slovenian
Catalan	Indonesian	North Ndebele	Soga
Chiga	Irish	Northern Sami	Somali
Colognian	Italian	Norwegian Bokmål	Spanish
Cornish	Jola-Fonyi	Norwegian Nynorsk	Swahili
Croatian	Kabuverdianu	Nyankole	Swedish
Czech	Kalaallisut	Oromo	Swiss German
Danish	Kalenjin	Polish	Taita
Dutch	Kamba	Portuguese	Teso
Embu	Kikuyu	Quechua	Turkish
English	Kinyarwanda	Romanian	Upper Sorbian
Esperanto	Latvian	Romansh	Uzbek
Estonian	Lithuanian	Rombo	Volapük
Faroese	Lower Sorbian	Rundi	Vunjo
Filipino	Luo	Rwa	Walser
Finnish	Luxembourgish	Samburu	Welsh
French	Luyia	Sango	Western Frisian
Friulian	Machame	Sangu	Zulu

Greek

Greek

**Character Sets****Adobe**

Adobe Greek-1

Adobe Latin-2

Adobe Latin-1

Adobe Latin-3

Apple Macintosh

MacOS Central European Latin

MacOS Roman (Standard Latin)

MacOS Croatian

MacOS Romanian

MacOS Greek

MacOS Turkish

MacOS Icelandic

ISO 8859

8859-1 Latin-1 Western European

8859-2 Latin-2 Central European

8859-10 Latin-6 Nordic

8859-3 Latin-3 South European

8859-13 Latin-7 Baltic Rim

8859-4 Latin-4 North European

8859-15 Latin-9

8859-9 Latin-5 Turkish

8859-16 Latin-10 South-Eastern European

Microsoft Windows

MS Windows 1250 Central European Latin

MS Windows 1252 Western (Standard Latin)

MS Windows 1253 Greek

MS Windows 1254 Turkish Latin

MS Windows 1257 Baltic Latin