

References

- Balduzzi, S., Rücker, G., Schwarzer, G., 2019. How to perform a meta-analysis with R: a practical tutorial. *Evid. Based Ment. Health* 22, 153–160. 10.1136/ebmental-2019-300117.
- Barañano, C., Fernández, E., Méndez, G., 2018. Clam harvesting decreases the sedimentary carbon stock of a *Zostera marina* meadow. *Aquat. Bot.* 146, 48–57. 10.1016/j.aquabot.2017.12.002.
- Barbier, E.B., 2007. Valuing ecosystem services as productive inputs. *Econ. Policy* 22, 178–229. 10.1111/j.1468-0327.2007.00174.x.
- Bayraktarov, E., Saunders, M.I., Abdullah, S., Mills, M., Beher, J., Possingham, H.P., Mumby, P.J., Lovelock, C.E., 2016. The cost and feasibility of marine coastal restoration. *Ecol. Appl.* 26, 1055–1074. 10.1890/15-1077.
- Borg, J.A., Rowden, A.A., Attrill, M.J., Schembri, P.J., Jones, M.B., 2010. Spatial variation in the composition of motile macroinvertebrate assemblages associated with two bed types of the seagrass *Posidonia oceanica*. *Mar. Ecol. Prog. Ser.* 406, 91–104. 10.3354/meps08534.
- Bourque, A.S., Fourqurean, J.W., 2014. Effects of common seagrass restoration methods on ecosystem structure in subtropical seagrass meadows. *Mar. Environ. Res.* 97, 67–78. 10.1016/j.marenvres.2014.03.001.
- Bulleri, F., Marzinelli, E.M., Voerman, S.E., Gribben, P.E., 2020. Propagule composition regulates the success of an invasive seaweed across a heterogeneous seascape. *J. Ecol.* 108, 1061–1073. 10.1111/1365-2745.13313.
- Connolly, R.M., 1995. Effects of removal of seagrass canopy on assemblages of small, motile invertebrates. *Mar. Ecol. Prog. Ser.* 118, 129–137. 10.3354/meps118129.
- Cooper, P., 2013. Socio-ecological accounting: DPSWR, a modified DPSIR framework, and its application to marine ecosystems. *Ecol. Econ.* 94, 106–115. 10.1016/j.ecolecon.2013.07.010.
- Costanza, R., de Groot, R., Sutton, P., van der Ploeg, S., Anderson, S.J., Kubiszewski, I., Farber, S., Turner, R.K., 2014. Changes in the global value of ecosystem services. *Glob. Environ. Change* 26, 152–158. 10.1016/j.gloenvcha.2014.04.002.
- Daby, D., 2003. Effects of seagrass bed removal for tourism purposes in a Mauritian bay. *Environ. Pollut.* 125, 313–324. 10.1016/s0269-7491(03)00125-8.
- Daby, D., Turner, J., Jago, C., 2002. Microbial and nutrient pollution of coastal bathing waters in Mauritius. *Environ. Int.* 27, 555–566. 10.1016/s0160-4120(01)00109-x.
- Dahl, M., Deyanova, D., Lyimo, L.D., Näslund, J., Samuelsson, G.S., Mtolera, M.S.P., Björk, M., Gullström, M., 2016. Effects of shading and simulated grazing on carbon sequestration in a tropical seagrass meadow. *J. Ecol.* 104, 654–664. 10.1111/1365-2745.12564.
- Duarte, C.M., Agusti, S., Barbier, E., Britten, G.L., Castilla, J.C., Gattuso, J.-P., Fulweiler, R.W., Hughes, T.P., Knowlton, N., Lovelock, C.E., Lotze, H.K., Predragovic, M., Poloczanska, E., Roberts, C., Worm, B., 2020. Rebuilding marine life. *Nature* 580, 39–51. 10.1038/s41586-020-2146-7.

- Duarte, C.M., Krause-Jensen, D., 2017. Export from seagrass meadows contributes to marine carbon sequestration. *Front. Mar. Sci.* 4, 13. 10.3389/fmars.2017.00013.
- Duarte, C.M., Losada, I.J., Hendriks, I.E., Mazarrasa, I., Marbà, N., 2013a. The role of coastal plant communities for climate change mitigation and adaptation. *Nat. Clim. Chang.* 3, 961–968. 10.1038/nclimate1970.
- Duarte, C.M., Sintes, T., Marbà, N., 2013b. Assessing the CO₂ capture potential of seagrass restoration projects. *J. Appl. Ecol.* 50, 1341–1349. 10.1111/1365-2664.12155.
- Eklöf, J.S., van der Heide, T., Donadi, S., van der Zee, E.M., O'Hara, R., Eriksson, B.K., 2011. Habitat-mediated facilitation and counteracting ecosystem engineering interactively influence ecosystem responses to disturbance. *PLoS One* 6, e23229. 10.1371/journal.pone.0023229.
- Ferrario, F., Beck, M.W., Storlazzi, C.D., Micheli, F., Shepard, C.C., Airoidi, L., 2014. The effectiveness of coral reefs for coastal hazard risk reduction and adaptation. *Nat. Commun.* 5, 3794. 10.1038/ncomms4794.
- Fokeera-Wahedally, S.B.M., Bhikajee, M., 2005. The effects of in situ shading on the growth of a seagrass, *Syringodium isoetifolium*. *Estuar. Coast. Shelf Sci.* 64, 149–155. 10.1016/j.ecss.2005.01.006.
- Friedlingstein, P., Jones, M.W., O'Sullivan, M., Andrew, R.M., Hauck, J., Peters, G.P., Peters, W., Pongratz, J., Sitch, S., Le Quéré, C., Bakker, D.C.E., Canadell, J.G., Ciais, P., Jackson, R.B., Anthoni, P., Barbero, L., Bastos, A., Bastrikov, V., Becker, M., Bopp, L., Buitenhuis, E., Chandra, N., Chevallier, F., Chini, L.P., Currie, K.I., Feely, R.A., Gehlen, M., Gilfillan, D., Gkritzalis, T., Goll, D.S., Gruber, N., Gutekunst, S., Harris, I., Haverd, V., Houghton, R.A., Hurtt, G., Ilyina, T., Jain, A.K., Joetzjer, E., Kaplan, J.O., Kato, E., Klein Goldewijk, K., Korsbakken, J.I., Landschützer, P., Lauvset, S.K., Lefèvre, N., Lenton, A., Lienert, S., Lombardozzi, D., Marland, G., McGuire, P.C., Melton, J.R., Metzl, N., Munro, D.R., Nabel, J.E.M.S., Nakaoka, S.-I., Neill, C., Omar, A.M., Ono, T., Peregon, A., Pierrot, D., Poulter, B., Rehder, G., Resplandy, L., Robertson, E., Rödenbeck, C., Séférian, R., Schwinger, J., Smith, N., Tans, P.P., Tian, H., Tilbrook, B., Tubiello, F.N., van der Werf, G.R., Wiltshire, A.J., Zaehle, S., 2019. Global carbon budget 2019. *Earth Syst. Sci. Data* 11, 1783–1838. 10.5194/essd-11-1783-2019.
- Giomi, F., Barausse, A., Duarte, C.M., Booth, J., Agusti, S., Saderne, V., Anton, A., Daffonchio, D., Fusi, M., 2019. Oxygen supersaturation protects coastal marine fauna from ocean warming. *Sci. Adv.* 5, eaax1814. 10.1126/sciadv.aax1814.
- Githaiga, M.N., Frouws, A.M., Kairo, J.G., Huxham, M., 2019. Seagrass removal leads to rapid changes in fauna and loss of carbon. *Front. Ecol. Evol.* 7, 62. 10.3389/fevo.2019.00062.
- Hardin, G., 1968. The tragedy of the commons. *Science* 162, 1243–1248. 10.1126/science.162.3859.1243.
- Hendriks, I.E., Olsen, Y.S., Ramajo, L., Basso, L., Steckbauer, A., Moore, T.S., Howard, J., Duarte, C.M., 2014. Photosynthetic activity buffers ocean acidification in seagrass meadows. *Biogeosciences* 11, 333–346. 10.5194/bg-11-333-2014.
- Jayathilake, D.R.M., Costello, M.J., 2018. A modelled global distribution of the seagrass biome. *Biol. Conserv.* 226, 120–126. 10.1016/j.biocon.2018.07.009.

- Lamb, J.B., van de Water, J.A.J.M., Bourne, D.G., Altier, C., Hein, M.Y., Fiorenza, E.A., Abu, N., Jompa, J., Harvell, C.D., 2017. Seagrass ecosystems reduce exposure to bacterial pathogens of humans, fishes, and invertebrates. *Science* 355, 731–733. 10.1126/science.aal1956.
- Lüdecke, D., 2019. esc: effect size computation for meta analysis. R package v0.5.1. <https://strengjacke.github.io/esc/>.
- Luff, A.L., Sheehan, E.V., Parry, M., Higgs, N.D., 2019. A simple mooring modification reduces impacts on seagrass meadows. *Sci. Rep.* 9, 20062. 10.1038/s41598-019-55425-y.
- Macreadie, P.I., Trevathan-Tackett, S.M., Skilbeck, C.G., Sanderman, J., Curlevski, N., Jacobsen, G., Seymour, J.R., 2015. Losses and recovery of organic carbon from a seagrass ecosystem following disturbance. *Proc. R. Soc. B* 282, 20151537. 10.1098/rspb.2015.1537.
- Macreadie, P.I., York, P.H., Sherman, C.D.H., Keough, M.J., Ross, D.J., Ricart, A.M., Smith, T.M., 2014. No detectable impact of small-scale disturbances on ‘blue carbon’ within seagrass beds. *Mar. Biol.* 161, 2939–2944. 10.1007/s00227-014-2558-8.
- Marbà, N., Arias-Ortiz, A., Masqué, P., Kendrick, G.A., Mazarrasa, I., Bastyan, G.R., Garcia-Orellana, J., Duarte, C.M., 2015. Impact of seagrass loss and subsequent revegetation on carbon sequestration and stocks. *J. Ecol.* 103, 296–302. 10.1111/1365-2745.12370.
- McSkimming, C., Connell, S.D., Russell, B.D., Tanner, J.E., 2016. Habitat restoration: Early signs and extent of faunal recovery relative to seagrass recovery. *Estuar. Coast. Shelf Sci.* 171, 51–57. 10.1016/j.ecss.2016.01.028.
- Nordhaus, W.D., 2017. Revisiting the social cost of carbon. *Proc. Natl. Acad. Sci. U.S.A.* 114, 1518–1523. 10.1073/pnas.1609244114.
- Oreska, M.P.J., McGlathery, K.J., Porter, J.H., 2017. Seagrass blue carbon spatial patterns at the meadow-scale. *PLoS One* 12, e0176630. 10.1371/journal.pone.0176630.
- Pendleton, L., Donato, D.C., Murray, B.C., Crooks, S., Jenkins, W.A., Sifleet, S., Craft, C., Fourqurean, J.W., Kauffman, J.B., Marbà, N., Megonigal, P., Pidgeon, E., Herr, D., Gordon, D., Baldera, A., 2012. Estimating global “blue carbon” emissions from conversion and degradation of vegetated coastal ecosystems. *PLoS One* 7, e43542. 10.1371/journal.pone.0043542.
- Pillay, D., Branch, G.M., Griffiths, C.L., Williams, C., Prinsloo, A., 2010. Ecosystem change in a South African marine reserve (1960–2009): role of seagrass loss and anthropogenic disturbance. *Mar. Ecol. Prog. Ser.* 415, 35–48. 10.3354/meps08733.
- Polte, P., Asmus, H., 2006. Intertidal seagrass beds (*Zostera noltii*) as spawning grounds for transient fishes in the Wadden Sea. *Mar. Ecol. Prog. Ser.* 312, 235–243. 10.3354/meps312235.
- Prayag, G., Dookhony-Ramphul, K., Maryeven, M., 2010. Hotel development and tourism impacts in Mauritius: hoteliers’ perspectives on sustainable tourism. *Dev. South. Afr.* 27, 697–712. 10.1080/0376835X.2010.522832.
- R Core Team, 2019. R: a language and environment for statistical computing. R Foundation for Statistical Computing, Vienna. <https://www.R-project.org/>.

- Reed, B.J., Hovel, K.A., 2006. Seagrass habitat disturbance: how loss and fragmentation of eelgrass *Zostera marina* influences epifaunal abundance and diversity. *Mar. Ecol. Prog. Ser.* 326, 133–143. 10.3354/meps326133.
- Republic of Mauritius, 2017. National biodiversity strategy and action plan 2017–2025. <https://www.cbd.int/doc/world/mu/mu-nbsap-v2-en.pdf> (4 May 2020).
- Republic of Mauritius, 2002. Environment protection act. <http://environment.govmu.org/English/Documents/EPA%202002%20as%20amended%20in%202008-%20Supreme%20Court%20Version.pdf> (4 May 2020).
- Reynolds, L.K., Waycott, M., McGlathery, K.J., Orth, R.J., 2016. Ecosystem services returned through seagrass restoration. *Restor. Ecol.* 24, 583–588. 10.1111/rec.12360.
- RStudio Team, 2019. RStudio: integrated development environment for R. RStudio, Inc., Boston. <http://www.rstudio.com/>.
- Statistics Mauritius, 2018. National accounts of Mauritius. <http://statsmauritius.govmu.org/English/StatsbySubj/Pages/National-Accounts.aspx> (4 May 2020).
- Stutes, J., Cebrian, J., Stutes, A.L., Hunter, A., Corcoran, A.A., 2007. Benthic metabolism across a gradient of anthropogenic impact in three shallow coastal lagoons in NW Florida. *Mar. Ecol. Prog. Ser.* 348, 55–70. 10.3354/meps07036.
- Sukhdev, P., 2009. Costing the earth. *Nature* 462, 277. 10.1038/462277a.
- Sukhdev, P., 2012. The corporate climate overhaul. *Nature* 486, 27–28. 10.1038/486027a.
- Travaille, K.L., Salinas-de-León, P., Bell, J.J., 2015. Indication of visitor trampling impacts on intertidal seagrass beds in a New Zealand marine reserve. *Ocean Coast. Manag.* 114, 145–150. 10.1016/j.ocecoaman.2015.06.002.
- Trevathan-Tackett, S.M., Wessel, C., Cebrián, J., Ralph, P.J., Masqué, P., Macreadie, P.I., 2018. Effects of small-scale, shading-induced seagrass loss on blue carbon storage: Implications for management of degraded seagrass ecosystems. *J. Appl. Ecol.* 55, 1351–1359. 10.1111/1365-2664.13081.
- Turner, J., Klaus, R., 2005. Coral reefs of the Mascarenes, Western Indian Ocean. *Phil. Trans. R. Soc. A* 363, 229–250. 10.1098/rsta.2004.1489.
- Vanderklift, M.A., Jacoby, C.A., 2003. Patterns in fish assemblages 25 years after major seagrass loss. *Mar. Ecol. Prog. Ser.* 247, 225–235. 10.3354/meps247225.
- Vogt, H.P., 2001. The quantifiable economic value of coral reefs in Mauritius. *ACP–EU Fish. Res. Rep.* 10, 22–27.
- Wallace, A.R., 1880. *Island life*. University of Chicago Press, Chicago.
- Wickham, H., 2016. *ggplot2: elegant graphics for data analysis*. Springer, New York. <https://ggplot2.tidyverse.org>.
- Wickham, H., 2019. *forcats: tools for working with categorical variables (factors)*. R package v0.4.0, <https://CRAN.R-project.org/package=forcats>.
- Zuidema, C., Plate, R., Dikou, A., 2011. To preserve or to develop? East Bay dredging project, South Caicos, Turks and Caicos Islands. *J. Coast. Conserv.* 15, 555–563. 10.1007/s11852-011-0144-5.

Background reading

- Bandeira, S.O., Björk, M., 2001. Seagrass research in the eastern Africa region: emphasis on diversity, ecology and ecophysiology. *S. Afr. J. Bot.* 67, 420–425. 10.1016/S0254-6299(15)31158-3.
- Barbier, E.B., 2017. Marine ecosystem services. *Curr. Biol.* 27, R507–R510. 10.1016/j.cub.2017.03.020.
- Branch, T.A., DeJoseph, B.M., Ray, L.J., Wagner, C.A., 2013. Impacts of ocean acidification on marine seafood. *Trends Ecol. Evol.* 28, 178–186. 10.1016/j.tree.2012.10.001.
- Burton, A., 2003. Seagrass removal causes problems in Mauritius. *Front. Ecol. Environ.* 1, 406. 10.2307/3868135.
- Cullen-Unsworth, L.C., Unsworth, R., 2018. A call for seagrass protection. *Science* 361, 446–448. 10.1126/science.aat7318.
- Daby, D., 2003. Some quantitative aspects of seagrass ecology in a coastal lagoon of Mauritius. *Mar. Biol.* 142, 193–203. 10.1007/s00227-002-0924-4.
- de la Torre-Castro, M., Rönnbäck, P., 2004. Links between humans and seagrasses—an example from tropical East Africa. *Ocean Coast. Manag.* 47, 361–387. 10.1016/j.ocecoaman.2004.07.005.
- Dewsbury, B.M., Bhat, M., Fourqurean, J.W., 2016. A review of seagrass economic valuations: gaps and progress in valuation approaches. *Ecosyst. Serv.* 18, 68–77. 10.1016/j.ecoser.2016.02.010.
- Gullström, M., Castro, M.D.L.T., Bandeira, S.O., Björk, M., Dahlberg, M., Kautsky, N., Rönnbäck, P., Öhman, M.C., 2002. Seagrass ecosystems in the Western Indian Ocean. *Ambio* 31, 588–596. 10.2307/4315313.
- Hammond, D.S., Gond, V., Baider, C., Florens, F.B.V., Persand, S., Laurance, S.G.W., 2015. Threats to environmentally sensitive areas from peri-urban expansion in Mauritius. *Environ. Conserv.* 42, 256–267. 10.1017/s0376892914000411.
- Jackson, E.L., Rees, S.E., Wilding, C., Attrill, M.J., 2015. Use of a seagrass residency index to apportion commercial fishery landing values and recreation fisheries expenditure to seagrass habitat service. *Conserv. Biol.* 29, 899–909. 10.1111/cobi.12436.
- Martin, A., Landis, E., Bryson, C., Lynaugh, S., Mongeau, A., Lutz, S., 2016. Blue carbon – nationally determined contributions inventory. GRID-Arendal, Arendal. <https://www.grida.no/publications/378>.
- Moussa, R.M., Bertucci, F., Jorissen, H., Gache, C., Waqalevu, V.P., Parravicini, V., Lecchini, D., Galzin, R., 2020. Importance of intertidal seagrass beds as nursery area for coral reef fish juveniles (Mayotte, Indian Ocean). *Reg. Stud. Mar. Sci.* 33, 100965. 10.1016/j.rsma.2019.100965.
- Nagelkerken, I., Roberts, C.M.V., Van Der Velde, G., Dorenbosch, M., Van Riel, M.C., De La Moriniere, E.C., Nienhuis, P.H., 2002. How important are mangroves and seagrass beds for coral-reef fish? The nursery hypothesis tested on an island scale. *Mar. Ecol. Prog. Ser.* 244, 299–305. 10.3354/meps244299.
- Nagelkerken, I., 2009. Ecological connectivity among tropical coastal ecosystems. Springer, Dordrecht. 10.1007/978-90-481-2406-0.

- Nordlund, L., Koch, E.W., Barbier, E.B., Creed, J.C., 2016. Seagrass ecosystem services and their variability across genera and geographical regions. *PLoS One* 11, e0163091. 10.1371/journal.pone.0163091.
- Parry-Wilson, H.M., Rees, S.E., Leather, H., Cole, R., Rugg, C., Attrill, M.J., 2019. Assessing behavioural and social responses to an eco-mooring trial for *Zostera marina* conservation management in Torbay, Southwest England. *Ocean Coast. Manag.* 180, 104906. 10.1016/j.ocecoaman.2019.104906.
- Republic of Mauritius (Ministry of Tourism), Strategic plan 2018–2021. https://www.tourism-mauritius.mu/trade/sites/default/files/filedepot/Strategicplan/Web_Final_STRATEGIC_Plan_2018-2021.pdf (4 May 2020).
- Republic of Mauritius, 2015. Fifth national report on the Convention on Biological Diversity. <https://www.cbd.int/doc/world/mu/mu-nr-05-en.pdf> (4 May 2020).
- Scott, R., Hodgson, D.J., Witt, M.J., Coyne, M.S., Adnyana, W., Blumenthal, J.M., Broderick, A.C., Canbolat, A.F., Catry, P., Ciccione, S., Delcroix, E., Hitipeuw, C., Luschi, P., Pet-Soede, L., Pendoley, K., Richardson, P.B., Rees, A.F., Godley, B.J., 2012. Global analysis of satellite tracking data shows that adult green turtles are significantly aggregated in Marine Protected Areas. *Glob. Ecol. Biogeogr.* 21, 1053–1061. 10.1111/j.1466-8238.2011.00757.x.
- Sievers, M., Brown, C.J., Tulloch, V.J.D., Pearson, R.M., Haig, J.A., Turschwell, M.P., Connolly, R.M., 2019. The role of vegetated coastal wetlands for marine megafauna conservation. *Trends Ecol. Evol.* 34, 807–817. 10.1016/j.tree.2019.04.004.
- United Nations Environment Programme, 2019. Project proposal on assessment of blue carbon ecosystem (seagrass) around the island of Mauritius. <https://nairobi-convention.org/clearinghouse/node/387> (4 May 2020).
- Unsworth, R.K.F., McKenzie, L.J., Collier, C.J., Cullen-Unsworth, L.C., Duarte, C.M., Eklöf, J.S., Jarvis, J.C., Jones, B.L., Nordlund, L.M., 2019. Global challenges for seagrass conservation. *Ambio* 48, 801–815. 10.1007/s13280-018-1115-y.