

Dokumentacija za sajt iz predmeta PHP2

17.02.2020

Autor: Luka Stevanov 150-14

Nastavno osoblje:

Danijela Nikitin

Luka Lukic

Opis sajta


Sajt je radjen na temu turisticke agencije koja ima u ponudi razlicite destinacije koje korisnici mogu da biraju. Za template je koriscen Bootstrap.

Funkcionalnosti sajta

Sajt sadrzi u sebi sledece funkcionalnosti:

- 1) Logovanje korisnika
- 2) Registracija korisnika
- 3) Logout korisnika
- 4) Ajax kod za prethodno navede funkcionalnosti
- 5) Listu ponudjenih destinacija
- 6) Obradu gresaka I statusne kodove

Dizajn baze podataka



Lista stranica:

- 1) Index.php
- 2) Login.php
- 3) Register.php
- 4) Logout.php
- 5) Vacation.php
- 6) About.php
- 7) Ajaxing.php
- 8) Header.php
- 9) Footer.php
- 10) Contact.php

Kodovi

Index.php

<?php

```
session_start();
```

```
include "db.php";
```

```
include "views/header.php";
```

```
$errormsg="";
```

```
if(isset($_POST['submit'])){
```

```
    $name=$_POST['name'];
```

```
    $activities=$_POST['activities'];
```

```
    $destination=$_POST['destination'];
```

```
    if($name == "" || $activities == "" || $destination == ""){
```

```
        $errormsg="Sva polja moraju biti popunjena!";
```

```
    }    else{
```

```
$sql = "INSERT INTO
booking(name,activities,destination,date)VALUES
('$name','$activities','$destination',now());"
```

```
if (mysqli_query($link, $sql)) {
    $errmsg= "Your contact message has been received.";
} else {
    echo "Error: " . $sql . " " . mysqli_error($link);
}

}

}
```

```
?>
```

```
<!DOCTYPE html>
```

```
<!--[if lt IE 7]>    <html class="no-js lt-ie9 lt-ie8 lt-ie7"> <![endif]-->
```

```
<!--[if IE 7]>    <html class="no-js lt-ie9 lt-ie8"> <![endif]-->
```

```
<!--[if IE 8]>    <html class="no-js lt-ie9"> <![endif]-->
```

```
<!--[if gt IE 8]><!--> <html class="no-js"> <!--<![endif]-->
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

<title>Travel — 100% Free Fully Responsive HTML5
Template by FREEHTML5.co</title>

<meta name="viewport" content="width=device-width, initial-
scale=1">

<meta name="description" content="Free HTML5 Template by
FREEHTML5.CO" />

<meta name="keywords" content="free html5, free template,
free bootstrap, html5, css3, mobile first, responsive" />

<meta name="author" content="FREEHTML5.CO" />

<!--

////////////////////////////////////

FREE HTML5 TEMPLATE

DESIGNED & DEVELOPED by FREEHTML5.CO

Website: <http://freehtml5.co/>

Email: info@freehtml5.co

Twitter: <http://twitter.com/fh5co>

Facebook: <https://www.facebook.com/fh5co>

////////////////////////////////////

-->

```
<!-- Facebook and Twitter integration -->
<meta property="og:title" content=""/>
<meta property="og:image" content=""/>
<meta property="og:url" content=""/>
<meta property="og:site_name" content=""/>
<meta property="og:description" content=""/>
<meta name="twitter:title" content=""/>
<meta name="twitter:image" content=""/>
<meta name="twitter:url" content=""/>
<meta name="twitter:card" content=""/>
```

```
<!-- Place favicon.ico and apple-touch-icon.png in the root
directory -->
```

```
<link rel="shortcut icon" href="favicon.ico">
```

```
<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,700,300
' rel='stylesheet' type='text/css'>
```

```
<!-- Animate.css -->
```

```
<link rel="stylesheet" href="css/animate.css">
```

```
<!-- Icomoon Icon Fonts-->
```



```
<link rel="stylesheet" href="css/icomoon.css">
<!-- Bootstrap -->
<link rel="stylesheet" href="css/bootstrap.css">
<!-- Superfish -->
<link rel="stylesheet" href="css/superfish.css">
<!-- Magnific Popup -->
<link rel="stylesheet" href="css/magnific-popup.css">
<!-- Date Picker -->
<link rel="stylesheet" href="css/bootstrap-datepicker.min.css">
<!-- CS Select -->
<link rel="stylesheet" href="css/cs-select.css">
<link rel="stylesheet" href="css/cs-skin-border.css">

<link rel="stylesheet" href="css/style.css">

<!-- Modernizr JS -->
<script src="js/modernizr-2.6.2.min.js"></script>
<!-- FOR IE9 below -->
<!--[if lt IE 9]>
<script src="js/respond.min.js"></script>
<![endif]-->
```

```

</head>
<body>
    <div id="fh5co-wrapper">
        <div id="fh5co-page">

            <!-- end:header-top -->

            <div class="fh5co-hero">
                <div class="fh5co-overlay"></div>
                <div class="fh5co-cover" data-stellar-background-
ratio="0.5" style="background-image: url(images/cover_bg_1.jpg);">
                    <div class="desc">
                        <div class="container">
                            <div class="row">
                                <div class="col-sm-5 col-md-5">
                                    <div class="tabulation
animate-box">

                                <!-- Nav tabs -->

```

```

role="tablist">
class="active">
aria-controls="flights" role="tab" data-toggle="tab">Book
destination</a>
</li>
</ul>
<form method="post" action="index.php">
<!-- Tab panes -->
<div class="tab-
content">
class="tab-pane active" id="flights">
<div
class="row">
<div
class="col-xxs-12 col-xs-6 mt">
<div
class="input-field">
<label for="from">Name:</label>

```

```
<input type="text" class="form-control" name="name"
id="name"/>
```

```
</div>
```

```
</div>
```

```
<div class="col-xxs-12
col-xs-6 mt">
```

```
<div
class="input-field">
```

```
<label for="from">Activities:</label>
```

```
<input type="text" class="form-control" name="activities"
id="activities"/>
```

```
</div>
```

```
</div>
```

```
<div
class="col-xxs-12 col-xs-6 mt">
```

```
<div
class="input-field">
```

```
<label for="from">Destination:</label>
```

```
<input type="text" class="form-control" name="destination"
id="destination"/>
```

```
</div>
```

```
</div>
```

```
<div
class="col-xs-12">
```

```
<input type="submit" name="submit" class="btn btn-primary btn-
block" value="Destination">
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
$errmsg; ?>
```

```
<?php echo
```

```
</div>
```

```
</div>
```

```

</div>
<div class="desc2 animate-box">
  <div class="col-sm-7 col-
sm-push-1 col-md-7 col-md-push-1">

Time Offer</h2>
via Los Angeles, USA</h3>

class="price">$599</span>

<!-- <p><a class="btn
btn-primary btn-lg" href="#">Get Started</a></p> -->
</div>
</div>
</div>
</div>
</div>
</div>
</div>

<div id="fh5co-tours" class="fh5co-section-gray">

```

```

<div class="container">
  <div class="row">
    <div class="col-md-8 col-md-offset-2 text-
center heading-section animate-box">
      <h3>Hot Tours</h3>
      <p>Far far away, behind the word
mountains, far from the countries Vokalia and Consonantia, there live
the blind texts.</p>
    </div>
  </div>
  <div class="row">
    <div class="col-md-4 col-sm-6 fh5co-tours
animate-box" data-animate-effect="fadeIn">
      <div href="#">
      <div class="desc">
        <span></span>
        <h3>New York</h3>
        <span>3 nights + Flight
5*Hotel</span>
        <span
class="price">$1,000</span>

```

```

<a class="btn btn-primary
btn-outline" href="#">Book Now <i class="icon-arrow-
right22"></i></a>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

<div class="col-md-4 col-sm-6 fh5co-tours
animate-box" data-animate-effect="fadeIn">

```

```

<div href="#">

```

```

<div class="desc">

```

```

<span></span>

```

```

<h3>Philippines</h3>

```

```

<span>4 nights + Flight

```

```

5*Hotel</span>

```

```

<span

```

```

class="price">$1,000</span>

```

```

<a class="btn btn-primary
btn-outline" href="#">Book Now <i class="icon-arrow-
right22"></i></a>

```

```

</div>

```

```

</div>

```

```

</div>

```



```
<div class="col-md-4 col-sm-6 fh5co-tours
animate-box" data-animate-effect="fadeIn">
```

```
<div href="#">
```

```
<div class="desc">
```

```
<span></span>
```

```
<h3>Hongkong</h3>
```

```
<span>2 nights + Flight
```

```
4*Hotel</span>
```

```
<span
```

```
class="price">$1,000</span>
```

```
<a class="btn btn-primary
btn-outline" href="#">Book Now <i class="icon-arrow-
right22"></i></a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-12 text-center animate-
box">
```

```
</div>
```

```
</div>
```

```
</div>
```

</div>

<div id="fh5co-destination">

<div class="tour-fluid">

<div class="row">

<div class="col-md-12">

<ul id="fh5co-destination-list"
class="animate-box">

<li class="one-forth text-center"
style="background-image: url(images/place-1.jpg); ">

<div class="case-
studies-summary">

<h2>Los
Angeles</h2>

</div>

<li class="one-forth text-center"
style="background-image: url(images/place-2.jpg); ">

```

<a href="#">
    <div class="case-
studies-summary">

    <h2>Hongkong</h2>

    </div>
</a>
</li>
<li class="one-forth text-center"
style="background-image: url(images/place-3.jpg); ">
    <a href="#">
        <div class="case-
studies-summary">

        <h2>Italy</h2>

        </div>
        </a>
    </li>
    <li class="one-forth text-center"
style="background-image: url(images/place-4.jpg); ">
        <a href="#">
            <div class="case-
studies-summary">

            <h2>Philippines</h2>

```

```

</div>
</a>
</li>

<li class="one-fourth text-center"
style="background-image: url(images/place-5.jpg); ">
    <a href="#">
        <div class="case-
studies-summary">

            <h2>Japan</h2>

            </div>
            </a>
        </li>
        <li class="one-half text-center">
            <div class="title-bg">
                <div class="case-
studies-summary">

                    <h2>Most
Popular Destinations</h2>

                    <span><a
href="#">View All Destinations</a></span>

                </div>
            </div>

```

```

        </li>
        <li class="one-forth text-center"
style="background-image: url(images/place-6.jpg); ">
            <a href="#">
                <div class="case-
studies-summary">
                    <h2>Paris</h2>
                </div>
            </a>
        </li>
        <li class="one-forth text-center"
style="background-image: url(images/place-7.jpg); ">
            <a href="#">
                <div class="case-
studies-summary">
                    <h2>Singapore</h2>
                </div>
            </a>
        </li>
        <li class="one-forth text-center"
style="background-image: url(images/place-8.jpg); ">
            <a href="#">

```

```

<div class="case-
studies-summary">

    <h2>Madagascar</h2>

    </div>

</a>

</li>

<li class="one-fourth text-center"
style="background-image: url(images/place-9.jpg); ">

    <a href="#">

        <div class="case-
studies-summary">

            <h2>Egypt</h2>

            </div>

            </a>

        </li>

        <li class="one-fourth text-center"
style="background-image: url(images/place-10.jpg); ">

            <a href="#">

                <div class="case-
studies-summary">

                    <h2>Indonesia</h2>

                    </div>

```

```

</a>
</li>
</ul>
</div>
</div>
</div>
</div>
</div>

```

```

<!-- fh5co-blog-section -->
<div id="fh5co-testimonial" style="background-
image:url(images/img_bg_1.jpg);">
  <div class="container">
    <div class="row animate-box">
      <div class="col-md-8 col-md-offset-2 text-center
fh5co-heading">
        <h2>Happy Clients</h2>
      </div>
    </div>
  </div>
  <div class="row">
    <div class="col-md-4">
      <div class="box-testimony animate-box">
        <blockquote>

```

```
<span class="quote"><span><i
class="icon-quotes-right"></i></span></span>
```

```
<p>&ldquo;Far far away, behind
the word mountains, far from the countries Vokalia and Consonantia,
there live the blind texts. Separated they live in Bookmarksgrove right
at the coast of the Semantics, a large language ocean.&rdquo;</p>
```

```
</blockquote>
```

```
<p class="author">John Doe, CEO <a
href="http://freehtml5.co/" target="_blank">FREEHTML5.co</a> <span
class="subtext">Creative Director</span></p>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-4">
```

```
<div class="box-testimony animate-box">
```

```
<blockquote>
```

```
<span class="quote"><span><i
class="icon-quotes-right"></i></span></span>
```

```
<p>&ldquo;Far far away, behind
the word mountains, far from the countries Vokalia and Consonantia,
there live the blind texts.&rdquo;</p>
```

```
</blockquote>
```

```
<p class="author">John Doe, CEO <a
href="http://freehtml5.co/" target="_blank">FREEHTML5.co</a> <span
class="subtext">Creative Director</span></p>
```


</div>

</div>

<div class="col-md-4">

<div class="box-testimony animate-box">

<blockquote>

<i
class="icon-quotes-right"></i>

<p>“Far far away, behind
the word mountains, far from the countries Vokalia and Consonantia,
there live the blind texts. Separated they live in Bookmarksgrove right
at the coast of the Semantics, a large language ocean.”</p>

</blockquote>

<p class="author">John Doe, Founder
FREEHTML5.co Creative
Director</p>

</div>

</div>

</div>

</div>

</div>

```
<?php include "views/footer.php"; ?>
```

```
</div>
```

```
<!-- END fh5co-page -->
```

```
</div>
```

```
<!-- END fh5co-wrapper -->
```

```
<!-- jQuery -->
```

```
<script src="js/jquery.min.js"></script>
```

```
<!-- jQuery Easing -->
```

```
<script src="js/jquery.easing.1.3.js"></script>
```

```
<!-- Bootstrap -->
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<!-- Waypoints -->
```

```
<script src="js/jquery.waypoints.min.js"></script>
```

```
<script src="js/sticky.js"></script>
```

```
<!-- Stellar -->
<script src="js/jquery.stellar.min.js"></script>
<!-- Superfish -->
<script src="js/hoverIntent.js"></script>
<script src="js/superfish.js"></script>
<!-- Magnific Popup -->
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/magnific-popup-options.js"></script>
<!-- Date Picker -->
<script src="js/bootstrap-datepicker.min.js"></script>
<!-- CS Select -->
<script src="js/classie.js"></script>
<script src="js/selectFx.js"></script>

<!-- Main JS -->
<script src="js/main.js"></script>

</body>
</html>
```

About.php

<?php

```
include "views/header.php";
```

```
?>
```

```
<!DOCTYPE html>
```

```
<!--[if lt IE 7]>    <html class="no-js lt-ie9 lt-ie8 lt-ie7"> <![endif]-->
```

```
<!--[if IE 7]>        <html class="no-js lt-ie9 lt-ie8"> <![endif]-->
```

```
<!--[if IE 8]>        <html class="no-js lt-ie9"> <![endif]-->
```

```
<!--[if gt IE 8]><!--> <html class="no-js"> <!--<![endif]-->
```

```
    <head>
```

```
    <meta charset="utf-8">
```

```
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
    <title>About me</title>
```

```
    <meta name="viewport" content="width=device-width, initial-  
scale=1">
```

```
    <meta name="description" content="About author" />
```

```
    <meta name="keywords" content="author, luka, stevanov" />
```

```
    <meta name="author" content="Luka Stevanov" />
```

```
<!--
```

```
////////////////////////////////////
```

FREE HTML5 TEMPLATE

DESIGNED & DEVELOPED by FREEHTML5.CO

Website: <http://freehtml5.co/>

Email: info@freehtml5.co

Twitter: <http://twitter.com/fh5co>

Facebook: <https://www.facebook.com/fh5co>

////////////////////////////////////

-->

<!-- Facebook and Twitter integration -->

<meta property="og:title" content=""/>

<meta property="og:image" content=""/>

<meta property="og:url" content=""/>

<meta property="og:site_name" content=""/>

<meta property="og:description" content=""/>

<meta name="twitter:title" content=""/>

<meta name="twitter:image" content=""/>

<meta name="twitter:url" content=""/>

<meta name="twitter:card" content=""/>

<!-- Place favicon.ico and apple-touch-icon.png in the root directory -->

<link rel="shortcut icon" href="favicon.ico">

<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,700,300'
' rel='stylesheet' type='text/css'>

<!-- Animate.css -->

<link rel="stylesheet" href="css/animate.css">

<!-- Icomoon Icon Fonts-->

<link rel="stylesheet" href="css/icomoon.css">

<!-- Bootstrap -->

<link rel="stylesheet" href="css/bootstrap.css">

<!-- Superfish -->

<link rel="stylesheet" href="css/superfish.css">

<!-- Magnific Popup -->

<link rel="stylesheet" href="css/magnific-popup.css">

<!-- Date Picker -->

<link rel="stylesheet" href="css/bootstrap-datepicker.min.css">

<!-- CS Select -->

<link rel="stylesheet" href="css/cs-select.css">

<link rel="stylesheet" href="css/cs-skin-border.css">

```
<link rel="stylesheet" href="css/style.css">
```

```
<!-- Modernizr JS -->
```

```
<script src="js/modernizr-2.6.2.min.js"></script>
```

```
<!-- FOR IE9 below -->
```

```
<!--[if lt IE 9]>
```

```
<script src="js/respond.min.js"></script>
```

```
<![endif]-->
```

```
</head>
```

```
<body>
```

```
    <div id="fh5co-wrapper">
```

```
        <div id="fh5co-page">
```

```

```

```
<div id="descr" style="width:350px;margin-left:40px;">Zovem se Luka  
Stevanov i dolazim iz Lazarevca. Pohadjam Visoku ICT. Rodjen sam  
10.10.1995. Zelja mi je da se bavim trgovanjem na berzi.</div>
```

```
<b>  <a href="https://rs.linkedin.com/in/luka-stevanov-a1275abb"  
style="width:200px;height:200px;margin-left:40px;">Moj linkedin  
profil</a></b>
```

</div>

</div>

<script src="js/jquery.min.js"></script>

<!-- jQuery Easing -->

<script src="js/jquery.easing.1.3.js"></script>

<!-- Bootstrap -->

<script src="js/bootstrap.min.js"></script>

<!-- Waypoints -->

<script src="js/jquery.waypoints.min.js"></script>

<script src="js/sticky.js"></script>

<!-- Stellar -->

<script src="js/jquery.stellar.min.js"></script>

<!-- Superfish -->

<script src="js/hoverIntent.js"></script>

<script src="js/superfish.js"></script>

<!-- Magnific Popup -->

<script src="js/jquery.magnific-popup.min.js"></script>

<script src="js/magnific-popup-options.js"></script>

<!-- Date Picker -->

<script src="js/bootstrap-datepicker.min.js"></script>

<!-- CS Select -->


```
<script src="js/classie.js"></script>
<script src="js/selectFx.js"></script>

<!-- Main JS -->
<script src="js/main.js"></script>
<?php
include "views/footer.php";

?>
</body>
</html>
```

Vacation.php

```

<?php

include "views/header.php";
include "db.php";
?>

<!DOCTYPE html>

<!--[if lt IE 7]>    <html class="no-js lt-ie9 lt-ie8 lt-ie7"> <![endif]-->
<!--[if IE 7]>      <html class="no-js lt-ie9 lt-ie8"> <![endif]-->
<!--[if IE 8]>      <html class="no-js lt-ie9"> <![endif]-->
<!--[if gt IE 8]><!--> <html class="no-js"> <!--<![endif]-->

    <head>

        <meta charset="utf-8">

        <meta http-equiv="X-UA-Compatible" content="IE=edge">

        <title>Travel &mdash; 100% Free Fully Responsive HTML5
Template by FREEHTML5.co</title>

        <meta name="viewport" content="width=device-width, initial-
scale=1">

        <meta name="description" content="Free HTML5 Template by
FREEHTML5.CO" />

        <meta name="keywords" content="free html5, free template,
free bootstrap, html5, css3, mobile first, responsive" />

        <meta name="author" content="FREEHTML5.CO" />

```

<!--

////////////////////////////////////

FREE HTML5 TEMPLATE

DESIGNED & DEVELOPED by FREEHTML5.CO

Website: <http://freehtml5.co/>

Email: info@freehtml5.co

Twitter: <http://twitter.com/fh5co>

Facebook: <https://www.facebook.com/fh5co>

////////////////////////////////////

-->

<!-- Facebook and Twitter integration -->

<meta property="og:title" content=""/>

<meta property="og:image" content=""/>

<meta property="og:url" content=""/>

<meta property="og:site_name" content=""/>

<meta property="og:description" content=""/>

<meta name="twitter:title" content=""/>

```
<meta name="twitter:image" content="" />
```

```
<meta name="twitter:url" content="" />
```

```
<meta name="twitter:card" content="" />
```

```
<!-- Place favicon.ico and apple-touch-icon.png in the root  
directory -->
```

```
<link rel="shortcut icon" href="favicon.ico">
```

```
<link  
href='https://fonts.googleapis.com/css?family=Open+Sans:400,700,300  
' rel='stylesheet' type='text/css'>
```

```
<!-- Animate.css -->
```

```
<link rel="stylesheet" href="css/animate.css">
```

```
<!-- Icomoon Icon Fonts-->
```

```
<link rel="stylesheet" href="css/icomoon.css">
```

```
<!-- Bootstrap -->
```

```
<link rel="stylesheet" href="css/bootstrap.css">
```

```
<!-- Superfish -->
```

```
<link rel="stylesheet" href="css/superfish.css">
```

```
<!-- Magnific Popup -->
```

```
<link rel="stylesheet" href="css/magnific-popup.css">
```

```
<!-- Date Picker -->
```

```
<link rel="stylesheet" href="css/bootstrap-datepicker.min.css">
```

```
<!-- CS Select -->
```

```
<link rel="stylesheet" href="css/cs-select.css">
```

```
<link rel="stylesheet" href="css/cs-skin-border.css">
```

```
<link rel="stylesheet" href="css/style.css">
```

```
<!-- Modernizr JS -->
```

```
<script src="js/modernizr-2.6.2.min.js"></script>
```

```
<!-- FOR IE9 below -->
```

```
<!--[if lt IE 9]>
```

```
<script src="js/respond.min.js"></script>
```

```
<![endif]-->
```

```
</head>
```

```
<body>
```

```
    <div id="fh5co-wrapper">
```

```
        <div id="fh5co-page">
```

```
            <?php
```

```
function selectcities(){
```

```
    global $link;
```

```

$sql = "SELECT did,lokacija,cena,opis FROM destinacije";
$result = mysqli_query($link,$sql);

    while($row = mysqli_fetch_assoc($result))
    {
        $did = $row['did'];
        $lokacija = $row['lokacija'];
        $cena = $row['cena'];
        $opis = $row['opis'];

        echo "<b>$lokacija</b> <br> $cena <br> <i>$opis</i> <br><br> ";

    }
}

try {
    selectcities();
}
catch (Exception $e) {
    echo $e->getMessage();
}

?>

```

```
</div>
</div>
<script src="js/jquery.min.js"></script>
<!-- jQuery Easing -->
<script src="js/jquery.easing.1.3.js"></script>
<!-- Bootstrap -->
<script src="js/bootstrap.min.js"></script>
<!-- Waypoints -->
<script src="js/jquery.waypoints.min.js"></script>
<script src="js/sticky.js"></script>

<!-- Stellar -->
<script src="js/jquery.stellar.min.js"></script>
<!-- Superfish -->
<script src="js/hoverIntent.js"></script>
<script src="js/superfish.js"></script>
<!-- Magnific Popup -->
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/magnific-popup-options.js"></script>
<!-- Date Picker -->
<script src="js/bootstrap-datepicker.min.js"></script>
```

```
<!-- CS Select -->
<script src="js/classie.js"></script>
<script src="js/selectFx.js"></script>

<!-- Main JS -->
<script src="js/main.js"></script>
<?php
include "views/footer.php";

?>
</body>
</html>
```

Footer.php

<footer>

<div id="footer">

<div class="container">

<div class="row row-bottom-padded-md">

<div class="col-md-2 col-sm-2 col-xs-12 fh5co-footer-link">

<h3>About Travel</h3>

<p>Far far away, behind the word mountains, far from the countries Vokalia and Consonantia, there live the blind texts.</p>

</div>

<div class="col-md-2 col-sm-2 col-xs-12 fh5co-footer-link">

<h3>Top Flights Routes</h3>

Manila flights

Dubai flights

Bangkok flights

Tokyo Flight

New York Flights

```

        </ul>
    </div>
    <div class="col-md-2 col-sm-2 col-xs-
12 fh5co-footer-link">

        <h3>Top Hotels</h3>
        <ul>
            <li><a href="#">Boracay
Hotel</a></li>

            <li><a href="#">Dubai
Hotel</a></li>

            <li><a href="#">Singapore
Hotel</a></li>

            <li><a href="#">Manila
Hotel</a></li>

        </ul>
    </div>
    <div class="col-md-2 col-sm-2 col-xs-
12 fh5co-footer-link">

        <h3>Interest</h3>
        <ul>
            <li><a
href="#">Beaches</a></li>

            <li><a href="#">Family
Travel</a></li>

```

	Budget
Travel	
	Food
& Drink	
	Honeymoon and Romance	
	
	</div>
	<div class="col-md-2 col-sm-2 col-xs-
12 fh5co-footer-link">	
	<h3>Best Places</h3>
	
	Boracay
Beach	
	Dubai	
	Singapore	
	Hongkong	
	
	</div>
	<div class="col-md-2 col-sm-2 col-xs-
12 fh5co-footer-link">	
	<h3>Affordable</h3>

```

&amp; Drink</a></li>
Flights</a></li>

<ul>
  <li><a href="#">Food
  <li><a href="#">Fare
</ul>
</div>
</div>
<div class="row">
  <div class="col-md-6 col-md-offset-3
text-center">

    <p class="fh5co-social-icons">
      <a href="#"><i class="icon-
twitter2"></i></a>
      <a href="#"><i class="icon-
facebook2"></i></a>
      <a href="#"><i class="icon-
instagram"></i></a>
      <a href="#"><i class="icon-
dribbble2"></i></a>
      <a href="#"><i class="icon-
youtube"></i></a>

    </p>
    <p>Luka Stevanov</p>

```

```
</div>
</div>
</div>
</div>
</footer>
```

Header.php

```
<header id="fh5co-header-section" class="sticky-banner">
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js">
</script>
```

```
<div class="container">
<div class="nav-header">
<a href="#" class="js-fh5co-nav-toggle
fh5co-nav-toggle dark"><i></i></a>
<h1 id="fh5co-logo"><a
href="index.php"><i class="icon-airplane"></i>Travel</a></h1>
```

```

<!-- START #fh5co-menu-wrap -->
<nav id="fh5co-menu-wrap"
role="navigation">
    <ul class="sf-menu" id="fh5co-
primary-menu">
        <li class="active"><a
href="index.php">Home</a></li>
        <li>
            <a href="vacation.php"
class="fh5co-sub-ddown">Vacations</a>
            </li>
            <li>
                <a href="about.php"
class="fh5co-sub-ddown">About me</a>
                </li>
                <li><a href="contact.php">Contact</a></li>
                <?php
                if(isset($_SESSION['lemail'])){
                    echo "<li><a
href='logout.php'>".$_SESSION['lemail']."'</a></li>";

```

```

                                echo "<li><a
href='logout.php'>Logout</a></li>";
                                }else{
                                echo '<li><a
href="login.php">Log in</a></li><li><a
href="register.php">Register</a></li>';

                                }
                                ?>

                                </ul>
                                </nav>
                                </div>
                                </div>
                                </header>

```

Login.php

```

<html>
<?php
session_start();
include "views/header.php";

?>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Travel &mdash; 100% Free Fully Responsive HTML5
Template by FREEHTML5.co</title>
    <meta name="viewport" content="width=device-width, initial-
scale=1">
    <meta name="description" content="Free HTML5 Template by
FREEHTML5.CO" />
    <meta name="keywords" content="free html5, free template,
free bootstrap, html5, css3, mobile first, responsive" />
    <meta name="author" content="FREEHTML5.CO" />

<!--
////////////////////////////////////

```


FREE HTML5 TEMPLATE

DESIGNED & DEVELOPED by FREEHTML5.CO

Website: <http://freehtml5.co/>

Email: info@freehtml5.co

Twitter: <http://twitter.com/fh5co>

Facebook: <https://www.facebook.com/fh5co>

////////////////////////////////////

-->

<!-- Facebook and Twitter integration -->

<meta property="og:title" content=""/>

<meta property="og:image" content=""/>

<meta property="og:url" content=""/>

<meta property="og:site_name" content=""/>

<meta property="og:description" content=""/>

<meta name="twitter:title" content="" />

<meta name="twitter:image" content="" />

<meta name="twitter:url" content="" />

<meta name="twitter:card" content="" />

<!-- Place favicon.ico and apple-touch-icon.png in the root directory -->

<link rel="shortcut icon" href="favicon.ico">

<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,700,300'
' rel='stylesheet' type='text/css'>

<!-- Animate.css -->

<link rel="stylesheet" href="css/animate.css">

<!-- Icomoon Icon Fonts-->

<link rel="stylesheet" href="css/icomoon.css">

<!-- Bootstrap -->

<link rel="stylesheet" href="css/bootstrap.css">

<!-- Superfish -->

<link rel="stylesheet" href="css/superfish.css">

<!-- Magnific Popup -->

<link rel="stylesheet" href="css/magnific-popup.css">

<!-- Date Picker -->

<link rel="stylesheet" href="css/bootstrap-datepicker.min.css">

<!-- CS Select -->

<link rel="stylesheet" href="css/cs-select.css">

<link rel="stylesheet" href="css/cs-skin-border.css">

```
<link rel="stylesheet" href="css/style.css">
```

```
<!-- Modernizr JS -->
```

```
<script src="js/modernizr-2.6.2.min.js"></script>
```

```
<!-- FOR IE9 below -->
```

```
<!--[if lt IE 9]>
```

```
<script src="js/respond.min.js"></script>
```

```
<![endif]-->
```

```
<body>
```

```
<script>
```

```
$(document).ready(function(){
```

```
    $("#lform").submit(function(e){
```

```
        var lemail=$("#lemail").val();
```

```
        var lpass=$("#lpass").val();
```

```

        $.ajax({
type: "POST",
url: "ajaxing.php?",
data: {lemail: lemail, lpass: lpass},
success: function (data) {
            $("#resultdiv").html(data);
            /// window.location.href = 'index.php';
        },
        error: function(jqXHR, textStatus, errorThrown) {
alert(jqXHR.status);
alert(textStatus);
alert(errorThrown);
        }
    });

    e.preventDefault();
})

```

```
}}
```

```
</script>
```

```
<div id="formdiv" style="width:600px;height:300px">
```

```
<div id="logindiv" style="width:250px;float:left;margin-left:70px;">
```

```
<h2>Log in </h2>
```

```
<form method="post" id="lform">
```

```
<input type="text" name="lemail" id="lemail" placeholder="Please  
enter your email"><br><br>
```

```
<input type="password" name="lpass" id="lpass" placeholder="Please  
enter your password"><br><br>
```

```
<input type="submit" name="lsubmit">
```

```
</form>
```

```
<div id="resultdiv"></div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
<?php
```

```
include "views/footer.php";
```

```
?>
```

```
</html>
```

Register.php

```

<html>
<?php

include "views/header.php";

?>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Travel &mdash; 100% Free Fully Responsive HTML5
Template by FREEHTML5.co</title>
    <meta name="viewport" content="width=device-width, initial-
scale=1">
    <meta name="description" content="Free HTML5 Template by
FREEHTML5.CO" />
    <meta name="keywords" content="free html5, free template,
free bootstrap, html5, css3, mobile first, responsive" />
    <meta name="author" content="FREEHTML5.CO" />

<!--
////////////////////////////////////

```

FREE HTML5 TEMPLATE

DESIGNED & DEVELOPED by FREEHTML5.CO

Website: <http://freehtml5.co/>

Email: info@freehtml5.co

Twitter: <http://twitter.com/fh5co>

Facebook: <https://www.facebook.com/fh5co>

////////////////////////////////////

-->

<!-- Facebook and Twitter integration -->

<meta property="og:title" content=""/>

<meta property="og:image" content=""/>

<meta property="og:url" content=""/>

<meta property="og:site_name" content=""/>

<meta property="og:description" content=""/>

<meta name="twitter:title" content=""/>

<meta name="twitter:image" content=""/>

<meta name="twitter:url" content=""/>

<meta name="twitter:card" content=""/>

<!-- Place favicon.ico and apple-touch-icon.png in the root directory -->

<link rel="shortcut icon" href="favicon.ico">

<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,700,300'
' rel='stylesheet' type='text/css'>

<!-- Animate.css -->

<link rel="stylesheet" href="css/animate.css">

<!-- Icomoon Icon Fonts-->

<link rel="stylesheet" href="css/icomoon.css">

<!-- Bootstrap -->

<link rel="stylesheet" href="css/bootstrap.css">

<!-- Superfish -->

<link rel="stylesheet" href="css/superfish.css">

<!-- Magnific Popup -->

<link rel="stylesheet" href="css/magnific-popup.css">

<!-- Date Picker -->

<link rel="stylesheet" href="css/bootstrap-datepicker.min.css">

<!-- CS Select -->

<link rel="stylesheet" href="css/cs-select.css">

<link rel="stylesheet" href="css/cs-skin-border.css">

```
<link rel="stylesheet" href="css/style.css">
```

```
<!-- Modernizr JS -->
```

```
<script src="js/modernizr-2.6.2.min.js"></script>
```

```
<!-- FOR IE9 below -->
```

```
<!--[if lt IE 9]>
```

```
<script src="js/respond.min.js"></script>
```

```
<![endif]-->
```

```
<body>
```

```
<script>
```

```
$(document).ready(function(){
```

```
    $("#rform").submit(function(e){
```

```
        var fname=$("#fname").val();
```

```
        var lname=$("#lname").val();
```

```
        var remail=$("#remail").val();
```

```

        var rpass=$("#rpass").val();

        $.ajax({
type: "POST",
url: "ajaxing.php?",
data: {fname: fname, lname: lname, email: email, rpass:rpass},
success: function (data) {
    $("#resultdiv").html(data);
},
    error: function(jqXHR, textStatus, errorThrown) {
alert(jqXHR.status);
alert(textStatus);
alert(errorThrown);
}
});

        e.preventDefault();
    })

```

```
}}
```

```
</script>
```

```
<div id="formdiv" style="width:600px;height:300px;">
```

```
<div id="regdiv" style="width:250px;float:left;margin-left:70px;margin-bottom:50px;">
```

```
<h2>Register </h2>
```

```
<form method="post" id="rform">
```

```
<input type="text" name="fname" id="fname" placeholder="First Name"><br><br>
```

```
<input type="text" name="lname" id="lname" placeholder="Lastname"><br><br>
```

```
<input type="email" name="reemail" id="reemail" placeholder="Email"><br><br>
```

```
<input type="password" name="rpass" id="rpass" placeholder="Password"><br><br>
```

```
<input type="submit" name="rsubmit">
```

```
</form>
```

```
<div id="resultdiv"></div>
```

</div>

</div>

</body>

<?php

include "views/footer.php";

?>

</html>

Logout.php

```
<?php
session_start();

function logoutuser(){

if (isset($_SESSION['lemail']))
{
    unset($_SESSION['lemail']);
}
header("location:index.php");
}
try {
    logoutuser();
}
catch (Exception $e) {
    echo $e->getMessage();
}

?>
```

Ajaxing.php

```
<?php
```

```
include "db.php";
```

```
session_start();
```

```
$errmsg="";
```

```
/// KOD ZA UBACIVANJE KONTAKT PORUKE U BAZU
```

```
function insertcontact(){
```

```
if(isset($_POST['cemail'])){
```

```
    global $link;
```

```
    $cemail=$_POST['cemail'];
```

```
    $ctext=$_POST['ctext'];
```

```
        if($cemail == "" || $ctext == ""){
```

```
            $errmsg="Sva polja moraju biti popunjena";
```

```
        }else{
```

```
            $sql = "INSERT INTO contact(email,text,date)VALUES  
( '$cemail', '$ctext', now())";
```

```
if (mysqli_query($link, $sql)) {  
    $errmsg= "Your contact message has been received.";  
} else {  
    echo "Error: " . $sql . " " . mysqli_error($link);  
}  
}  
  
echo $errmsg;  
  
}  
  
}
```

```
try {  
    insertcontact();  
}  
catch (Exception $e) {  
    echo $e->getMessage();  
}
```

/// KOD ZA REGISTRACIJU KORISNIKA


```

function registeruser(){

if(isset($_POST['fname'])){
    global $link;

    $fname=$_POST['fname'];
    $lname=$_POST['lname'];
    $reemail=$_POST['reemail'];
    $rpass=$_POST['rpass'];

    if($fname == "" || $lname == "" || $reemail == "" || $rpass == ""){
        $errmsg="Sva polja moraju biti popunjena";
        echo $errmsg;
        exit();
    }

    $sql = "SELECT email FROM korisnik";
    $result = mysqli_query($link,$sql);

    while($row = mysqli_fetch_assoc($result))
    {
        $dbemail = $row['email'];
    }
}

```

```

    }

    if ($dbemail == $remail){
        $errmsg="Email vec postoji u bazi.";

        echo $errmsg;
        exit();
    }


    $sql = "INSERT INTO
korisnik(ime,prezime,email,password)VALUES
('$fname','$lname','$remail',md5('$rpass'))";

    if (mysqli_query($link, $sql)) {
        $errmsg= "New user created successfully";
    } else {
        echo "Error: " . $sql . " " . mysqli_error($link);
    }
    echo $errmsg;

}

```

```

}
try {
    registeruser();
}
catch (Exception $e) {
    echo $e->getMessage();
}

```

/// KOD ZA LOGOVANJE KORISNIKA

```
function loginuser(){
```

```
    if(isset($_POST['lemail'])){
```

```
        global $link;
```

```
        $lemail=$_POST['lemail'];
```

```
        $lpass=$_POST['lpass'];
```

```
        if($lemail == "" || $lpass == ""){
```

```
            $errmsg="Sva polja moraju biti popunjena!";
```

```
        }else{
```

```
            $query = "SELECT * FROM `korisnik` WHERE email='$lemail'
```

```

and password="'.md5($lpass).''";

$result = mysqli_query($link,$query) or die(mysql_error());
$rows = mysqli_num_rows($result);
    if($rows==1){
        $_SESSION['lemail'] = $lemail;
        $semail=$_SESSION['lemail'];
        // Redirect user to index.php
        $errmsg="Ulogovani ste $semail";
    }else{

        $errmsg="Pogresno uneti podaci!";
    }
}

echo $errmsg;
}

}

try {
    loginuser();
}

catch (Exception $e) {
    echo $e->getMessage();
}

```

```
}  
?>
```

DB.PHP

```
<?php
```

```
$link = mysqli_connect("localhost", "root", "", "travel");
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

Contact.php

```
<html>
```

```
<?php
```

```
include "views/header.php";
```

```
?>
```

```
<head>
```

```
    <meta charset="utf-8">
```

```
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
    <title>Travel &mdash; 100% Free Fully Responsive HTML5  
Template by FREEHTML5.co</title>
```

```
    <meta name="viewport" content="width=device-width, initial-  
scale=1">
```

```
    <meta name="description" content="Free HTML5 Template by  
FREEHTML5.CO" />
```

```
    <meta name="keywords" content="free html5, free template,  
free bootstrap, html5, css3, mobile first, responsive" />
```

```
    <meta name="author" content="FREEHTML5.CO" />
```

```
<!--
```

```
////////////////////////////////////
```

FREE HTML5 TEMPLATE

DESIGNED & DEVELOPED by FREEHTML5.CO

Website: <http://freehtml5.co/>

Email: info@freehtml5.co

Twitter: <http://twitter.com/fh5co>

Facebook: <https://www.facebook.com/fh5co>

////////////////////////////////////

-->

<!-- Facebook and Twitter integration -->

<meta property="og:title" content=""/>

<meta property="og:image" content=""/>

<meta property="og:url" content=""/>

<meta property="og:site_name" content=""/>

<meta property="og:description" content=""/>

<meta name="twitter:title" content=""/>

<meta name="twitter:image" content=""/>

<meta name="twitter:url" content=""/>

<meta name="twitter:card" content=""/>

<!-- Place favicon.ico and apple-touch-icon.png in the root directory -->

<link rel="shortcut icon" href="favicon.ico">

<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,700,300
' rel='stylesheet' type='text/css'>

<!-- Animate.css -->

<link rel="stylesheet" href="css/animate.css">

<!-- Icomoon Icon Fonts-->

<link rel="stylesheet" href="css/icomoon.css">

<!-- Bootstrap -->

<link rel="stylesheet" href="css/bootstrap.css">

<!-- Superfish -->

<link rel="stylesheet" href="css/superfish.css">

<!-- Magnific Popup -->

<link rel="stylesheet" href="css/magnific-popup.css">

<!-- Date Picker -->

<link rel="stylesheet" href="css/bootstrap-datepicker.min.css">

<!-- CS Select -->

<link rel="stylesheet" href="css/cs-select.css">


```
<link rel="stylesheet" href="css/cs-skin-border.css">
```

```
<link rel="stylesheet" href="css/style.css">
```

```
<!-- Modernizr JS -->
```

```
<script src="js/modernizr-2.6.2.min.js"></script>
```

```
<!-- FOR IE9 below -->
```

```
<!--[if lt IE 9]>
```

```
<script src="js/respond.min.js"></script>
```

```
<![endif]-->
```

```
</head>
```

```
<body>
```

```
<script>
```

```
$(document).ready(function(){
```

```
    $("#cform").submit(function(e){
```

```
        var cemail=$("#cemail").val();
```

```
        var ctext=$("#ctext").val();
```

```

        $.ajax({
type: "POST",
url: "ajaxing.php?",
data: {cemail: cemail, ctext: ctext},
success: function (data) {
    $("#resultdiv").html(data);
},
        error: function(jqXHR, textStatus, errorThrown) {
alert(jqXHR.status);
alert(textStatus);
alert(errorThrown);
}
    });

    e.preventDefault();

    })

})

```

```
</script>
```

```
<div id="formdiv" style="width:600px;height:300px;">
```

```
<div id="regdiv" style="width:250px;float:left;margin-left:70px;margin-bottom:50px;">
```

```
<h2>Contact </h2>
```

```
<form method="post" id="cform">
```

```
<input type="text" name="email" placeholder="Enter your email"
id="cemail"><br><br>
```

```
<textarea type="text" name="text" placeholder="Enter your message
here" id="ctext"></textarea><br><br>
```

```
<input type="submit" name="csubmit" id="csubmit">
```

```
</form>
```

```
<div id="resultdiv"></div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
<br><br>
```

```
<?php
```

```
include "views/footer.php";
```

```
?>
```

```
</html>
```

