


LumièreShop — Developer Onboarding & Architectural Guide

Welcome to the **LumièreShop** codebase! This comprehensive guide provides everything new engineers and contributors need to understand the architecture, configure local environments, execute composable data pipelines, run automated test suites, and deploy to Google Cloud.

High-Level System Architecture

LumièreShop is an enterprise e-commerce diagnostic platform and executive decision engine. It simulates an active Black Friday e-commerce incident and leverages **Google Cloud Knowledge Catalog** and the **Gemini Enterprise Agent Platform** (BigQuery Conversational Analytics) to discover root causes across complex enterprise datasets.



Repository Directory Structure

The repository is modular, clean, and composable:

```
lumiere-shop/
├── backend/                                # FastAPI Application & UI Static Assets
│   ├── app/
│   │   ├── services/                    # Core Services (Discovery, Evaluator, CA Service)
│   │   │   ├── ca_service.py           # Gemini Conversational Analytics integration
│   │   │   ├── discovery_service.py    # Knowledge Catalog semantic search
│   │   │   └── prompt_evaluator.py     # 3-way candidate prompt evaluation
│   │   ├── config.py                   # Environment configuration loader
│   │   ├── main.py                     # FastAPI application and route definitions
│   │   └── models.py                   # Pydantic request/response models
│   └── static/
│       └── index.html                   # Material Design 3 single-page application
├── config/                                # Version-Controlled Metadata & Configuration
│   ├── business_glossary.yaml          # Enterprise business glossary definitions
│   └── business_glossary.json          # JSON schema representation of glossary
├── docs/                                  # Living Documentation, Guides & Reports
│   ├── images/                          # Canonical screenshots and architecture diagrams
│   └── DATASET_DATA_AND_SCHEMA_SUMMARY.md # Full 140-table schema & column dictionary
```

```

├── DATA_CONTEXT_AND_SEMANTICS_GUIDE.md # Knowledge Catalog search & profiling guide
├── DEVELOPER_ONBOARDING_GUIDE.md # This onboarding guide
├── scripts/ # Sequential Data Provisioning & Pipeline Scripts
│   ├── 01_create_schema.py # Step 1: Base BigQuery schema creation
│   ├── 02_generate_data.py # Step 2: Seed synthetic Black Week operational data
│   ├── 04_extend_log_schema.py # Step 4: Add recommender & bidding log tables
│   ├── 06_update_data_agent.py # Step 6: Configure Gemini Data Agent instructions
│   ├── 08_setup_dataplex_profiling.py # Step 8: Knowledge Catalog data quality profiling
│   ├── 09_create_dataplex_glossary.py # Step 9: Knowledge Catalog glossary deployment
│   ├── 11_create_extended_schema.py # Step 11: Enterprise extended schemas (104 tables)
│   ├── 12_generate_extended_data.py # Step 12: Populate extended domain records
│   ├── 13_setup_dataplex_aspects.py # Step 13: Attach custom aspect templates
│   ├── 14_generate_historical_data.py # Step 14: Populate multi-week historical actuals
│   ├── 15_add_user_name_to_logs.py # Step 15: Add user_name audit log column
│   ├── 17_add_menu_item_and_agent_no_to_logs.py # Step 17: Add multi-agent audit log columns
│   ├── apply_bq_descriptions.py # Apply 5-part descriptions to BigQuery tables
│   ├── bootstrap_new_project.py # Turnkey automated 7-stage cloud deployment orchestrator
│   ├── expand_business_glossary.py # 85-term business taxonomy generator
│   ├── export_bq_tables_to_csv.py # BigQuery dataset CSV exporter & archiver
│   ├── export_dataset_summary.py # Markdown schema generator with placeholders
│   ├── generate_docs_pdf.py # Playwright documentation compiler (HTML & PDF)
│   └── render_architecture_diagram.py # Architecture PNG diagram generator (Playwright)
├── scripts/test/ # Composable Automated Test Suites
│   ├── 03_verify_agent.py # Conversational Analytics API REST verification
│   ├── 04b_verify_extended_logs.py # Audit log verification script
│   ├── 05_validate_data_dates.py # Date cutoff & mathematical variance assertions
│   ├── 07_test_investigation_tree.py # 10-branch Gemini Data Agent discovery verification
│   ├── 10_test_knowledge_search.py # Knowledge Catalog semantic search precision test
│   ├── 16_test_user_name_flow.py # Screen 0 & user_name audit logging test suite
│   ├── 17_test_compare_chats_logging.py # 3-Agent compare chats audit logging test suite
│   ├── 18_test_temporal_glossary_terms.py # Temporal simulation glossary terms & semantic pre
│   ├── audit_data_and_metadata_context.py # 140-table enterprise metadata audit
│   ├── run_all_tests.py # Master test runner and quality auditor
│   ├── run_full_system_test.py # Full system end-to-end validator
│   ├── test_complete_local_ui_flow.py # Playwright UI automated flow test
│   ├── test_multi_agent_chat.py # 3-Agent parallel cockpit evaluation
│   ├── test_multilingual_support.py # 25-Language dictionary and DOM verification
│   ├── test_prompt_studio_ui.py # Prompt Comparison Studio UI test
│   ├── test_prompt_table_consistency.py # Knowledge Catalog vs BigQuery table consistency
│   ├── test_ui_and_metrics.py # UI telemetry & metrics validation
│   ├── test_ui_playwright.py # Playwright browser integration suite
│   ├── test_user_exact_scenario.py # Exact user journey validation
│   └── test_utils.py # Shared environment discovery and GCP auth helpers
├── .dockerignore # Docker build exclusion rules
├── .env.example # Environment variables configuration template
├── .gitignore # Git exclusion rules
├── DEPLOYMENT.md # Operational release instructions and Cloud Run records
├── Dockerfile # Production container definition for Cloud Run
└── README.md # High-level project README

```

Prerequisites & Local Setup

1. System Requirements

- **Operating System:** Linux / macOS / Windows WSL2
- **Python:** Python 3.11 or higher (Python 3.13 recommended)
- **Google Cloud SDK:** `gcloud` CLI installed and authenticated
- **Chromium (for Playwright tests & PDF compiler):** `playwright install chromium`

2. Google Cloud Authentication

Authenticate with your Google Cloud credentials:

```
gcloud auth login
gcloud auth application-default login
gcloud config set project <YOUR_GCP_PROJECT_ID>
```

3. Environment Configuration (`.env`)

Create a `.env` file in the project root:

```
# Google Cloud Platform Configuration
GCP_PROJECT_ID=<YOUR_GCP_PROJECT_ID>
GCP_PROJECT_NUMBER=<YOUR_GCP_PROJECT_NUMBER>
GCP_REGION=<YOUR_GCP_REGION>
BQ_DATASET_ID=ecommerce_dw
BQ_LOCATION=<YOUR_GCP_REGION>

# Gemini Enterprise Agent Platform (Conversational Analytics)
CA_API_HOST=https://geminidataanalytics.googleapis.com
CA_API_ENDPOINT=https://geminidataanalytics.googleapis.com/v1beta/projects/<YOUR_GCP_PROJECT_ID>
DATA_AGENT_ID=<YOUR_DATA_AGENT_ID>

# Application Runtime Configuration
PORT=8000
HOST=0.0.0.0
ENVIRONMENT=development
BASE_URL=http://localhost:8000
```



Running the Local Development Server

To launch the FastAPI application locally:

```
# 1. Install dependencies
pip install -r requirements.txt
playwright install chromium

# 2. Start the FastAPI server with auto-reload
cd backend
uvicorn app.main:app --host 0.0.0.0 --port 8000 --reload
```

Open your browser and navigate to:

- **Interactive UI:** `http://localhost:8000`
- **Swagger API Docs:** `http://localhost:8000/docs`
- **Health Check:** `http://localhost:8000/api/health`

Composable Test Suite

The test suite is located in `scripts/test/` and can be executed via the master orchestrator `run_all_tests.py`.

Running All Tests:

```
python3 scripts/test/run_all_tests.py --all
```

Running Targeted Test Subsets:

```
# Fast Unit & Multilingual Tests
python3 scripts/test/run_all_tests.py --unit

# GCP BigQuery & Gemini Data Agent Integration Tests
python3 scripts/test/run_all_tests.py --integration

# Enterprise 140-Table Metadata & Business Glossary Audit
python3 scripts/test/run_all_tests.py --audit
```

Data Generation & Schema Pipeline

If you need to re-provision the BigQuery dataset or re-seed the environment from scratch, execute the scripts sequentially:

Step	Script	Description
01	<code>python3 scripts/01_create_schema.py</code>	Creates core 20 BigQuery tables in <code>ecommerce_dw</code> .
02	<code>python3 scripts/02_generate_data.py</code>	Seeds Black Week operational data (Nov 23–27).
03	<code>python3 scripts/04_extend_log_schema.py</code>	Creates <code>catalog_recommender_logs</code> , <code>ad_bidding_log</code> , etc.
04	<code>python3 scripts/09_create_dataplex_glossary.py</code>	Deploys business glossary to Knowledge Catalog.
05	<code>python3 scripts/11_create_extended_schema.py</code>	Creates 115 extended enterprise tables (7 domains).

Step	Script	Description
06	<code>python3 scripts/12_generate_extended_data.py</code>	Generates relational records across extended domains.
07	<code>python3 scripts/13_setup_dataplex_aspects.py</code>	Attaches Knowledge Catalog custom aspect templates.
08	<code>python3 scripts/14_generate_historical_data.py</code>	Generates 6 weeks of historical actuals for trends.
09	<code>python3 scripts/apply_bq_descriptions.py</code>	Applies 5-part structured descriptions to all tables.

Multilingual System (25 Languages)

LumièreShop natively supports **25 European and International languages**:

- **Language Switcher:** Located in the top header of Screen 1.
- **Menu Order:** Alphabetical by English language name (`Bulgarian` , `Croatian` , `Czech` , `Dutch` , `English (Default)` , `Estonian` , `Finnish` , `French` , `German` , `Greek` , `Hungarian` , `Italian` , `Latvian` , `Lithuanian` , `Norwegian` , `Polish` , `Portuguese` , `Romanian` , `Russian` , `Serbian` , `Slovak` , `Slovenian` , `Spanish` , `Swedish` , `Ukrainian`).
- **Localized Prompt Presets:** All candidate prompts in the Prompt Comparison Studio are dynamically localized when a language is selected.

Google Cloud Deployment (Cloud Run)

The application is containerized and deployed to **Google Cloud Run**:

```
# 1. Build and push container image using Cloud Build
gcloud builds submit --config cloudbuild.yaml

# 2. Deploy to Cloud Run
gcloud run deploy lumiere-shop-app \
  --image <YOUR_GCP_REGION>-docker.pkg.dev/<YOUR_GCP_PROJECT_ID>/lumiere-shop-repo/lumiere-sho
  --region <YOUR_GCP_REGION> \
  --platform managed \
  --allow-unauthenticated \
  --port 8000 \
  --set-env-vars="GCP_PROJECT_ID=<YOUR_GCP_PROJECT_ID>,GCP_REGION=<YOUR_GCP_REGION>,BQ_DATASET"
```

Documentation Generation (HTML & PDF)

To re-compile all documentation into standalone styled HTML and A4 PDF documents:

```
python3 scripts/generate_docs_pdf.py
```

This processes all `.md` files in `docs/` and produces matching `.html` and `.pdf` files.