

mpr

*Data & Program Library Service
3313 Social Science Bldg.
University of Wisconsin-Madison
Madison, WI 53706*

STATS RUNS FOR THE
GARY INCOME MAINTENANCE
EXPERIMENTS

(Public Use Files)

Updated July 20, 1979

CA-033-001+

CA-033-002

MATHEMATICA POLICY RESEARCH
2101 L STREET, N.W. SUITE 416
WASHINGTON, D.C. 20037

Programming Support
by
SOCIAL & SCIENTIFIC SYSTEMS, INC.

FAMILY VARIABLES

variable	description	min value	max value	mean	std dev	freq zero	blk 9993	blk 9994	blk 9995	blk 9996	blk 9997	blk 9998	blk 9999
FAMNUM	(COLS. 1- 4)	5000	9692	7805.55	1302.46	1807	0	0	0	0	0	0	0
POVLEV	(COLS. 7- 7)	1	2	1.43	0.49	792	0	0	403	487	125	0	0
TREATLEV	(COLS. 9- 9)	1	2	1.50	0.50	627	773	0	200	207	0	0	0
CELLNUM	(COLS. 10- 12)	1	165	54.39	30.04	1807	0	0	0	0	0	0	0
HOPLCITY	(COLS. 14- 14)	1	1	1.00	0.0	796	1011	0	0	0	0	0	0
ENRLODATE	(COLS. 15- 19)	71002	72046	71122.38	118.36	1807	0	0	0	0	0	0	0
PAYNUM	(COLS. 20- 21)	1	42	8.71	5.69	1798	0	0	0	0	0	0	9
LPAYNUM	(COLS. 22- 23)	4	86	71.82	16.99	1798	0	0	0	0	0	0	9
ATTDATE	(COLS. 24- 28)	71041	75166	72833.50	1120.88	300	1507	0	0	0	0	0	0
DENRLDAT	(COLS. 29- 33)	74046	74227	74121.88	52.73	1549	258	0	0	0	0	0	0
MLFLAG	(COLS. 34- 35)	001	0	0.0	0.0	0	92	0	0	0	0	1715	0
MLFLAG	(COLS. 36- 37)	002	2	2	2.00	0.0	4	541	0	0	0	0	1262
MLFLAG	(COLS. 38- 39)	003	1	2	1.19	0.40	42	694	0	0	0	0	1070
MLFLAG	(COLS. 40- 41)	004	1	3	1.29	0.55	45	1126	0	0	0	0	632
MLFLAG	(COLS. 42- 43)	005	1	3	1.37	0.60	49	1226	0	0	0	0	520
MLFLAG	(COLS. 44- 45)	006	1	3	1.15	0.42	129	1379	0	0	0	0	276
MLFLAG	(COLS. 46- 47)	007	1	3	1.11	0.41	176	1467	0	0	0	0	134
MLFLAG	(COLS. 48- 49)	008	1	3	1.11	0.44	179	1463	0	0	0	0	127
MLFLAG	(COLS. 50- 51)	009	1	3	1.12	0.47	173	1463	0	0	0	0	126
MLFLAG	(COLS. 52- 53)	010	1	3	1.13	0.50	168	1458	0	0	0	0	126
MLFLAG	(COLS. 54- 55)	011	1	3	1.13	0.49	160	1528	0	0	0	0	59
MLFLAG	(COLS. 56- 57)	012	1	3	1.13	0.49	155	1568	0	0	0	0	62
MLFLAG	(COLS. 58- 59)	013	1	3	1.13	0.50	150	1592	0	0	0	0	64
MLFLAG	(COLS. 60- 61)	014	1	3	1.13	0.49	141	1599	0	0	0	0	67
MLFLAG	(COLS. 62- 63)	015	1	3	1.14	0.52	138	1589	0	0	0	0	80

FAMILY VARTABLES

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
MLFLAG (COLS. 114- 115)	041	1	3	1.27	0.67	90	602	0	0	0	0	0	0	0 1115
MLFLAG (COLS. 116- 117)	042	1	3	1.27	0.68	84	405	0	0	0	0	0	0	0 1318
MLFLAG (COLS. 118- 119)	043	1	3	1.23	0.64	44	321	0	0	0	0	0	0	0 1442
MLFLAG (COLS. 120- 121)	044	1	3	1.22	0.65	18	110	0	0	0	0	0	0	0 1679
MLFLAG (COLS. 122- 123)	045	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0 1807
MLFLAG (COLS. 124- 125)	046	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0 1807
MLFLAG (COLS. 126- 127)	047	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0 1807
MLFLAG (COLS. 128- 129)	048	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0 1807
FAMTYP (COLS. 130- 131)	001	1	3	1.43	0.54	92	0	0	0	0	0	0	0	0 1715
FAMTYP (COLS. 132- 133)	002	1	3	1.61	0.52	545	0	0	0	0	0	0	0	0 1262
FAMTYP (COLS. 134- 135)	003	1	3	1.55	0.52	737	0	0	0	0	0	0	0	0 1069
FAMTYP (COLS. 136- 137)	004	1	3	1.61	0.51	1171	0	0	0	1	0	0	0	0 631
FAMTYP (COLS. 138- 139)	005	1	3	1.64	0.50	1274	0	0	0	2	0	0	0	0 519
FAMTYP (COLS. 140- 141)	006	1	3	1.67	0.50	1506	0	0	0	3	0	0	0	0 275
FAMTYP (COLS. 142- 143)	007	1	3	1.66	0.50	1641	0	0	0	3	0	0	0	0 133
FAMTYP (COLS. 144- 145)	008	1	3	1.66	0.50	1640	0	0	0	3	0	0	0	0 126
FAMTYP (COLS. 146- 147)	009	1	3	1.66	0.50	1635	0	0	0	2	0	0	0	0 125
FAMTYP (COLS. 148- 149)	010	1	3	1.66	0.50	1626	0	0	0	1	0	0	0	0 125
FAMTYP (COLS. 150- 151)	011	1	3	1.65	0.51	1689	0	0	0	0	0	0	0	0 60
FAMTYP (COLS. 152- 153)	012	1	3	1.63	0.51	1724	0	0	0	0	0	0	0	0 62
FAMTYP (COLS. 154- 155)	013	1	3	1.63	0.51	1742	0	0	0	0	0	0	0	0 64
FAMTYP (COLS. 156- 157)	014	1	3	1.63	0.51	1740	0	0	0	0	0	0	0	0 67
FAMTYP (COLS. 158- 159)	015	1	3	1.64	0.51	1726	0	0	0	1	0	0	0	0 80
FAMTYP (COLS. 160- 161)	016	1	3	1.64	0.51	1719	0	0	0	1	0	0	0	0 87
FAMTYP (COLS. 162- 163)	017	1	3	1.64	0.51	1711	0	0	0	1	0	0	0	0 95

FAMILY VARIABLES

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
FAMTYP (COLS. 214- 215)	043	1	3	1.63	0.55	361	0	0	0	4	0	0	0	0 1442
FAMTYP (COLS. 216- 217)	044	1	3	1.48	0.57	128	0	0	0	0	0	0	0	0 1679
FAMTYP (COLS. 218- 219)	045	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0 1807
FAMTYP (COLS. 220- 221)	046	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0 1807
FAMTYP (COLS. 222- 223)	047	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0 1807
FAMTYP (COLS. 224- 225)	048	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0 1807
HEADSHIP (COLS. 226- 227)		1	6	3.07	1.53	1807	0	0	0	0	0	0	0	0 0 0
MALENUM (COLS. 228- 233)	506403	969101	810304.00	47273.06	736	0	0	0	0	0	0	0	0	0 1071
MALEFLR (COLS. 234- 234)		1	1	1.00	0.0	733	3	0	0	0	0	0	0	0 1071
FEMNUM (COLS. 235- 240)	500001	969201	780029.13	130350.19	1782	0	0	0	0	0	0	0	0	0 25
FEMFLR (COLS. 241- 241)		1	1	1.00	0.0	1074	708	0	0	0	0	0	0	0 25
EXPTIM (COLS. 338- 340)	001	901	901	901.00	0.49	1034	0	0	0	0	0	773	0	0 0
EXPTIM (COLS. 341- 343)	002	1	902	727.73	356.05	1034	0	0	0	0	0	773	0	0 0
EXPTIM (COLS. 344- 346)	003	1	903	699.07	377.26	1034	0	0	0	0	0	773	0	0 0
EXPTIM (COLS. 347- 349)	004	1	904	630.20	414.80	1034	0	0	0	0	0	773	0	0 0
EXPTIM (COLS. 350- 352)	005	1	905	426.16	450.70	1033	0	0	0	0	0	773	0	0 1
EXPTIM (COLS. 353- 355)	006	1	906	312.41	428.84	1030	0	0	0	0	0	773	0	0 4
EXPTIM (COLS. 356- 358)	007	1	907	224.14	388.33	1032	0	0	0	0	0	773	0	0 2
EXPTIM (COLS. 359- 361)	008	1	908	107.57	288.06	1030	0	0	0	0	0	773	0	0 4
EXPTIM (COLS. 362- 364)	009	1	909	92.16	267.08	1026	0	0	0	0	0	773	0	0 8
EXPTIM (COLS. 365- 367)	010	1	910	91.84	265.30	1031	0	0	0	0	0	773	0	0 3
EXPTIM (COLS. 368- 370)	011	2	911	92.76	265.16	1032	0	0	0	0	0	773	0	0 2
EXPTIM (COLS. 371- 373)	012	3	912	93.84	265.30	1031	0	0	0	0	0	773	0	0 3
EXPTIM (COLS. 374- 376)	013	1	913	66.53	221.49	1031	0	0	0	0	0	773	0	0 3
EXPTIM (COLS. 377- 379)	014	1	914	43.80	173.05	1026	0	0	0	0	0	773	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	NO. BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
EXPTIM (COLS. 380- 382)	015	1	915	42.32	167.02	1020	0	0	0	0	0	773	0	0	14
EXPTIM (COLS. 383- 385)	016	2	916	43.64	167.73	1011	0	0	0	0	0	773	0	0	23
EXPTIM (COLS. 386- 388)	017	2	917	44.68	167.90	1009	0	0	0	0	0	773	0	0	25
EXPTIM (COLS. 389- 391)	018	3	918	45.50	167.50	1014	0	0	0	0	0	773	0	0	20
EXPTIM (COLS. 392- 394)	019	4	919	46.67	167.90	1009	0	0	0	0	0	773	0	0	25
EXPTIM (COLS. 395- 397)	020	3	920	47.97	168.54	1001	0	0	0	0	0	773	0	0	33
EXPTIM (COLS. 398- 400)	021	4	921	48.99	168.62	1000	0	0	0	0	0	773	0	0	34
EXPTIM (COLS. 401- 403)	022	1	922	49.08	166.44	999	0	0	0	0	0	773	0	0	35
EXPTIM (COLS. 404- 406)	023	6	923	50.33	167.00	992	0	0	0	0	0	773	0	0	42
EXPTIM (COLS. 407- 409)	024	7	924	51.22	166.76	995	0	0	0	0	0	773	0	0	39
EXPTIM (COLS. 410- 412)	025	2	925	52.15	166.60	997	0	0	0	0	0	773	0	0	37
EXPTIM (COLS. 413- 415)	026	9	926	53.23	166.76	995	0	0	0	0	0	773	0	0	39
EXPTIM (COLS. 416- 418)	027	10	927	54.22	166.76	995	0	0	0	0	0	773	0	0	39
EXPTIM (COLS. 419- 421)	028	3	928	55.22	166.85	994	0	0	0	0	0	773	0	0	40
EXPTIM (COLS. 422- 424)	029	4	929	56.39	167.25	989	0	0	0	0	0	773	0	0	45
EXPTIM (COLS. 425- 427)	030	10	930	57.74	167.98	980	0	0	0	0	0	773	0	0	54
EXPTIM (COLS. 428- 430)	031	5	931	59.21	169.05	967	0	0	0	0	0	773	0	0	67
EXPTIM (COLS. 431- 433)	032	15	932	60.42	169.56	961	0	0	0	0	0	773	0	0	73
EXPTIM (COLS. 434- 436)	033	6	933	61.84	170.59	949	0	0	0	0	0	773	0	0	85
EXPTIM (COLS. 437- 439)	034	17	934	62.88	170.67	948	0	0	0	0	0	773	0	0	86
EXPTIM (COLS. 440- 442)	035	7	935	63.72	170.43	951	0	0	0	0	0	773	0	0	83
EXPTIM (COLS. 443- 445)	036	16	936	64.78	170.60	949	0	0	0	0	0	773	0	0	85
EXPTIM (COLS. 446- 448)	037	17	937	65.93	170.94	945	0	0	0	0	0	773	0	0	89
EXPTIM (COLS. 449- 451)	038	18	938	67.02	171.21	942	0	0	0	0	0	773	0	0	92
EXPTIM (COLS. 452- 454)	039	22	939	78.77	197.95	697	0	0	0	0	0	773	0	0	337

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
EXPTIM (COLS. 455- 457)	040	23	940	85.63	210.06	615	0	0	0	0	0	773	0	0	419
EXPTIM (COLS. 458- 460)	041	24	941	109.28	250.43	422	0	0	0	0	0	773	0	0	612
EXPTIM (COLS. 461- 463)	042	25	942	141.92	294.06	295	0	0	0	0	0	773	0	0	739
EXPTIM (COLS. 464- 466)	043	23	943	183.76	337.47	213	0	0	0	0	0	773	0	0	821
EXPTIM (COLS. 467- 469)	044	24	944	387.02	446.81	90	0	0	0	0	0	773	0	0	944
EXPTIM (COLS. 470- 472)	045	945	945	945.00	0.30	35	0	0	0	0	0	773	0	0	999
EXPTIM (COLS. 473- 475)	046	946	946	946.00	0.59	35	0	0	0	0	0	773	0	0	999
EXPTIM (COLS. 476- 478)	047	947	947	947.00	0.57	35	0	0	0	0	0	773	0	0	999
EXPTIM (COLS. 479- 481)	048	948	948	948.00	0.69	35	0	0	0	0	0	773	0	0	999
TOTFAM (COLS. 482- 483)	001	2	11	5.11	2.16	92	0	0	0	0	0	1715	0	0	
TOTFAM (COLS. 484- 485)	002	2	12	4.58	1.97	545	0	0	0	0	0	1262	0	0	
TOTFAM (COLS. 486- 487)	003	2	12	4.69	2.05	737	0	0	0	0	0	1069	0	1	
TOTFAM (COLS. 488- 489)	004	2	15	4.76	2.15	1171	0	0	0	1	0	631	0	4	
TOTFAM (COLS. 490- 491)	005	2	15	4.74	2.14	1274	0	0	0	2	0	519	0	12	
TOTFAM (COLS. 492- 493)	006	2	16	4.64	2.12	1506	0	0	0	3	0	275	0	23	
TOTFAM (COLS. 494- 495)	007	1	16	4.65	2.12	1641	0	0	0	3	0	133	0	30	
TOTFAM (COLS. 496- 497)	008	1	16	4.67	2.15	1640	0	0	0	3	0	126	0	38	
TOTFAM (COLS. 498- 499)	009	1	16	4.69	2.17	1635	0	0	0	2	0	125	0	45	
TOTFAM (COLS. 500- 501)	010	1	16	4.73	2.19	1626	0	0	0	1	0	125	0	55	
TOTFAM (COLS. 502- 503)	011	1	19	4.77	2.22	1689	0	0	0	0	0	58	0	60	
TOTFAM (COLS. 504- 505)	012	1	19	4.77	2.20	1724	0	0	0	0	0	21	0	62	
TOTFAM (COLS. 506- 507)	013	1	19	4.77	2.19	1742	0	0	0	0	0	1	0	64	
TOTFAM (COLS. 508- 509)	014	1	19	4.77	2.19	1740	0	0	0	0	0	0	0	67	
TOTFAM (COLS. 510- 511)	015	1	19	4.76	2.19	1726	0	0	0	1	0	0	0	80	
TOTFAM (COLS. 512- 513)	016	1	20	4.75	2.19	1719	0	0	0	1	0	0	0	87	

FAMILY VARIABLES

FAMILY VARIABLES

FAMILY VARIABLES

C:\temp\Public\1990\1990-01-01-1990-01-01.dta

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZFPO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
KIDS6 (COLS. 664- 665)	042	1	4	1.46	0.66	224	265	0	0	0	0	0	0	0
KIDS6 (COLS. 666- 667)	043	1	4	1.40	0.63	159	206	0	0	0	0	0	0	0
KIDS6 (COLS. 668- 669)	044	1	4	1.39	0.64	59	69	0	0	0	0	0	0	0
KIDS6 (COLS. 670- 671)	045	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0
KIDS6 (COLS. 672- 673)	046	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0
KIDS6 (COLS. 674- 675)	047	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0
KIDS6 (COLS. 676- 677)	048	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0
KIDS16 (COLS. 678- 679)	001	1	9	2.87	1.94	87	5	0	0	0	0	0	1715	0
KIDS16 (COLS. 680- 681)	002	1	10	2.69	1.72	520	25	0	0	0	0	0	1262	0
KIDS16 (COLS. 682- 683)	003	1	10	2.78	1.77	701	36	0	0	0	0	0	1069	0
KIDS16 (COLS. 684- 685)	004	1	10	2.89	1.83	1107	65	0	0	0	0	0	631	0
KIDS16 (COLS. 686- 687)	005	1	10	2.89	1.82	1206	70	0	0	0	0	0	519	0
KIDS16 (COLS. 688- 689)	006	1	11	2.81	1.78	1420	89	0	0	0	0	0	275	0
KIDS16 (COLS. 690- 691)	007	1	11	2.80	1.77	1544	100	0	0	0	0	0	133	0
KIDS16 (COLS. 692- 693)	008	1	11	2.79	1.77	1541	102	0	0	0	0	0	126	0
KIDS16 (COLS. 694- 695)	009	1	11	2.81	1.79	1529	108	0	0	0	0	0	125	0
KIDS16 (COLS. 696- 697)	010	1	11	2.83	1.80	1517	110	0	0	0	0	0	125	0
KIDS16 (COLS. 698- 699)	011	1	11	2.82	1.81	1572	117	0	0	0	0	0	58	0
KIDS16 (COLS. 700- 701)	012	1	11	2.80	1.78	1596	128	0	0	0	0	0	21	0
KIDS16 (COLS. 702- 703)	013	1	11	2.79	1.78	1608	134	0	0	0	0	0	1	0
KIDS16 (COLS. 704- 705)	014	1	11	2.79	1.77	1600	140	0	0	0	0	0	0	0
KIDS16 (COLS. 706- 707)	015	1	11	2.80	1.78	1561	146	0	0	0	0	0	0	0
KIDS16 (COLS. 708- 709)	016	1	11	2.79	1.78	1570	150	0	0	0	0	0	0	0
KIDS16 (COLS. 710- 711)	017	1	11	2.79	1.78	1562	150	0	0	0	0	0	0	0
KIDS16 (COLS. 712- 713)	018	1	11	2.79	1.77	1555	157	0	0	0	0	0	0	75

Systematic Quality Engineering and Management Systems, Inc.

FAMILY VARIABLES

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
CMPCODE (COLS. 837- 837)	009	1	1	1.00	0.0	1467	0	0	0	0	0	0	0	340
NCPNUM (COLS. 838- 843)	001	500002	969202	778457.13	131441.88	1541	266	0	0	0	0	0	0	0
NCPNUM (COLS. 844- 849)	002	500003	969203	779351.38	130361.88	1119	688	0	0	0	0	0	0	0
NCPNUM (COLS. 850- 855)	003	500404	969109	780002.63	128672.94	733	1074	0	0	0	0	0	0	0
NCPNUM (COLS. 856- 861)	004	500806	966609	784938.56	124378.50	451	1356	0	0	0	0	0	0	0
NCPNUM (COLS. 862- 867)	005	501506	966412	792749.63	115434.56	245	1562	0	0	0	0	0	0	0
NCPNUM (COLS. 868- 873)	006	553613	966413	796295.88	105956.50	134	1673	0	0	0	0	0	0	0
NCPNUM (COLS. 874- 879)	007	553614	966414	802526.31	99626.69	57	1750	0	0	0	0	0	0	0
NCPNUM (COLS. 880- 885)	008	553615	966415	805288.00	106625.31	30	1777	0	0	0	0	0	0	0
NCPNUM (COLS. 886- 891)	009	553616	966416	812337.69	111445.69	16	1791	0	0	0	0	0	0	0
NCPNUM (COLS. 892- 897)	010	770612	966417	870384.69	91984.19	7	1800	0	0	0	0	0	0	0
NCPNUM (COLS. 898- 903)	011	770613	772216	771514.50	1378.60	2	1805	0	0	0	0	0	0	0
NCPNUM (COLS. 904- 909)	012	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCPNUM (COLS. 910- 915)	013	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCPNUM (COLS. 916- 921)	014	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCPNUM (COLS. 922- 927)	015	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCPNUM (COLS. 928- 933)	016	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCPNUM (COLS. 934- 939)	017	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCPNUM (COLS. 940- 945)	018	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCPNUM (COLS. 946- 951)	019	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCPNUM (COLS. 952- 957)	020	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCPNUM (COLS. 958- 963)	021	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCDOB (COLS. 964- 967)	001	5704	7710	6382.35	390.51	1474	266	0	0	0	0	0	0	67
NCDOB (COLS. 968- 971)	002	5801	8206	6584.78	395.75	1067	688	0	0	0	0	0	0	?
NCDOB (COLS. 9 975)	003	5704	7411	6727	380.34	681	1074	0	0	0	0	0	0	52

FAMILY VARIABLES

VARIABLE DESCRIPTION		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERD	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCDOB (COLS. 976- 979)	004	5912	7411	6847.47	356.63	402	1356	0	0	0	0	0	0	0	49
NCDOB (COLS. 980- 983)	005	5912	7411	6904.81	324.08	209	1562	0	0	0	0	0	0	0	36
NCDOB (COLS. 984- 987)	006	5912	7411	6976.14	352.04	113	1673	0	0	0	0	0	0	0	21
NCDOB (COLS. 988- 991)	007	6304	7403	7048.64	275.25	45	1750	0	0	0	0	0	0	0	12
NCDOB (COLS. 992- 995)	008	6701	7411	7126.09	238.86	21	1777	0	0	0	0	0	0	0	9
NCDOB (COLS. 996- 999)	009	6204	7411	7106.43	323.68	14	1791	0	0	0	0	0	0	0	2
NCDOB (COLS. 1000- 1003)	010	6305	7107	6706.00	567.10	2	1800	0	0	0	0	0	0	0	5
NCDOB (COLS. 1004- 1007)	011	0	0	0.0	0.0	0	1805	0	0	0	0	0	0	0	2
NCDOB (COLS. 1008- 1011)	012	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0	0
NCDOB (COLS. 1012- 1015)	013	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0	0
NCDOB (COLS. 1016- 1019)	014	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0	0
NCDOB (COLS. 1020- 1023)	015	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0	0
NCDOB (COLS. 1024- 1027)	016	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0	0
NCDOB (COLS. 1028- 1031)	017	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0	0
NCDOB (COLS. 1032- 1035)	018	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0	0
NCDOB (COLS. 1036- 1039)	019	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0	0
NCDOB (COLS. 1040- 1043)	020	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0	0
NCDOB (COLS. 1044- 1047)	021	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0	0
NCPFLN (COLS. 1048- 1049)	001	3	30	4.41	3.68	1476	266	0	0	65	0	0	0	0	0
NCRELN (COLS. 1050- 1051)	002	3	30	4.27	3.46	950	688	0	0	169	0	0	0	0	0
NCRELN (COLS. 1052- 1053)	003	3	30	3.91	2.32	551	1074	0	0	182	0	0	0	0	0
NCRELN (COLS. 1054- 1055)	004	3	25	4.06	2.62	291	1356	0	0	160	0	0	0	0	0
NCRELN (COLS. 1056- 1057)	005	3	24	4.26	2.97	149	1562	0	0	96	0	0	0	0	0
NCRELN (COLS. 1058- 1059)	006	3	24	4.22	3.30	64	1673	0	0	70	0	0	0	0	0
NCRELN (COLS. 1060- 1061)	007	3	14	4.10	2.38	20	1750	0	0	37	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCRELN (COLS. 1062- 1063)	008	3	15	5.00	3.77	9	1777	0	0	21	0	0	0	0
NCRELN (COLS. 1064- 1065)	009	3	4	3.67	0.52	6	1791	0	0	10	0	0	0	0
NCRELN (COLS. 1066- 1067)	010	4	4	4.00	0.0	1	1800	0	0	6	0	0	0	0
NCRELN (COLS. 1068- 1069)	011	0	0	0.0	0.0	0	1805	0	0	2	0	0	0	0
NCRELN (COLS. 1070- 1071)	012	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCRELN (COLS. 1072- 1073)	013	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCRELN (COLS. 1074- 1075)	014	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCRELN (COLS. 1076- 1077)	015	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCRELN (COLS. 1078- 1079)	016	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCRELN (COLS. 1080- 1081)	017	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCRELN (COLS. 1082- 1083)	018	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCRELN (COLS. 1084- 1085)	019	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCRELN (COLS. 1086- 1087)	020	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCRELN (COLS. 1088- 1089)	021	0	0	0.0	0.0	0	1807	0	0	0	0	0	0	0
NCP1 (COLS. 1090- 1091)	001	14	14	14.00	0.0	91	1715	0	0	0	0	0	1	0
NCP1 (COLS. 1092- 1093)	002	14	14	14.00	0.0	91	1715	0	0	0	0	0	1	0
NCP1 (COLS. 1094- 1095)	003	14	14	14.00	0.0	91	1715	0	0	0	0	0	1	0
NCP1 (COLS. 1096- 1097)	004	14	16	14.02	0.21	91	1715	0	0	0	0	0	1	0
NCP1 (COLS. 1098- 1099)	005	1	16	13.88	1.37	92	1715	0	0	0	0	0	0	0
NCP1 (COLS. 1100- 1101)	006	1	16	13.88	1.37	92	1715	0	0	0	0	0	0	0
NCP1 (COLS. 1102- 1103)	007	1	16	13.78	1.66	92	1715	0	0	0	0	0	0	0
NCP1 (COLS. 1104- 1105)	008	1	16	13.78	1.66	92	1715	0	0	0	0	0	0	0
NCP1 (COLS. 1106- 1107)	009	1	16	13.64	1.96	92	1715	0	0	0	0	0	0	0
NCP1 (COLS. 1108- 1109)	010	1	16	13.64	1.96	92	1715	0	0	0	0	0	0	0
NCP1 (COLS. 1110- 1111)	011	1	16	13.64	1.96	92	1715	0	0	0	0	0	0	0

© 2019 by Pearson Education, Inc. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part. Due to electronic rights, some third party content may be suppressed from the eBook and/or eChapter(s). Editorial review has determined that any suppressed content does not materially affect the overall learning experience. Pearson is not affiliated with the content provider.

FAMILY VARIABLES

FAMILY VARIABLES

Such models are often referred to as "nonstationary".

FAMILY VARIABLES

FAMILY VARIABLES

VAR1	APL1	DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRFO	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999

NCP2		(COLS. 1262- 1263)	039	1	16	13.30	2.14	534	1273	0	0	0	0	0	0	0
NCP2		(COLS. 1264- 1265)	040	1	16	13.30	2.14	534	1273	0	0	0	0	0	0	0
NCP2		(COLS. 1266- 1267)	041	1	16	13.25	2.24	534	1273	0	0	0	0	0	0	0
NCP2		(COLS. 1268- 1269)	042	1	16	13.27	2.18	534	1273	0	0	0	0	0	0	0
NCP2		(COLS. 1270- 1271)	043	1	16	13.26	2.18	534	1273	0	0	0	0	0	0	0
NCP2		(COLS. 1272- 1273)	044	1	16	13.23	2.22	534	1273	0	0	0	0	0	0	0
NCP2		(COLS. 1274- 1275)	045	1	16	13.18	2.35	534	1273	0	0	0	0	0	0	0
NCP2		(COLS. 1276- 1277)	046	1	16	13.17	2.36	534	1273	0	0	0	0	0	0	0
NCP2		(COLS. 1278- 1279)	047	1	16	13.13	2.46	534	1273	0	0	0	0	0	0	0
NCP2		(COLS. 1280- 1281)	048	1	16	13.12	2.47	534	1273	0	0	0	0	0	0	0
NCP3		(COLS. 1282- 1283)	001	14	14	14.00	0.0	89	1146	0	0	0	0	0	572	0
NCP3		(COLS. 1284- 1285)	002	14	14	14.00	0.0	474	1146	0	0	0	0	0	187	0
NCP3		(COLS. 1286- 1287)	003	11	14	13.97	0.27	634	1146	0	0	0	0	0	27	0
NCP3		(COLS. 1288- 1289)	004	1	14	13.93	0.62	635	1146	0	0	0	0	0	26	0
NCP3		(COLS. 1290- 1291)	005	1	14	13.87	0.95	637	1146	0	0	0	0	0	24	0
NCP3		(COLS. 1292- 1293)	006	1	14	13.78	1.39	641	1146	0	0	0	0	0	20	0
NCP3		(COLS. 1294- 1295)	007	1	14	13.77	1.40	641	1146	0	0	0	0	0	20	0
NCP3		(COLS. 1296- 1297)	008	1	14	13.70	1.61	643	1146	0	0	0	0	0	18	0
NCP3		(COLS. 1298- 1299)	009	1	14	13.60	1.90	645	1146	0	0	0	0	0	16	0
NCP3		(COLS. 1300- 1301)	010	1	14	13.47	2.25	651	1146	0	0	0	0	0	10	0
NCP3		(COLS. 1302- 1303)	011	1	14	13.49	2.14	651	1146	0	0	0	0	0	10	0
NCP3		(COLS. 1304- 1305)	012	1	14	13.49	2.14	651	1146	0	0	0	0	0	10	0
NCP3		(COLS. 1306- 1307)	013	1	14	13.49	2.09	651	1146	0	0	0	0	0	10	0
NCP3		(COLS. 1308- 1309)	014	1	14	13.48	2.05	651	1146	0	0	0	0	0	10	0
NCP3		(COLS. 1310- 1311)	015	1	16	13.45	2.06	651	1146	0	0	0	0	0	10	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DFV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
NCP3 (COLS. 1312- 1313)	016	1	16	13.38	2.23	653	1146	0	0	0	0	0	8	0	0
NCP3 (COLS. 1314- 1315)	017	1	16	13.35	2.27	655	1146	0	0	0	0	0	6	0	0
NCP3 (COLS. 1316- 1317)	018	1	16	13.28	2.36	655	1146	0	0	0	0	0	6	0	0
NCP3 (COLS. 1318- 1319)	019	1	16	13.27	2.32	655	1146	0	0	0	0	0	6	0	0
NCP3 (COLS. 1320- 1321)	020	1	16	13.25	2.32	655	1146	0	0	0	0	0	6	0	0
NCP3 (COLS. 1322- 1323)	021	1	16	13.23	2.37	655	1146	0	0	0	0	0	6	0	0
NCP3 (COLS. 1324- 1325)	022	1	16	13.22	2.37	655	1146	0	0	0	0	0	6	0	0
NCP3 (COLS. 1326- 1327)	023	1	16	13.20	2.41	657	1146	0	0	0	0	0	4	0	0
NCP3 (COLS. 1328- 1329)	024	1	16	13.17	2.46	657	1146	0	0	0	0	0	4	0	0
NCP3 (COLS. 1330- 1331)	025	1	16	13.16	2.46	657	1146	0	0	0	0	0	4	0	0
NCP3 (COLS. 1332- 1333)	026	1	16	13.16	2.39	657	1146	0	0	0	0	0	4	0	0
NCP3 (COLS. 1334- 1335)	027	1	16	13.16	2.34	657	1146	0	0	0	0	0	4	0	0
NCP3 (COLS. 1336- 1337)	028	1	16	13.11	2.44	657	1146	0	0	0	0	0	4	0	0
NCP3 (COLS. 1338- 1339)	029	1	16	13.10	2.44	657	1146	0	0	0	0	0	4	0	0
NCP3 (COLS. 1340- 1341)	030	1	16	13.10	2.44	657	1146	0	0	0	0	0	4	0	0
NCP3 (COLS. 1342- 1343)	031	1	16	13.11	2.36	657	1146	0	0	0	0	0	4	0	0
NCP3 (COLS. 1344- 1345)	032	1	16	13.08	2.36	657	1146	0	0	0	0	0	4	0	0
NCP3 (COLS. 1346- 1347)	033	1	16	13.06	2.32	658	1146	0	0	0	0	0	3	0	0
NCP3 (COLS. 1348- 1349)	034	1	16	13.01	2.45	659	1146	0	0	0	0	0	2	0	0
NCP3 (COLS. 1350- 1351)	035	1	16	12.98	2.49	660	1146	0	0	0	0	0	1	0	0
NCP3 (COLS. 1352- 1353)	036	1	16	12.97	2.49	660	1146	0	0	0	0	0	1	0	0
NCP3 (COLS. 1354- 1355)	037	1	16	12.98	2.40	660	1146	0	0	0	0	0	1	0	0
NCP3 (COLS. 1356- 1357)	038	1	16	12.97	2.40	660	1146	0	0	0	0	0	1	0	0
NCP3 (COLS. 1358- 1359)	039	1	16	12.97	2.40	660	1146	0	0	0	0	0	1	0	0
NCP3 (COLS. 1360- 1361)	040	1	16	12.97	2.40	660	1146	0	0	0	0	0	1	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION

		MIN VALUE	MAX VALUE	M.FAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
NCP3	(COLS. 1362- 1363)	041	1	16	12.95	2.45	660	1146	0	0	0	0	0	1	0	0
NCP3	(COLS. 1364- 1365)	042	1	16	12.95	2.45	660	1146	0	0	0	0	0	1	0	0
NCP3	(COLS. 1366- 1367)	043	1	16	12.94	2.45	660	1146	0	0	0	0	0	1	0	0
NCP3	(COLS. 1368- 1369)	044	1	16	12.92	2.48	661	1146	0	0	0	0	0	0	0	0
NCP3	(COLS. 1370- 1371)	045	1	16	12.86	2.53	661	1146	0	0	0	0	0	0	0	0
NCP3	(COLS. 1372- 1373)	046	1	16	12.84	2.53	661	1146	0	0	0	0	0	0	0	0
NCP3	(COLS. 1374- 1375)	047	1	16	12.83	2.53	661	1146	0	0	0	0	0	0	0	0
NCP3	(COLS. 1376- 1377)	048	1	16	12.83	2.54	661	1146	0	0	0	0	0	0	0	0
NCP4	(COLS. 1378- 1379)	001	14	14	14.00	0.0	70	898	0	0	0	0	0	839	0	0
NCP4	(COLS. 1380- 1381)	002	1	14	13.96	0.68	365	898	0	0	0	0	0	544	0	0
NCP4	(COLS. 1382- 1383)	003	1	14	13.91	0.98	504	898	0	0	0	0	0	405	0	0
NCP4	(COLS. 1384- 1385)	004	1	14	13.90	0.99	807	898	0	0	0	0	0	102	0	0
NCP4	(COLS. 1386- 1387)	005	1	14	13.86	1.18	809	898	0	0	0	0	0	100	0	0
NCP4	(COLS. 1388- 1389)	006	1	14	13.75	1.59	815	898	0	0	0	0	0	94	0	0
NCP4	(COLS. 1390- 1391)	007	1	14	13.69	1.81	819	898	0	0	0	0	0	90	0	0
NCP4	(COLS. 1392- 1393)	008	1	14	13.63	1.97	823	898	0	0	0	0	0	86	0	0
NCP4	(COLS. 1394- 1395)	009	1	14	13.51	2.25	832	898	0	0	0	0	0	77	0	0
NCP4	(COLS. 1396- 1397)	010	1	14	13.26	2.60	849	898	0	0	0	0	0	60	0	0
NCP4	(COLS. 1398- 1399)	011	1	14	13.12	3.07	858	898	0	0	0	0	0	51	0	0
NCP4	(COLS. 1400- 1401)	012	1	14	13.07	3.14	863	898	0	0	0	0	0	46	0	0
NCP4	(COLS. 1402- 1403)	013	1	14	13.08	3.09	863	898	0	0	0	0	0	46	0	0
NCP4	(COLS. 1404- 1405)	014	1	14	13.08	3.06	865	898	0	0	0	0	0	44	0	0
NCP4	(COLS. 1406- 1407)	015	1	14	13.06	3.08	867	898	0	0	0	0	0	42	0	0
NCP4	(COLS. 1408- 1409)	016	1	14	13.02	3.13	868	898	0	0	0	0	0	41	0	0
NCP4	(COLS. 1410- 1411)	017	1	14	13.02	3.11	868	898	0	0	0	0	0	41	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
NCP4 (COLS. 1412- 1413)	018	1	16	12.97	3.18	871	898	0	0	0	0	0	38	0	0
NCP4 (COLS. 1414- 1415)	019	1	16	12.97	3.13	873	898	0	0	0	0	0	36	0	0
NCP4 (COLS. 1416- 1417)	020	1	16	12.95	3.16	874	898	0	0	0	0	0	35	0	0
NCP4 (COLS. 1418- 1419)	021	1	16	12.89	3.25	878	898	0	0	0	0	0	31	0	0
NCP4 (COLS. 1420- 1421)	022	1	16	12.88	3.25	879	898	0	0	0	0	0	30	0	0
NCP4 (COLS. 1422- 1423)	023	1	16	12.87	3.24	882	898	0	0	0	0	0	27	0	0
NCP4 (COLS. 1424- 1425)	024	1	16	12.86	3.23	882	898	0	0	0	0	0	27	0	0
NCP4 (COLS. 1426- 1427)	025	1	16	12.85	3.23	884	898	0	0	0	0	0	25	0	0
NCP4 (COLS. 1428- 1429)	026	1	16	12.79	3.27	885	898	0	0	0	0	0	24	0	0
NCP4 (COLS. 1430- 1431)	027	1	16	12.80	3.24	885	898	0	0	0	0	0	24	0	0
NCP4 (COLS. 1432- 1433)	028	1	16	12.75	3.30	886	898	0	0	0	0	0	23	0	0
NCP4 (COLS. 1434- 1435)	029	1	16	12.73	3.31	888	898	0	0	0	0	0	21	0	0
NCP4 (COLS. 1436- 1437)	030	1	16	12.70	3.36	888	898	0	0	0	0	0	21	0	0
NCP4 (COLS. 1438- 1439)	031	1	16	12.66	3.41	891	898	0	0	0	0	0	18	0	0
NCP4 (COLS. 1440- 1441)	032	1	16	12.60	3.47	895	898	0	0	0	0	0	14	0	0
NCP4 (COLS. 1442- 1443)	033	1	16	12.60	3.45	897	898	0	0	0	0	0	12	0	0
NCP4 (COLS. 1444- 1445)	034	1	16	12.58	3.44	898	898	0	0	0	0	0	11	0	0
NCP4 (COLS. 1446- 1447)	035	1	16	12.55	3.49	899	898	0	0	0	0	0	10	0	0
NCP4 (COLS. 1448- 1449)	036	1	16	12.52	3.50	900	898	0	0	0	0	0	9	0	0
NCP4 (COLS. 1450- 1451)	037	1	16	12.53	3.46	901	898	0	0	0	0	0	8	0	0
NCP4 (COLS. 1452- 1453)	038	1	16	12.53	3.44	901	898	0	0	0	0	0	8	0	0
NCP4 (COLS. 1454- 1455)	039	1	16	12.53	3.43	901	898	0	0	0	0	0	8	0	0
NCP4 (COLS. 1456- 1457)	040	1	16	12.51	3.44	902	898	0	0	0	0	0	7	0	0
NCP4 (COLS. 1458- 1459)	041	1	16	12.51	3.43	902	898	0	0	0	0	0	7	0	0
NCP4 (COLS. 1460- 1461)	042	1	16	12.51	3.43	902	898	0	0	0	0	0	7	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP4 (COLS. 1462- 1463)	043	1 16	12.51	3.41	902	898	0	0	0	0	0	7	0	0
NCP4 (COLS. 1464- 1465)	044	1 16	12.41	3.54	907	898	0	0	0	0	0	2	0	0
NCP4 (COLS. 1466- 1467)	045	1 16	12.39	3.54	907	898	0	0	0	0	0	2	0	0
NCP4 (COLS. 1468- 1469)	046	1 16	12.37	3.57	909	898	0	0	0	0	0	0	0	0
NCP4 (COLS. 1470- 1471)	047	1 16	12.34	3.60	909	898	0	0	0	0	0	0	0	0
NCP4 (COLS. 1472- 1473)	048	1 16	12.32	3.62	909	898	0	0	0	0	0	0	0	0
NCPS (COLS. 1474- 1475)	001	1 14	14.00	0.0	46	1050	0	0	0	0	0	711	0	0
NCPS (COLS. 1476- 1477)	002	1 14	13.94	0.65	232	1050	0	0	0	0	0	525	0	0
NCPS (COLS. 1478- 1479)	003	1 14	13.81	1.53	345	1050	0	0	0	0	0	412	0	0
NCPS (COLS. 1480- 1481)	004	1 14	13.79	1.62	562	1050	0	0	0	0	0	195	0	0
NCPS (COLS. 1482- 1483)	005	1 14	13.71	1.83	620	1050	0	0	0	0	0	137	0	0
NCPS (COLS. 1484- 1485)	006	1 14	13.58	2.20	626	1050	0	0	0	0	0	131	0	0
NCPS (COLS. 1486- 1487)	007	1 14	13.45	2.50	633	1050	0	0	0	0	0	124	0	0
NCPS (COLS. 1488- 1489)	008	1 14	13.39	2.62	635	1050	0	0	0	0	0	122	0	0
NCPS (COLS. 1490- 1491)	009	1 14	13.24	2.89	642	1050	0	0	0	0	0	115	0	0
NCPS (COLS. 1492- 1493)	010	1 14	13.08	3.16	650	1050	0	0	0	0	0	107	0	0
NCPS (COLS. 1494- 1495)	011	1 14	13.04	3.21	653	1050	0	0	0	0	0	104	0	0
NCPS (COLS. 1496- 1497)	012	1 14	12.98	3.29	656	1050	0	0	0	0	0	101	0	0
NCPS (COLS. 1498- 1499)	013	1 14	12.98	3.27	658	1050	0	0	0	0	0	99	0	0
NCPS (COLS. 1500- 1501)	014	1 14	12.96	3.25	661	1050	0	0	0	0	0	96	0	0
NCPS (COLS. 1502- 1503)	015	1 14	12.90	3.34	665	1050	0	0	0	0	0	92	0	0
NCPS (COLS. 1504- 1505)	016	1 14	12.83	3.45	668	1050	0	0	0	0	0	89	0	0
NCPS (COLS. 1506- 1507)	017	1 14	12.72	3.61	675	1050	0	0	0	0	0	82	0	0
NCPS (COLS. 1508- 1509)	018	1 14	12.65	3.67	681	1050	0	0	0	0	0	76	0	0
NCPS (COLS. 1510- 1511)	019	1 14	12.65	3.63	683	1050	0	0	0	0	0	74	0	0

Family Variables - Family Income and Management Systems, Inc.

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DFV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999
NCPS (COLS. 1512- 1513)	020	1	14	12.56	3.74	688	1050	0	0	0	0	69	0	0
NCPS (COLS. 1514- 1515)	021	1	14	12.52	3.78	690	1050	0	0	0	0	67	0	0
NCPS (COLS. 1516- 1517)	022	1	14	12.46	3.86	693	1050	0	0	0	0	64	0	0
NCPS (COLS. 1518- 1519)	023	1	14	12.43	3.89	696	1050	0	0	0	0	61	0	0
NCPS (COLS. 1520- 1521)	024	1	14	12.38	3.93	700	1050	0	0	0	0	57	0	0
NCPS (COLS. 1522- 1523)	025	1	14	12.38	3.89	702	1050	0	0	0	0	55	0	0
NCPS (COLS. 1524- 1525)	026	1	14	12.35	3.91	703	1050	0	0	0	0	54	0	0
NCPS (COLS. 1526- 1527)	027	1	14	12.28	3.99	707	1050	0	0	0	0	50	0	0
NCPS (COLS. 1528- 1529)	028	1	14	12.19	4.09	712	1050	0	0	0	0	45	0	0
NCPS (COLS. 1530- 1531)	029	1	14	12.15	4.11	717	1050	0	0	0	0	40	0	0
NCPS (COLS. 1532- 1533)	030	1	14	12.11	4.14	719	1050	0	0	0	0	38	0	0
NCPS (COLS. 1534- 1535)	031	1	14	12.07	4.17	721	1050	0	0	0	0	36	0	0
NCPS (COLS. 1536- 1537)	032	1	14	12.07	4.15	724	1050	0	0	0	0	33	0	0
NCPS (COLS. 1538- 1539)	033	1	14	11.96	4.26	729	1050	0	0	0	0	28	0	0
NCPS (COLS. 1540- 1541)	034	1	14	11.95	4.24	732	1050	0	0	0	0	25	0	0
NCPS (COLS. 1542- 1543)	035	1	14	11.91	4.28	736	1050	0	0	0	0	21	0	0
NCPS (COLS. 1544- 1545)	036	1	14	11.84	4.33	739	1050	0	0	0	0	18	0	0
NCPS (COLS. 1546- 1547)	037	1	14	11.85	4.29	740	1050	0	0	0	0	17	0	0
NCPS (COLS. 1548- 1549)	038	1	14	11.83	4.31	743	1050	0	0	0	0	14	0	0
NCPS (COLS. 1550- 1551)	039	1	14	11.83	4.30	744	1050	0	0	0	0	13	0	0
NCPS (COLS. 1552- 1553)	040	1	14	11.81	4.32	744	1050	0	0	0	0	13	0	0
NCPS (COLS. 1554- 1555)	041	1	14	11.81	4.32	744	1050	0	0	0	0	13	0	0
NCPS (COLS. 1556- 1557)	042	1	14	11.81	4.31	744	1050	0	0	0	0	13	0	0
NCPS (COLS. 1558- 1559)	043	1	14	11.80	4.31	745	1050	0	0	0	0	12	0	0
NCPS (COLS. 1560- 1561)	044	1	14	11.72	4.36	751	1050	0	0	0	0	6	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP6 (COLS. 1562- 1563)	045	1	14	11.69	4.36	754	1050	0	0	0	0	0	3	0
NCP6 (COLS. 1564- 1565)	046	1	14	11.66	4.36	756	1050	0	0	0	0	0	1	0
NCP6 (COLS. 1566- 1567)	047	1	14	11.65	4.37	757	1050	0	0	0	0	0	0	0
NCP6 (COLS. 1568- 1569)	048	1	14	11.65	4.37	757	1050	0	0	0	0	0	0	0
NCP6 (COLS. 1570- 1571)	001	14	14	14.00	0.0	31	1182	0	0	0	0	0	594	0
NCP6 (COLS. 1572- 1573)	002	14	14	14.00	0.0	143	1182	0	0	0	0	0	482	0
NCP6 (COLS. 1574- 1575)	003	1	14	13.88	1.21	212	1182	0	0	0	0	0	513	0
NCP6 (COLS. 1576- 1577)	004	1	14	13.82	1.49	353	1182	0	0	0	0	0	272	0
NCP6 (COLS. 1578- 1579)	005	1	14	13.73	1.82	388	1182	0	0	0	0	0	237	0
NCP6 (COLS. 1580- 1581)	006	1	14	13.68	1.96	458	1182	0	0	0	0	0	167	0
NCP6 (COLS. 1582- 1583)	007	1	14	13.58	2.21	461	1182	0	0	0	0	0	164	0
NCP6 (COLS. 1584- 1585)	008	1	14	13.40	2.65	468	1182	0	0	0	0	0	157	0
NCP6 (COLS. 1586- 1587)	009	1	14	12.98	3.37	486	1182	0	0	0	0	0	139	0
NCP6 (COLS. 1588- 1589)	010	1	14	12.77	3.63	496	1182	0	0	0	0	0	129	0
NCP6 (COLS. 1590- 1591)	011	1	14	12.68	3.76	500	1182	0	0	0	0	0	125	0
NCP6 (COLS. 1592- 1593)	012	1	14	12.63	3.81	502	1182	0	0	0	0	0	123	0
NCP6 (COLS. 1594- 1595)	013	1	14	12.49	3.98	508	1182	0	0	0	0	0	117	0
NCP6 (COLS. 1596- 1597)	014	1	14	12.35	4.12	516	1182	0	0	0	0	0	109	0
NCP6 (COLS. 1598- 1599)	015	1	14	12.42	3.99	518	1182	0	0	0	0	0	107	0
NCP6 (COLS. 1600- 1601)	016	1	14	12.39	4.01	520	1182	0	0	0	0	0	105	0
NCP6 (COLS. 1602- 1603)	017	1	14	12.38	4.00	524	1182	0	0	0	0	0	101	0
NCP6 (COLS. 1604- 1605)	018	1	14	12.26	4.12	530	1182	0	0	0	0	0	95	0
NCP6 (COLS. 1606- 1607)	019	1	14	12.15	4.19	538	1182	0	0	0	0	0	87	0
NCP6 (COLS. 1608- 1609)	020	1	14	12.01	4.34	544	1182	0	0	0	0	0	81	0
NCP6 (COLS. 1610- 1611)	021	1	14	11.98	4.36	546	1182	0	0	0	0	0	79	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	M.FAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP6 (COLS. 1612- 1613)	022	1	14	11.90	4.42	551 1182	0	0	0	0	0	74	0
NCP6 (COLS. 1614- 1615)	023	1	14	11.88	4.44	552 1182	0	0	0	0	0	73	0
NCP6 (COLS. 1616- 1617)	024	1	14	11.80	4.51	556 1182	0	0	0	0	0	69	0
NCP6 (COLS. 1618- 1619)	025	1	14	11.81	4.47	560 1182	0	0	0	0	0	65	0
NCP6 (COLS. 1620- 1621)	026	1	14	11.69	4.57	568 1182	0	0	0	0	0	57	0
NCP6 (COLS. 1622- 1623)	027	1	14	11.63	4.60	572 1182	0	0	0	0	0	53	0
NCP6 (COLS. 1624- 1625)	028	1	14	11.63	4.59	574 1182	0	0	0	0	0	51	0
NCP6 (COLS. 1626- 1627)	029	1	14	11.59	4.61	576 1182	0	0	0	0	0	49	0
NCP6 (COLS. 1628- 1629)	030	1	14	11.54	4.64	580 1182	0	0	0	0	0	45	0
NCP6 (COLS. 1630- 1631)	031	1	14	11.47	4.70	584 1182	0	0	0	0	0	41	0
NCP6 (COLS. 1632- 1633)	032	1	14	11.43	4.70	587 1182	0	0	0	0	0	38	0
NCP6 (COLS. 1634- 1635)	033	1	14	11.43	4.68	590 1182	0	0	0	0	0	35	0
NCP6 (COLS. 1636- 1637)	034	1	14	11.41	4.69	591 1182	0	0	0	0	0	34	0
NCP6 (COLS. 1638- 1639)	035	1	14	11.37	4.71	594 1182	0	0	0	0	0	31	0
NCP6 (COLS. 1640- 1641)	036	1	14	11.29	4.76	598 1182	0	0	0	0	0	27	0
NCP6 (COLS. 1642- 1643)	037	1	14	11.20	4.83	603 1182	0	0	0	0	0	22	0
NCP6 (COLS. 1644- 1645)	038	1	14	11.11	4.90	609 1182	0	0	0	0	0	16	0
NCP6 (COLS. 1646- 1647)	039	1	14	11.12	4.88	610 1182	0	0	0	0	0	15	0
NCP6 (COLS. 1648- 1649)	040	1	14	11.12	4.88	610 1182	0	0	0	0	0	15	0
NCP6 (COLS. 1650- 1651)	041	1	14	11.15	4.84	612 1182	0	0	0	0	0	13	0
NCP6 (COLS. 1652- 1653)	042	1	14	11.13	4.85	613 1182	0	0	0	0	0	12	0
NCP6 (COLS. 1654- 1655)	043	1	14	11.16	4.82	613 1182	0	0	0	0	0	12	0
NCP6 (COLS. 1656- 1657)	044	1	14	11.14	4.82	615 1182	0	0	0	0	0	10	0
NCP6 (COLS. 1658- 1659)	045	1	14	11.16	4.79	617 1182	0	0	0	0	0	8	0
NCP6 (COLS. 1660- 1661)	046	1	14	11.15	4.78	619 1182	0	0	0	0	0	6	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP6 (COLS. 1662- 1663)	047	1	14	11.12	4.80	621	1182	0	0	0	0	0	4	0
NCP6 (COLS. 1664- 1665)	048	1	14	11.06	4.85	625	1182	0	0	0	0	0	0	0
NCP7 (COLS. 1666- 1667)	001	14	14	14.00	0.0	24	1328	0	0	0	0	0	455	0
NCP7 (COLS. 1668- 1669)	002	14	14	14.00	0.0	96	1328	0	0	0	0	0	383	0
NCP7 (COLS. 1670- 1671)	003	1	14	13.91	1.09	142	1328	0	0	0	0	0	337	0
NCP7 (COLS. 1672- 1673)	004	1	14	13.79	1.58	238	1328	0	0	0	0	0	241	0
NCP7 (COLS. 1674- 1675)	005	1	14	13.65	2.05	260	1328	0	0	0	0	0	219	0
NCP7 (COLS. 1676- 1677)	006	1	14	13.65	2.04	301	1328	0	0	0	0	0	178	0
NCP7 (COLS. 1678- 1679)	007	1	14	13.47	2.48	349	1328	0	0	0	0	0	130	0
NCP7 (COLS. 1680- 1681)	008	1	14	13.24	2.97	356	1328	0	0	0	0	0	123	0
NCP7 (COLS. 1682- 1683)	009	1	14	12.94	3.49	365	1328	0	0	0	0	0	114	0
NCP7 (COLS. 1684- 1685)	010	1	14	12.78	3.71	371	1328	0	0	0	0	0	108	0
NCP7 (COLS. 1686- 1687)	011	1	14	12.71	3.79	373	1328	0	0	0	0	0	106	0
NCP7 (COLS. 1688- 1689)	012	1	14	12.64	3.86	375	1328	0	0	0	0	0	104	0
NCP7 (COLS. 1690- 1691)	013	1	14	12.49	4.03	381	1328	0	0	0	0	0	98	0
NCP7 (COLS. 1692- 1693)	014	1	14	12.36	4.16	386	1328	0	0	0	0	0	93	0
NCP7 (COLS. 1694- 1695)	015	1	14	12.35	4.16	388	1328	0	0	0	0	0	91	0
NCP7 (COLS. 1696- 1697)	016	1	14	12.37	4.10	389	1328	0	0	0	0	0	90	0
NCP7 (COLS. 1698- 1699)	017	1	14	12.31	4.16	392	1328	0	0	0	0	0	87	0
NCP7 (COLS. 1700- 1701)	018	1	14	12.33	4.10	394	1328	0	0	0	0	0	85	0
NCP7 (COLS. 1702- 1703)	019	1	14	12.09	4.34	402	1328	0	0	0	0	0	77	0
NCP7 (COLS. 1704- 1705)	020	1	14	12.06	4.36	405	1328	0	0	0	0	0	74	0
NCP7 (COLS. 1706- 1707)	021	1	14	12.02	4.37	407	1328	0	0	0	0	0	72	0
NCP7 (COLS. 1708- 1709)	022	1	14	11.92	4.47	411	1328	0	0	0	0	0	68	0
NCP7 (COLS. 1710- 1711)	023	1	14	11.92	4.47	411	1328	0	0	0	0	0	68	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP7 (COLS. 1712- 1713)	024	1	14	11.86	4.51	414 1328	0	0	0	0	0	65	0
NCP7 (COLS. 1714- 1715)	025	1	14	11.81	4.54	416 1328	0	0	0	0	0	63	0
NCP7 (COLS. 1716- 1717)	026	1	14	11.81	4.49	418 1328	0	0	0	0	0	61	0
NCP7 (COLS. 1718- 1719)	027	1	14	11.81	4.48	420 1328	0	0	0	0	0	59	0
NCP7 (COLS. 1720- 1721)	028	1	14	11.78	4.48	424 1328	0	0	0	0	0	55	0
NCP7 (COLS. 1722- 1723)	029	1	14	11.68	4.57	428 1328	0	0	0	0	0	51	0
NCP7 (COLS. 1724- 1725)	030	1	14	11.66	4.57	432 1328	0	0	0	0	0	47	0
NCP7 (COLS. 1726- 1727)	031	1	14	11.68	4.55	432 1328	0	0	0	0	0	47	0
NCP7 (COLS. 1728- 1729)	032	1	14	11.58	4.62	437 1328	0	0	0	0	0	42	0
NCP7 (COLS. 1730- 1731)	033	1	14	11.55	4.62	440 1328	0	0	0	0	0	39	0
NCP7 (COLS. 1732- 1733)	034	1	14	11.49	4.66	443 1328	0	0	0	0	0	36	0
NCP7 (COLS. 1734- 1735)	035	1	14	11.56	4.70	445 1328	0	0	0	0	0	34	0
NCP7 (COLS. 1736- 1737)	036	1	14	11.35	4.73	449 1328	0	0	0	0	0	30	0
NCP7 (COLS. 1738- 1739)	037	1	14	11.19	4.84	456 1328	0	0	0	0	0	23	0
NCP7 (COLS. 1740- 1741)	038	1	14	11.19	4.82	459 1328	0	0	0	0	0	20	0
NCP7 (COLS. 1742- 1743)	039	1	14	11.17	4.85	459 1328	0	0	0	0	0	20	0
NCP7 (COLS. 1744- 1745)	040	1	14	11.17	4.84	460 1328	0	0	0	0	0	19	0
NCP7 (COLS. 1746- 1747)	041	1	14	11.17	4.83	461 1328	0	0	0	0	0	18	0
NCP7 (COLS. 1748- 1749)	042	1	14	11.12	4.86	463 1328	0	0	0	0	0	16	0
NCP7 (COLS. 1750- 1751)	043	1	14	11.22	4.76	463 1328	0	0	0	0	0	16	0
NCP7 (COLS. 1752- 1753)	044	1	14	11.22	4.73	466 1328	0	0	0	0	0	13	0
NCP7 (COLS. 1754- 1755)	045	1	14	11.17	4.75	470 1328	0	0	0	0	0	9	0
NCP7 (COLS. 1756- 1757)	046	1	14	11.18	4.74	472 1328	0	0	0	0	0	7	0
NCP7 (COLS. 1758- 1759)	047	1	14	11.16	4.75	474 1328	0	0	0	0	0	5	0
NCP7 (COLS. 1760- 1761)	048	1	14	11.06	4.63	479 1328	0	0	0	0	0	0	0

FAMILY VARIABLES		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
VARIABLE DESCRIPTION															
NCPB (COLS. 1762- 1763)	001	14	14	14.00	0.0	15	1496	0	0	0	0	0	296	0	0
NCPB (COLS. 1764- 1765)	002	14	14	14.00	0.0	53	1496	0	0	0	0	0	258	0	0
NCPB (COLS. 1766- 1767)	003	14	14	14.00	0.0	82	1496	0	0	0	0	0	229	0	0
NCPB (COLS. 1768- 1769)	004	1	14	13.91	1.09	142	1496	0	0	0	0	0	169	0	0
NCPB (COLS. 1770- 1771)	005	1	14	13.68	2.02	157	1496	0	0	0	0	0	154	0	0
NCPB (COLS. 1772- 1773)	006	1	14	13.38	2.73	185	1496	0	0	0	0	0	126	0	0
NCPB (COLS. 1774- 1775)	007	1	14	13.32	2.80	209	1496	0	0	0	0	0	102	0	0
NCPB (COLS. 1776- 1777)	008	1	14	13.14	3.09	212	1496	0	0	0	0	0	99	0	0
NCPB (COLS. 1778- 1779)	009	1	14	12.67	3.79	220	1496	0	0	0	0	0	91	0	0
NCPB (COLS. 1780- 1781)	010	1	14	12.19	4.34	229	1496	0	0	0	0	0	82	0	0
NCPB (COLS. 1782- 1783)	011	1	14	12.18	4.33	230	1496	0	0	0	0	0	81	0	0
NCPB (COLS. 1784- 1785)	012	1	14	12.09	4.42	232	1496	0	0	0	0	0	79	0	0
NCPB (COLS. 1786- 1787)	013	1	14	12.04	4.46	233	1496	0	0	0	0	0	78	0	0
NCPB (COLS. 1788- 1789)	014	1	14	11.94	4.54	236	1496	0	0	0	0	0	75	0	0
NCPB (COLS. 1790- 1791)	015	1	14	11.89	4.56	238	1496	0	0	0	0	0	73	0	0
NCPB (COLS. 1792- 1793)	016	1	14	11.81	4.63	241	1496	0	0	0	0	0	70	0	0
NCPB (COLS. 1794- 1795)	017	1	14	11.68	4.75	244	1496	0	0	0	0	0	67	0	0
NCPB (COLS. 1796- 1797)	018	1	14	11.76	4.65	245	1496	0	0	0	0	0	66	0	0
NCPB (COLS. 1798- 1799)	019	1	14	11.72	4.60	247	1496	0	0	0	0	0	64	0	0
NCPB (COLS. 1800- 1801)	020	1	14	11.60	4.69	251	1496	0	0	0	0	0	60	0	0
NCPB (COLS. 1802- 1803)	021	1	14	11.59	4.69	251	1496	0	0	0	0	0	60	0	0
NCPB (COLS. 1804- 1805)	022	1	14	11.51	4.76	253	1496	0	0	0	0	0	58	0	0
NCPB (COLS. 1806- 1807)	023	1	14	11.40	4.84	256	1496	0	0	0	0	0	55	0	0
NCPB (COLS. 1808- 1809)	024	1	14	11.36	4.85	258	1496	0	0	0	0	0	53	0	0
NCPB (COLS. 1810- 1811)	025	1	14	11.28	4.90	261	1496	0	0	0	0	0	50	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZFREQ	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP8 (COLS. 1812- 1813)	026	1	14	11.16	4.96	266 1496	0	0	0	0	0	45	0	0
NCP8 (COLS. 1814- 1815)	027	1	14	11.05	5.01	270 1496	0	0	0	0	0	41	0	0
NCP8 (COLS. 1816- 1817)	028	1	14	11.06	5.00	273 1496	0	0	0	0	0	38	0	0
NCP8 (COLS. 1818- 1819)	029	1	14	11.07	4.98	275 1496	0	0	0	0	0	36	0	0
NCP8 (COLS. 1820- 1821)	030	1	14	11.10	4.94	276 1496	0	0	0	0	0	35	0	0
NCP8 (COLS. 1822- 1823)	031	1	14	11.06	4.97	277 1496	0	0	0	0	0	34	0	0
NCP8 (COLS. 1824- 1825)	032	1	14	10.96	5.02	280 1496	0	0	0	0	0	31	0	0
NCP8 (COLS. 1826- 1827)	033	1	14	10.76	5.15	287 1496	0	0	0	0	0	24	0	0
NCP8 (COLS. 1828- 1829)	034	1	14	10.70	5.18	290 1496	0	0	0	0	0	21	0	0
NCP8 (COLS. 1830- 1831)	035	1	14	10.67	5.20	291 1496	0	0	0	0	0	20	0	0
NCP8 (COLS. 1832- 1833)	036	1	14	10.58	5.22	293 1496	0	0	0	0	0	18	0	0
NCP8 (COLS. 1834- 1835)	037	1	14	10.55	5.24	295 1496	0	0	0	0	0	16	0	0
NCP8 (COLS. 1836- 1837)	038	1	14	10.52	5.26	296 1496	0	0	0	0	0	15	0	0
NCP8 (COLS. 1838- 1839)	039	1	14	10.53	5.25	298 1496	0	0	0	0	0	13	0	0
NCP8 (COLS. 1840- 1841)	040	1	14	10.49	5.26	299 1496	0	0	0	0	0	12	0	0
NCP8 (COLS. 1842- 1843)	041	1	14	10.46	5.28	300 1496	0	0	0	0	0	11	0	0
NCP8 (COLS. 1844- 1845)	042	1	14	10.46	5.27	301 1496	0	0	0	0	0	10	0	0
NCP8 (COLS. 1846- 1847)	043	1	14	10.59	5.16	301 1496	0	0	0	0	0	10	0	0
NCP8 (COLS. 1848- 1849)	044	1	14	10.50	5.21	304 1496	0	0	0	0	0	7	0	0
NCP8 (COLS. 1850- 1851)	045	1	14	10.40	5.26	307 1496	0	0	0	0	0	4	0	0
NCP8 (COLS. 1852- 1853)	046	1	14	10.47	5.18	309 1496	0	0	0	0	0	2	0	0
NCP8 (COLS. 1854- 1855)	047	1	14	10.44	5.19	311 1496	0	0	0	0	0	0	0	0
NCP8 (COLS. 1856- 1857)	048	1	14	10.44	5.19	311 1496	0	0	0	0	0	0	0	0
NCP9 (COLS. 1858- 1859)	001	14	14	14.00	0.0	9 1598	0	0	0	0	0	200	0	0
NCP9 (COLS. 1860- 1861)	002	14	14	14.00	0.0	28 1598	0	0	0	0	0	181	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
NCP9 (COLS. 1862- 1863)	003	1	14	13.73	1.86	49	1598	0	0	0	0	0	160	0	0
NCP9 (COLS. 1864- 1865)	004	1	14	13.84	1.44	81	1598	0	0	0	0	0	128	0	0
NCP9 (COLS. 1866- 1867)	005	1	14	13.70	1.97	86	1598	0	0	0	0	0	123	0	0
NCP9 (COLS. 1868- 1869)	006	1	14	13.36	2.73	103	1598	0	0	0	0	0	106	0	0
NCP9 (COLS. 1870- 1871)	007	1	14	13.29	2.83	116	1598	0	0	0	0	0	93	0	0
NCP9 (COLS. 1872- 1873)	008	1	14	12.60	3.91	124	1598	0	0	0	0	0	85	0	0
NCP9 (COLS. 1874- 1875)	009	1	14	12.05	4.49	130	1598	0	0	0	0	0	79	0	0
NCP9 (COLS. 1876- 1877)	010	1	14	11.50	4.98	137	1598	0	0	0	0	0	72	0	0
NCP9 (COLS. 1878- 1879)	011	1	14	11.41	5.02	139	1598	0	0	0	0	0	70	0	0
NCP9 (COLS. 1880- 1881)	012	1	14	11.28	5.11	141	1598	0	0	0	0	0	68	0	0
NCP9 (COLS. 1882- 1883)	013	1	14	11.27	5.07	142	1598	0	0	0	0	0	67	0	0
NCP9 (COLS. 1884- 1885)	014	1	14	11.20	5.13	143	1598	0	0	0	0	0	66	0	0
NCP9 (COLS. 1886- 1887)	015	1	14	11.25	5.03	144	1598	0	0	0	0	0	65	0	0
NCP9 (COLS. 1888- 1889)	016	1	14	11.40	4.87	145	1598	0	0	0	0	0	64	0	0
NCP9 (COLS. 1890- 1891)	017	1	14	11.34	4.91	146	1598	0	0	0	0	0	63	0	0
NCP9 (COLS. 1892- 1893)	018	1	14	11.40	4.84	146	1598	0	0	0	0	0	63	0	0
NCP9 (COLS. 1894- 1895)	019	1	14	11.26	4.94	149	1598	0	0	0	0	0	60	0	0
NCP9 (COLS. 1896- 1897)	020	1	14	11.13	5.01	152	1598	0	0	0	0	0	57	0	0
NCP9 (COLS. 1898- 1899)	021	1	14	11.06	5.03	154	1598	0	0	0	0	0	55	0	0
NCP9 (COLS. 1900- 1901)	022	1	14	11.01	5.01	158	1598	0	0	0	0	0	51	0	0
NCP9 (COLS. 1902- 1903)	023	1	14	10.88	5.09	160	1598	0	0	0	0	0	49	0	0
NCP9 (COLS. 1904- 1905)	024	1	14	10.76	5.18	162	1598	0	0	0	0	0	47	0	0
NCP9 (COLS. 1906- 1907)	025	1	14	10.61	5.21	166	1598	0	0	0	0	0	43	0	0
NCP9 (COLS. 1908- 1909)	026	1	16	10.50	5.27	171	1598	0	0	0	0	0	38	0	0
NCP9 (COLS. 1910- 1911)	027	1	16	10.57	5.21	172	1598	0	0	0	0	0	37	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999
NCP9 (COLS. 1912- 1913)	028	1 16	10.52	5.22	174 1598	0 0	0 0	0 0	0 0	0 0	35 0	0 0		
NCP9 (COLS. 1914- 1915)	029	1 16	10.48	5.24	176 1598	0 0	0 0	0 0	0 0	0 0	33 0	0 0		
NCP9 (COLS. 1916- 1917)	030	1 16	10.43	5.28	177 1598	0 0	0 0	0 0	0 0	0 0	32 0	0 0		
NCP9 (COLS. 1918- 1919)	031	1 16	10.43	5.26	178 1598	0 0	0 0	0 0	0 0	0 0	31 0	0 0		
NCP9 (COLS. 1920- 1921)	032	1 16	10.54	5.13	179 1598	0 0	0 0	0 0	0 0	0 0	30 0	0 0		
NCP9 (COLS. 1922- 1923)	033	1 16	10.54	5.10	181 1598	0 0	0 0	0 0	0 0	0 0	28 0	0 0		
NCP9 (COLS. 1924- 1925)	034	1 16	10.47	5.08	186 1598	0 0	0 0	0 0	0 0	0 0	23 0	0 0		
NCP9 (COLS. 1926- 1927)	035	1 16	10.52	5.04	186 1598	0 0	0 0	0 0	0 0	0 0	23 0	0 0		
NCP9 (COLS. 1928- 1929)	036	1 16	10.47	5.02	190 1598	0 0	0 0	0 0	0 0	0 0	19 0	0 0		
NCP9 (COLS. 1930- 1931)	037	1 16	10.29	5.12	194 1598	0 0	0 0	0 0	0 0	0 0	15 0	0 0		
NCP9 (COLS. 1932- 1933)	038	1 16	10.24	5.14	196 1598	0 0	0 0	0 0	0 0	0 0	13 0	0 0		
NCP9 (COLS. 1934- 1935)	039	1 16	10.26	5.13	197 1598	0 0	0 0	0 0	0 0	0 0	12 0	0 0		
NCP9 (COLS. 1936- 1937)	040	1 16	10.25	5.12	197 1598	0 0	0 0	0 0	0 0	0 0	12 0	0 0		
NCP9 (COLS. 1938- 1939)	041	1 16	10.21	5.13	198 1598	0 0	0 0	0 0	0 0	0 0	11 0	0 0		
NCP9 (COLS. 1940- 1941)	042	1 16	10.31	5.06	198 1598	0 0	0 0	0 0	0 0	0 0	11 0	0 0		
NCP9 (COLS. 1942- 1943)	043	1 16	10.38	5.00	200 1598	0 0	0 0	0 0	0 0	0 0	9 0	0 0		
NCP9 (COLS. 1944- 1945)	044	1 16	10.30	5.05	202 1598	0 0	0 0	0 0	0 0	0 0	7 0	0 0		
NCP9 (COLS. 1946- 1947)	045	1 16	10.04	5.18	208 1598	0 0	0 0	0 0	0 0	0 0	1 0	0 0		
NCP9 (COLS. 1948- 1949)	046	1 16	10.05	5.17	209 1598	0 0	0 0	0 0	0 0	0 0	0 0	0 0		
NCP9 (COLS. 1950- 1951)	047	1 16	10.09	5.14	209 1598	0 0	0 0	0 0	0 0	0 0	0 0	0 0		
NCP9 (COLS. 1952- 1953)	048	1 16	10.19	5.06	209 1598	0 0	0 0	0 0	0 0	0 0	0 0	0 0		
NCP10 (COLS. 1954- 1955)	001	14 14	14.00	0.0	4 1687	0 0	0 0	0 0	0 0	0 0	116 0	0 0		
NCP10 (COLS. 1956- 1957)	002	14 14	14.00	0.0	10 1687	0 0	0 0	0 0	0 0	0 0	110 0	0 0		
NCP10 (COLS. 1958- 1959)	003	14 14	14.00	0.0	21 1687	0 0	0 0	0 0	0 0	0 0	99 0	0 0		
NCP10 (COLS. 1960- 1961)	004	14 14	14.00	0.0	38 1687	0 0	0 0	0 0	0 0	0 0	82 0	0 0		

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
NCP10 (COLS. 1962- 1963)	005	14	14.00	0.0	40	1687	0	0	0	0	80	0	0	
NCP10 (COLS. 1964- 1965)	006	14	14.00	0.0	45	1687	0	0	0	0	75	0	0	
NCP10 (COLS. 1966- 1967)	007	1	14	13.52	2.43	52	1687	0	0	0	0	68	0	0
NCP10 (COLS. 1968- 1969)	008	1	14	12.64	3.96	56	1687	0	0	0	0	64	0	0
NCP10 (COLS. 1970- 1971)	009	1	14	12.05	4.64	59	1687	0	0	0	0	61	0	0
NCP10 (COLS. 1972- 1973)	010	1	14	10.85	5.49	66	1687	0	0	0	0	54	0	0
NCP10 (COLS. 1974- 1975)	011	1	14	10.83	5.48	66	1687	0	0	0	0	54	0	0
NCP10 (COLS. 1976- 1977)	012	1	14	10.84	5.44	67	1687	0	0	0	0	53	0	0
NCP10 (COLS. 1978- 1979)	013	1	14	10.84	5.37	68	1687	0	0	0	0	52	0	0
NCP10 (COLS. 1980- 1981)	014	1	14	10.56	5.54	70	1687	0	0	0	0	50	0	0
NCP10 (COLS. 1982- 1983)	015	1	14	10.56	5.54	70	1687	0	0	0	0	50	0	0
NCP10 (COLS. 1984- 1985)	016	1	14	10.70	5.42	70	1687	0	0	0	0	50	0	0
NCP10 (COLS. 1986- 1987)	017	1	14	10.70	5.42	70	1687	0	0	0	0	50	0	0
NCP10 (COLS. 1988- 1989)	018	1	14	10.70	5.38	71	1687	0	0	0	0	49	0	0
NCP10 (COLS. 1990- 1991)	019	1	14	10.55	5.39	73	1687	0	0	0	0	47	0	0
NCP10 (COLS. 1992- 1993)	020	1	14	10.70	5.20	74	1687	0	0	0	0	46	0	0
NCP10 (COLS. 1994- 1995)	021	1	14	10.61	5.21	76	1687	0	0	0	0	44	0	0
NCP10 (COLS. 1996- 1997)	022	1	14	10.49	5.25	78	1687	0	0	0	0	42	0	0
NCP10 (COLS. 1998- 1999)	023	1	14	10.47	5.25	78	1687	0	0	0	0	42	0	0
NCP10 (COLS. 2000- 2001)	024	1	14	10.35	5.32	79	1687	0	0	0	0	41	0	0
NCP10 (COLS. 2002- 2003)	025	1	14	9.78	5.65	83	1687	0	0	0	0	37	0	0
NCP10 (COLS. 2004- 2005)	026	1	14	9.49	5.77	86	1687	0	0	0	0	34	0	0
NCP10 (COLS. 2006- 2007)	027	1	14	9.33	5.79	88	1687	0	0	0	0	32	0	0
NCP10 (COLS. 2008- 2009)	028	1	14	9.26	5.80	90	1687	0	0	0	0	30	0	0
NCP10 (COLS. 2010- 2011)	029	1	14	9.37	5.73	90	1687	0	0	0	0	30	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999

NCP10 (COLS. 2012- 2013)		030	1	14	9.13	5.79	94	1687	0	0	0	0	0	26	0
NCP10 (COLS. 2014- 2015)		031	1	14	8.96	5.85	96	1687	0	0	0	0	0	24	0
NCP10 (COLS. 2016- 2017)		032	1	14	8.88	5.85	98	1687	0	0	0	0	0	22	0
NCP10 (COLS. 2018- 2019)		033	1	14	8.65	5.90	101	1687	0	0	0	0	0	19	0
NCP10 (COLS. 2020- 2021)		034	1	14	8.71	5.84	103	1687	0	0	0	0	0	17	0
NCP10 (COLS. 2022- 2023)		035	1	14	8.64	5.85	104	1687	0	0	0	0	0	16	0
NCP10 (COLS. 2024- 2025)		036	1	14	8.52	5.87	106	1687	0	0	0	0	0	14	0
NCP10 (COLS. 2026- 2027)		037	1	14	8.60	5.84	106	1687	0	0	0	0	0	14	0
NCP10 (COLS. 2028- 2029)		038	1	14	8.66	5.78	108	1687	0	0	0	0	0	12	0
NCP10 (COLS. 2030- 2031)		039	1	14	8.59	5.80	109	1687	0	0	0	0	0	11	0
NCP10 (COLS. 2032- 2033)		040	1	14	8.58	5.79	109	1687	0	0	0	0	0	11	0
NCP10 (COLS. 2034- 2035)		041	1	14	8.52	5.80	110	1687	0	0	0	0	0	10	0
NCP10 (COLS. 2036- 2037)		042	1	14	8.59	5.75	110	1687	0	0	0	0	0	10	0
NCP10 (COLS. 2038- 2039)		043	1	14	8.79	5.68	110	1687	0	0	0	0	0	10	0
NCP10 (COLS. 2040- 2041)		044	1	14	8.91	5.60	111	1687	0	0	0	0	0	9	0
NCP10 (COLS. 2042- 2043)		045	1	14	8.50	5.70	117	1687	0	0	0	0	0	3	0
NCP10 (COLS. 2044- 2045)		046	1	14	8.43	5.72	118	1687	0	0	0	0	0	2	0
NCP10 (COLS. 2046- 2047)		047	1	14	8.38	5.72	119	1687	0	0	0	0	0	1	0
NCP10 (COLS. 2048- 2049)		048	1	14	8.42	5.68	120	1687	0	0	0	0	0	0	0
NCP11 (COLS. 2050- 2051)		001	14	14	14.00	0.0	2	1736	0	0	0	0	0	69	0
NCP11 (COLS. 2052- 2053)		002	14	14	14.00	0.0	5	1736	0	0	0	0	0	66	0
NCP11 (COLS. 2054- 2055)		003	14	14	14.00	0.0	10	1736	0	0	0	0	0	61	0
NCP11 (COLS. 2056- 2057)		004	14	14	14.00	0.0	22	1736	0	0	0	0	0	49	0
NCP11 (COLS. 2058- 2059)		005	14	14	14.00	0.0	23	1736	0	0	0	0	0	48	0
NCP11 (COLS. 2060- 2061)		006	14	14	14.00	0.0	24	1736	0	0	0	0	0	47	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP11 (COLS. 2062- 2063)	007	14	14.00	0.0	27	1736	0	0	0	0	0	44	0	0
NCP11 (COLS. 2064- 2065)	008	1	14	13.14	3.23	29	1736	0	0	0	0	0	62	0
NCP11 (COLS. 2066- 2067)	009	1	14	11.61	5.16	34	1736	0	0	0	0	0	37	0
NCP11 (COLS. 2068- 2069)	010	1	14	10.51	5.65	37	1736	0	0	0	0	0	34	0
NCP11 (COLS. 2070- 2071)	011	1	14	10.42	5.68	40	1736	0	0	0	0	0	31	0
NCP11 (COLS. 2072- 2073)	012	1	14	10.42	5.68	40	1736	0	0	0	0	0	31	0
NCP11 (COLS. 2074- 2075)	013	1	14	10.40	5.67	40	1736	0	0	0	0	0	31	0
NCP11 (COLS. 2076- 2077)	014	1	14	10.40	5.67	40	1736	0	0	0	0	0	31	0
NCP11 (COLS. 2078- 2079)	015	1	14	10.40	5.67	40	1736	0	0	0	0	0	31	0
NCP11 (COLS. 2080- 2081)	016	1	14	10.40	5.67	40	1736	0	0	0	0	0	31	0
NCP11 (COLS. 2082- 2083)	017	1	14	10.40	5.67	40	1736	0	0	0	0	0	31	0
NCP11 (COLS. 2084- 2085)	018	1	14	10.41	5.59	41	1736	0	0	0	0	0	30	0
NCP11 (COLS. 2086- 2087)	019	1	14	10.59	5.36	41	1736	0	0	0	0	0	30	0
NCP11 (COLS. 2088- 2089)	020	1	14	10.36	5.50	42	1736	0	0	0	0	0	29	0
NCP11 (COLS. 2090- 2091)	021	1	14	10.60	5.30	42	1736	0	0	0	0	0	29	0
NCP11 (COLS. 2092- 2093)	022	1	14	9.95	5.69	44	1736	0	0	0	0	0	27	0
NCP11 (COLS. 2094- 2095)	023	1	14	9.76	5.78	45	1736	0	0	0	0	0	26	0
NCP11 (COLS. 2096- 2097)	024	1	14	9.59	5.83	46	1736	0	0	0	0	0	25	0
NCP11 (COLS. 2098- 2099)	025	1	14	9.06	6.01	49	1736	0	0	0	0	0	22	0
NCP11 (COLS. 2100- 2101)	026	1	14	8.60	6.13	52	1736	0	0	0	0	0	19	0
NCP11 (COLS. 2102- 2103)	027	1	14	8.60	6.13	52	1736	0	0	0	0	0	19	0
NCP11 (COLS. 2104- 2105)	028	1	14	8.64	6.08	53	1736	0	0	0	0	0	18	0
NCP11 (COLS. 2106- 2107)	029	1	14	8.83	6.00	53	1736	0	0	0	0	0	18	0
NCP11 (COLS. 2108- 2109)	030	1	14	8.55	6.07	55	1736	0	0	0	0	0	16	0
NCP11 (COLS. 2110- 2111)	031	1	14	8.55	6.07	55	1736	0	0	0	0	0	16	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZFRO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
NCP11 (COLS. 2112- 2113)	032	1	14	8.50	5.97	58	1736	0	0	0	0	0	13	0	0
NCP11 (COLS. 2114- 2115)	033	1	14	8.37	6.00	59	1736	0	0	0	0	0	32	0	0
NCP11 (COLS. 2116- 2117)	034	1	14	8.54	5.93	59	1736	0	0	0	0	0	12	0	0
NCP11 (COLS. 2118- 2119)	035	1	14	8.38	5.90	60	1736	0	0	0	0	0	11	0	0
NCP11 (COLS. 2120- 2121)	036	1	14	8.38	5.50	60	1736	0	0	0	0	0	11	0	0
NCP11 (COLS. 2122- 2123)	037	1	14	8.55	5.83	60	1736	0	0	0	0	0	11	0	0
NCP11 (COLS. 2124- 2125)	038	1	14	8.55	5.83	60	1736	0	0	0	0	0	11	0	0
NCP11 (COLS. 2126- 2127)	039	1	14	8.43	5.86	61	1736	0	0	0	0	0	10	0	0
NCP11 (COLS. 2128- 2129)	040	1	14	8.41	5.85	61	1736	0	0	0	0	0	10	0	0
NCP11 (COLS. 2130- 2131)	041	1	14	8.29	5.68	62	1736	0	0	0	0	0	9	0	0
NCP11 (COLS. 2132- 2133)	042	1	14	8.29	5.88	62	1736	0	0	0	0	0	9	0	0
NCP11 (COLS. 2134- 2135)	043	1	14	8.29	5.88	62	1736	0	0	0	0	0	9	0	0
NCP11 (COLS. 2136- 2137)	044	1	14	8.35	5.82	63	1736	0	0	0	0	0	8	0	0
NCP11 (COLS. 2138- 2139)	045	1	14	8.58	5.79	64	1736	0	0	0	0	0	7	0	0
NCP11 (COLS. 2140- 2141)	046	1	14	8.39	5.82	67	1736	0	0	0	0	0	4	0	0
NCP11 (COLS. 2142- 2143)	047	1	14	8.19	5.85	69	1736	0	0	0	0	0	2	0	0
NCP11 (COLS. 2144- 2145)	048	1	14	8.15	5.80	71	1736	0	0	0	0	0	0	0	0
NCP12 (COLS. 2146- 2147)	001	0	0	0.0	0.0	0	1759	0	0	0	0	0	48	0	0
NCP12 (COLS. 2148- 2149)	002	14	14	14.00	0.0	2	1759	0	0	0	0	0	66	0	0
NCP12 (COLS. 2150- 2151)	003	14	14	14.00	0.0	2	1759	0	0	0	0	0	46	0	0
NCP12 (COLS. 2152- 2153)	004	14	14	14.00	0.0	11	1759	0	0	0	0	0	37	0	0
NCP12 (COLS. 2154- 2155)	005	14	14	14.00	0.0	12	1759	0	0	0	0	0	36	0	0
NCP12 (COLS. 2156- 2157)	006	14	14	14.00	0.0	13	1759	0	0	0	0	0	35	0	0
NCP12 (COLS. 2158- 2159)	007	1	14	12.47	4.32	17	1759	0	0	0	0	0	31	0	0
NCP12 (COLS. 2160- 2161)	008	1	14	11.83	4.99	18	1759	0	0	0	0	0	30	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP12 (COLS. 2162- 2163)	009	1 14	9.21	6.32	24	1759	0	0	0	0	0	24	0	0
NCP12 (COLS. 2164- 2165)	010	1 14	9.21	6.32	24	1759	0	0	0	0	0	24	0	0
NCP12 (COLS. 2166- 2167)	011	1 14	9.58	6.20	26	1759	0	0	0	0	0	22	0	0
NCP12 (COLS. 2168- 2169)	012	1 14	9.58	6.20	26	1759	0	0	0	0	0	22	0	0
NCP12 (COLS. 2170- 2171)	013	1 14	9.58	6.20	26	1759	0	0	0	0	0	22	0	0
NCP12 (COLS. 2172- 2173)	014	1 14	9.58	6.20	26	1759	0	0	0	0	0	22	0	0
NCP12 (COLS. 2174- 2175)	015	1 14	9.58	6.20	26	1759	0	0	0	0	0	22	0	0
NCP12 (COLS. 2176- 2177)	016	1 14	9.26	6.30	27	1759	0	0	0	0	0	21	0	0
NCP12 (COLS. 2178- 2179)	017	1 14	9.00	6.34	28	1759	0	0	0	0	0	20	0	0
NCP12 (COLS. 2180- 2181)	018	1 14	9.10	6.19	29	1759	0	0	0	0	0	19	0	0
NCP12 (COLS. 2182- 2183)	019	1 14	9.20	6.05	30	1759	0	0	0	0	0	18	0	0
NCP12 (COLS. 2184- 2185)	020	1 14	8.94	6.13	31	1759	0	0	0	0	0	17	0	0
NCP12 (COLS. 2186- 2187)	021	1 14	9.26	5.96	31	1759	0	0	0	0	0	17	0	0
NCP12 (COLS. 2188- 2189)	022	1 14	8.72	6.15	32	1759	0	0	0	0	0	16	0	0
NCP12 (COLS. 2190- 2191)	023	1 14	8.72	6.15	32	1759	0	0	0	0	0	16	0	0
NCP12 (COLS. 2192- 2193)	024	1 14	8.52	6.17	33	1759	0	0	0	0	0	15	0	0
NCP12 (COLS. 2194- 2195)	025	1 14	8.37	6.13	35	1759	0	0	0	0	0	13	0	0
NCP12 (COLS. 2196- 2197)	026	1 14	8.17	6.17	36	1759	0	0	0	0	0	12	0	0
NCP12 (COLS. 2198- 2199)	027	1 14	8.17	6.17	36	1759	0	0	0	0	0	12	0	0
NCP12 (COLS. 2200- 2201)	028	1 14	8.27	6.07	37	1759	0	0	0	0	0	11	0	0
NCP12 (COLS. 2202- 2203)	029	1 14	8.27	6.07	37	1759	0	0	0	0	0	11	0	0
NCP12 (COLS. 2204- 2205)	030	1 14	7.90	6.12	39	1759	0	0	0	0	0	9	0	0
NCP12 (COLS. 2206- 2207)	031	1 14	7.90	6.12	39	1759	0	0	0	0	0	9	0	0
NCP12 (COLS. 2208- 2209)	032	1 14	7.67	6.08	42	1759	0	0	0	0	0	6	0	0
NCP12 (COLS. 2210- 2211)	033	1 14	7.90	6.01	42	1759	0	0	0	0	0	6	0	0

Computer Center A Division of American Management Systems, Inc.

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP12 (COLS. 2212- 2213)	034	1 14	8.14	5.92	42 1759	C	0	0 0	0 0	0 0	6 0	0 0		
NCP12 (COLS. 2214- 2215)	035	1 14	8.07	5.87	42 1759	O	0	0 0	0 0	0 0	6 0	0 0		
NCP12 (COLS. 2216- 2217)	036	1 14	7.91	5.90	43 1759	O	0	0 0	0 0	0 0	5 0	0 0		
NCP12 (COLS. 2218- 2219)	037	1 14	7.77	5.90	44 1759	O	0	0 0	0 0	0 0	4 0	0 0		
NCP12 (COLS. 2220- 2221)	038	1 14	7.77	5.90	44 1759	O	0	0 0	0 0	0 0	4 0	0 0		
NCP12 (COLS. 2222- 2223)	039	1 14	7.77	5.90	44 1759	O	0	0 0	0 0	0 0	4 0	0 0		
NCP12 (COLS. 2224- 2225)	040	1 14	8.02	5.88	44 1759	O	0	0 0	0 0	0 0	6 0	0 0		
NCP12 (COLS. 2226- 2227)	041	1 14	8.02	5.88	44 1759	O	0	0 0	0 0	0 0	4 0	0 0		
NCP12 (COLS. 2228- 2229)	042	1 14	8.02	5.88	44 1759	O	0	0 0	0 0	0 0	4 0	0 0		
NCP12 (COLS. 2230- 2231)	043	1 14	7.89	5.88	45 1759	O	0	0 0	0 0	0 0	3 0	0 0		
NCP12 (COLS. 2232- 2233)	044	1 14	8.20	5.73	46 1759	O	0	0 0	0 0	0 0	2 0	0 0		
NCP12 (COLS. 2234- 2235)	045	1 14	8.23	5.71	47 1759	O	0	0 0	0 0	0 0	1 0	0 0		
NCP12 (COLS. 2236- 2237)	046	1 14	8.08	5.74	48 1759	O	0	0 0	0 0	0 0	0 0	0 0		
NCP12 (COLS. 2238- 2239)	047	1 14	8.08	5.74	48 1759	O	0	0 0	0 0	0 0	0 0	0 0		
NCP12 (COLS. 2240- 2241)	048	1 14	8.48	5.60	48 1759	O	0	0 0	0 0	0 0	0 0	0 0		
NCP13 (COLS. 2242- 2243)	001	0 0	0.0	0.0	0 1776	O	0	0 0	0 0	0 0	31 0	0 0		
NCP13 (COLS. 2244- 2245)	002	0 0	0.0	0.0	0 1776	O	0	0 0	0 0	0 0	31 0	0 0		
NCP13 (COLS. 2246- 2247)	003	0 0	0.0	0.0	0 1776	O	0	0 0	0 0	0 0	31 0	0 0		
NCP13 (COLS. 2248- 2249)	004	14 14	14.00	0.0	3 1776	O	0	0 0	0 0	0 0	28 0	0 0		
NCP13 (COLS. 2250- 2251)	005	1 14	10.75	6.50	4 1776	O	0	0 0	0 0	0 0	27 0	0 0		
NCP13 (COLS. 2252- 2253)	006	11 14	13.40	1.34	5 1776	O	0	0 0	0 0	0 0	26 0	0 0		
NCP13 (COLS. 2254- 2255)	007	1 14	11.33	5.20	6 1776	O	0	0 0	0 0	0 0	25 0	0 0		
NCP13 (COLS. 2256- 2257)	008	1 14	9.44	6.17	9 1776	O	0	0 0	0 0	0 0	22 0	0 0		
NCP13 (COLS. 2258- 2259)	009	1 14	7.91	6.49	11 1776	O	0	0 0	0 0	0 0	20 0	0 0		
NCP13 (COLS. 2260- 2261)	010	1 14	7.91	6.49	11 1776	O	0	0 0	0 0	0 0	20 0	0 0		

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DFV	FREQ	ZERO BLNK	NO.	NO.	NO.						
							9993	9994	9995	9996	9997	9998	9999		
NCP13 (COLS. 2262- 2263)	011	1	14	8.42	6.43	12 1776	0	0	0	0	19	0	0		
NCP13 (COLS. 2264- 2265)	012	1	14	8.42	6.43	12 1776	0	0	0	0	0	19	0	0	
NCP13 (COLS. 2266- 2267)	013	1	14	8.42	6.43	12 1776	0	0	0	0	0	19	0	0	
NCP13 (COLS. 2268- 2269)	014	1	14	8.42	6.43	12 1776	0	0	0	0	0	19	0	0	
NCP13 (COLS. 2270- 2271)	015	1	14	7.85	6.49	13 1776	0	0	0	0	0	18	0	0	
NCP13 (COLS. 2272- 2273)	016	1	14	7.85	6.49	13 1776	0	0	0	0	0	18	0	0	
NCP13 (COLS. 2274- 2275)	017	1	14	7.85	6.49	13 1776	0	0	0	0	0	18	0	0	
NCP13 (COLS. 2276- 2277)	018	1	14	7.85	6.49	13 1776	0	0	0	0	0	18	0	0	
NCP13 (COLS. 2278- 2279)	019	1	14	8.07	6.29	14 1776	0	0	0	0	0	17	0	0	
NCP13 (COLS. 2280- 2281)	020	1	14	7.60	6.33	15 1776	0	0	0	0	0	16	0	0	
NCP13 (COLS. 2282- 2283)	021	1	14	8.27	6.11	15 1776	0	0	0	0	0	16	0	0	
NCP13 (COLS. 2284- 2285)	022	1	14	8.27	6.11	15 1776	0	0	0	0	0	16	0	0	
NCP13 (COLS. 2286- 2287)	023	1	14	7.88	6.11	16 1776	0	0	0	0	0	15	0	0	
NCP13 (COLS. 2288- 2289)	024	1	14	7.88	6.11	16 1776	0	0	0	0	0	15	0	0	
NCP13 (COLS. 2290- 2291)	025	1	14	6.84	6.09	19 1776	0	0	0	0	0	12	0	0	
NCP13 (COLS. 2292- 2293)	026	1	14	6.38	5.96	21 1776	0	0	0	0	0	10	0	0	
NCP13 (COLS. 2294- 2295)	027	1	14	6.38	5.96	21 1776	0	0	0	0	0	10	0	0	
NCP13 (COLS. 2296- 2297)	028	1	14	6.39	5.84	23 1776	0	0	0	0	0	8	0	0	
NCP13 (COLS. 2298- 2299)	029	1	14	6.39	5.84	23 1776	0	0	0	0	0	8	0	0	
NCP13 (COLS. 2300- 2301)	030	1	14	6.17	5.82	24 1776	0	0	0	0	0	7	0	0	
NCP13 (COLS. 2302- 2303)	031	1	14	6.58	5.79	24 1776	0	0	0	0	0	7	0	0	
NCP13 (COLS. 2304- 2305)	032	1	14	6.96	5.77	25 1776	0	0	0	0	0	7	0	0	
NCP13 (COLS. 2306- 2307)	033	1	14	6.54	5.74	26 1776	0	0	0	0	0	5	0	0	
NCP13 (COLS. 2308- 2309)	034	1	14	6.54	5.74	26 1776	0	0	0	0	0	5	0	0	
NCP13 (COLS. 2310- 2311)	035	1	14	6.8P	5.72	26 1776	0	0	0	0	0	5	0	0	

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
NCP13 (COLS. 2312- 2313)	036	1	14	6.54	5.65	28	1776	0	0	0	0	0	3	0	0
NCP13 (COLS. 2314- 2315)	037	1	14	7.07	5.52	29	1776	0	0	0	0	0	2	0	0
NCP13 (COLS. 2316- 2317)	038	1	14	7.07	5.52	29	1776	0	0	0	0	0	2	0	0
NCP13 (COLS. 2318- 2319)	039	1	14	7.07	5.52	29	1776	0	0	0	0	0	2	0	0
NCP13 (COLS. 2320- 2321)	040	1	14	7.07	5.52	29	1776	0	0	0	0	0	2	0	0
NCP13 (COLS. 2322- 2323)	041	1	14	7.07	5.52	29	1776	0	0	0	0	0	2	0	0
NCP13 (COLS. 2324- 2325)	042	1	14	7.07	5.52	29	1776	0	0	0	0	0	2	0	0
NCP13 (COLS. 2326- 2327)	043	1	14	7.07	5.52	29	1776	0	0	0	0	0	2	0	0
NCP13 (COLS. 2328- 2329)	044	1	14	6.72	5.58	29	1776	0	0	0	0	0	2	0	0
NCP13 (COLS. 2330- 2331)	045	1	14	6.72	5.58	29	1776	0	0	0	0	0	2	0	0
NCP13 (COLS. 2332- 2333)	046	1	14	7.03	5.56	29	1776	0	0	0	0	0	2	0	0
NCP13 (COLS. 2334- 2335)	047	1	14	6.71	5.51	31	1776	0	0	0	0	0	0	0	0
NCP13 (COLS. 2336- 2337)	048	1	14	6.71	5.51	31	1776	0	0	0	0	0	0	0	0
NCP14 (COLS. 2338- 2339)	001	0	0	0.0	0.0	0	1790	0	0	0	0	0	17	0	0
NCP14 (COLS. 2340- 2341)	002	0	0	0.0	0.0	0	1790	0	0	0	0	0	17	0	0
NCP14 (COLS. 2342- 2343)	003	0	0	0.0	0.0	0	1790	0	0	0	0	0	17	0	0
NCP14 (COLS. 2344- 2345)	004	14	14	14.00	0.0	1	1790	0	0	0	0	0	16	0	0
NCP14 (COLS. 2346- 2347)	005	1	14	7.50	9.19	2	1790	0	0	0	0	0	15	0	0
NCP14 (COLS. 2348- 2349)	006	11	14	13.00	1.73	3	1790	0	0	0	0	0	14	0	0
NCP14 (COLS. 2350- 2351)	007	1	14	10.80	5.63	5	1790	0	0	0	0	0	12	0	0
NCP14 (COLS. 2352- 2353)	008	1	14	11.33	5.20	6	1790	0	0	0	0	0	11	0	0
NCP14 (COLS. 2354- 2355)	009	1	14	9.86	6.15	7	1790	0	0	0	0	0	10	0	0
NCP14 (COLS. 2356- 2357)	010	1	14	9.86	6.15	7	1790	0	0	0	0	0	10	0	0
NCP14 (COLS. 2358- 2359)	011	1	14	10.38	5.88	8	1790	0	0	0	0	0	9	0	0
NCP14 (COLS. 2360- 2361)	012	1	14	10.38	5.88	8	1790	0	0	0	0	0	9	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP14 (COLS. 2362- 2363)	013	1	14	9.44	6.17	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2364- 2365)	014	1	14	9.44	6.17	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2366- 2367)	015	1	14	9.44	6.17	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2368- 2369)	016	1	14	9.44	6.17	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2370- 2371)	017	1	14	9.44	6.17	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2372- 2373)	018	1	14	9.44	6.17	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2374- 2375)	019	1	14	10.56	5.29	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2376- 2377)	020	1	14	10.56	5.29	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2378- 2379)	021	1	14	10.56	5.29	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2380- 2381)	022	1	14	10.56	5.29	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2382- 2383)	023	1	14	10.56	5.29	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2384- 2385)	024	1	14	10.56	5.29	9 1790	0	0	0	0	0	8	0	0
NCP14 (COLS. 2386- 2387)	025	1	14	9.60	5.83	10 1790	0	0	0	0	0	7	0	0
NCP14 (COLS. 2388- 2389)	026	1	14	9.60	5.83	10 1790	0	0	0	0	0	7	0	0
NCP14 (COLS. 2390- 2391)	027	1	14	8.33	6.05	12 1790	0	0	0	0	0	5	0	0
NCP14 (COLS. 2392- 2393)	028	1	14	9.17	5.62	12 1790	0	0	0	0	0	5	0	0
NCP14 (COLS. 2394- 2395)	029	1	14	9.17	5.62	12 1790	0	0	0	0	0	5	0	0
NCP14 (COLS. 2396- 2397)	030	1	14	9.17	5.62	12 1790	0	0	0	0	0	5	0	0
NCP14 (COLS. 2398- 2399)	031	1	14	9.17	5.62	12 1790	0	0	0	0	0	5	0	0
NCP14 (COLS. 2400- 2401)	032	1	14	9.17	5.62	12 1790	0	0	0	0	0	5	0	0
NCP14 (COLS. 2402- 2403)	033	1	14	8.07	5.88	14 1790	0	0	0	0	0	3	0	0
NCP14 (COLS. 2404- 2405)	034	1	14	8.07	5.88	14 1790	0	0	0	0	0	3	0	0
NCP14 (COLS. 2406- 2407)	035	1	14	8.07	5.88	14 1790	0	0	0	0	0	3	0	0
NCP14 (COLS. 2408- 2409)	036	1	14	8.07	5.88	14 1790	0	0	0	0	0	3	0	0
NCP14 (COLS. 2410- 2411)	037	1	14	7.86	5.70	14 1790	0	0	0	0	0	3	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP15 (COLS. 2462- 2463)	015	1	14	9.83	6.46	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2464- 2465)	016	1	14	9.83	6.46	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2466- 2467)	017	1	14	11.33	5.20	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2468- 2469)	018	1	14	11.33	5.20	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2470- 2471)	019	11	14	12.50	1.64	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2472- 2473)	020	11	14	12.50	1.64	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2474- 2475)	021	11	14	12.50	1.64	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2476- 2477)	022	11	14	12.50	1.64	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2478- 2479)	023	11	14	12.50	1.64	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2480- 2481)	024	11	14	12.50	1.64	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2482- 2483)	025	11	14	12.50	1.64	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2484- 2485)	026	11	14	12.50	1.64	6 1794	0	0	0	0	0	0	7	0	0
NCP15 (COLS. 2486- 2487)	027	2	14	11.00	4.24	7 1794	0	0	0	0	0	0	6	0	0
NCP15 (COLS. 2488- 2489)	028	2	14	11.00	4.24	7 1794	0	0	0	0	0	0	6	0	0
NCP15 (COLS. 2490- 2491)	029	2	14	11.00	4.24	7 1794	0	0	0	0	0	0	6	0	0
NCP15 (COLS. 2492- 2493)	030	2	14	11.00	4.24	7 1794	0	0	0	0	0	0	6	0	0
NCP15 (COLS. 2494- 2495)	031	1	14	9.75	5.28	8 1794	0	0	0	0	0	0	5	0	0
NCP15 (COLS. 2496- 2497)	032	1	14	9.75	5.28	8 1794	0	0	0	0	0	0	5	0	0
NCP15 (COLS. 2498- 2499)	033	1	14	9.75	5.28	8 1794	0	0	0	0	0	0	5	0	0
NCP15 (COLS. 2500- 2501)	034	1	14	9.75	5.28	8 1794	0	0	0	0	0	0	5	0	0
NCP15 (COLS. 2502- 2503)	035	1	14	9.75	5.28	8 1794	0	0	0	0	0	0	5	0	0
NCP15 (COLS. 2504- 2505)	036	1	14	8.89	5.58	9 1794	0	0	0	0	0	0	4	0	0
NCP15 (COLS. 2506- 2507)	037	1	14	7.55	5.82	11 1794	0	0	0	0	0	0	2	0	0
NCP15 (COLS. 2508- 2509)	038	1	14	7.55	5.82	11 1794	0	0	0	0	0	0	2	0	0
NCP15 (COLS. 2510- 2511)	039	1	14	7.55	5.82	11 1794	0	0	0	0	0	0	2	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRFO	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
NCP15 (COLS. 2512- 2513)	040	1	14	7.55	5.82	11	1794	0	0	0	0	0	2	0	0
NCP15 (COLS. 2514- 2515)	041	1	14	7.55	5.82	11	1794	0	0	0	0	0	2	0	0
NCP15 (COLS. 2516- 2517)	042	1	14	7.55	5.82	11	1794	0	0	0	0	0	2	0	0
NCP15 (COLS. 2518- 2519)	043	1	14	7.55	5.82	11	1794	0	0	0	0	0	2	0	0
NCP15 (COLS. 2520- 2521)	044	1	14	6.69	5.71	13	1794	0	0	0	0	0	0	0	0
NCP15 (COLS. 2522- 2523)	045	1	14	6.69	5.71	13	1794	0	0	0	0	0	0	0	0
NCP15 (COLS. 2524- 2525)	046	1	14	6.69	5.71	13	1794	0	0	0	0	0	0	0	0
NCP15 (COLS. 2526- 2527)	047	1	14	6.69	5.71	13	1794	0	0	0	0	0	0	0	0
NCP15 (COLS. 2528- 2529)	048	1	14	6.69	5.71	13	1794	0	0	0	0	0	0	0	0
NCP16 (COLS. 2530- 2531)	001	0	0	0.0	0.0	0	1800	0	0	0	0	0	7	0	0
NCP16 (COLS. 2532- 2533)	002	0	0	0.0	0.0	0	1800	0	0	0	0	0	7	0	0
NCP16 (COLS. 2534- 2535)	003	0	0	0.0	0.0	0	1800	0	0	0	0	0	7	0	0
NCP16 (COLS. 2536- 2537)	004	0	0	0.0	0.0	0	1800	0	0	0	0	0	7	0	0
NCP16 (COLS. 2538- 2539)	005	0	0	0.0	0.0	0	1800	0	0	0	0	0	7	0	0
NCP16 (COLS. 2540- 2541)	006	14	14	14.00	0.0	1	1800	0	0	0	0	0	6	0	0
NCP16 (COLS. 2542- 2543)	007	1	14	7.50	9.19	2	1800	0	0	0	0	0	5	0	0
NCP16 (COLS. 2544- 2545)	008	1	14	9.67	7.51	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2546- 2547)	009	1	14	9.67	7.51	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2548- 2549)	010	1	14	9.67	7.51	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2550- 2551)	011	1	14	9.67	7.51	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2552- 2553)	012	1	14	9.67	7.51	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2554- 2555)	013	1	14	9.67	7.51	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2556- 2557)	014	1	14	9.67	7.51	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2558- 2559)	015	1	14	9.67	7.51	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2560- 2561)	016	1	14	9.67	7.51	3	1800	0	0	0	0	0	4	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRFO	ZFPO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP16 (COLS. 2562- 2563)	017	1 14	9.67	7.51	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2564- 2565)	018	1 14	9.67	7.51	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2566- 2567)	019	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2568- 2569)	020	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2570- 2571)	021	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2572- 2573)	022	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2574- 2575)	023	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2576- 2577)	024	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2578- 2579)	025	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2580- 2581)	026	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2582- 2583)	027	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2584- 2585)	028	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2586- 2587)	029	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2588- 2589)	030	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2590- 2591)	031	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2592- 2593)	032	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2594- 2595)	033	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2596- 2597)	034	11 14	13.00	1.73	3	1800	0	0	0	0	0	4	0	0
NCP16 (COLS. 2598- 2599)	035	2 14	10.25	5.68	4	1800	0	0	0	0	0	3	0	0
NCP16 (COLS. 2600- 2601)	036	2 14	10.25	5.68	4	1800	0	0	0	0	0	3	0	0
NCP16 (COLS. 2602- 2603)	037	2 14	10.25	5.68	4	1800	0	0	0	0	0	3	0	0
NCP16 (COLS. 2604- 2605)	038	2 14	10.25	5.68	4	1800	0	0	0	0	0	3	0	0
NCP16 (COLS. 2606- 2607)	039	2 14	10.25	5.68	4	1800	0	0	0	0	0	3	0	0
NCP16 (COLS. 2608- 2609)	040	2 14	10.25	5.68	4	1800	0	0	0	0	0	3	0	0
NCP16 (COLS. 2610- 2611)	041	2 14	10.25	5.68	4	1800	0	0	0	0	0	3	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999

NCP16 (COLS. 2612- 2613)		042	2	14	8.60	6.15	5	1800	0	0	0	0	0	2	0 / 0
NCP16 (COLS. 2614- 2615)		043	2	14	7.50	6.12	6	1800	0	0	0	0	0	1	0 0
NCP16 (COLS. 2616- 2617)		044	2	14	7.50	6.12	6	1800	0	0	0	0	0	1	0 0
NCP16 (COLS. 2618- 2619)		045	2	14	7.50	6.12	6	1800	0	0	0	0	0	1	0 0
NCP16 (COLS. 2620- 2621)		046	1	14	7.86	5.93	7	1800	0	0	0	0	0	0	0 0
NCP16 (COLS. 2622- 2623)		047	1	14	7.86	5.93	7	1800	0	0	0	0	0	0	0 0
NCP16 (COLS. 2624- 2625)		048	1	14	7.86	5.93	7	1800	0	0	0	0	0	0	0 0
NCP17 (COLS. 2626- 2627)		001	0	0	0.0	0.0	0	1803	0	0	0	0	0	4	0 0
NCP17 (COLS. 2628- 2629)		002	0	0	0.0	0.0	0	1803	0	0	0	0	0	4	0 0
NCP17 (COLS. 2630- 2631)		003	0	0	0.0	0.0	0	1803	0	0	0	0	0	4	0 0
NCP17 (COLS. 2632- 2633)		004	0	0	0.0	0.0	0	1803	0	0	0	0	0	4	0 0
NCP17 (COLS. 2634- 2635)		005	0	0	0.0	0.0	0	1803	0	0	0	0	0	4	0 0
NCP17 (COLS. 2636- 2637)		006	0	0	0.0	0.0	0	1803	0	0	0	0	0	4	0 0
NCP17 (COLS. 2638- 2639)		007	0	0	0.0	0.0	0	1803	0	0	0	0	0	4	0 0
NCP17 (COLS. 2640- 2641)		008	14	14	14.00	0.0	1	1803	0	0	0	0	0	3	0 0
NCP17 (COLS. 2642- 2643)		009	14	14	14.00	0.0	1	1803	0	0	0	0	0	3	0 0
NCP17 (COLS. 2644- 2645)		010	1	14	7.50	9.19	2	1803	0	0	0	0	0	2	0 0
NCP17 (COLS. 2646- 2647)		011	1	14	7.50	9.19	2	1803	0	0	0	0	0	2	0 0
NCP17 (COLS. 2648- 2649)		012	1	14	7.50	9.19	2	1803	0	0	0	0	0	2	0 0
NCP17 (COLS. 2650- 2651)		013	1	14	7.50	9.19	2	1803	0	0	0	0	0	2	0 0
NCP17 (COLS. 2652- 2653)		014	1	14	7.50	9.19	2	1803	0	0	0	0	0	2	0 0
NCP17 (COLS. 2654- 2655)		015	1	14	7.50	9.19	2	1803	0	0	0	0	0	2	0 0
NCP17 (COLS. 2656- 2657)		016	1	14	7.50	9.19	2	1803	0	0	0	0	0	2	0 0
NCP17 (COLS. 2658- 2659)		017	1	14	7.50	9.19	2	1803	0	0	0	0	0	2	0 0
NCP17 (COLS. 2660- 2661)		018	1	14	7.50	9.19	2	1803	0	0	0	0	0	2	0 0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
NCP17 (COLS. 2662- 2663)	019	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2664- 2665)	020	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2666- 2667)	021	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2668- 2669)	022	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2670- 2671)	023	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2672- 2673)	024	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2674- 2675)	025	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2676- 2677)	026	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2678- 2679)	027	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2680- 2681)	028	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2682- 2683)	029	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2684- 2685)	030	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2686- 2687)	031	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2688- 2689)	032	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2690- 2691)	033	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2692- 2693)	034	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2694- 2695)	035	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2696- 2697)	036	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2698- 2699)	037	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2700- 2701)	038	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2702- 2703)	039	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2704- 2705)	040	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2706- 2707)	041	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2708- 2709)	042	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2710- 2711)	043	11	14	12.50	2.12	2	1803	0	0	0	0	0	2	0	0

1970 Grouped Output - Variable Information for Selected Variables

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MIDIAN	STD DEV	FRFO	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP17 (COLS. 2712- 2713)	044	11	14	12.50	2.12	2 1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2714- 2715)	045	11	14	12.50	2.12	2 1803	0	0	0	0	0	2	0	0
NCP17 (COLS. 2716- 2717)	046	1	14	8.67	6.81	3 1803	0	0	0	0	0	1	0	0
NCP17 (COLS. 2718- 2719)	047	1	14	8.67	6.81	3 1803	0	0	0	0	0	1	0	0
NCP17 (COLS. 2720- 2721)	048	1	14	7.00	6.48	4 1803	0	0	0	0	0	0	0	0
NCP18 (COLS. 2722- 2723)	001	0	0	0.0	0.0	0 1804	0	0	0	0	0	3	0	0
NCP18 (COLS. 2724- 2725)	002	0	0	0.0	0.0	0 1804	0	0	0	0	0	3	0	0
NCP18 (COLS. 2726- 2727)	003	0	0	0.0	0.0	0 1804	0	0	0	0	0	3	0	0
NCP18 (COLS. 2728- 2729)	004	0	0	0.0	0.0	0 1804	0	0	0	0	0	3	0	0
NCP18 (COLS. 2730- 2731)	005	0	0	0.0	0.0	0 1804	0	0	0	0	0	3	0	0
NCP18 (COLS. 2732- 2733)	006	0	0	0.0	0.0	0 1804	0	0	0	0	0	3	0	0
NCP18 (COLS. 2734- 2735)	007	0	0	0.0	0.0	0 1804	0	0	0	0	0	3	0	0
NCP18 (COLS. 2736- 2737)	008	14	14	14.00	0.0	1 1804	0	0	0	0	0	2	0	0
NCP18 (COLS. 2738- 2739)	009	14	14	14.00	0.0	1 1804	0	0	0	0	0	2	0	0
NCP18 (COLS. 2740- 2741)	010	1	14	7.50	9.19	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2742- 2743)	011	1	14	7.50	9.19	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2744- 2745)	012	1	14	7.50	9.19	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2746- 2747)	013	1	14	7.50	9.19	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2748- 2749)	014	1	14	7.50	9.19	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2750- 2751)	015	1	14	7.50	9.19	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2752- 2753)	016	1	14	7.50	9.19	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2754- 2755)	017	1	14	7.50	9.19	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2756- 2757)	018	1	14	7.50	9.19	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2758- 2759)	019	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2760- 2761)	020	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP18 (COLS. 2762- 2763)	021	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2764- 2765)	022	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2766- 2767)	023	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2768- 2769)	024	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2770- 2771)	025	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2772- 2773)	026	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2774- 2775)	027	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2776- 2777)	028	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2778- 2779)	029	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2780- 2781)	030	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2782- 2783)	031	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2784- 2785)	032	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2786- 2787)	033	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2788- 2789)	034	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2790- 2791)	035	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2792- 2793)	036	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2794- 2795)	037	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2796- 2797)	038	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2798- 2799)	039	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2800- 2801)	040	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2802- 2803)	041	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2804- 2805)	042	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2806- 2807)	043	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2808- 2809)	044	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0
NCP18 (COLS. 2810- 2811)	045	11	14	12.50	2.12	2 1804	0	0	0	0	0	1	0	0

FAMILY VARIABLES

FAMILY VARIABLES

FAMILY VARIABLES

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ ZERO	FLNK	NO. 5993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP20 (COLS. 2962- 2963)	025	11	14	12.50	2.12	2 1805	6	0	0	0	0	0	0
NCP20 (COLS. 2964- 2965)	026	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2966- 2967)	027	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2968- 2969)	028	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2970- 2971)	029	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2972- 2973)	030	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2974- 2975)	031	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2976- 2977)	032	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2978- 2979)	033	11	14	12.50	2.12	2 1805	6	0	0	0	0	0	0
NCP20 (COLS. 2980- 2981)	034	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2982- 2983)	035	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2984- 2985)	036	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2986- 2987)	037	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2988- 2989)	038	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2990- 2991)	039	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2992- 2993)	040	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2994- 2995)	041	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2996- 2997)	042	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 2998- 2999)	043	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 3000- 3001)	044	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 3002- 3003)	045	11	14	12.50	2.12	2 1805	6	0	0	0	0	0	0
NCP20 (COLS. 3004- 3005)	046	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 3006- 3007)	047	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP20 (COLS. 3008- 3009)	048	11	14	12.50	2.12	2 1805	0	0	0	0	0	0	0
NCP21 (COLS. 3010- 3011)	001	0	0	0.0	0.0	0 1806	0	0	0	0	1	0	0

FAMILY VARIABLES

VARTAFLF DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
STRIKX (COLS. 8367- 8371)	003	64	356	161.33	168.59	3	1002	0	0	0	218	0	583	0	1
STRIKX (COLS. 8372- 8376)	004	0	0	0.0	0.0	0	1195	0	0	0	199	0	409	0	4
STRIKX (COLS. 8377- 8381)	005	0	0	0.0	0.0	0	1354	0	0	0	268	0	173	0	12
STRIKX (COLS. 8382- 8386)	006	150	150	150.00	0.0	1	1589	0	0	0	68	0	126	0	23
STRIKX (COLS. 8387- 8391)	007	0	0	0.0	0.0	0	1632	0	0	0	20	0	125	0	30
STRIKX (COLS. 8392- 8396)	008	0	0	0.0	0.0	0	1622	0	0	0	24	0	123	0	38
STRIKX (COLS. 8397- 8401)	009	101	101	101.00	0.0	1	1614	0	0	0	95	0	52	0	45
STRIKX (COLS. 8402- 8406)	010	0	0	0.0	0.0	0	1668	0	0	0	48	0	36	0	55
STRIKX (COLS. 8407- 8411)	011	0	0	0.0	0.0	0	1680	0	0	0	58	0	9	0	60
STRIKX (COLS. 8412- 8416)	012	30	30	30.00	0.0	1	1694	0	0	0	43	0	7	0	62
STRIKX (COLS. 8417- 8421)	013	100	100	100.00	0.0	1	1668	0	0	0	71	0	3	0	64
STRIKX (COLS. 8422- 8426)	014	0	0	0.0	0.0	0	1662	0	0	0	75	0	3	0	67
STRIKX (COLS. 8427- 8431)	015	0	0	0.0	0.0	0	1656	0	0	0	70	0	1	0	80
STRIKX (COLS. 8432- 8436)	016	0	0	0.0	0.0	0	1659	0	0	0	60	0	1	0	87
STRIKX (COLS. 8437- 8441)	017	10	10	10.00	0.0	5	1632	0	0	0	75	0	0	0	95
STRIKX (COLS. 8442- 8446)	018	10	10	10.00	0.0	2	1622	0	0	0	88	0	0	0	95
STRIKX (COLS. 8447- 8451)	019	10	10	10.00	0.0	1	1626	0	0	0	77	0	0	0	103
STRIKX (COLS. 8452- 8456)	020	10	10	10.00	0.0	1	1612	0	0	0	85	0	0	0	109
STRIKX (COLS. 8457- 8461)	021	10	10	10.00	0.0	2	1590	0	0	0	102	0	0	0	113
STRIKX (COLS. 8462- 8466)	022	10	10	10.00	0.0	2	1595	0	0	0	90	0	0	0	120
STRIKX (COLS. 8467- 8471)	023	10	10	10.00	0.0	1	1599	0	0	0	82	0	0	0	125
STRIKX (COLS. 8472- 8476)	024	0	0	0.0	0.0	0	1591	0	0	0	89	0	0	0	127
STRIKX (COLS. 8477- 8481)	025	0	0	0.0	0.0	6	1593	0	0	0	87	0	0	0	127
STRIKX (COLS. 8482- 8486)	026	10	10	10.00	0.0	2	1579	0	0	0	88	0	0	0	138
STRIKX (COLS. 8487- 8491)	027	10	10	10.00	0.0	1	1579	0	0	0	88	0	0	0	139

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
STRIKX (COLS. 8492- 8496)	028	0	0	0.0	0.0	0 1552	0	0	0	107	0	0	0	148
STRIKX (COLS. 8497- 8501)	029	0	0	0.0	0.0	0 1541	0	0	0	117	0	0	0	149
STRIKX (COLS. 8502- 8506)	030	10	10	10.00	0.0	2 1519	0	0	0	125	0	0	0	161
STRIKX (COLS. 8507- 8511)	031	10	10	10.00	0.0	1 1508	0	0	0	136	0	0	0	162
STRIKX (COLS. 8512- 8516)	032	0	0	0.0	0.0	0 1494	0	0	0	148	0	0	0	165
STRIKX (COLS. 8517- 8521)	033	0	0	0.0	0.0	0 1482	0	0	0	158	0	0	0	167
STRIKX (COLS. 8522- 8526)	034	0	0	0.0	0.0	0 1472	0	0	0	147	0	0	0	188
STRIKX (COLS. 8527- 8531)	035	339	2710	1524.50	1676.55	2 1437	0	0	0	138	0	30	0	200
STRIKX (COLS. 8532- 8536)	036	0	0	0.0	0.0	0 1166	0	0	0	122	0	310	0	209
STRIKX (COLS. 8537- 8541)	037	0	0	0.0	0.0	0 974	0	0	0	114	0	507	0	212
STRIKX (COLS. 8542- 8546)	038	0	0	0.0	0.0	0 613	0	0	0	79	0	886	0	229
STRIKX (COLS. 8547- 8551)	039	0	0	0.0	0.0	0 437	0	0	0	60	0	1079	0	231
STRIKX (COLS. 8552- 8556)	040	0	0	0.0	0.0	0 298	0	0	0	48	0	1221	0	240
STRIKX (COLS. 8557- 8561)	041	0	0	0.0	0.0	0 107	0	0	0	26	0	1424	0	250
STRIKX (COLS. 8562- 8566)	042	0	0	0.0	0.0	0 0	0	0	0	0	0	1554	0	253
GXPMT (COLS. 8569- 8572)	001	0	0	0.0	0.0	0 0	0	68	0	0	1739	0	0	0
GXPMT (COLS. 8573- 8576)	002	5	276	46.36	51.34	273 698	0	68	0	0	768	0	0	0
GXPMT (COLS. 8577- 8580)	003	10	441	131.88	117.49	327 846	0	68	0	0	566	0	0	0
GXPMT (COLS. 8581- 8584)	004	10	606	116.34	124.23	539 800	0	68	0	0	400	0	0	0
GXPMT (COLS. 8585- 8588)	005	5	478	111.18	122.71	953 615	0	68	0	0	171	0	0	0
GXPMT (COLS. 8589- 8592)	006	5	478	111.81	125.98	1138 477	0	68	0	0	124	0	0	0
GXPMT (COLS. 8593- 8596)	007	5	767	157.40	145.89	1205 411	0	68	0	0	123	0	0	0
GXPMT (COLS. 8597- 8600)	008	5	628	123.47	128.11	1535 63	0	68	0	0	121	0	0	0
GXPMT (COLS. 8601- 8604)	009	5	627	123.69	129.30	1591 98	0	68	0	0	50	0	0	0
GXPMT (COLS. 8605- 8608)	010	5	599	130.62	133.81	1593 112	0	68	0	0	34	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
GXPMT (COLS. 8609- 8612)	011	5	558	130.02	133.73	1582	150	0	68	0	0	7	0	0
GXPMT (COLS. 8613- 8616)	012	5	573	133.33	134.74	1555	179	0	68	0	0	5	0	0
GXPMT (COLS. 8617- 8620)	013	5	524	136.03	139.56	1623	114	0	68	0	0	2	0	0
GXPMT (COLS. 8621- 8624)	014	5	631	134.14	138.89	1658	78	0	68	0	0	2	0	0
GXPMT (COLS. 8625- 8628)	015	5	734	140.28	145.33	1645	81	0	68	0	0	1	0	0
GXPMT (COLS. 8629- 8632)	016	5	553	140.31	141.13	1626	93	0	68	0	0	1	0	0
GXPMT (COLS. 8633- 8636)	017	5	687	138.99	139.83	1615	97	0	68	0	0	0	0	0
GXPMT (COLS. 8637- 8640)	018	5	744	139.93	140.47	1624	88	0	68	0	0	0	0	0
GXPMT (COLS. 8641- 8644)	019	5	562	141.13	139.87	1604	100	0	68	0	0	0	0	0
GXPMT (COLS. 8645- 8648)	020	5	522	144.41	142.21	1574	124	0	68	0	0	0	0	0
GXPMT (COLS. 8649- 8652)	021	5	562	142.32	143.79	1601	93	0	68	0	0	0	0	0
GXPMT (COLS. 8653- 8656)	022	5	720	145.47	145.42	1593	94	0	68	0	0	0	0	0
GXPMT (COLS. 8657- 8660)	023	5	514	145.90	143.02	1558	124	0	68	0	0	0	0	0
GXPMT (COLS. 8661- 8664)	024	5	514	141.52	143.14	1580	100	0	68	0	0	0	0	0
GXPMT (COLS. 8665- 8668)	025	5	567	143.63	145.38	1577	103	0	68	0	0	0	0	0
GXPMT (COLS. 8669- 8672)	026	5	521	138.76	144.81	1582	87	0	68	0	0	0	0	0
GXPMT (COLS. 8673- 8676)	027	5	524	143.73	146.77	1572	96	0	68	0	0	0	0	0
GXPMT (COLS. 8677- 8680)	028	5	521	141.39	144.34	1560	99	0	68	0	0	0	0	0
GXPMT (COLS. 8681- 8684)	029	5	526	138.92	143.32	1558	100	0	68	0	0	0	0	0
GXPMT (COLS. 8685- 8688)	030	5	645	138.65	143.84	1531	115	0	68	0	0	0	0	0
GXPMT (COLS. 8689- 8692)	031	5	598	130.32	146.33	1495	150	0	68	0	0	0	0	0
GXPMT (COLS. 8693- 8696)	032	5	548	134.88	147.81	1483	159	0	68	0	0	0	0	0
GXPMT (COLS. 8697- 8700)	033	5	952	131.75	149.48	1475	165	0	68	0	0	0	0	0
GXPMT (COLS. 8701- 8704)	034	5	540	140.72	149.17	1457	162	0	68	0	0	0	0	0
GXPMT (COLS. 8705- 8708)	035	5	727	141.92	151.13	1437	140	0	68	0	0	30	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
GXPMT (COLS. 8709- 8712)	036	5	540	127.22	146.42	1163	125	0	68	0	0	310	0	0
GXPMT (COLS. 8713- 8716)	037	5	575	149.50	157.65	980	108	0	68	0	0	507	0	0
GXPMT (COLS. 8717- 8720)	038	5	564	157.64	160.35	620	72	0	68	0	0	886	0	0
GXPMT (COLS. 8721- 8724)	039	5	564	146.44	154.64	639	58	0	68	0	0	1079	0	0
GXPMT (COLS. 8725- 8728)	040	5	547	130.29	148.44	292	54	0	68	0	0	1221	0	0
GXPMT (COLS. 8729- 8732)	041	5	358	93.20	115.44	109	24	0	68	0	0	1424	0	0
GXPMT (COLS. 8733- 8736)	042	0	0	0.0	0.0	0	0	0	68	0	0	1554	0	0
GXPMT (COLS. 8737- 8740)	043	0	0	0.0	0.0	0	0	0	68	0	0	1548	0	0
GXPMT (COLS. 8741- 8744)	044	0	0	0.0	0.0	0	0	0	68	0	0	1528	0	0
GXPMT (COLS. 8745- 8748)	045	0	0	0.0	0.0	0	0	0	68	0	0	1527	0	0
GXPMT (COLS. 8749- 8752)	046	0	0	0.0	0.0	0	0	0	68	0	0	1523	0	0
GXPMT (COLS. 8753- 8756)	047	0	0	0.0	0.0	0	0	0	68	0	0	1509	0	0
GXPMT (COLS. 8757- 8760)	048	0	0	0.0	0.0	0	0	0	68	0	0	1497	0	0
AFDC70 (COLS. 8761- 8764)	57	3900	1614.49	668.17	844	0	0	963	0	0	0	0	0	0
AFDCMOS (COLS. 8766- 8767)	1	12	10.59	2.89	844	0	0	963	0	0	0	0	0	0
AFDCECON (COLS. 8768- 8771)	17	600	151.22	59.91	769	68	0	963	7	0	0	0	0	0
AFDC (COLS. 8801- 8804)	001	10	560	151.90	67.61	788	747	0	68	204	0	0	0	0
AFDC (COLS. 8805- 8808)	002	5	500	148.87	59.81	854	725	0	68	160	0	0	0	0
AFDC (COLS. 8809- 8812)	003	5	525	149.57	61.91	762	826	0	68	151	0	0	0	0
AFDC (COLS. 8813- 8816)	004	15	597	150.79	64.25	742	859	0	68	138	0	0	0	0
AFDC (COLS. 8817- 8820)	005	12	595	191.08	82.12	652	963	0	68	124	0	0	0	0
AFDC (COLS. 8821- 8824)	006	12	965	174.60	87.32	586	1046	0	68	107	0	0	0	0
AFDC (COLS. 8825- 8828)	007	7	1180	172.68	92.84	540	1098	0	68	101	0	0	0	0
AFDC (COLS. 8829- 8832)	008	7	624	171.47	85.01	477	1159	0	68	103	0	0	0	0
AFDC (COLS. 8833- 8836)	009	7	555	167.08	74.56	470	1177	0	68	92	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION		MIN VALUE	MAX VALUE	MEAN	STD DFV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
AFDC (COLS. 8837- 8840)	010	9	688	167.38	77.34	472	1177	C	68	90	0	0	0	0	0
AFDC (COLS. 8841- 8844)	011	9	2110	173.57	119.86	479	1170	0	68	90	0	0	0	0	0
AFDC (COLS. 8845- 8848)	012	9	555	165.21	73.83	488	1163	0	68	88	0	0	0	0	0
AFDC (COLS. 8849- 8852)	013	9	700	168.55	87.00	492	1158	0	68	89	0	0	0	0	0
AFDC (COLS. 8853- 8856)	014	9	670	164.21	74.29	487	1165	0	68	87	0	0	0	0	0
AFDC (COLS. 8857- 8860)	015	15	670	164.95	75.82	485	1164	0	68	90	0	0	0	0	0
AFDC (COLS. 8861- 8864)	016	10	676	165.48	75.27	481	1169	0	68	89	0	0	0	0	0
AFDC (COLS. 8865- 8868)	017	6	670	164.95	74.66	475	1174	0	68	90	0	0	0	0	0
AFDC (COLS. 8869- 8872)	018	6	1111	168.03	91.21	477	1166	0	68	96	0	0	0	0	0
AFDC (COLS. 8873- 8876)	019	6	713	166.39	85.65	483	1164	0	68	92	0	0	0	0	0
AFDC (COLS. 8877- 8880)	020	6	670	162.02	77.59	481	1164	0	68	94	0	0	0	0	0
AFDC (COLS. 8881- 8884)	021	6	700	163.69	83.72	481	1159	0	68	99	0	0	0	0	0
AFDC (COLS. 8885- 8888)	022	6	670	160.45	80.31	482	1158	0	68	99	0	0	0	0	0
AFDC (COLS. 8889- 8892)	023	6	705	161.55	81.09	480	1157	0	68	102	0	0	0	0	0
AFDC (COLS. 8893- 8896)	024	6	795	165.51	89.39	486	1149	0	68	104	0	0	0	0	0
AFDC (COLS. 8897- 8900)	025	6	670	162.54	77.26	488	1140	0	68	111	0	0	0	0	0
AFDC (COLS. 8901- 8904)	026	27	735	164.24	80.18	493	1138	0	68	108	0	0	0	0	0
AFDC (COLS. 8905- 8908)	027	17	700	164.80	80.88	495	1142	0	68	102	0	0	0	0	0
AFDC (COLS. 8909- 8912)	028	10	670	164.77	79.08	508	1128	0	68	103	0	0	0	0	0
AFDC (COLS. 8913- 8916)	029	10	769	163.66	81.67	515	1119	0	68	105	0	0	0	0	0
AFDC (COLS. 8917- 8920)	030	8	640	162.58	74.44	510	1122	0	68	107	0	0	0	0	0
AFDC (COLS. 8921- 8924)	031	8	640	162.95	75.60	500	1129	0	68	110	0	0	0	0	0
AFDC (COLS. 8925- 8928)	032	8	705	163.60	84.85	507	1119	0	68	113	0	0	0	0	0
AFDC (COLS. 8929- 8932)	033	10	640	159.10	74.71	492	1135	0	68	112	0	0	0	0	0
AFDC (COLS. 8933- 8936)	034	10	770	160.95	79.53	488	1133	0	68	118	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.	NO.						
								9993	9994	9995	9996	9997	9998	9999		
AFDC (COLS. 8937- 8940)	035	10	1140	164.51	92.91	485	1124	0	68	130	0	0	0	0	0	0
AFDC (COLS. 8941- 8944)	036	2	770	162.43	83.90	489	1106	0	68	144	0	0	0	0	0	0
AFDC (COLS. 8945- 8948)	037	2	885	168.52	98.04	491	1106	0	68	142	0	0	0	0	0	0
AFDC (COLS. 8949- 8952)	038	1	725	164.90	90.31	485	1108	0	68	146	0	0	0	0	0	0
AFDC (COLS. 8953- 8956)	039	1	1175	166.43	92.60	601	989	0	68	149	0	0	0	0	0	0
AFDC (COLS. 8957- 8960)	040	1	940	165.07	82.39	672	911	0	68	156	0	0	0	0	0	0
AFDC (COLS. 8961- 8964)	041	1	1060	167.68	91.60	661	906	0	68	172	0	0	0	0	0	0
AFDC (COLS. 8965- 8968)	042	1	1315	168.35	90.40	720	839	0	68	180	0	0	0	0	0	0
AFDC (COLS. 8969- 8972)	043	1	628	177.07	89.68	749	804	0	68	186	0	0	0	0	0	0
AFDC (COLS. 8973- 8976)	044	1	628	178.98	93.09	802	732	0	68	205	0	0	0	0	0	0
AFDC (COLS. 8977- 8980)	045	1	628	179.19	91.26	812	721	0	68	206	0	0	0	0	0	0
AFDC (COLS. 8981- 8984)	046	1	628	178.33	90.01	812	720	0	68	207	0	0	0	0	0	0
AFDC (COLS. 8985- 8988)	047	1	628	178.33	90.01	812	720	0	68	207	0	0	0	0	0	0
AFDC (COLS. 8989- 8992)	048	1	628	178.33	90.01	812	720	0	68	207	0	0	0	0	0	0
AFDCFL (COLS. 8993- 8996)	001	10	560	151.90	67.61	788	747	0	68	204	0	0	0	0	0	0
AFDCFL (COLS. 8997- 9000)	002	5	500	148.87	59.81	854	725	0	68	160	0	0	0	0	0	0
AFDCFL (COLS. 9001- 9004)	003	5	525	148.49	60.78	868	719	0	68	152	0	0	0	0	0	0
AFDCFL (COLS. 9005- 9008)	004	14	597	149.44	62.39	884	716	0	68	139	0	0	0	0	0	0
AFDCFL (COLS. 9009- 9012)	005	12	595	188.41	79.40	894	721	0	68	124	0	0	0	0	0	0
AFDCFL (COLS. 9013- 9016)	006	12	965	172.95	83.06	908	724	0	68	107	0	0	0	0	0	0
AFDCFL (COLS. 9017- 9020)	007	7	1180	170.74	83.21	915	722	0	68	102	0	0	0	0	0	0
AFDCFL (COLS. 9021- 9024)	008	7	624	169.43	77.01	931	703	0	68	105	0	0	0	0	0	0
AFDCFL (COLS. 9025- 9028)	009	7	555	166.37	69.83	930	713	0	68	96	0	0	0	0	0	0
AFDCFL (COLS. 9029- 9032)	010	9	688	166.66	71.56	936	710	0	68	93	0	0	0	0	0	0
AFDCFL (COLS. 9033- 9036)	011	9	2110	171.17	98.50	943	703	0	68	93	0	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
AFDCFL (COLS. 9037- 9040)	012	9	555	167.11	72.12	948	700	0	68	91	0	0	0	0
AFDCFL (COLS. 9041- 9044)	013	9	700	169.76	78.32	951	696	0	68	92	0	0	0	0
AFDCFL (COLS. 9045- 9048)	014	9	670	166.66	71.27	952	696	0	68	91	0	0	0	0
AFDCFL (COLS. 9049- 9052)	015	14	670	167.19	72.27	951	695	0	68	93	0	0	0	0
AFDCFL (COLS. 9053- 9056)	016	10	676	167.59	72.00	947	701	0	68	91	0	0	0	0
AFDCFL (COLS. 9057- 9060)	017	6	754	168.02	76.92	938	709	0	68	92	0	0	0	0
AFDCFL (COLS. 9061- 9064)	018	6	1316	170.01	89.13	940	700	0	68	99	0	0	0	0
AFDCFL (COLS. 9065- 9068)	019	6	930	171.81	89.65	943	701	0	68	95	0	0	0	0
AFDCFL (COLS. 9069- 9072)	020	6	670	166.08	75.62	933	709	0	68	97	0	0	0	0
AFDCFL (COLS. 9073- 9076)	021	6	845	167.76	79.94	932	705	0	68	102	0	0	0	0
AFDCFL (COLS. 9077- 9080)	022	6	670	165.36	75.26	921	716	0	68	102	0	0	0	0
AFDCFL (COLS. 9081- 9084)	023	6	705	165.64	74.97	915	719	0	68	105	0	0	0	0
AFDCFL (COLS. 9085- 9088)	024	3	795	168.68	80.18	913	719	0	68	107	0	0	0	0
AFDCFL (COLS. 9089- 9092)	025	3	670	167.83	77.68	910	715	0	68	114	0	0	0	0
AFDCFL (COLS. 9093- 9096)	026	3	735	168.27	76.76	911	717	0	68	111	0	0	0	0
AFDCFL (COLS. 9097- 9100)	027	3	835	169.57	80.47	909	725	0	68	105	0	0	0	0
AFDCFL (COLS. 9101- 9104)	028	3	749	170.50	82.40	906	728	0	68	105	0	0	0	0
AFDCFL (COLS. 9105- 9108)	029	3	1216	170.81	89.19	903	730	0	68	106	0	0	0	0
AFDCFL (COLS. 9109- 9112)	030	3	640	169.58	77.91	903	729	0	68	107	0	0	0	0
AFDCFL (COLS. 9113- 9116)	031	3	655	169.66	80.95	900	729	0	68	110	0	0	0	0
AFDCFL (COLS. 9117- 9120)	032	3	705	168.66	83.02	905	721	0	68	113	0	0	0	0
AFDCFL (COLS. 9121- 9124)	033	9	640	166.52	76.58	894	733	0	68	112	0	0	0	0
AFDCFL (COLS. 9125- 9128)	034	10	770	167.54	78.58	872	749	0	68	118	0	0	0	0
AFDCFL (COLS. 9129- 9132)	035	8	1140	168.83	86.76	852	757	0	68	130	0	0	0	0
AFDCFL (COLS. 1- 9136)	036	2	1155	169.38	86.65	854	741	0	68	144	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZFPD	PLNK	9993	9994	9995	9996	9997	9998	9999
AFDCEL (COLS. 9137- 9140)		037	2	1155	173.39	99.31	858	739	0	68	142	0	0	0	0
AFDCEL (COLS. 9141- 9144)		038	1	885	171.70	92.62	857	736	0	68	146	0	0	0	0
AFDCEL (COLS. 9145- 9148)		039	1	1175	170.68	90.56	857	733	0	68	149	0	0	0	0
AFDCEL (COLS. 9149- 9152)		040	1	940	167.66	80.98	845	738	0	68	156	0	0	0	0
AFDCEL (COLS. 9153- 9156)		041	1	1060	170.01	89.00	834	733	0	68	172	0	0	0	0
AFDCEL (COLS. 9157- 9160)		042	1	1315	168.99	88.72	827	732	0	68	180	0	0	0	0
AFDCEL (COLS. 9161- 9164)		043	1	628	177.50	89.98	812	741	0	68	186	0	0	0	0
AFDCEL (COLS. 9165- 9168)		044	1	628	179.64	93.21	813	721	0	68	205	0	0	0	0
AFDCEL (COLS. 9169- 9172)		045	1	628	179.19	91.26	812	721	0	68	206	0	0	0	0
AFDCEL (COLS. 9173- 9176)		046	1	628	178.33	90.01	812	720	0	68	207	0	0	0	0
AFDCEL (COLS. 9177- 9180)		047	1	628	178.33	90.01	812	720	0	68	207	0	0	0	0
AFDCEL (COLS. 9181- 9184)		048	1	628	178.33	90.01	812	720	0	68	207	0	0	0	0
SS170 (COLS. 9185- 9188)		100	1920	782.83	376.04	47	43	0	1717	0	0	0	0	0	0
SS1MOS (COLS. 9190- 9191)		1	12	10.43	3.15	47	43	0	1717	0	0	0	0	0	0
SS1ECON (COLS. 9192- 9195)		7	160	69.29	31.20	42	48	0	1717	0	0	0	0	0	0
SSIC (COLS. 9201- 9204)		001	7	160	69.70	29.41	47	43	0	1717	0	0	0	0	0
SSIC (COLS. 9205- 9208)		002	7	160	69.72	28.61	50	40	0	1717	0	0	0	0	0
SSIC (COLS. 9209- 9212)		003	7	160	69.92	28.27	50	40	0	1717	0	0	0	0	0
SSIC (COLS. 9213- 9216)		004	7	160	71.29	29.65	51	39	0	1717	0	0	0	0	0
SSIC (COLS. 9217- 9220)		005	19	160	72.38	28.06	53	37	0	1717	0	0	0	0	0
SSIC (COLS. 9221- 9224)		006	23	160	73.70	27.27	53	37	0	1717	0	0	0	0	0
SSIC (COLS. 9225- 9228)		007	2	196	76.09	34.32	53	37	0	1717	0	0	0	0	0
SSIC (COLS. 9229- 9232)		008	2	196	75.38	34.39	56	34	0	1717	0	0	0	0	0
SSIC (COLS. 9233- 9236)		009	2	196	74.22	34.65	58	32	0	1717	0	0	0	0	0
SSIC (COLS. 9237- 9240)		010	2	196	73.74	33.12	61	29	0	1717	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
SSIC (COLS. 9241- 9244)	011	2	196	72.95	33.97	62	28	0 1717	0	0	0	0	0	0
SSIC (COLS. 9245- 9248)	012	2	196	73.06	33.71	63	27	0 1717	0	0	0	0	0	0
SSIC (COLS. 9249- 9252)	013	2	200	72.73	33.38	63	27	0 1717	0	0	0	0	0	0
SSIC (COLS. 9253- 9256)	014	2	200	73.89	32.65	63	27	0 1717	0	0	0	0	0	0
SSIC (COLS. 9257- 9260)	015	2	200	73.61	33.36	61	29	0 1717	0	0	0	0	0	0
SSIC (COLS. 9261- 9264)	016	2	200	73.55	33.64	60	30	0 1717	0	0	0	0	0	0
SSIC (COLS. 9265- 9268)	017	2	200	73.44	33.33	61	29	0 1717	0	0	0	0	0	0
SSIC (COLS. 9269- 9272)	018	2	200	73.56	33.25	62	28	0 1717	0	0	0	0	0	0
SSIC (COLS. 9273- 9276)	019	2	200	73.95	32.57	64	26	0 1717	0	0	0	0	0	0
SSIC (COLS. 9277- 9280)	020	2	200	73.83	32.58	64	26	0 1717	0	0	0	0	0	0
SSIC (COLS. 9281- 9284)	021	2	200	73.86	32.75	66	24	0 1717	0	0	0	0	0	0
SSIC (COLS. 9285- 9288)	022	2	200	71.57	35.29	65	25	0 1717	0	0	0	0	0	0
SSIC (COLS. 9289- 9292)	023	2	200	70.98	36.05	64	26	0 1717	0	0	0	0	0	0
SSIC (COLS. 9293- 9296)	024	2	200	71.05	35.92	64	26	0 1717	0	0	0	0	0	0
SSIC (COLS. 9297- 9300)	025	2	200	70.35	36.08	65	25	0 1717	0	0	0	0	0	0
SSIC (COLS. 9301- 9304)	026	2	200	71.19	35.35	63	27	0 1717	0	0	0	0	0	0
SSIC (COLS. 9305- 9308)	027	2	200	71.81	34.65	64	26	0 1717	0	0	0	0	0	0
SSIC (COLS. 9309- 9312)	028	2	200	72.08	34.15	66	24	0 1717	0	0	0	0	0	0
SSIC (COLS. 9313- 9316)	029	2	200	73.53	34.53	66	24	0 1717	0	0	0	0	0	0
SSIC (COLS. 9317- 9320)	030	2	200	73.27	34.86	67	23	0 1717	0	0	0	0	0	0
SSIC (COLS. 9321- 9324)	031	6	200	74.93	33.06	67	23	0 1717	0	0	0	0	0	0
SSIC (COLS. 9325- 9328)	032	6	200	74.77	30.99	69	21	0 1717	0	0	0	0	0	0
SSIC (COLS. 9329- 9332)	033	6	200	75.67	33.33	70	20	0 1717	0	0	0	0	0	0
SSIC (COLS. 9333- 9336)	034	6	200	76.00	33.39	72	18	0 1717	0	0	0	0	0	0
SSIC (COLS. 9337- 9340)	035	6	200	76.65	33.24	69	21	0 1717	0	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRFO	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
SSIC (COLS. 9341- 9344)	036	5	200	76.07	33.37	69	21	0	1717	0	0	0	0	0
SSIP (COLS. 9345- 9348)	001	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0
SSIR (COLS. 9349- 9352)	002	504	888	677.33	194.70	3	87	0	1717	0	0	0	0	0
SSIR (COLS. 9353- 9356)	003	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0
SSIR (COLS. 9357- 9360)	004	60	320	146.67	150.11	3	87	0	1717	0	0	0	0	0
SSIR (COLS. 9361- 9364)	005	240	320	280.00	56.57	2	88	0	1717	0	0	0	0	0
SSIR (COLS. 9365- 9368)	006	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0
SSIR (COLS. 9369- 9372)	007	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0
SSIR (COLS. 9373- 9376)	008	480	720	600.00	169.71	2	88	0	1717	0	0	0	0	0
SSIR (COLS. 9377- 9380)	009	135	240	187.50	74.25	2	88	0	1717	0	0	0	0	0
SSIP (COLS. 9381- 9384)	010	148	560	354.00	291.33	2	86	0	1717	2	0	0	0	0
SSIR (COLS. 9385- 9388)	011	240	250	240.00	0.0	1	89	0	1717	0	0	0	0	0
SSIR (COLS. 9389- 9392)	012	720	720	720.00	0.0	1	89	0	1717	0	0	0	0	0
SSIR (COLS. 9393- 9396)	013	28	28	28.00	0.0	1	89	0	1717	0	0	0	0	0
SSIP (COLS. 9397- 9400)	014	320	320	320.00	0.0	1	89	0	1717	0	0	0	0	0
SSIR (COLS. 9401- 9404)	015	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0
SSIR (COLS. 9405- 9408)	016	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0
SSIR (COLS. 9409- 9412)	017	400	400	400.00	0.0	1	89	0	1717	0	0	0	0	0
SSIR (COLS. 9413- 9416)	018	366	366	366.00	0.0	1	89	0	1717	0	0	0	0	0
SSIR (COLS. 9417- 9420)	019	240	320	280.00	56.57	2	88	0	1717	0	0	0	0	0
SSIR (COLS. 9421- 9424)	020	0	0	0.0	0.0	0	89	0	1717	1	0	0	0	0
SSIR (COLS. 9425- 9428)	021	196	640	358.67	244.63	3	87	0	1717	0	0	0	0	0
SSIR (COLS. 9429- 9432)	022	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0
SSIR (COLS. 9433- 9436)	023	5	5	5.00	0.0	1	89	0	1717	0	0	0	0	0
SSIR (COLS. 9437- 9440)	024	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999
SSIR (COLS. 9441- 9444)	025	400	400	400.00	0.0	1	89	0	1717	0	0	0	0	0
SSIR (COLS. 9445- 9448)	026	45	82	63.50	26.16	2	88	0	1717	0	0	0	0	0
SSIR (COLS. 9449- 9452)	027	20	350	230.00	182.48	3	87	0	1717	0	0	0	0	0
SSTR (COLS. 9453- 9456)	028	240	480	360.00	169.71	2	88	0	1717	0	0	0	0	0
SSIR (COLS. 9457- 9460)	029	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0
SSIR (COLS. 9461- 9464)	030	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0
SSIR (COLS. 9465- 9468)	031	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0
SSIR (COLS. 9469- 9472)	032	464	464	464.00	0.0	1	89	0	1717	0	0	0	0	0
SSIR (COLS. 9473- 9476)	033	160	160	160.00	0.0	1	89	0	1717	0	0	0	0	0
SSIR (COLS. 9477- 9480)	034	120	120	120.00	0.0	1	88	0	1717	1	0	0	0	0
SSIR (COLS. 9481- 9484)	035	480	480	480.00	0.0	1	89	0	1717	0	0	0	0	0
SSTR (COLS. 9485- 9488)	036	0	0	0.0	0.0	0	90	0	1717	0	0	0	0	0
FSVAL70 (COLS. 9489- 9492)	28	5468	892.07	871.29	421	405	0	981	0	0	0	0	0	0
FSPPD70 (COLS. 9493- 9496)	1	3031	453.01	515.97	343	483	0	981	0	0	0	0	0	0
FSMOS (COLS. 9497- 9498)	1	12	6.19	4.03	422	404	0	981	0	0	0	0	0	0
FSVECON (COLS. 9499- 9502)	14	616	149.38	102.55	237	582	0	981	0	0	0	0	7	0
FSAECON (COLS. 9503- 9506)	1	284	68.46	65.00	207	612	0	981	7	0	0	0	0	0
FSVADM (COLS. 9509- 9512)	001	28	616	154.77	103.84	256	570	0	981	0	0	0	0	0
FSVADM (COLS. 9513- 9516)	002	28	616	155.12	105.67	250	576	0	981	0	0	0	0	0
FSVADM (COLS. 9517- 9520)	003	28	616	153.02	103.58	242	584	0	981	0	0	0	0	0
FSVADM (COLS. 9521- 9524)	004	28	616	155.36	108.11	227	599	0	981	0	0	0	0	0
FSVADM (COLS. 9525- 9528)	005	28	616	155.09	104.85	217	609	0	981	0	0	0	0	0
FSVADM (COLS. 9529- 9532)	006	28	520	160.19	105.19	209	617	0	981	0	0	0	0	0
FSVADM (COLS. 9533- 9536)	007	28	520	162.88	105.78	182	644	0	981	0	0	0	0	0
FSVADM (COLS. 9537- 9540)	008	28	648	145.85	97.05	236	590	0	981	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
FSPADM (COLS. 9641- 9644)	034	32	494	152.95	100.96	163	663	0	981	0	0	0	0	0
FSPADM (COLS. 9645- 9648)	035	32	494	150.31	99.28	149	677	0	981	0	0	0	0	0
FSPADM (COLS. 9649- 9652)	036	33	496	141.38	89.45	142	684	0	981	0	0	0	0	0
FSPADM (COLS. 9653- 9656)	001	2	268	68.15	63.38	238	588	0	981	0	0	0	0	0
FSPADM (COLS. 9657- 9660)	002	1	268	68.25	65.31	235	591	0	981	0	0	0	0	0
FSPADM (COLS. 9661- 9664)	003	1	276	67.97	61.93	234	592	0	981	0	0	0	0	0
FSPADM (COLS. 9665- 9668)	004	1	276	71.21	66.18	220	606	0	981	0	0	0	0	0
FSPADM (COLS. 9669- 9672)	005	1	276	72.44	64.29	207	619	0	981	0	0	0	0	0
FSPADM (COLS. 9673- 9676)	006	4	276	77.56	65.21	197	629	0	981	0	0	0	0	0
FSPADM (COLS. 9677- 9680)	007	1	276	78.20	65.20	177	649	0	981	0	0	0	0	0
FSPADM (COLS. 9681- 9684)	008	1	276	72.75	58.51	179	647	0	981	0	0	0	0	0
FSPADM (COLS. 9685- 9688)	009	1	268	73.07	61.27	198	628	0	981	0	0	0	0	0
FSPADM (COLS. 9689- 9692)	010	1	268	74.44	62.12	211	615	0	981	0	0	0	0	0
FSPADM (COLS. 9693- 9696)	011	1	308	76.38	63.96	204	622	0	981	0	0	0	0	0
FSPADM (COLS. 9697- 9700)	012	1	268	74.40	64.38	204	622	0	981	0	0	0	0	0
FSPADM (COLS. 9701- 9704)	013	1	268	68.93	60.87	184	642	0	981	0	0	0	0	0
FSPADM (COLS. 9705- 9708)	014	1	252	72.09	60.77	175	651	0	981	0	0	0	0	0
FSPADM (COLS. 9709- 9712)	015	10	292	78.66	65.73	158	668	0	981	0	0	0	0	0
FSPADM (COLS. 9713- 9716)	016	4	244	72.94	63.43	124	702	0	981	0	0	0	0	0
FSPADM (COLS. 9717- 9720)	017	10	292	78.93	67.22	143	683	0	981	0	0	0	0	0
FSPADM (COLS. 9721- 9724)	018	4	300	81.93	69.49	130	696	0	981	0	0	0	0	0
FSPADM (COLS. 9725- 9728)	019	1	324	76.27	67.74	131	695	0	981	0	0	0	0	0
FSPADM (COLS. 9729- 9732)	020	4	352	88.28	74.06	121	705	0	981	0	0	0	0	0
FSPADM (COLS. 9733- 9736)	021	4	352	81.56	73.68	114	712	0	981	0	0	0	0	0
FSPADM (COLS. 9737- 9740)	022	4	324	81.40	75.04	106	718	0	981	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRFO	ZFRO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
FSPADM (COLS. 9741- 9744)	023	4	324	76.87	68.50	99	727	0	981	0	0	0	0	0
FSPADM (COLS. 9745- 9748)	024	4	324	70.05	63.16	94	732	0	981	0	0	0	0	0
FSPADM (COLS. 9749- 9752)	025	4	324	73.96	64.68	101	725	0	981	0	0	0	0	0
FSPADM (COLS. 9753- 9756)	026	7	324	85.20	69.89	106	720	0	981	0	0	0	0	0
FSPADM (COLS. 9757- 9760)	027	7	324	78.37	64.32	124	702	0	981	0	0	0	0	0
FSPADM (COLS. 9761- 9764)	028	7	300	72.01	67.28	140	686	0	981	0	0	0	0	0
FSPADM (COLS. 9765- 9768)	029	7	324	74.86	68.32	142	684	0	981	0	0	0	0	0
FSPADM (COLS. 9769- 9772)	030	4	300	76.80	66.63	141	685	0	981	0	0	0	0	0
FSPADM (COLS. 9773- 9776)	031	7	346	76.29	70.04	147	679	0	981	0	0	0	0	0
FSPADM (COLS. 9777- 9780)	032	4	338	83.18	75.58	156	670	0	981	0	0	0	0	0
FSPADM (COLS. 9781- 9784)	033	7	338	73.88	63.59	154	672	0	981	0	0	0	0	0
FSPADM (COLS. 9785- 9788)	034	4	338	78.04	67.12	161	665	0	981	0	0	0	0	0
FSPADM (COLS. 9789- 9792)	035	4	338	75.57	66.18	148	678	0	981	0	0	0	0	0
FSPADM (COLS. 9793- 9796)	036	4	338	72.01	65.95	140	686	0	981	0	0	0	0	0
FWAGES (COLS. 9801- 9805)	069	51	25415	5668.37	4328.49	589	7	0	986	225	0	0	0	0
FWAGES (COLS. 9806- 9810)	070	54	25725	5679.96	4238.24	622	9	0	986	190	0	0	0	0
FWAGES (COLS. 9811- 9815)	071	29	27132	6221.86	4335.51	558	17	0	986	246	0	0	0	0
FWAGES (COLS. 9816- 9820)	072	60	31618	7220.02	4882.07	522	20	0	986	279	0	0	0	0
FWAGES (COLS. 9821- 9825)	073	51	30341	8012.02	5663.02	573	17	0	986	231	0	0	0	0
FDIVIN (COLS. 9826- 9829)	069	3	3788	165.82	595.53	40	560	0	986	221	0	0	0	0
FDIVIN (COLS. 9830- 9833)	070	1	540	66.95	104.06	57	579	0	986	185	0	0	0	0
FDIVIN (COLS. 9834- 9837)	071	3	672	105.56	156.22	52	525	0	986	244	0	0	0	0
FDIVIN (COLS. 9838- 9841)	072	1	706	79.95	118.65	57	485	0	986	279	0	0	0	0
FDIVIN (COLS. 9842- 9845)	073	3	1041	103.66	170.80	67	524	0	986	230	0	0	0	0
FOTHEP (COLS. 9846- 9849)	069	7	4139	925.13	825.77	39	561	0	986	221	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.									
FDTCHR (COLS. 9850- 9853)		070	12	9412	995.28	1548.42	46	590	0	986	185	0	0	0	0	0	0	0
FOTHER (COLS. 9854- 9857)		071	2	9739	321.97	740.92	315	262	0	986	244	0	0	0	0	0	0	0
FOTHER (COLS. 9858- 9861)		072	8	3855	387.17	649.65	288	254	0	986	279	0	0	0	0	0	0	0
FOTHER (COLS. 9862- 9865)		073	2	4859	363.33	690.73	277	314	0	986	230	0	0	0	0	0	0	0
FFDTAX (COLS. 9866- 9869)		069	2	4532	640.00	555.65	409	186	0	986	226	0	0	0	0	0	0	0
FEDTAX (COLS. 9870- 9873)		070	1	4614	610.98	504.42	399	236	0	986	186	0	0	0	0	0	0	0
FEDTAX (COLS. 9874- 9877)		071	4	4357	589.29	531.34	367	210	0	986	244	0	0	0	0	0	0	0
FFDTAX (COLS. 9878- 9881)		072	2	5040	666.50	598.58	367	172	0	986	282	0	0	0	0	0	0	0
FEDTAX (COLS. 9882- 9885)		073	4	6669	839.75	685.22	413	177	0	986	231	0	0	0	0	0	0	0
FTAXW (COLS. 9886- 9889)		069	2	4174	654.57	623.09	589	9	0	986	223	0	0	0	0	0	0	0
FTAXW (COLS. 9890- 9893)		070	2	4145	624.13	581.93	617	19	0	986	185	0	0	0	0	0	0	0
FTAXW (COLS. 9894- 9897)		071	1	4078	649.06	575.92	548	29	0	986	244	0	0	0	0	0	0	0
FTAXW (COLS. 9898- 9901)		072	3	5476	835.15	730.00	517	24	0	986	280	0	0	0	0	0	0	0
FTAXW (COLS. 9902- 9905)		073	3	5103	1001.64	851.23	571	19	0	986	231	0	0	0	0	0	0	0
SWAGES (COLS. 9906- 9910)		069	296	16021	7327.14	3992.89	43	23	0	932	809	0	0	0	0	0	0	0
SWAGES (COLS. 9911- 9915)		070	225	15848	6898.71	4005.35	55	27	0	932	793	0	0	0	0	0	0	0
SWAGES (COLS. 9916- 9920)		071	298	15069	6829.01	3888.81	97	60	0	932	718	0	0	0	0	0	0	0
SWAGES (COLS. 9921- 9925)		072	40	31618	7650.70	4834.60	488	320	0	932	67	0	0	0	0	0	0	0
SWAGES (COLS. 9926- 9930)		073	168	30341	8653.43	5566.53	488	17	0	932	370	0	0	0	0	0	0	0
SDIVIN (COLS. 9931- 9934)		069	11	105	45.80	43.60	5	61	0	932	809	0	0	0	0	0	0	0
SDIVIN (COLS. 9935- 9938)		070	9	126	58.89	44.79	9	73	0	932	793	0	0	0	0	0	0	0
SDIVIN (COLS. 9939- 9942)		071	4	344	62.36	92.19	14	145	0	932	716	0	0	0	0	0	0	0
SDIVIN (COLS. 9943- 9946)		072	1	1933	114.92	290.54	53	755	0	932	67	0	0	0	0	0	0	0
SDIVIN (COLS. 9947- 9950)		073	3	1041	82.14	148.61	63	442	0	932	370	0	0	0	0	0	0	0
SOTHER (COLS. 9951- 9954)		069	122	808	521.50	263.67	6	60	0	932	809	0	0	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRFO	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
SOTHER (COLS. 9955- 9958)	070	91	1976	780.40	805.79	5	77	0	932	793	0	0	0	0
SOTHER (COLS. 9959- 9962)	071	70	3015	330.30	537.38	69	87	0	932	719	0	0	0	0
SOTHER (COLS. 9963- 9966)	072	8	4625	370.57	663.06	331	471	0	932	73	0	0	0	0
SOTHER (COLS. 9967- 9970)	073	7	4859	360.17	693.93	259	246	0	932	370	0	0	0	0
STAXA (COLS. 9971- 9974)	069	6	263	101.89	64.22	37	29	0	932	809	0	0	0	0
STAXA (COLS. 9975- 9978)	070	3	257	97.02	61.43	46	35	0	932	794	0	0	0	0
STAXA (COLS. 9979- 9982)	071	1	246	91.73	65.66	89	69	0	932	717	0	0	0	0
STAXA (COLS. 9983- 9986)	072	1	527	116.94	79.22	426	381	0	932	68	0	0	0	0
STAXA (COLS. 9987- 9990)	073	1	548	129.24	92.02	453	52	0	932	370	0	0	0	0
STAXW (COLS. 9991- 9994)	069	16	278	98.11	70.60	66	0	0	932	809	0	0	0	0
STAXW (COLS. 9995- 9998)	070	16	327	93.06	70.35	80	1	0	932	794	0	0	0	0
STAXW (COLS. 9999-10002)	071	16	349	90.45	71.96	158	0	0	932	717	0	0	0	0
STAXW (COLS. 10003-10006)	072	3	1201	98.76	93.47	807	1	0	932	67	0	0	0	0
STAXW (COLS. 10007-10010)	073	2	524	130.26	96.22	483	22	0	932	370	0	0	0	0
WAGFS70 (COLS. 10011-10015)	765	10316	4657.40	2587.98	42	1757	0	8	0	0	0	0	0	0
NOTE (COLS. 10016-10017)	1	4	2.55	0.86	42	1757	0	8	0	0	0	0	0	0
WGFCON (COLS. 10018-10021)	551	3067	1891.38	707.65	37	1745	0	8	17	0	0	0	0	0
WAGOTR (COLS. 10022-10025)	001	365	3194	1832.80	786.60	46	1753	0	8	0	0	0	0	0
WAGOTR (COLS. 10026-10029)	002	552	3024	1696.76	662.32	29	1770	0	8	0	0	0	0	0
WAGOTR (COLS. 10030-10033)	003	144	3047	1638.42	850.55	26	1773	0	8	0	0	0	0	0
WAGOTR (COLS. 10034-10037)	004	55	5542	1758.96	1248.83	27	1772	0	8	0	0	0	0	0
WAGOTR (COLS. 10038-10041)	005	240	3269	1493.16	829.09	31	1768	0	8	0	0	0	0	0
WAGOTR (COLS. 10042-10045)	006	10	8171	2025.12	1275.56	734	1065	0	8	0	0	0	0	0
WAGOTR (COLS. 10046-10049)	007	7	7489	2020.78	1240.39	767	1052	0	8	0	0	0	0	0
WAGOTR (COLS. 10050-10053)	008	1	9102	2146.43	1333.07	761	1038	0	8	0	0	0	0	0

Childcare Cost - A Division of American Management Systems, Inc.

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999
WAGOTP (COLS.10054-10057)	009	2	7620	2116.75	1297.90	775	1024	0	8	0	0	0	0	0
WAGOTR (COLS.10058-10061)	010	3	9661	2398.11	1688.78	818	981	0	8	0	0	0	0	0
WAGOTR (COLS.10062-10065)	011	2	7763	2148.23	1425.18	814	985	0	8	0	0	0	0	0
WAGOTP (COLS.10066-10069)	012	1	9826	2457.31	1611.52	763	1036	0	8	0	0	0	0	0
WAGOTP (COLS.10070-10073)	013	7	7764	2221.99	1474.94	757	1042	0	8	0	0	0	0	0
WAGOTP (COLS.10074-10077)	014	15	8282	2470.72	1673.30	567	1232	0	8	0	0	0	0	0
WAGOTR (COLS.10078-10081)	015	12	8766	2945.36	1834.78	230	1569	0	8	0	0	0	0	0
WAGOTP (COLS.10082-10085)	016	0	0	0.0	0.0	0	0	0	8	0	0	0	1799	0
UEPFEN (COLS.10086-10089)	001	0	0	0.0	0.0	0	0	0	9	0	0	0	1798	0
UEPFN (COLS.10090-10093)	002	0	0	0.0	0.0	0	0	0	9	0	0	0	1798	0
UEBEN (COLS.10094-10097)	003	0	0	0.0	0.0	0	0	0	9	0	0	0	1798	0
UEREN (COLS.10098-10101)	004	0	0	0.0	0.0	0	0	0	9	0	0	0	1798	0
UEREN (COLS.10102-10105)	005	0	0	0.0	0.0	0	0	0	9	0	0	0	1798	0
UEREN (COLS.10106-10109)	006	49	156	99.75	43.99	4	1794	0	9	0	0	0	0	0
UEREN (COLS.10110-10113)	007	8	260	114.80	110.27	5	1793	0	9	0	0	0	0	0
UEREN (COLS.10114-10117)	008	32	224	90.00	53.48	13	1785	0	9	0	0	0	0	0
UEPFEN (COLS.10118-10121)	009	32	325	166.40	83.95	20	1778	0	9	0	0	0	0	0
UEPFN (COLS.10122-10125)	010	8	326	144.24	102.50	17	1781	0	9	0	0	0	0	0
UEPFN (COLS.10126-10129)	011	40	260	160.67	86.50	15	1783	0	9	0	0	0	0	0
UEPFN (COLS.10130-10133)	012	10	325	147.94	100.16	16	1782	0	9	0	0	0	0	0
UEPFN (COLS.10134-10137)	013	24	260	130.30	91.36	10	1788	0	9	0	0	0	0	0
UEPFN (COLS.10138-10141)	014	31	260	127.70	73.62	10	1788	0	9	0	0	0	0	0
UEPFN (COLS.10142-10145)	015	14	200	98.86	77.24	7	1791	0	9	0	0	0	0	0
UEPFN (COLS.10146-10149)	016	8	250	135.60	86.71	5	1793	0	9	0	0	0	0	0
UEPFN (COLS.10150-10153)	017	130	200	165.50	30.78	4	1794	0	9	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	M FAN	STD DEV	FREQ	ZFFC	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
UEBEN (COLS. 10154-10157)	018	65	326	179.33	92.48	6 1792	C	9	0	0	0	0	0	0
UFBN (COLS. 10158-10161)	019	22	240	164.50	82.64	6 1792	0	9	0	0	0	0	0	0
UEBFN (COLS. 10162-10165)	020	44	276	156.67	93.05	6 1792	0	9	0	0	0	0	0	0
UEBEN (COLS. 10166-10169)	021	45	260	143.33	89.65	6 1792	0	9	0	0	0	0	0	0
UEBFN (COLS. 10170-10173)	022	44	325	148.17	111.48	6 1792	0	9	0	0	0	0	0	0
UEBFN (COLS. 10174-10177)	023	1	325	163.33	115.59	9 1789	0	9	0	0	0	0	0	0
UEBEN (COLS. 10178-10181)	024	33	195	99.30	51.92	10 1788	0	9	0	0	0	0	0	0
UEBFN (COLS. 10182-10185)	025	38	330	147.25	121.34	8 1790	0	9	0	0	0	0	0	0
UEBFN (COLS. 10186-10189)	026	38	248	123.63	74.71	8 1790	0	9	0	0	0	0	0	0
UEBFN (COLS. 10190-10193)	027	38	300	126.50	88.51	8 1790	0	9	0	0	0	0	0	0
UEBEN (COLS. 10194-10197)	028	11	176	102.00	51.94	8 1790	0	9	0	0	0	0	0	0
UEBFN (COLS. 10198-10201)	029	40	288	110.67	82.19	9 1789	0	9	0	0	0	0	0	0
UEBFN (COLS. 10202-10205)	030	31	180	84.40	59.55	5 1793	0	9	0	0	0	0	0	0
UEBFN (COLS. 10206-10209)	031	4	236	114.50	70.09	10 1788	0	9	0	0	0	0	0	0
UFBN (COLS. 10210-10213)	032	32	250	138.08	79.75	12 1786	0	9	0	0	0	0	0	0
UEBFN (COLS. 10214-10217)	033	12	252	144.67	84.58	9 1789	0	9	0	0	0	0	0	0
UFBN (COLS. 10218-10221)	034	29	220	141.45	65.51	11 1787	0	9	0	0	0	0	0	0
UEBFN (COLS. 10222-10225)	035	50	275	123.93	63.14	15 1783	0	9	0	0	0	0	0	0
UEBFN (COLS. 10226-10229)	036	20	225	105.32	57.86	22 1776	0	9	0	0	0	0	0	0
UEBFN (COLS. 10230-10233)	037	27	375	167.46	108.26	28 1770	0	9	0	0	0	0	0	0
UEBEN (COLS. 10234-10237)	038	36	300	144.18	76.40	33 1765	0	9	0	0	0	0	0	0
UEBFN (COLS. 10238-10241)	039	26	375	165.43	103.67	30 1768	0	9	0	0	0	0	0	0
UEBFN (COLS. 10242-10245)	040	21	340	149.74	92.68	27 1771	0	9	0	0	0	0	0	0
UEBFN (COLS. 10246-10249)	041	21	375	149.95	102.66	20 1778	0	9	0	0	0	0	0	0
UEBEN (COLS. -10253)	042	57	375	161.44	111.04	9 1789	0	9	0	0	0	0	0	0

《项目管理》教材
Project Management教材

FAMILY VARIABLES

FAMILY VARIABLES

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
NCP21 (COLS. 3062- 3063)	027	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3064- 3065)	028	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3066- 3067)	029	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3068- 3069)	030	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3070- 3071)	031	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3072- 3073)	032	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3074- 3075)	033	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3076- 3077)	034	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3078- 3079)	035	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3080- 3081)	036	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3082- 3083)	037	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3084- 3085)	038	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3086- 3087)	039	1	1	1.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3088- 3089)	040	11	11	11.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3090- 3091)	041	11	11	11.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3092- 3093)	042	11	11	11.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3094- 3095)	043	11	11	11.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3096- 3097)	044	11	11	11.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3098- 3099)	045	11	11	11.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3100- 3101)	046	11	11	11.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3102- 3103)	047	11	11	11.00	0.0	1 1806	0	0	0	0	0	0	0
NCP21 (COLS. 3104- 3105)	048	11	11	11.00	0.0	1 1806	0	0	0	0	0	0	0
TTIECON (COLS. 3150- 3152)	18	196	60.33	36.23	51	3	0	12	1741	0	0	0	0
SSECON (COLS. 3153- 3155)	14	450	186.23	109.95	286	1505	0	12	4	0	0	0	0
VAECON (COLS. 3156- 3158)	23	282	94.68	51.94	57	1737	0	12	1	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999
ASSETCN (COLS. 3159- 3162)	47	600	142.70	117.95	37	2	0	12	1756	0	0	0	0	0
MISCECON (COLS. 3163- 3167)	20	360	107.99	67.53	265	1529	0	12	1	0	0	0	0	0
OTHECON (COLS. 3168- 3170)	50	385	147.16	109.85	25	1763	0	12	7	0	0	0	0	0
UNEMPECN (COLS. 3171- 3173)	40	304	108.40	81.37	15	1778	0	12	2	0	0	0	0	0
UNEMPAY (COLS. 3174- 3176)	40	388	126.00	111.50	8	1784	0	12	3	0	0	0	0	0
WCMPFCN (COLS. 3177- 3179)	0	0	0.0	0.0	0	1794	0	12	1	0	0	0	0	0
FINCOM69 (COLS. 3180- 3184)	300	29000	5400.95	3729.20	1727	10	0	12	58	0	0	0	0	0
SSI (COLS. 3201- 3204)	001	11	325	88.67	53.30	30	1709	0	68	0	0	0	0	0
SSI (COLS. 3205- 3208)	002	11	325	88.67	53.30	30	1708	0	68	1	0	0	0	0
SSI (COLS. 3209- 3212)	003	33	325	89.03	49.78	33	1705	0	68	1	0	0	0	0
SSI (COLS. 3213- 3216)	004	33	325	89.03	49.78	33	1705	0	68	1	0	0	0	0
SSI (COLS. 3217- 3220)	005	33	325	89.64	49.79	33	1705	0	68	1	0	0	0	0
SSI (COLS. 3221- 3224)	006	11	325	87.09	50.12	35	1703	0	68	1	0	0	0	0
SSI (COLS. 3225- 3228)	007	33	372	97.97	68.59	35	1703	0	68	1	0	0	0	0
SSI (COLS. 3229- 3232)	008	33	325	89.63	49.34	35	1703	0	68	1	0	0	0	0
SSI (COLS. 3233- 3236)	009	33	325	89.29	49.31	35	1703	0	68	1	0	0	0	0
SSI (COLS. 3237- 3240)	010	33	325	89.03	48.63	36	1702	0	68	1	0	0	0	0
SSI (COLS. 3241- 3244)	011	33	325	89.03	48.63	36	1702	0	68	1	0	0	0	0
SSI (COLS. 3245- 3248)	012	33	325	88.78	47.97	37	1701	0	68	1	0	0	0	0
SSI (COLS. 3249- 3252)	013	33	325	89.32	47.98	37	1701	0	68	1	0	0	0	0
SSI (COLS. 3253- 3256)	014	20	235	95.71	50.68	28	1675	0	68	35	0	0	0	1
SSI (COLS. 3257- 3260)	015	20	235	95.17	49.85	29	1674	0	68	24	0	0	0	12
SSI (COLS. 3261- 3264)	016	20	235	95.17	49.85	29	1674	0	68	17	0	0	0	19
SSI (COLS. 3265- 3268)	017	20	235	95.17	49.85	29	1674	0	68	9	0	0	0	27
SSI (COLS. 3269- 3272)	018	2	200	86.60	45.66	30	1682	0	68	0	0	0	0	27

FAMILY VARIABLES

VARTABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	RLNK	NO.	NO.						
								9993	9994	9995	9996	9997	9998	9999	
SSI (COLS. 3273- 3276)	019	2	320	94.60	62.42	30	1674	C	68	0	0	0	0	0	35
SSI (COLS. 3277- 3280)	020	2	300	93.06	58.12	32	1666	O	68	0	0	0	0	0	41
SSI (COLS. 3281- 3284)	021	2	200	86.19	44.20	32	1662	O	68	0	0	0	0	0	45
SSI (COLS. 3285- 3288)	022	14	365	109.15	74.86	41	1646	O	68	0	0	0	0	0	52
SSI (COLS. 3289- 3292)	023	21	365	111.10	74.17	42	1640	O	68	0	0	0	0	0	57
SSI (COLS. 3293- 3296)	024	14	365	110.71	74.63	42	1638	O	68	0	0	0	0	0	59
SSI (COLS. 3297- 3300)	025	21	365	110.37	73.43	43	1637	O	68	0	0	0	0	0	59
SSI (COLS. 3301- 3304)	026	30	180	85.21	28.13	34	1635	O	68	0	0	0	0	0	70
SSI (COLS. 3305- 3308)	027	30	180	85.21	28.13	34	1634	O	68	0	0	0	0	0	71
SSI (COLS. 3309- 3312)	028	30	180	85.21	28.13	34	1625	O	68	0	0	0	0	0	80
SSI (COLS. 3313- 3316)	029	30	180	84.83	27.43	36	1622	O	68	0	0	0	0	0	81
SSI (COLS. 3317- 3320)	030	6	180	84.17	29.05	36	1610	O	68	0	0	0	0	0	93
SSI (COLS. 3321- 3324)	031	6	162	83.67	26.02	39	1571	O	68	35	0	0	0	0	94
SSI (COLS. 3325- 3328)	032	6	162	85.00	28.46	26	1584	O	68	32	0	0	0	0	97
SSI (COLS. 3329- 3332)	033	6	160	85.26	31.18	27	1581	O	68	32	0	0	0	0	99
SSI (COLS. 3333- 3336)	034	6	160	85.11	31.40	27	1580	O	68	12	0	0	0	0	120
SSI (COLS. 3337- 3340)	035	6	135	81.55	28.81	22	1574	O	68	11	0	0	0	0	132
SSI (COLS. 3341- 3344)	036	6	140	88.67	28.03	21	1566	O	68	11	0	0	0	0	141
SSI (COLS. 3345- 3348)	037	65	149	104.83	32.82	12	1583	O	68	0	0	0	0	0	144
SSI (COLS. 3349- 3352)	038	65	149	102.64	30.98	14	1564	O	68	0	0	0	0	0	161
SSI (COLS. 3353- 3356)	039	16	140	85.93	44.38	14	1562	O	68	0	0	0	0	0	163
SSI (COLS. 3357- 3360)	040	16	146	91.46	48.94	13	1554	O	68	0	0	0	0	0	172
SSI (COLS. 3361- 3364)	041	16	146	91.46	48.94	13	1544	O	68	0	0	0	0	0	182
SSI (COLS. 3365- 3368)	042	16	146	91.92	49.46	13	1541	O	68	0	0	0	0	0	185
SSI (COLS. 3369- 372)	043	40	146	101.18	39.09	11	1537	O	68	0	0	0	0	0	1

Family Variables - Annual Income Data - Integrated Systems, Inc.

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
SSI (COLS. 3373- 3376)	044	59	146	124.00	31.70	10	1518	0	68	0	0	0	0	211
SSI (COLS. 3377- 3380)	045	59	146	132.09	28.28	11	1516	0	68	0	0	0	0	212
SSI (COLS. 3381- 3384)	046	59	146	132.09	28.28	11	1512	0	68	0	0	0	0	216
SSI (COLS. 3385- 3388)	047	59	146	128.25	31.14	12	1497	0	68	0	0	0	0	230
SSI (COLS. 3389- 3392)	048	97	146	140.56	16.33	9	1488	0	68	0	0	0	0	242
TT (COLS. 3393- 3396)	001	28	287	121.46	66.84	13	1725	0	68	1	0	0	0	0
TT (COLS. 3397- 3400)	002	28	287	108.27	66.42	15	1722	0	68	2	0	0	0	0
TT (COLS. 3401- 3404)	003	28	192	93.20	47.72	15	1722	0	68	2	0	0	0	0
TT (COLS. 3405- 3408)	004	28	192	87.47	45.24	17	1720	0	68	2	0	0	0	0
TT (COLS. 3409- 3412)	005	28	192	95.92	53.68	13	1723	0	68	3	0	0	0	0
TT (COLS. 3413- 3416)	006	28	214	84.50	43.98	18	1718	0	68	3	0	0	0	0
TT (COLS. 3417- 3420)	007	28	150	80.10	38.51	30	1706	0	68	3	0	0	0	0
TT (COLS. 3421- 3424)	008	12	288	89.28	47.31	65	1671	0	68	3	0	0	0	0
TT (COLS. 3425- 3428)	009	25	386	94.47	62.35	58	1678	0	68	3	0	0	0	0
TT (COLS. 3429- 3432)	010	28	438	93.92	70.24	51	1684	0	68	4	0	0	0	0
TT (COLS. 3433- 3436)	011	28	696	88.84	88.01	56	1680	0	68	3	0	0	0	0
TT (COLS. 3437- 3440)	012	28	184	76.22	33.93	46	1690	0	68	3	0	0	0	0
TT (COLS. 3441- 3444)	013	28	140	76.43	30.64	42	1693	0	68	4	0	0	0	0
TT (COLS. 3445- 3448)	014	10	139	74.92	35.45	25	1678	0	68	35	0	0	0	1
TT (COLS. 3449- 3452)	015	10	130	69.92	33.67	26	1677	0	68	24	0	0	0	12
TT (COLS. 3453- 3456)	016	10	128	71.95	33.91	22	1681	0	68	17	0	0	0	19
TT (COLS. 3457- 3460)	017	10	128	64.23	27.79	26	1677	0	68	9	0	0	0	27
TT (COLS. 3461- 3464)	018	30	195	96.13	56.72	8	1704	0	68	0	0	0	0	27
TT (COLS. 3465- 3468)	019	30	195	91.44	55.38	9	1695	0	68	0	0	0	0	35
TT (COLS. 3469- 3472)	020	30	195	111.88	62.46	8	1690	0	68	0	0	0	0	41

FAMILY VARIABLES

VARIABLE DESCRIPTION		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
TT (COLS. 3473- 3476)	021	30	195	93.27	49.24	11	1683	0	68	0	0	0	0	0	45
TT (COLS. 3477- 3480)	022	36	284	111.16	60.73	32	1655	0	68	0	0	0	0	0	52
TT (COLS. 3481- 3484)	023	36	284	113.07	61.79	30	1652	0	68	0	0	0	0	0	57
TT (COLS. 3485- 3488)	024	36	208	100.06	47.89	33	1647	0	68	0	0	0	0	0	59
TT (COLS. 3489- 3492)	025	36	208	102.97	50.32	31	1649	0	68	0	0	0	0	0	59
TT (COLS. 3493- 3496)	026	40	200	110.62	56.98	13	1656	0	68	0	0	0	0	0	70
TT (COLS. 3497- 3500)	027	40	200	116.80	60.88	10	1658	0	68	0	0	0	0	0	71
TT (COLS. 3501- 3504)	028	38	200	106.67	61.10	12	1647	0	68	0	0	0	0	0	80
TT (COLS. 3505- 3508)	029	11	200	104.69	60.74	13	1645	0	68	0	0	0	0	0	81
TT (COLS. 3509- 3512)	030	39	200	124.25	66.78	8	1638	0	68	0	0	0	0	0	93
TT (COLS. 3513- 3516)	031	10	216	98.00	66.74	17	1591	0	68	37	0	0	0	0	94
TT (COLS. 3517- 3520)	032	37	391	108.06	84.87	18	1589	0	68	35	0	0	0	0	97
TT (COLS. 3521- 3524)	033	8	215	89.06	55.74	18	1588	0	68	34	0	0	0	0	99
TT (COLS. 3525- 3528)	034	9	215	77.00	49.86	24	1581	0	68	14	0	0	0	0	120
TT (COLS. 3529- 3532)	035	10	284	83.43	60.73	21	1573	0	68	13	0	0	0	0	132
TT (COLS. 3533- 3536)	036	9	539	117.97	109.87	31	1554	0	68	13	0	0	0	0	141
TT (COLS. 3537- 3540)	037	10	539	137.40	137.26	20	1575	0	68	0	0	0	0	0	146
TT (COLS. 3541- 3544)	038	10	539	100.46	90.22	37	1541	0	68	0	0	0	0	0	161
TT (COLS. 3545- 3548)	039	25	343	97.21	66.07	33	1543	0	68	0	0	0	0	0	163
TT (COLS. 3549- 3552)	040	22	343	95.46	71.22	35	1532	0	68	0	0	0	0	0	172
TT (COLS. 3553- 3556)	041	22	343	84.34	62.21	35	1522	0	68	0	0	0	0	0	182
TT (COLS. 3557- 3560)	042	22	400	98.65	80.39	40	1514	0	68	0	0	0	0	0	185
TT (COLS. 3561- 3564)	043	22	343	104.59	78.57	37	1511	0	68	0	0	0	0	0	191
TT (COLS. 3565- 3568)	044	22	343	101.96	76.42	46	1482	0	68	0	0	0	0	0	211
TT (COLS. 3569- 3572)	045	22	325	114.4	81.40	39	1488	0	68	0	0	0	0	0	12

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
TT (COLS. 3573- 3576)	046	22	300	93.92	64.24	37	1486	0	68	0	0	0	0	216
TT (COLS. 3577- 3580)	047	17	300	92.34	62.00	50	1459	0	68	0	0	0	0	230
TT (COLS. 3581- 3584)	048	22	300	91.18	71.74	51	1446	0	68	0	0	0	0	242
FSVAL (COLS. 3585- 3588)	001	22	260	114.73	44.74	564	1172	0	68	3	0	0	0	0
FSVAL (COLS. 3589- 3592)	002	4	260	114.73	45.87	564	1171	0	68	4	0	0	0	0
FSVAL (COLS. 3593- 3596)	003	22	260	115.67	45.48	561	1175	0	68	3	0	0	0	0
FSVAL (COLS. 3597- 3600)	004	22	260	115.85	45.82	556	1180	0	68	3	0	0	0	0
FSVAL (COLS. 3601- 3604)	005	22	260	115.99	45.71	556	1180	0	68	3	0	0	0	0
FSVAL (COLS. 3605- 3608)	006	22	260	116.58	45.68	559	1176	0	68	4	0	0	0	0
FSVAL (COLS. 3609- 3612)	007	22	308	117.19	46.27	557	1178	0	68	4	0	0	0	0
FSVAL (COLS. 3613- 3616)	008	22	260	117.12	45.30	571	1165	0	68	3	0	0	0	0
FSVAL (COLS. 3617- 3620)	009	22	260	117.35	45.77	580	1157	0	68	2	0	0	0	0
FSVAL (COLS. 3621- 3624)	010	22	260	117.10	45.87	571	1166	0	68	2	0	0	0	0
FSVAL (COLS. 3625- 3628)	011	15	260	116.84	45.79	569	1169	0	68	1	0	0	0	0
FSVAL (COLS. 3629- 3632)	012	22	260	117.11	45.67	574	1164	0	68	1	0	0	0	0
FSVAL (COLS. 3633- 3636)	013	8	260	117.35	45.65	566	1171	0	68	2	0	0	0	0
FSVAL (COLS. 3637- 3640)	014	28	272	121.51	47.67	490	1213	0	68	35	0	0	0	1
FSVAL (COLS. 3641- 3644)	015	7	272	120.79	47.92	487	1216	0	68	26	0	0	0	12
FSVAL (COLS. 3645- 3648)	016	28	272	120.28	47.76	484	1219	0	68	17	0	0	0	19
FSVAL (COLS. 3649- 3652)	017	28	272	120.09	47.69	485	1218	0	68	9	0	0	0	27
FSVAL (COLS. 3653- 3656)	018	24	304	121.61	46.72	461	1227	0	68	24	0	0	0	27
FSVAL (COLS. 3657- 3660)	019	24	304	121.84	46.66	461	1227	0	68	16	0	0	0	35
FSVAL (COLS. 3661- 3664)	020	24	304	122.04	46.57	459	1229	0	68	10	0	0	0	41
FSVAL (COLS. 3665- 3668)	021	24	304	122.17	46.74	459	1229	0	68	6	0	0	0	45
FSVAL (COLS. 3669- 3672)	022	32	304	124.35	46.10	432	1235	0	68	20	0	0	0	52

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
FSVAL (COLS. 3673- 3676)	023	32	304	124.24	46.26	434	1233	0	68	15	0	0	0	0	57
FSVAL (COLS. 3677- 3680)	024	32	304	124.02	46.48	435	1232	0	68	13	0	0	0	0	59
FSVAL (COLS. 3681- 3684)	025	32	304	124.06	45.90	434	1233	0	68	13	0	0	0	0	59
FSVAL (COLS. 3685- 3688)	026	35	320	125.49	49.05	435	1199	0	68	35	0	0	0	0	70
FSVAL (COLS. 3689- 3692)	027	35	320	125.54	48.47	434	1200	0	68	34	0	0	0	0	71
FSVAL (COLS. 3693- 3696)	028	35	320	125.00	48.11	433	1201	0	68	25	0	0	0	0	80
FSVAL (COLS. 3697- 3700)	029	35	320	125.09	47.77	436	1198	0	68	24	0	0	0	0	81
FSVAL (COLS. 3701- 3704)	030	6	320	124.21	48.65	438	1196	0	68	12	0	0	0	0	93
FSVAL (COLS. 3705- 3708)	031	7	320	126.36	50.29	455	1190	0	68	0	0	0	0	0	94
FSVAL (COLS. 3709- 3712)	032	30	322	129.04	51.12	447	1195	0	68	0	0	0	0	0	97
FSVAL (COLS. 3713- 3716)	033	30	464	136.79	57.99	424	1184	0	68	32	0	0	0	0	99
FSVAL (COLS. 3717- 3720)	034	30	465	136.63	57.67	419	1188	0	68	12	0	0	0	0	120
FSVAL (COLS. 3721- 3724)	035	30	464	140.33	59.40	423	1181	0	68	3	0	0	0	0	132
FSVAL (COLS. 3725- 3728)	036	10	464	143.72	62.26	420	1175	0	68	3	0	0	0	0	141
FSVAL (COLS. 3729- 3732)	037	38	400	153.25	62.16	418	1160	0	68	17	0	0	0	0	144
FSVAL (COLS. 3733- 3736)	038	38	388	153.86	61.32	434	1164	0	68	0	0	0	0	0	161
FSVAL (COLS. 3737- 3740)	039	38	684	158.97	67.63	466	1110	0	68	0	0	0	0	0	163
FSVAL (COLS. 3741- 3744)	040	38	688	160.80	73.37	482	1085	0	68	0	0	0	0	0	172
FSVAL (COLS. 3745- 3748)	041	38	688	160.35	72.66	487	956	0	68	114	0	0	0	0	182
FSVAL (COLS. 3749- 3752)	042	38	688	161.17	72.83	502	940	0	68	112	0	0	0	0	185
FSVAL (COLS. 3753- 3756)	043	12	688	167.44	74.12	536	979	0	68	33	0	0	0	0	191
FSVAL (COLS. 3757- 3760)	044	12	712	166.28	71.71	533	981	0	68	14	0	0	0	0	211
FSVAL (COLS. 3761- 3764)	045	12	712	165.20	69.97	534	928	0	68	65	0	0	0	0	212
FSVAL (COLS. 3765- 3768)	046	12	712	164.29	69.61	545	915	0	68	63	0	0	0	0	216
FSVAL (COLS. 3769- 3772)	047	12	712	163.48	69.06	541	918	0	68	50	0	0	0	0	230

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
FSVAL (COLS. 3773- 3776)	048	13	712	163.69	70.12	458	989	0	68	50	0	0	0	0	242
FSAMT (COLS. 3777- 3780)	001	2	2105	60.18	92.47	565	1174	0	68	0	0	0	0	0	0
FSAMT (COLS. 3781- 3784)	002	2	2105	60.36	92.46	565	1174	0	68	0	0	0	0	0	0
FSAMT (COLS. 3785- 3788)	003	2	2105	60.88	92.67	562	1177	0	68	0	0	0	0	0	0
FSAMT (COLS. 3789- 3792)	004	2	2105	61.48	93.07	556	1183	0	68	0	0	0	0	0	0
FSAMT (COLS. 3793- 3796)	005	2	2105	61.97	93.02	556	1183	0	68	0	0	0	0	0	0
FSAMT (COLS. 3797- 3800)	006	3	162	59.19	33.30	556	1183	0	68	0	0	0	0	0	0
FSAMT (COLS. 3801- 3804)	007	3	162	59.54	32.91	554	1185	0	68	0	0	0	0	0	0
FSAMT (COLS. 3805- 3808)	008	4	162	59.22	32.87	563	1176	0	68	0	0	0	0	0	0
FSAMT (COLS. 3809- 3812)	009	4	162	59.51	33.19	573	1166	0	68	0	0	0	0	0	0
FSAMT (COLS. 3813- 3816)	010	1	162	59.61	33.60	570	1169	0	68	0	0	0	0	0	0
FSAMT (COLS. 3817- 3820)	011	1	162	59.17	33.31	567	1172	0	68	0	0	0	0	0	0
FSAMT (COLS. 3821- 3824)	012	1	162	59.52	33.67	569	1170	0	68	0	0	0	0	0	0
FSAMT (COLS. 3825- 3828)	013	1	162	60.89	33.76	560	1179	0	68	0	0	0	0	0	0
FSAMT (COLS. 3829- 3832)	014	3	176	61.57	35.48	489	1249	0	68	0	0	0	0	0	1
FSAMT (COLS. 3833- 3836)	015	4	176	61.00	35.12	486	1241	0	68	0	0	0	0	0	12
FSAMT (COLS. 3837- 3840)	016	4	176	60.81	34.98	484	1236	0	68	0	0	0	0	0	19
FSAMT (COLS. 3841- 3844)	017	4	176	60.63	34.89	486	1226	0	68	0	0	0	0	0	27
FSAMT (COLS. 3845- 3848)	018	4	196	62.81	35.80	459	1253	0	68	0	0	0	0	0	27
FSAMT (COLS. 3849- 3852)	019	4	196	62.68	35.35	458	1246	0	68	0	0	0	0	0	35
FSAMT (COLS. 3853- 3856)	020	4	196	63.05	35.66	456	1242	0	68	0	0	0	0	0	41
FSAMT (COLS. 3857- 3860)	021	4	196	63.21	35.69	456	1238	0	68	0	0	0	0	0	45
FSAMT (COLS. 3861- 3864)	022	4	188	62.07	35.39	430	1257	0	68	0	0	0	0	0	52
FSAMT (COLS. 3865- 3868)	023	4	188	61.89	35.41	431	1251	0	68	0	0	0	0	0	57
FSAMT (COLS. 3869- 3872)	024	4	188	62.00	35.40	432	1248	0	68	0	0	0	0	0	59

FAMILY VARTABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MFAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
FSAMT (COLS. 3873- 3876)	025	4	188	62.42	35.22	431	1249	0	68	0	0	0	0	0	59
FSAMT (COLS. 3877- 3880)	026	1	168	63.65	36.60	434	1235	0	68	0	0	0	0	0	70
FSAMT (COLS. 3881- 3884)	027	1	168	63.69	36.38	433	1235	0	68	0	0	0	0	0	71
FSAMT (COLS. 3885- 3888)	028	1	168	63.69	35.92	432	1227	0	68	0	0	0	0	0	80
FSAMT (COLS. 3889- 3892)	029	1	173	63.68	35.84	436	1208	0	68	0	0	0	0	0	81
FSAMT (COLS. 3893- 3896)	030	1	173	63.50	35.85	438	1208	0	68	0	0	0	0	0	93
FSAMT (COLS. 3897- 3900)	031	1	175	63.49	36.81	453	1192	0	68	0	0	0	0	0	94
FSAMT (COLS. 3901- 3904)	032	7	177	64.61	36.79	446	1196	0	68	0	0	0	0	0	97
FSAMT (COLS. 3905- 3908)	033	4	238	67.34	41.12	424	1216	0	68	0	0	0	0	0	99
FSAMT (COLS. 3909- 3912)	034	1	238	67.03	40.91	417	1202	0	68	0	0	0	0	0	120
FSAMT (COLS. 3913- 3916)	035	1	286	68.10	42.69	422	1185	0	68	0	0	0	0	0	132
FSAMT (COLS. 3917- 3920)	036	4	282	68.52	42.72	417	1181	0	68	0	0	0	0	0	141
FSAMT (COLS. 3921- 3924)	037	6	237	68.88	41.73	418	1177	0	68	0	0	0	0	0	144
FSAMT (COLS. 3925- 3928)	038	6	237	67.26	41.16	431	1147	0	68	0	0	0	0	0	161
FSAMT (COLS. 3929- 3932)	039	1	450	66.82	42.85	464	1112	0	68	0	0	0	0	0	163
FSAMT (COLS. 3933- 3936)	040	1	450	68.21	45.70	479	1088	0	68	0	0	0	0	0	172
FSAMT (COLS. 3937- 3940)	041	1	450	67.11	45.41	484	1073	0	68	0	0	0	0	0	182
FSAMT (COLS. 3941- 3944)	042	1	450	67.12	45.28	498	1056	0	68	0	0	0	0	0	185
FSAMT (COLS. 3945- 3948)	043	2	324	69.04	43.58	530	1018	0	68	0	0	0	0	0	191
FSAMT (COLS. 3949- 3952)	044	2	558	70.09	45.16	528	1000	0	68	0	0	0	0	0	211
FSAMT (COLS. 3953- 3956)	045	4	558	68.58	43.55	532	995	0	68	0	0	0	0	0	212
FSAMT (COLS. 3957- 3960)	046	4	558	68.64	42.98	541	982	0	68	0	0	0	0	0	216
FSAMT (COLS. 3961- 3964)	047	4	558	68.27	42.62	535	974	0	68	0	0	0	0	0	230
FSAMT (COLS. 3965- 3968)	048	4	558	69.06	44.09	453	1044	0	68	0	0	0	0	0	242
SOCSEC (COLS. 9- 3972)	001	38	488	20490	113.04	236	1502	0	68	1	0	0	0	0	0

FAMILY VARIABLES

© 2001 Incentive Systems, Inc.

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
SOCSEC (COLS. 4073- 4076)	027	25	1050	261.71	155.65	267	1401	0	68	0	0	0	0	71
SOCSEC (COLS. 4077- 4080)	028	25	1050	259.90	155.29	267	1392	0	68	0	0	0	0	80
SOCSEC (COLS. 4081- 4084)	029	25	1050	260.92	155.10	268	1390	0	68	0	0	0	0	81
SOCSEC (COLS. 4085- 4088)	030	25	1050	261.55	155.08	267	1379	0	68	0	0	0	0	93
SOCSEC (COLS. 4089- 4092)	031	25	1050	264.30	158.84	279	1366	0	68	0	0	0	0	94
SOCSEC (COLS. 4093- 4096)	032	10	1050	255.25	154.58	296	1346	0	68	0	0	0	0	97
SOCSEC (COLS. 4097- 4100)	033	10	643	248.42	146.81	280	1360	0	68	0	0	0	0	99
SOCSEC (COLS. 4101- 4104)	034	10	643	248.48	146.40	283	1336	0	68	0	0	0	0	120
SOCSEC (COLS. 4105- 4108)	035	10	643	246.63	145.79	290	1317	0	68	0	0	0	0	132
SOCSEC (COLS. 4109- 4112)	036	10	643	248.70	147.17	288	1310	0	68	0	0	0	0	141
SOCSEC (COLS. 4113- 4116)	037	25	766	255.38	162.39	299	1296	0	68	0	0	0	0	144
SOCSEC (COLS. 4117- 4120)	038	25	766	258.33	161.82	295	1283	0	68	0	0	0	0	161
SOCSEC (COLS. 4121- 4124)	039	12	1066	253.89	149.03	280	1296	0	68	0	0	0	0	163
SOCSEC (COLS. 4125- 4128)	040	12	1124	264.11	166.10	279	1288	0	68	0	0	0	0	172
SOCSEC (COLS. 4129- 4132)	041	12	1124	260.99	161.91	282	1275	0	68	0	0	0	0	182
SOCSEC (COLS. 4133- 4136)	042	12	1124	262.75	162.39	282	1272	0	68	0	0	0	0	185
SOCSEC (COLS. 4137- 4140)	043	11	1124	269.87	166.59	280	1268	0	68	0	0	0	0	191
SOCSEC (COLS. 4141- 4144)	044	11	940	274.72	154.56	293	1235	0	68	0	0	0	0	211
SOCSEC (COLS. 4145- 4148)	045	11	940	281.12	158.66	287	1240	0	68	0	0	0	0	212
SOCSEC (COLS. 4149- 4152)	046	11	940	281.74	159.72	288	1235	0	68	0	0	0	0	216
SOCSEC (COLS. 4153- 4156)	047	11	940	281.02	159.37	287	1222	0	68	0	0	0	0	230
SOCSEC (COLS. 4157- 4160)	048	19	940	281.70	160.48	243	1254	0	68	0	0	0	0	242
VA (COLS. 4161- 4164)	001	25	282	95.72	50.70	43	1696	0	68	0	0	0	0	0
VA (COLS. 4165- 4168)	002	25	282	95.72	50.70	43	1696	0	68	0	0	0	0	0
VA (COLS. 4169- 4172)	003	25	282	95.79	50.65	43	1696	0	68	0	0	0	0	0

CONFIDENTIAL SOURCE A Division of American Management Systems, Inc.

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
VA (COLS. 4173- 4176)	004	25	297	100.36	58.53	44 1695	0 68	0 0	0 0	0 0	0 0	0 0	0 0
VA (COLS. 4177- 4180)	005	25	297	100.36	58.53	44 1695	0 68	0 0	0 0	0 0	0 0	0 0	0 0
VA (COLS. 4181- 4184)	006	25	297	100.41	58.49	44 1695	0 68	0 0	0 0	0 0	0 0	0 0	0 0
VA (COLS. 4185- 4188)	007	25	297	100.09	57.86	45 1694	0 68	0 0	0 0	0 0	0 0	0 0	0 0
VA (COLS. 4189- 4192)	008	25	297	104.13	63.02	46 1693	0 68	0 0	0 0	0 0	0 0	0 0	0 0
VA (COLS. 4193- 4196)	009	25	297	104.13	63.02	46 1693	0 68	0 0	0 0	0 0	0 0	0 0	0 0
VA (COLS. 4197- 4200)	010	25	297	101.88	62.67	48 1691	0 68	0 0	0 0	0 0	0 0	0 0	0 0
VA (COLS. 4201- 4204)	011	25	382	108.10	74.50	48 1691	0 68	0 0	0 0	0 0	0 0	0 0	0 0
VA (COLS. 4205- 4208)	012	25	382	108.10	74.50	48 1691	0 68	0 0	0 0	0 0	0 0	0 0	0 0
VA (COLS. 4209- 4212)	013	25	382	108.40	74.49	48 1691	0 68	0 0	0 0	0 0	0 0	0 0	0 0
VA (COLS. 4213- 4216)	014	25	304	112.76	69.73	45 1658	0 68	35 0	0 0	0 0	0 0	0 1	0 0
VA (COLS. 4217- 4220)	015	25	304	112.76	69.73	45 1658	0 68	24 0	0 0	0 0	0 0	0 12	0 0
VA (COLS. 4221- 4224)	016	25	304	112.76	69.73	45 1658	0 68	17 0	0 0	0 0	0 0	0 19	0 0
VA (COLS. 4225- 4228)	017	25	304	112.76	69.73	45 1658	0 68	9 0	0 0	0 0	0 0	0 27	0 0
VA (COLS. 4229- 4232)	018	25	436	139.90	101.63	49 1663	0 68	0 0	0 0	0 0	0 0	0 27	0 0
VA (COLS. 4233- 4236)	019	25	436	139.90	101.63	49 1655	0 68	0 0	0 0	0 0	0 0	0 35	0 0
VA (COLS. 4237- 4240)	020	25	436	139.90	101.63	49 1649	0 68	0 0	0 0	0 0	0 0	0 41	0 0
VA (COLS. 4241- 4244)	021	25	436	142.51	106.17	49 1645	0 68	0 0	0 0	0 0	0 0	0 45	0 0
VA (COLS. 4245- 4248)	022	28	307	102.82	57.76	34 1653	0 68	0 0	0 0	0 0	0 0	0 52	0 0
VA (COLS. 4249- 4252)	023	14	307	102.44	58.34	34 1648	0 68	0 0	0 0	0 0	0 0	0 57	0 0
VA (COLS. 4253- 4256)	024	14	307	102.44	58.34	34 1646	0 68	0 0	0 0	0 0	0 0	0 59	0 0
VA (COLS. 4257- 4260)	025	14	307	103.60	57.76	35 1645	0 68	0 0	0 0	0 0	0 0	0 59	0 0
VA (COLS. 4261- 4264)	026	25	384	117.05	87.17	38 1631	0 68	0 0	0 0	0 0	0 0	0 70	0 0
VA (COLS. 4265- 4268)	027	25	384	117.05	87.17	38 1630	0 68	0 0	0 0	0 0	0 0	0 71	0 0
VA (COLS. 4269- 4272)	028	25	384	120	89.01	39 1620	0 68	0 0	0 0	0 0	0 0	0 60	0 0

FAMILY VARIABLES

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	PLNK	9993	9994	9995	9996	9997	9998	9999
API (COLS. 4473- 4476)	031	6	412	124.86	98.42	22	1623	0	68	0	0	0	0	94
API (COLS. 4477- 4480)	032	5	412	135.50	101.88	20	1622	0	68	0	0	0	0	97
API (COLS. 4481- 4484)	033	5	412	124.44	106.48	16	1591	0	68	33	0	0	0	99
API (COLS. 4485- 4488)	034	5	412	129.40	108.28	15	1591	0	68	13	0	0	0	120
API (COLS. 4489- 4492)	035	5	412	118.11	101.73	18	1586	0	68	3	0	0	0	132
API (COLS. 4493- 4496)	036	5	412	108.00	94.95	22	1573	0	68	3	0	0	0	141
API (COLS. 4497- 4500)	037	11	328	115.25	82.83	16	1562	0	68	17	0	0	0	144
API (COLS. 4501- 4504)	038	50	328	139.25	93.13	16	1562	0	68	0	0	0	0	161
API (COLS. 4505- 4508)	039	48	300	110.21	82.96	14	1562	0	68	0	0	0	0	163
API (COLS. 4509- 4512)	040	50	300	115.38	84.05	13	1554	0	68	0	0	0	0	172
API (COLS. 4513- 4516)	041	50	300	115.38	84.05	13	1430	0	68	114	0	0	0	182
API (COLS. 4517- 4520)	042	50	300	114.29	80.86	14	1428	0	68	112	0	0	0	185
API (COLS. 4521- 4524)	043	50	300	120.00	88.46	9	1506	0	68	33	0	0	0	191
API (COLS. 4525- 4528)	044	45	300	141.67	88.88	9	1455	0	68	64	0	0	0	211
API (COLS. 4529- 4532)	045	45	300	126.36	86.55	11	1453	0	68	63	0	0	0	212
API (COLS. 4533- 4536)	046	45	300	134.00	87.24	10	1452	0	68	61	0	0	0	216
API (COLS. 4537- 4540)	047	45	300	142.44	88.56	9	1452	0	68	48	0	0	0	230
API (COLS. 4541- 4544)	048	45	300	126.36	86.55	11	1438	0	68	48	0	0	0	242
MISINC (COLS. 4545- 4548)	001	10	498	104.47	68.37	288	1450	0	68	1	0	0	0	0
MISINC (COLS. 4549- 4552)	002	15	800	108.24	79.36	283	1454	0	68	2	0	0	0	0
MISINC (COLS. 4553- 4556)	003	15	600	106.27	67.51	290	1447	0	68	2	0	0	0	0
MISINC (COLS. 4557- 4560)	004	15	995	108.36	86.03	287	1450	0	68	2	0	0	0	0
MISINC (COLS. 4561- 4564)	005	10	358	105.38	67.85	289	1448	0	68	2	0	0	0	0
MISINC (COLS. 4565- 4568)	006	15	350	106.15	67.28	284	1453	0	68	2	0	0	0	0
MISINC (COLS. 4569- 4572)	007	15	749	109.40	77.09	283	1453	0	68	3	0	0	0	0

FAMILY VARIABLES

VAR APL F DESCRIPTION		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999

MISINC (COLS. 4573- 4576)		008	10	403	110.68	70.15	268	1469	0	68	2	0	0	0	0
MISINC (COLS. 4577- 4580)		009	15	994	110.52	86.49	273	1463	0	68	3	0	0	0	0
MISINC (COLS. 4581- 4584)		010	15	350	108.72	68.96	269	1468	0	68	2	0	0	0	0
MISINC (COLS. 4585- 4588)		011	15	350	108.39	68.55	275	1461	0	68	3	0	0	0	0
MISINC (COLS. 4589- 4592)		012	15	350	108.15	69.15	279	1458	0	68	2	0	0	0	0
MISINC (COLS. 4593- 4596)		013	15	2090	117.47	142.78	271	1465	0	68	3	0	0	0	0
MISINC (COLS. 4597- 4600)		014	10	403	102.40	68.31	254	1448	0	68	36	0	0	0	1
MISINC (COLS. 4601- 4604)		015	10	403	103.03	68.03	260	1442	0	68	25	0	0	0	12
MISINC (COLS. 4605- 4608)		016	10	403	103.24	66.40	256	1446	0	68	18	0	0	0	19
MISINC (COLS. 4609- 4612)		017	10	403	103.00	67.39	256	1447	0	68	9	0	0	0	27
MISINC (COLS. 4613- 4616)		018	10	1035	122.95	104.89	257	1455	0	68	0	0	0	0	27
MISINC (COLS. 4617- 4620)		019	10	650	121.19	89.54	255	1449	0	68	0	0	0	0	35
MISINC (COLS. 4621- 4624)		020	10	650	120.77	88.92	253	1445	0	68	0	0	0	0	41
MISINC (COLS. 4625- 4628)		021	10	650	121.79	86.73	257	1437	0	68	0	0	0	0	45
MISINC (COLS. 4629- 4632)		022	20	564	112.33	79.26	230	1457	0	68	0	0	0	0	52
MISINC (COLS. 4633- 4636)		023	20	564	114.71	82.93	231	1451	0	68	0	0	0	0	57
MISINC (COLS. 4637- 4640)		024	20	564	116.36	86.43	235	1445	0	68	0	0	0	0	59
MISINC (COLS. 4641- 4644)		025	20	564	116.32	83.31	232	1448	0	68	0	0	0	0	59
MISINC (COLS. 4645- 4648)		026	10	508	113.01	82.50	206	1463	0	68	0	0	0	0	70
MISINC (COLS. 4649- 4652)		027	10	769	118.94	96.34	205	1463	0	68	0	0	0	0	71
MISINC (COLS. 4653- 4656)		028	10	508	116.76	85.27	207	1452	0	68	0	0	0	0	80
MISINC (COLS. 4657- 4660)		029	10	508	114.79	84.93	206	1452	0	68	0	0	0	0	81
MISINC (COLS. 4661- 4664)		030	10	508	118.52	90.11	203	1443	0	68	0	0	0	0	93
MISINC (COLS. 4665- 4668)		031	10	1075	124.54	110.81	226	1383	0	68	36	0	0	0	94
MISINC (COLS. 4669- 4672)		032	5	508	121.63	90.00	181	1428	0	68	33	0	0	0	97

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
MISINC (COLS. 4673- 4676)	033	10	508	121.79	87.56	230 1378	C 68	32	0	0	0	0	99
MISINC (COLS. 4677- 4680)	034	10	508	124.47	88.32	228 1379	0 68	12	0	0	0	0	120
MISINC (COLS. 4681- 4684)	035	10	508	125.91	90.54	220 1376	0 68	11	0	0	0	0	132
MISINC (COLS. 4685- 4688)	036	10	508	125.02	90.53	222 1365	0 68	11	0	0	0	0	141
MISINC (COLS. 4689- 4692)	037	25	390	121.89	79.43	171 1424	0 68	0	0	0	0	0	144
MISINC (COLS. 4693- 4696)	038	25	400	125.35	82.62	201 1377	0 68	0	0	0	0	0	161
MISINC (COLS. 4697- 4700)	039	10	400	121.30	78.99	180 1396	0 68	0	0	0	0	0	163
MISINC (COLS. 4701- 4704)	040	10	400	118.23	73.97	169 1398	0 68	0	0	0	0	0	172
MISINC (COLS. 4705- 4708)	041	25	416	122.74	80.37	171 1386	0 68	0	0	0	0	0	182
MISINC (COLS. 4709- 4712)	042	25	416	120.78	78.78	170 1384	0 68	0	0	0	0	0	185
MISINC (COLS. 4713- 4716)	043	25	416	119.45	77.50	174 1374	0 68	0	0	0	0	0	191
MISINC (COLS. 4717- 4720)	044	25	416	129.67	83.20	187 1341	0 68	0	0	0	0	0	211
MISINC (COLS. 4721- 4724)	045	30	416	136.56	86.35	171 1356	0 68	0	0	0	0	0	212
MISINC (COLS. 4725- 4728)	046	30	416	134.89	84.89	171 1352	0 68	0	0	0	0	0	216
MISINC (COLS. 4729- 4732)	047	29	900	138.37	102.45	174 1335	0 68	0	0	0	0	0	230
MISINC (COLS. 4733- 4736)	048	18	416	133.11	84.58	142 1355	0 68	0	0	0	0	0	242
OTHINC (COLS. 4737- 4740)	001	5	478	80.19	110.43	676 1055	0 68	8	0	0	0	0	0
OTHINC (COLS. 4741- 4744)	002	5	478	83.10	112.25	714 1018	0 68	7	0	0	0	0	0
OTHINC (COLS. 4745- 4748)	003	5	478	83.63	112.89	791 939	0 68	9	0	0	0	0	0
OTHINC (COLS. 4749- 4752)	004	5	988	94.54	122.10	907 824	0 68	8	0	0	0	0	0
OTHINC (COLS. 4753- 4756)	005	5	988	97.52	120.94	1021 706	0 68	10	0	0	0	0	0
OTHINC (COLS. 4757- 4760)	006	5	988	106.02	124.82	1192 542	0 68	5	0	0	0	0	0
OTHINC (COLS. 4761- 4764)	007	5	988	108.49	125.55	1268 466	0 68	5	0	0	0	0	0
OTHINC (COLS. 4765- 4768)	008	5	988	113.95	126.74	1341 394	0 68	4	0	0	0	0	0
OTHINC (COLS. 4769- 4772)	009	5	988	117.08	128.10	1390 345	0 68	4	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DFV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
OTHINC (COLS. 4773- 4776)	010	5	988	117.29	129.63	1419	316	0	68	4	0	0	0
OTHINC (COLS. 4777- 4780)	011	5	988	120.43	133.17	1427	306	0	68	6	0	0	0
OTHINC (COLS. 4781- 4784)	012	5	988	118.66	131.91	1441	294	0	68	4	0	0	0
OTHINC (COLS. 4785- 4788)	013	5	988	121.15	134.32	1463	267	0	68	9	0	0	0
OTHINC (COLS. 4789- 4792)	014	5	592	126.08	134.12	1552	151	0	68	35	0	0	0
OTHINC (COLS. 4793- 4796)	015	5	592	125.61	133.44	1553	150	0	68	24	0	0	0
OTHINC (COLS. 4797- 4800)	016	5	592	126.10	133.51	1554	149	0	68	17	0	0	0
OTHINC (COLS. 4801- 4804)	017	1	592	126.23	133.87	1552	151	0	68	9	0	0	0
OTHINC (COLS. 4805- 4808)	018	5	567	129.48	137.25	1462	250	0	68	0	0	0	0
OTHINC (COLS. 4809- 4812)	019	5	567	129.30	137.22	1463	241	0	68	0	0	0	0
OTHINC (COLS. 4813- 4816)	020	5	567	130.29	137.40	1461	237	0	68	0	0	0	0
OTHINC (COLS. 4817- 4820)	021	5	620	130.28	138.19	1460	234	0	68	0	0	0	0
OTHINC (COLS. 4821- 4824)	022	5	779	164.22	127.21	1423	264	0	68	0	0	0	0
OTHINC (COLS. 4825- 4828)	023	5	779	164.62	127.51	1423	259	0	68	0	0	0	0
OTHINC (COLS. 4829- 4832)	024	5	779	164.01	127.91	1424	256	0	68	0	0	0	0
OTHINC (COLS. 4833- 4836)	025	5	779	165.20	128.83	1426	254	0	68	0	0	0	0
OTHINC (COLS. 4837- 4840)	026	22	380	163.57	67.18	98 1571	0	68	0	0	0	0	0
OTHINC (COLS. 4841- 4844)	027	22	380	163.57	67.18	98 1570	0	68	0	0	0	0	0
OTHINC (COLS. 4845- 4848)	028	22	380	163.55	67.22	98 1561	0	68	0	0	0	0	0
OTHINC (COLS. 4849- 4852)	029	22	380	162.89	68.02	98 1560	0	68	0	0	0	0	0
OTHINC (COLS. 4853- 4856)	030	22	380	162.08	65.85	97 1549	0	68	0	0	0	0	0
OTHINC (COLS. 4857- 4860)	031	22	380	160.61	66.54	103 1505	0	68	37	0	0	0	0
OTHINC (COLS. 4861- 4864)	032	63	680	164.67	88.01	73 1535	0	68	34	0	0	0	0
OTHINC (COLS. 4865- 4868)	033	65	680	196.88	147.89	16 1592	0	68	32	0	0	0	0
OTHINC (COLS. 4869- 4872)	034	65	680	201.33	151.96	15 1592	0	68	12	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
OTHINC (COLS. 4873- 4876)	035	65	680	201.06	150.69	17	1579	0	68	11	0	0	0	0
OTHINC (COLS. 4877- 4880)	036	44	380	161.00	79.82	14	1573	0	68	11	0	0	0	0
OTHINC (COLS. 4881- 4884)	037	44	200	106.00	46.51	9	1586	0	68	0	0	0	0	0
OTHINC (COLS. 4885- 4888)	038	44	200	101.90	45.72	10	1568	0	68	0	0	0	0	0
OTHINC (COLS. 4889- 4892)	039	48	146	113.25	37.15	8	1568	0	68	0	0	0	0	0
OTHINC (COLS. 4893- 4896)	040	119	150	141.17	11.32	6	1561	0	68	0	0	0	0	0
OTHINC (COLS. 4897- 4900)	041	119	150	141.17	11.32	6	1551	0	68	0	0	0	0	0
OTHINC (COLS. 4901- 4904)	042	119	380	171.63	84.75	8	1546	0	68	0	0	0	0	0
OTHINC (COLS. 4905- 4908)	043	33	146	120.60	38.58	10	1538	0	68	0	0	0	0	0
OTHINC (COLS. 4909- 4912)	044	33	380	138.36	90.10	14	1514	0	68	0	0	0	0	0
OTHINC (COLS. 4913- 4916)	045	33	500	157.00	135.18	13	1514	0	68	0	0	0	0	0
OTHINC (COLS. 4917- 4920)	046	33	500	157.00	135.18	13	1510	0	68	0	0	0	0	0
OTHINC (COLS. 4921- 4924)	047	33	500	172.36	142.02	14	1495	0	68	0	0	0	0	0
OTHINC (COLS. 4925- 4928)	048	33	375	146.83	114.53	12	1485	0	68	0	0	0	0	0
EPNREG (COLS. 4929- 4932)	001	29	4400	571.85	334.29	733	1006	0	68	0	0	0	0	0
ERNREG (COLS. 4933- 4936)	002	33	4400	572.29	334.58	740	999	0	68	0	0	0	0	0
ERNREG (COLS. 4937- 4940)	003	33	4400	571.24	336.64	745	994	0	68	0	0	0	0	0
ERNREG (COLS. 4941- 4944)	004	26	4400	576.11	335.64	744	995	0	68	0	0	0	0	0
EPNREG (COLS. 4945- 4948)	005	33	4400	572.85	334.75	745	994	0	68	0	0	0	0	0
ERNREG (COLS. 4949- 4952)	006	11	4400	557.53	341.00	756	983	0	68	0	0	0	0	0
ERNREG (COLS. 4953- 4956)	007	8	4400	534.79	327.01	766	973	0	68	0	0	0	0	0
ERNREG (COLS. 4957- 4960)	008	24	4400	514.30	328.54	698	1041	0	68	0	0	0	0	0
ERNREG (COLS. 4961- 4964)	009	9	4400	545.64	363.68	678	1061	0	68	0	0	0	0	0
ERNREG (COLS. 4965- 4968)	010	12	5760	571.94	381.59	651	1088	0	68	0	0	0	0	0
ERNREG (COLS. 4969- 4972)	011	15	5660	579.46	380.40	658	1081	0	68	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
ERNREG (COLS. 4973- 4976)	012	26	5760	583.11	374.16	662	1077	0	68	0	0	0	0	0
ERNREG (COLS. 4977- 4980)	013	12	5760	594.66	381.16	666	1073	0	68	0	0	0	0	0
ERNPEG (COLS. 4981- 4984)	014	27	2431	593.58	324.41	665	1073	0	68	0	0	0	0	1
ERNREG (COLS. 4985- 4988)	015	27	2431	597.67	325.17	667	1060	0	68	0	0	0	0	12
ERNREG (COLS. 4989- 4992)	016	26	2431	590.70	321.87	673	1047	0	68	0	0	0	0	19
ERNREG (COLS. 4993- 4996)	017	9	2431	592.59	324.05	679	1033	0	68	0	0	0	0	27
EPNREG (COLS. 4997- 5000)	018	14	2506	607.13	326.29	677	1035	0	68	0	0	0	0	27
ERNREG (COLS. 5001- 5004)	019	8	2433	592.77	325.22	711	993	0	68	0	0	0	0	35
ERNPEG (COLS. 5005- 5008)	020	17	2506	617.85	337.56	721	977	0	68	0	0	0	0	41
ERNREG (COLS. 5009- 5012)	021	5	2425	628.09	343.79	705	989	0	68	0	0	0	0	45
ERNREG (COLS. 5013- 5016)	022	31	2272	644.15	318.58	673	1014	0	68	0	0	0	0	52
ERNREG (COLS. 5017- 5020)	023	42	2272	641.89	324.51	679	1003	0	68	0	0	0	0	57
ERNREG (COLS. 5021- 5024)	024	24	2222	637.12	324.95	682	998	0	68	0	0	0	0	59
ERNREG (COLS. 5025- 5028)	025	38	2186	642.17	320.84	681	999	0	68	0	0	0	0	59
ERNPEG (COLS. 5029- 5032)	026	85	2410	654.34	309.61	620	1049	0	68	0	0	0	0	70
ERNPEG (COLS. 5033- 5036)	027	29	2410	653.87	317.80	631	1037	0	68	0	0	0	0	71
EPNFFC (COLS. 5037- 5040)	028	12	2410	658.01	319.54	629	1030	0	68	0	0	0	0	80
EPNPEG (COLS. 5041- 5044)	029	64	2910	662.30	333.97	631	1027	0	68	0	0	0	0	81
ERNPEG (COLS. 5045- 5048)	030	16	2561	670.55	347.75	631	1015	0	68	0	0	0	0	93
EPNFFC (COLS. 5049- 5052)	031	16	2733	646.38	372.59	702	943	0	68	0	0	0	0	94
ERNPEG (COLS. 5053- 5056)	032	24	2573	664.87	356.36	674	968	0	68	0	0	0	0	97
ERNREG (COLS. 5057- 5060)	033	13	2690	688.67	358.87	621	1019	0	68	0	0	0	0	99
ERNPEG (COLS. 5061- 5064)	034	24	2690	689.72	367.43	622	997	0	68	0	0	0	0	120
ERNREG (COLS. 5065- 5068)	035	13	2690	689.89	364.64	630	977	0	68	0	0	0	0	132
ERNREG (COLS. 5069- 5072)	036	8	2690	683.87	361.04	620	978	0	68	0	0	0	0	141

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
ERNREG (COLS. 5073- 5076)	037	38	3038	690.52	375.95	609	986	0	68	0	0	0	0	0	144
ERNREG (COLS. 5077- 5080)	038	64	3038	696.20	376.23	605	973	0	68	0	0	0	0	0	161
ERNREG (COLS. 5081- 5084)	039	45	3038	719.56	384.64	581	995	0	68	0	0	0	0	0	163
ERNREG (COLS. 5085- 5088)	040	48	2758	744.81	400.22	564	1003	0	68	0	0	0	0	0	172
ERNREG (COLS. 5089- 5092)	041	18	2758	747.95	406.92	569	988	0	68	0	0	0	0	0	182
ERNREG (COLS. 5093- 5096)	042	28	2758	738.69	395.68	576	978	0	68	0	0	0	0	0	185
ERNREG (COLS. 5097- 5100)	043	50	2758	743.33	410.94	618	930	0	68	0	0	0	0	0	191
ERNREG (COLS. 5101- 5104)	044	50	3172	764.68	425.24	589	939	0	68	0	0	0	0	0	211
ERNREG (COLS. 5105- 5108)	045	33	3087	812.97	466.79	551	976	0	68	0	0	0	0	0	212
ERNREG (COLS. 5109- 5112)	046	40	3187	814.93	473.42	562	961	0	68	0	0	0	0	0	216
ERNREG (COLS. 5113- 5116)	047	42	3367	819.98	478.11	558	951	0	68	0	0	0	0	0	230
ERNREG (COLS. 5117- 5120)	048	60	3747	814.63	474.21	492	1005	0	68	0	0	0	0	0	242
ERNDW (COLS. 5121- 5124)	001	48	800	276.90	251.23	10	1729	0	68	0	0	0	0	0	0
ERNDW (COLS. 5125- 5128)	002	24	800	273.30	270.05	10	1729	0	68	0	0	0	0	0	0
ERNDW (COLS. 5129- 5132)	003	48	800	289.44	291.52	9	1730	0	68	0	0	0	0	0	0
ERNDW (COLS. 5133- 5136)	004	48	800	276.11	268.30	9	1730	0	68	0	0	0	0	0	0
ERNDW (COLS. 5137- 5140)	005	48	800	294.78	287.95	9	1730	0	68	0	0	0	0	0	0
ERNDW (COLS. 5141- 5144)	006	48	800	303.00	284.24	9	1730	0	68	0	0	0	0	0	0
ERNDW (COLS. 5145- 5148)	007	48	543	211.75	154.26	8	1731	0	68	0	0	0	0	0	0
ERNDW (COLS. 5149- 5152)	008	48	776	218.38	238.18	8	1731	0	68	0	0	0	0	0	0
ERNDW (COLS. 5153- 5156)	009	48	716	247.38	214.30	8	1731	0	68	0	0	0	0	0	0
ERNDW (COLS. 5157- 5160)	010	20	800	248.89	244.01	9	1730	0	68	0	0	0	0	0	0
ERNDW (COLS. 5161- 5164)	011	45	800	320.50	301.99	8	1731	0	68	0	0	0	0	0	0
ERNDW (COLS. 5165- 5168)	012	10	800	279.33	289.07	9	1730	0	68	0	0	0	0	0	0
ERNDW (COLS. 5169- 5172)	013	40	800	254.40	281.32	10	1729	0	68	0	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
ERNDW (COLS. 5173- 5176)	014	30	712	260.60	224.18	10	1728	0	68	0	0	0	0	1
ERNDW (COLS. 5177- 5180)	015	25	712	293.44	246.01	9	1718	0	68	0	0	0	0	12
ERNDW (COLS. 5181- 5184)	016	40	604	261.00	216.41	8	1712	0	68	0	0	0	0	19
ERNDW (COLS. 5185- 5188)	017	40	604	286.86	220.00	7	1705	0	68	0	0	0	0	27
ERNDW (COLS. 5189- 5192)	018	40	960	300.00	326.26	12	1700	0	68	0	0	0	0	27
ERNDW (COLS. 5193- 5196)	019	100	960	397.78	333.93	9	1695	0	68	0	0	0	0	35
ERNDW (COLS. 5197- 5200)	020	40	960	333.20	349.60	10	1688	0	68	0	0	0	0	41
ERNDW (COLS. 5201- 5204)	021	96	960	369.20	327.80	10	1684	0	68	0	0	0	0	45
ERNDW (COLS. 5205- 5208)	022	46	960	456.18	385.31	11	1676	0	68	0	0	0	0	52
ERNDW (COLS. 5209- 5212)	023	46	960	493.80	384.27	10	1672	0	68	0	0	0	0	57
ERNDW (COLS. 5213- 5216)	024	12	960	454.91	389.03	11	1669	0	68	0	0	0	0	59
ERNDW (COLS. 5217- 5220)	025	24	960	428.10	383.02	10	1670	0	68	0	0	0	0	59
ERNDW (COLS. 5221- 5224)	026	24	249	129.08	83.36	13	1656	0	68	0	0	0	0	70
ERNDW (COLS. 5225- 5228)	027	24	240	126.36	72.99	14	1654	0	68	0	0	0	0	71
ERNDW (COLS. 5229- 5232)	028	24	240	126.36	72.99	14	1645	0	68	0	0	0	0	80
ERNDW (COLS. 5233- 5236)	029	24	240	124.60	70.66	15	1643	0	68	0	0	0	0	81
ERNDW (COLS. 5237- 5240)	030	24	240	124.57	73.98	14	1632	0	68	0	0	0	0	93
ERNDW (COLS. 5241- 5244)	031	24	240	126.43	68.93	14	1631	0	68	0	0	0	0	94
ERNDW (COLS. 5245- 5248)	032	40	300	156.29	70.85	14	1628	0	68	0	0	0	0	97
ERNDW (COLS. 5249- 5252)	033	60	700	187.14	157.01	14	1626	0	68	0	0	0	0	99
ERNDW (COLS. 5253- 5256)	034	60	700	196.07	155.22	14	1605	0	68	0	0	0	0	120
ERNDW (COLS. 5257- 5260)	035	45	350	171.87	74.87	15	1592	0	68	0	0	0	0	132
ERNDW (COLS. 5261- 5264)	036	45	240	150.29	59.82	14	1584	0	68	0	0	0	0	141
ERNDW (COLS. 5265- 5268)	037	45	240	162.73	56.10	11	1584	0	68	0	0	0	0	144
ERNDW (COLS. 5269- 5272)	038	40	300	155.90	75.01	10	1568	0	68	0	0	0	0	161

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
ERNDW (COLS. 5273- 5276)	039	40	200	141.89	62.62	9 1567	0	68	0	0	0	0	0	163
ERNDW (COLS. 5277- 5280)	040	40	312	166.08	88.66	12 1555	0	68	0	0	0	0	0	172
ERNDW (COLS. 5281- 5284)	041	40	300	173.92	88.17	13 1544	0	68	0	0	0	0	0	182
ERNDW (COLS. 5285- 5288)	042	40	306	155.77	98.46	13 1541	0	68	0	0	0	0	0	185
ERNDW (COLS. 5289- 5292)	043	48	300	156.55	88.03	11 1537	0	68	0	0	0	0	0	191
FRNDW (COLS. 5293- 5296)	044	60	489	230.55	127.70	11 1517	0	68	0	0	0	0	0	211
ERNDW (COLS. 5297- 5300)	045	72	489	223.10	124.66	10 1517	0	68	0	0	0	0	0	212
ERNDW (COLS. 5301- 5304)	046	60	489	233.58	123.56	12 1511	0	68	0	0	0	0	0	216
ERNDW (COLS. 5305- 5308)	047	24	489	225.73	133.61	11 1498	0	68	0	0	0	0	0	230
ERNDW (COLS. 5309- 5312)	048	70	489	228.90	137.34	10 1487	0	68	0	0	0	0	0	242
ERNCAS (COLS. 5313- 5316)	001	10	979	110.59	227.81	17 1722	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5317- 5320)	002	10	979	126.00	240.95	15 1724	0	68	0	0	0	0	0	0
EPNCAS (COLS. 5321- 5324)	003	10	979	126.79	249.07	14 1725	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5325- 5328)	004	10	979	120.94	232.91	16 1723	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5329- 5332)	005	2	979	116.38	233.81	16 1723	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5333- 5336)	006	8	979	103.28	189.03	25 1714	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5337- 5340)	007	8	979	112.65	195.39	23 1716	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5341- 5344)	008	8	979	105.65	196.61	23 1716	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5345- 5348)	009	5	979	105.56	222.88	18 1721	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5349- 5352)	010	10	150	47.00	44.59	13 1726	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5353- 5356)	011	10	150	50.09	48.91	11 1728	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5357- 5360)	012	10	200	64.00	57.98	14 1725	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5361- 5364)	013	3	150	51.86	47.28	14 1725	0	68	0	0	0	0	0	0
ERNCAS (COLS. 5365- 5368)	014	10	100	36.56	23.15	16 1722	0	68	0	0	0	0	0	1
ERNCAS (COLS. 5369- 5372)	015	20	100	40.00	25.37	9 1718	0	68	0	0	0	0	0	12

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999
ERNCAS (COLS. 5373- 5376)	016	20	100	41.25	26.83	8 1712	0	68	0	0	0	0	0	19
ERNCAS (COLS. 5377- 5380)	017	10	348	81.55	93.86	11 1701	0	68	0	0	0	0	0	27
EPNCAS (COLS. 5381- 5384)	018	12	105	59.00	30.81	8 1704	0	68	0	0	0	0	0	27
ERNCAS (COLS. 5385- 5388)	019	5	115	57.86	38.39	7 1697	0	68	0	0	0	0	0	35
ERNCAS (COLS. 5389- 5392)	020	45	120	72.14	27.67	7 1691	0	68	0	0	0	0	0	41
ERNCAS (COLS. 5393- 5396)	021	15	160	77.50	46.60	8 1686	0	68	0	0	0	0	0	45
ERNCAS (COLS. 5397- 5400)	022	5	60	30.83	25.18	6 1681	0	68	0	0	0	0	0	52
ERNCAS (COLS. 5401- 5404)	023	5	60	33.00	27.52	5 1677	0	68	0	0	0	0	0	57
ERNCAS (COLS. 5405- 5408)	024	5	60	33.00	27.52	5 1675	0	68	0	0	0	0	0	59
ERNCAS (COLS. 5409- 5412)	025	5	60	33.00	27.52	5 1675	0	68	0	0	0	0	0	59
ERNCAS (COLS. 5413- 5416)	026	2	100	54.83	26.39	12 1657	0	68	0	0	0	0	0	70
ERNCAS (COLS. 5417- 5420)	027	20	100	60.67	23.75	9 1659	0	68	0	0	0	0	0	71
EPNCAS (COLS. 5421- 5424)	028	20	100	60.75	25.39	8 1651	0	68	0	0	0	0	0	80
ERNCAS (COLS. 5425- 5428)	029	20	100	60.75	25.39	8 1650	0	68	0	0	0	0	0	81
ERNCAS (COLS. 5429- 5432)	030	20	100	62.00	25.03	8 1638	0	68	0	0	0	0	0	93
ERNCAS (COLS. 5433- 5436)	031	20	160	76.80	44.69	10 1635	0	68	0	0	0	0	0	94
EPNCAS (COLS. 5437- 5440)	032	7	400	99.75	117.06	12 1630	0	68	0	0	0	0	0	97
ERNCAS (COLS. 5441- 5444)	033	8	400	219.33	197.79	3 1637	0	68	0	0	0	0	0	99
ERNCAS (COLS. 5445- 5448)	034	8	250	129.00	171.12	2 1617	0	68	0	0	0	0	0	120
ERNCAS (COLS. 5449- 5452)	035	8	210	79.00	89.90	4 1603	0	68	0	0	0	0	0	132
ERNCAS (COLS. 5453- 5456)	036	8	210	109.00	142.84	2 1596	0	68	0	0	0	0	0	141
ERNCAS (COLS. 5457- 5460)	037	60	300	130.00	91.47	7 1588	0	68	0	0	0	0	0	144
ERNCAS (COLS. 5461- 5464)	038	60	210	95.00	57.18	6 1572	0	68	0	0	0	0	0	161
ERNCAS (COLS. 5465- 5468)	039	60	210	100.00	54.77	6 1570	0	68	0	0	0	0	0	163
ERNCAS (COLS. 5469- 5472)	040	80	165	111.00	44.50	5 1562	0	68	0	0	0	0	0	172

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
ERNCAS (COLS. 5473- 5476)	041	80	120	92.50	18.93	4	1553	0	68	0	0	0	0	0
ERNCAS (COLS. 5477- 5480)	042	50	260	110.86	69.03	7	1547	0	68	0	0	0	0	0
ERNCAS (COLS. 5481- 5484)	043	35	260	99.50	64.66	10	1538	0	68	0	0	0	0	0
ERNCAS (COLS. 5485- 5488)	044	70	260	118.33	71.67	6	1522	0	68	0	0	0	0	0
ERNCAS (COLS. 5489- 5492)	045	50	150	93.33	33.27	6	1521	0	68	0	0	0	0	0
ERNCAS (COLS. 5493- 5496)	046	15	150	71.00	39.50	10	1513	0	68	0	0	0	0	0
ERNCAS (COLS. 5497- 5500)	047	10	140	77.50	41.66	8	1501	0	68	0	0	0	0	0
ERNCAS (COLS. 5501- 5504)	048	40	140	96.00	35.78	5	1492	0	68	0	0	0	0	0
UECOMP (COLS. 5505- 5508)	001	151	487	233.46	93.57	13	1726	0	68	0	0	0	0	0
UECOMP (COLS. 5509- 5512)	002	136	440	214.67	87.28	12	1727	0	68	0	0	0	0	0
UECOMP (COLS. 5513- 5516)	003	151	487	237.58	96.49	12	1727	0	68	0	0	0	0	0
UECOMP (COLS. 5517- 5520)	004	111	471	210.53	87.87	15	1724	0	68	0	0	0	0	0
UECOMP (COLS. 5521- 5524)	005	29	487	205.60	101.09	15	1724	0	68	0	0	0	0	0
UECOMP (COLS. 5525- 5528)	006	86	571	195.15	87.30	20	1719	0	68	0	0	0	0	0
UECOMP (COLS. 5529- 5532)	007	52	487	214.70	87.38	30	1709	0	68	0	0	0	0	0
UECOMP (COLS. 5533- 5536)	008	5	576	240.39	92.42	106	1633	0	68	0	0	0	0	0
UECOMP (COLS. 5537- 5540)	009	9	557	220.04	86.86	125	1614	0	68	0	0	0	0	0
UECOMP (COLS. 5541- 5544)	010	16	576	234.51	77.36	116	1623	0	68	0	0	0	0	0
UECOMP (COLS. 5545- 5548)	011	7	558	221.66	87.09	115	1624	0	68	0	0	0	0	0
UECOMP (COLS. 5549- 5552)	012	28	523	219.52	78.18	110	1629	0	68	0	0	0	0	0
UECOMP (COLS. 5553- 5556)	013	5	523	203.02	85.35	98	1641	0	68	0	0	0	0	0
UECOMP (COLS. 5557- 5560)	014	3	472	179.77	86.81	78	1660	0	68	0	0	0	0	0
UECOMP (COLS. 5561- 5564)	015	13	471	188.05	109.32	61	1666	0	68	0	0	0	0	0
UECOMP (COLS. 5565- 5568)	016	9	489	188.85	122.69	39	1681	0	68	0	0	0	0	0
UECOMP (COLS. 5569- 5572)	017	69	430	229.87	88.26	23	1689	0	68	0	0	0	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
UECOMP (COLS. 5573- 5576)	018	7	399	161.69	118.14	16	1696	0	68	0	0	0	0	27
UECOMP (COLS. 5577- 5580)	019	26	412	182.85	115.55	13	1691	0	68	0	0	0	0	35
UECOMP (COLS. 5581- 5584)	020	9	531	168.00	144.07	12	1686	0	68	0	0	0	0	41
UECOMP (COLS. 5585- 5588)	021	22	373	168.78	119.07	9	1685	0	68	0	0	0	0	45
UECOMP (COLS. 5589- 5592)	022	14	385	210.00	113.73	7	1680	0	68	0	0	0	0	52
UECOMP (COLS. 5593- 5596)	023	96	360	208.25	90.48	8	1674	0	68	0	0	0	0	57
UECOMP (COLS. 5597- 5600)	024	21	239	176.00	83.74	6	1674	0	68	0	0	0	0	59
UECOMP (COLS. 5601- 5604)	025	31	279	120.13	80.56	8	1672	0	68	0	0	0	0	59
UECOMP (COLS. 5605- 5608)	026	46	300	174.33	66.92	12	1657	0	68	0	0	0	0	70
UECOMP (COLS. 5609- 5612)	027	97	332	187.60	73.03	10	1658	0	68	0	0	0	0	71
UECOMP (COLS. 5613- 5616)	028	55	321	154.09	73.94	11	1648	0	68	0	0	0	0	80
UECOMP (COLS. 5617- 5620)	029	22	332	152.36	95.90	11	1647	0	68	0	0	0	0	81
UECOMP (COLS. 5621- 5624)	030	13	214	155.78	70.11	9	1637	0	68	0	0	0	0	93
UECOMP (COLS. 5625- 5628)	031	108	205	151.17	41.16	6	1639	0	68	0	0	0	0	94
UECOMP (COLS. 5629- 5632)	032	5	306	145.67	112.64	6	1636	0	68	0	0	0	0	97
UECOMP (COLS. 5633- 5636)	033	39	225	161.43	60.58	7	1633	0	68	0	0	0	0	99
UECOMP (COLS. 5637- 5640)	034	46	499	186.89	135.60	9	1610	0	68	0	0	0	0	120
UECOMP (COLS. 5641- 5644)	035	24	483	203.38	147.35	8	1599	0	68	0	0	0	0	132
UECOMP (COLS. 5645- 5648)	036	31	322	169.00	100.94	11	1587	0	68	0	0	0	0	141
UECOMP (COLS. 5649- 5652)	037	9	231	118.15	81.10	13	1562	0	68	0	0	0	0	144
UECOMP (COLS. 5653- 5656)	038	13	385	159.92	123.19	12	1566	0	68	0	0	0	0	161
UECOMP (COLS. 5657- 5660)	039	8	542	188.38	149.16	13	1563	0	68	0	0	0	0	163
UECOMP (COLS. 5661- 5664)	040	32	274	111.44	74.09	9	1558	0	68	0	0	0	0	172
UECOMP (COLS. 5665- 5668)	041	50	283	162.40	97.65	5	1552	0	68	0	0	0	0	182
UECOMP (COLS. 5669- 5672)	042	41	274	161.40	102.51	5	1549	0	68	0	0	0	0	185

FAMILY VARIABLES

VARIABLE DESCRIPTION		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
UECOMP (COLS. 5673- 5676)		043	53	197	113.80	67.71	5	1543	0	68	0	0	0	0	0	191
UECOMP (COLS. 5677- 5680)		044	63	240	144.25	79.74	4	1524	0	68	0	0	0	0	0	211
UECOMP (COLS. 5681- 5684)		045	11	390	149.25	176.05	4	1523	0	68	0	0	0	0	0	212
UECOMP (COLS. 5685- 5688)		046	177	177	177.00	0.0	1	1522	0	68	0	0	0	0	0	216
UECOMP (COLS. 5689- 5692)		047	80	200	150.33	62.61	3	1506	0	68	0	0	0	0	0	230
UECOMP (COLS. 5693- 5696)		048	6	6	6.00	0.0	1	1496	0	68	0	0	0	0	0	242
STRIKE (COLS. 5697- 5700)		001	65	204	116.00	55.72	5	1734	0	68	0	0	0	0	0	0
STRIKE (COLS. 5701- 5704)		002	65	204	116.00	55.72	5	1734	0	68	0	0	0	0	0	0
STRIKE (COLS. 5705- 5708)		003	65	204	116.00	55.72	5	1734	0	68	0	0	0	0	0	0
STRIKE (COLS. 5709- 5712)		004	65	306	167.67	92.20	6	1733	0	68	0	0	0	0	0	0
STRIKE (COLS. 5713- 5716)		005	65	306	167.67	92.20	6	1733	0	68	0	0	0	0	0	0
STRIKE (COLS. 5717- 5720)		006	65	901	246.44	263.28	9	1730	0	68	0	0	0	0	0	0
STRIKE (COLS. 5721- 5724)		007	67	320	165.22	94.97	9	1730	0	68	0	0	0	0	0	0
STRIKE (COLS. 5725- 5728)		008	50	328	124.31	77.10	35	1704	0	68	0	0	0	0	0	0
STRIKE (COLS. 5729- 5732)		009	32	328	152.68	84.23	51	1698	0	68	0	0	0	0	0	0
STRIKE (COLS. 5733- 5736)		010	32	328	155.47	82.96	40	1699	0	68	0	0	0	0	0	0
STRIKE (COLS. 5737- 5740)		011	32	328	151.85	81.71	41	1698	0	68	0	0	0	0	0	0
STRIKE (COLS. 5741- 5744)		012	32	284	144.46	73.13	37	1702	0	68	0	0	0	0	0	0
STRIKE (COLS. 5745- 5748)		013	27	295	137.79	77.58	33	1706	0	68	0	0	0	0	0	0
STRIKE (COLS. 5749- 5752)		014	70	428	215.50	139.10	8	1730	0	68	0	0	0	0	0	1
STRIKE (COLS. 5753- 5756)		015	70	428	219.14	148.63	7	1720	0	68	0	0	0	0	0	12
STRIKE (COLS. 5757- 5760)		016	70	428	252.86	141.58	7	1713	0	68	0	0	0	0	0	19
STRIKE (COLS. 5761- 5764)		017	70	372	222.29	118.72	7	1705	0	68	0	0	0	0	0	27
STRIKE (COLS. 5765- 5768)		018	92	340	184.86	103.27	7	1705	0	68	0	0	0	0	0	27
STRIKE (COLS. 5769- 5772)		019	2	428	222.56	145.92	9	1695	0	68	0	0	0	0	0	35

FAMILY VARIABLES

VARIABLE DESCRIPTION	MN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
STRIKE (COLS. 5773- 5776)	020	92	540	276.90	146.43	10	1688	0	68	0	0	0	0	41
STRIKE (COLS. 5777- 5780)	021	34	540	262.79	140.65	14	1680	0	68	0	0	0	0	45
STRIKE (COLS. 5781- 5784)	022	120	120	120.00	0.0	1	1686	0	68	0	0	0	0	52
STRIKE (COLS. 5785- 5788)	023	120	120	120.00	0.0	1	1681	0	68	0	0	0	0	57
STRIKE (COLS. 5789- 5792)	024	120	340	230.00	155.56	2	1678	0	68	0	0	0	0	59
STRIKE (COLS. 5793- 5796)	025	120	340	203.67	119.06	3	1677	0	68	0	0	0	0	59
STRIKE (COLS. 5797- 5800)	026	0	0	0.0	0.0	0	1669	0	68	0	0	0	0	70
STRIKE (COLS. 5801- 5804)	027	0	0	0.0	0.0	0	1668	0	68	0	0	0	0	71
STRIKE (COLS. 5805- 5808)	028	0	0	0.0	0.0	0	1659	0	68	0	0	0	0	80
STRIKE (COLS. 5809- 5812)	029	0	0	0.0	0.0	0	1658	0	68	0	0	0	0	81
STRIKE (COLS. 5813- 5816)	030	0	0	0.0	0.0	0	1646	0	68	0	0	0	0	93
STRIKE (COLS. 5817- 5820)	031	0	0	0.0	0.0	0	1645	0	68	0	0	0	0	94
STRIKE (COLS. 5821- 5824)	032	0	0	0.0	0.0	0	1642	0	68	0	0	0	0	97
STRIKE (COLS. 5825- 5828)	033	0	0	0.0	0.0	0	1640	0	68	0	0	0	0	99
STRIKE (COLS. 5829- 5832)	034	0	0	0.0	0.0	0	1619	0	68	0	0	0	0	120
STRIKE (COLS. 5833- 5836)	035	0	0	0.0	0.0	0	1607	0	68	0	0	0	0	132
STRIKE (COLS. 5837- 5840)	036	75	75	75.00	0.0	1	1597	0	68	0	0	0	0	141
STRIKE (COLS. 5841- 5844)	037	214	214	214.00	0.0	1	1594	0	68	0	0	0	0	144
STRIKE (COLS. 5845- 5848)	038	0	0	0.0	0.0	0	1578	0	68	0	0	0	0	161
STRIKE (COLS. 5849- 5852)	039	0	0	0.0	0.0	0	1576	0	68	0	0	0	0	163
STRIKE (COLS. 5853- 5856)	040	0	0	0.0	0.0	0	1567	0	68	0	0	0	0	172
STRIKE (COLS. 5857- 5860)	041	0	0	0.0	0.0	0	1557	0	68	0	0	0	0	182
STRIKE (COLS. 5861- 5864)	042	107	107	107.00	0.0	1	1553	0	68	0	0	0	0	185
STRIKE (COLS. 5865- 5868)	043	93	250	171.50	111.02	2	1546	0	68	0	0	0	0	191
STRIKE (COLS. 5869- 5872)	044	14	250	132.00	166.88	2	1526	0	68	0	0	0	0	211

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
STRIKE (COLS. 5873- 5876)	045	107	250	178.50	101.12	2	1525	0	68	0	0	0	0	0	212
STRIKF (COLS. 5877- 5880)	046	75	250	162.50	123.74	2	1521	0	68	0	0	0	0	0	216
STRIKE (COLS. 5881- 5884)	047	250	250	250.00	0.0	1	1508	0	68	0	0	0	0	0	230
STRIKF (COLS. 5885- 5888)	048	0	0	0.0	0.0	0	1497	0	68	0	0	0	0	0	242
MTH1 (COLS. 5897- 5898)		1	16	3.87	2.55	1767	35	0	0	5	0	0	0	0	0
MTH2 (COLS. 5899- 5900)		35	42	38.54	1.97	1802	0	0	0	5	0	0	0	0	0
SSIX (COLS. 5901- 5905)	000	0	0	0.0	0.0	0	35	0	0	0	317	0	1455	0	0
SSIX (COLS. 5906- 5910)	001	19	200	78.63	55.23	8	343	0	0	0	228	0	1228	0	0
SSIX (COLS. 5911- 5915)	002	19	200	82.65	39.75	23	551	0	0	0	441	0	792	0	0
SSIX (COLS. 5916- 5920)	003	19	200	79.14	40.44	37	968	0	0	0	218	0	583	0	1
SSIX (COLS. 5921- 5925)	004	7	275	83.03	51.01	38	1157	0	0	0	199	0	409	0	4
SSIX (COLS. 5926- 5930)	005	19	180	75.53	35.84	36	1318	0	0	0	268	0	173	0	12
SSIX (COLS. 5931- 5935)	006	13	265	82.68	46.46	44	1546	0	0	0	68	0	126	0	23
SSIX (COLS. 5936- 5940)	007	19	265	83.39	45.44	41	1591	0	0	0	20	0	125	0	30
SSIX (COLS. 5941- 5945)	008	19	265	82.27	47.26	41	1581	0	0	0	24	0	123	0	38
SSIX (COLS. 5946- 5950)	009	21	265	86.04	46.88	47	1568	0	0	0	95	0	52	0	45
SSIX (COLS. 5951- 5955)	010	19	265	83.83	44.47	42	1626	0	0	0	48	0	36	0	55
SSIX (COLS. 5956- 5960)	011	19	265	83.67	44.51	42	1638	0	0	0	58	0	9	0	60
SSIX (COLS. 5961- 5965)	012	19	265	85.10	43.24	40	1655	0	0	0	43	0	7	0	62
SSIX (COLS. 5966- 5970)	013	19	265	85.61	43.21	36	1633	0	0	0	71	0	3	0	64
SSIX (COLS. 5971- 5975)	014	19	267	85.54	42.84	37	1625	0	0	0	75	0	3	0	67
SSIX (COLS. 5976- 5980)	015	19	267	85.51	42.85	37	1619	0	0	0	70	0	1	0	80
SSIX (COLS. 5981- 5985)	016	10	232	84.57	40.51	35	1624	0	0	0	60	0	1	0	87
SSIX (COLS. 5986- 5990)	017	10	290	93.26	57.58	39	1598	0	0	0	75	0	0	0	95
SSIX (COLS. 5991- 5995)	018	10	232	85.22	39.99	36	1586	0	0	0	88	0	0	0	95

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
SSIX (COLS. 5996- 6000)	019	10	232	84.64	40.22	36	1591	0	0	0	77	0	0	0	103
SSIX (COLS. 6001- 6005)	020	10	235	88.67	45.78	36	1577	0	0	0	85	0	0	0	109
SSIX (COLS. 6006- 6010)	021	10	235	86.54	40.79	39	1553	0	0	0	102	0	0	0	113
SSIX (COLS. 6011- 6015)	022	7	235	83.55	42.53	40	1557	0	0	0	90	0	0	0	120
SSIX (COLS. 6016- 6020)	023	10	180	77.49	36.08	39	1561	0	0	0	82	0	0	0	125
SSIX (COLS. 6021- 6025)	024	5	230	85.52	44.06	42	1549	0	0	0	89	0	0	0	127
SSIX (COLS. 6026- 6030)	025	5	230	84.95	44.23	41	1552	0	0	0	87	0	0	0	127
SSIX (COLS. 6031- 6035)	026	5	230	84.15	41.07	39	1542	0	0	0	88	0	0	0	138
SSIX (COLS. 6036- 6040)	027	5	230	84.20	38.95	41	1539	0	0	0	88	0	0	0	139
SSIX (COLS. 6041- 6045)	028	5	230	84.45	38.21	42	1510	0	0	0	107	0	0	0	148
SSIX (COLS. 6046- 6050)	029	9	230	85.07	37.28	43	1498	0	0	0	117	0	0	0	149
SSIX (COLS. 6051- 6055)	030	6	230	87.04	36.42	45	1476	0	0	0	125	0	0	0	161
SSIX (COLS. 6056- 6060)	031	6	230	87.94	37.32	48	1461	0	0	0	136	0	0	0	162
SSIX (COLS. 6061- 6065)	032	6	235	87.22	36.88	51	1443	0	0	0	148	0	0	0	165
SSIX (COLS. 6066- 6070)	033	6	235	84.96	36.64	49	1433	0	0	0	158	0	0	0	167
SSIX (COLS. 6071- 6075)	034	6	235	85.40	36.93	48	1424	0	0	0	147	0	0	0	188
SSIX (COLS. 6076- 6080)	035	6	235	86.81	34.78	47	1392	0	0	0	138	0	30	0	200
SSIX (COLS. 6081- 6085)	036	6	175	94.22	33.69	36	1130	0	0	0	122	0	310	0	209
SSIX (COLS. 6086- 6090)	037	54	366	131.14	54.13	29	945	0	0	0	114	0	507	0	212
SSIX (COLS. 6091- 6095)	038	80	307	138.71	55.84	14	599	0	0	0	79	0	886	0	229
SSIX (COLS. 6096- 6100)	039	80	274	133.78	62.01	9	428	0	0	0	60	0	1079	0	231
SSIX (COLS. 6101- 6105)	040	78	140	103.60	33.24	5	293	0	0	0	48	0	1221	0	240
SSIX (COLS. 6106- 6110)	041	140	140	140.00	0.0	1	106	0	0	0	26	0	1424	0	250
SSIX (COLS. 6111- 6115)	042	0	0	0.0	0.0	0	0	0	0	0	0	0	1554	0	253
TTX (COLS. 116- 6120)	000	0	0	0.0	0.0	0	35	0	0	0	317	0	1455	0	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
TTX (COLS. 6121- 6125)	001	18	240	97.67	123.56	3	348	0	0	0	228	0	1228	0	0
TTX (COLS. 6126- 6130)	002	18	154	57.33	42.34	9	565	0	0	0	441	0	792	0	0
TTX (COLS. 6131- 6135)	003	18	154	67.67	40.75	15	590	0	0	0	218	0	583	0	1
TTX (COLS. 6136- 6140)	004	7	500	98.50	133.34	12	1183	0	0	0	199	0	409	0	4
TTX (COLS. 6141- 6145)	005	10	180	69.06	37.65	16	1338	0	0	0	268	0	173	0	12
TTX (COLS. 6146- 6150)	006	35	156	77.73	42.04	11	1579	0	0	0	68	0	126	0	23
TTX (COLS. 6151- 6155)	007	35	153	81.54	31.05	24	1608	0	0	0	20	0	125	0	30
TTX (COLS. 6156- 6160)	008	15	197	86.78	45.69	49	1573	0	0	0	24	0	123	0	38
TTX (COLS. 6161- 6165)	009	24	228	89.96	47.59	47	1568	0	0	0	95	0	52	0	45
TTX (COLS. 6166- 6170)	010	35	228	88.70	44.03	30	1638	0	0	0	48	0	36	0	55
TTX (COLS. 6171- 6175)	011	14	175	74.51	37.44	39	1641	0	0	0	58	0	9	0	60
TTX (COLS. 6176- 6180)	012	14	175	73.97	40.40	37	1658	0	0	0	43	0	7	0	62
TTX (COLS. 6181- 6185)	013	14	175	71.96	32.08	36	1633	0	0	0	71	0	3	0	64
TTX (COLS. 6186- 6190)	014	35	135	64.91	22.69	22	1640	0	0	0	75	0	3	0	67
TTX (COLS. 6191- 6195)	015	36	159	67.95	31.46	22	1634	0	0	0	70	0	1	0	80
TTX (COLS. 6196- 6200)	016	15	164	65.74	26.72	23	1636	0	0	0	60	0	1	0	87
TTX (COLS. 6201- 6205)	017	27	164	63.87	34.15	23	1614	0	0	0	75	0	0	0	95
TTX (COLS. 6206- 6210)	018	24	128	65.24	29.34	17	1607	0	0	0	88	0	0	0	95
TTX (COLS. 6211- 6215)	019	17	228	76.53	57.13	15	1612	0	0	0	77	0	0	0	103
TTX (COLS. 6216- 6220)	020	27	132	58.20	34.43	10	1603	0	0	0	85	0	0	0	109
TTX (COLS. 6221- 6225)	021	25	132	61.09	39.12	11	1581	0	0	0	102	0	0	0	113
TTX (COLS. 6226- 6230)	022	4	166	61.92	47.27	12	1585	0	0	0	90	0	0	0	120
TTX (COLS. 6231- 6235)	023	12	157	61.70	51.19	10	1590	0	0	0	82	0	0	0	125
TTX (COLS. 6236- 6240)	024	10	152	53.33	42.97	9	1582	0	0	0	89	0	0	0	127
TTX (COLS. 6241- 6245)	025	30	152	73.00	34.54	11	1582	0	0	0	87	0	0	0	127

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MFAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999
TTX (COLS. 6246- 6250)	026	20	154	73.00	44.19	14	1567	0	0	0	88	0	0	0
TTX (COLS. 6251- 6255)	027	8	152	61.00	40.98	13	1567	0	0	0	88	0	0	0
TTX (COLS. 6256- 6260)	028	30	177	69.60	61.48	5	1547	0	0	0	107	0	0	0
TTX (COLS. 6261- 6265)	029	30	120	62.88	29.74	6	1533	0	0	0	117	0	0	0
TTX (COLS. 6266- 6270)	030	30	141	69.83	40.78	6	1515	0	0	0	125	0	0	0
TTX (COLS. 6271- 6275)	031	38	138	60.30	29.42	10	1459	0	0	0	136	0	0	0
TTX (COLS. 6276- 6280)	032	33	175	72.28	38.69	12	1476	0	0	0	148	0	0	0
TTX (COLS. 6281- 6285)	033	4	120	51.66	27.60	13	1469	0	0	0	158	0	0	0
TTX (COLS. 6286- 6290)	034	15	214	76.71	48.99	17	1455	0	0	0	147	0	0	0
TTX (COLS. 6291- 6295)	035	36	183	66.00	34.12	19	1420	0	0	0	138	0	30	0
TTX (COLS. 6296- 6300)	036	11	160	56.29	37.35	14	1152	0	0	0	122	0	310	0
TTX (COLS. 6301- 6305)	037	20	80	56.71	16.43	14	960	0	0	0	114	0	507	0
TTX (COLS. 6306- 6310)	038	38	80	59.44	11.44	9	604	0	0	0	79	0	886	0
TTX (COLS. 6311- 6315)	039	38	90	57.45	15.44	11	626	0	0	0	60	0	1079	0
TTX (COLS. 6316- 6320)	040	38	194	87.50	60.19	6	292	0	0	0	48	0	1221	0
TTX (COLS. 6321- 6325)	041	55	150	94.00	49.73	3	104	0	0	0	26	0	1424	0
TTX (COLS. 6326- 6330)	042	0	0	0.0	0.0	0	0	0	0	0	0	0	1554	0
FSVALX (COLS. 6331- 6335)	000	106	114	108.67	4.62	3	32	0	0	0	317	0	1455	0
FSVALX (COLS. 6336- 6340)	001	28	228	105.93	39.69	111	240	0	0	0	228	0	1228	0
FSVALX (COLS. 6341- 6345)	002	28	318	112.45	45.29	209	365	0	0	0	441	0	792	0
FSVALX (COLS. 6346- 6350)	003	18	260	113.19	46.25	368	637	0	0	0	218	0	583	0
FSVALX (COLS. 6351- 6355)	004	28	260	114.59	43.99	465	730	0	0	0	199	0	409	0
FSVALX (COLS. 6356- 6360)	005	28	260	112.71	44.32	511	843	0	0	0	268	0	173	0
FSVALX (COLS. 6361- 6365)	006	8	840	115.54	54.33	584	1006	0	0	0	68	0	126	0
FSVALX (COLS. 6366- 6370)	007	28	840	117.66	54.37	579	1053	0	0	0	20	0	125	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
FSVALX (COLS. 6371- 6375)	008	28	280	115.90	44.72	593	1029	0	0	0	24	0	123	0	38
FSVALX (COLS. 6376- 6380)	009	28	840	118.08	53.42	601	1014	0	0	0	95	0	52	0	45
FSVALX (COLS. 6381- 6385)	010	28	308	114.93	44.50	572	1096	0	0	0	48	0	36	0	55
FSVALX (COLS. 6386- 6390)	011	28	260	114.75	44.78	557	1123	0	0	0	58	0	9	0	60
FSVALX (COLS. 6391- 6395)	012	28	308	114.86	46.77	559	1136	0	0	0	43	0	7	0	62
FSVALX (COLS. 6396- 6400)	013	12	308	114.91	45.77	547	1122	0	0	0	71	0	3	0	64
FSVALX (COLS. 6401- 6405)	014	28	260	115.44	44.99	533	1129	0	0	0	75	0	3	0	67
FSVALX (COLS. 6406- 6410)	015	28	260	115.03	44.53	498	1158	0	0	0	70	0	1	0	80
FSVALX (COLS. 6411- 6415)	016	32	292	115.04	45.44	469	1190	0	0	0	60	0	1	0	87
FSVALX (COLS. 6416- 6420)	017	20	260	113.67	44.45	466	1171	0	0	0	75	0	0	0	95
FSVALX (COLS. 6421- 6425)	018	20	260	114.40	45.66	454	1170	0	0	0	88	0	0	0	95
FSVALX (COLS. 6426- 6430)	019	20	304	117.90	48.08	456	1171	0	0	0	77	0	0	0	103
FSVALX (COLS. 6431- 6435)	020	20	304	118.70	49.21	440	1173	0	0	0	85	0	0	0	109
FSVALX (COLS. 6436- 6440)	021	20	3224	125.56	159.56	418	1174	0	0	0	102	0	0	0	113
FSVALX (COLS. 6441- 6445)	022	20	3224	126.18	160.34	414	1183	0	0	0	90	0	0	0	120
FSVALX (COLS. 6446- 6450)	023	20	3224	126.31	160.72	412	1188	0	0	0	82	0	0	0	125
FSVALX (COLS. 6451- 6455)	024	30	3224	125.77	162.46	403	1188	0	0	0	89	0	0	0	127
FSVALX (COLS. 6456- 6460)	025	26	272	118.03	47.15	416	1177	0	0	0	87	0	0	0	127
FSVALX (COLS. 6461- 6465)	026	36	304	119.06	47.08	418	1163	0	0	0	88	0	0	0	138
FSVALX (COLS. 6466- 6470)	027	36	304	120.49	47.19	406	1174	0	0	0	88	0	0	0	139
FSVALX (COLS. 6471- 6475)	028	32	280	122.42	47.35	414	1138	0	0	0	107	0	0	0	148
FSVALX (COLS. 6476- 6480)	029	34	272	122.50	47.13	400	1161	0	0	0	117	0	0	0	149
FSVALX (COLS. 6481- 6485)	030	23	304	122.65	47.76	401	1120	0	0	0	125	0	0	0	161
FSVALX (COLS. 6486- 6490)	031	33	284	125.44	49.79	406	1103	0	0	0	136	0	0	0	162
FSVALX (COLS. 6491- 6495)	032	23	296	126.71	50.31	432	1062	0	0	0	148	0	0	0	165

Computer Data Division of American Management Systems, Inc.

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRFO	ZERD	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
FSVALX (COLS. 6496- 6500)	033	18	296	125.56	49.35	400	1082	0	0	0	158	0	0	0
FSVALX (COLS. 6501- 6505)	034	38	296	126.85	48.77	400	1072	0	0	0	147	0	0	0
FSVALX (COLS. 6506- 6510)	035	30	296	124.31	50.19	401	1038	0	0	0	138	0	30	0
FSVALX (COLS. 6511- 6515)	036	35	302	130.64	54.16	326	840	0	0	0	122	0	310	0
FSVALX (COLS. 6516- 6520)	037	40	360	150.38	63.36	246	728	0	0	0	114	0	507	0
FSVALX (COLS. 6521- 6525)	038	60	362	148.94	59.14	157	456	0	0	0	79	0	886	0
FSVALX (COLS. 6526- 6530)	039	62	362	155.40	60.56	99	338	0	0	0	60	0	1079	0
FSVALX (COLS. 6531- 6535)	040	78	342	151.70	54.42	63	235	0	0	0	48	0	1221	0
FSVALX (COLS. 6536- 6540)	041	78	194	140.27	39.02	11	96	0	0	0	26	0	1424	0
FSVALX (COLS. 6541- 6545)	042	0	0	0.0	0.0	0	0	0	0	0	0	0	1554	0
FSAMTX (COLS. 6546- 6550)	000	13	57	36.67	22.19	3	32	0	0	0	317	0	1455	0
FSAMTX (COLS. 6551- 6555)	001	4	118	51.55	26.23	111	240	0	0	0	228	0	1228	0
FSAMTX (COLS. 6556- 6560)	002	1	146	42.70	28.98	207	367	0	0	0	441	0	792	0
FSAMTX (COLS. 6561- 6565)	003	1	146	50.20	31.22	366	639	0	0	0	218	0	583	0
FSAMTX (COLS. 6566- 6570)	004	1	146	53.21	31.17	462	733	0	0	0	199	0	409	0
FSAMTX (COLS. 6571- 6575)	005	1	146	52.93	30.91	509	845	0	0	0	268	0	173	0
FSAMTX (COLS. 6576- 6580)	006	1	146	54.31	30.43	584	1006	0	0	0	68	0	126	0
FSAMTX (COLS. 6581- 6585)	007	2	640	56.77	40.02	579	1053	0	0	0	20	0	125	0
FSAMTX (COLS. 6586- 6590)	008	1	174	56.83	32.36	586	1036	0	0	0	24	0	123	0
FSAMTX (COLS. 6591- 6595)	009	1	144	57.64	31.16	597	1018	0	0	0	95	0	52	0
FSAMTX (COLS. 6596- 6600)	010	1	210	58.81	32.52	573	1095	0	0	0	48	0	36	0
FSAMTX (COLS. 6601- 6605)	011	1	158	57.87	31.72	557	1123	0	0	0	58	0	9	0
FSAMTX (COLS. 6606- 6610)	012	1	158	57.92	32.33	558	1137	0	0	0	43	0	7	0
FSAMTX (COLS. 6611- 6615)	013	1	158	57.68	31.78	547	1122	0	0	0	71	0	3	0
FSAMTX (COLS. 6616- 6620)	014	1	158	59.06	31.90	533	1129	0	0	0	75	0	3	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
FSAMTX (COLS. 6621- 6625)	015	1	158	59.08	32.05	498	1158	0	0	0	70	0	1	0	80
FSAMTX (COLS. 6626- 6630)	016	4	164	59.24	32.35	467	1192	0	0	0	60	0	1	0	87
FSAMTX (COLS. 6631- 6635)	017	4	200	58.50	32.46	462	1175	0	0	0	75	0	0	0	95
FSAMTX (COLS. 6636- 6640)	018	4	164	58.58	32.43	453	1171	0	0	0	88	0	0	0	95
FSAMTX (COLS. 6641- 6645)	019	4	176	60.35	34.35	454	1173	0	0	0	77	0	0	0	103
FSAMTX (COLS. 6646- 6650)	020	4	197	60.76	35.00	440	1173	0	0	0	85	0	0	0	109
FSAMTX (COLS. 6651- 6655)	021	1	164	59.71	34.04	418	1174	0	0	0	102	0	0	0	113
FSAMTX (COLS. 6656- 6660)	022	1	212	60.46	35.87	414	1183	0	0	0	90	0	0	0	120
FSAMTX (COLS. 6661- 6665)	023	1	212	59.93	35.97	412	1188	0	0	0	82	0	0	0	125
FSAMTX (COLS. 6666- 6670)	024	1	213	59.73	35.88	403	1188	0	0	0	89	0	0	0	127
FSAMTX (COLS. 6671- 6675)	025	4	188	59.38	34.71	415	1178	0	0	0	87	0	0	0	127
FSAMTX (COLS. 6676- 6680)	026	4	188	59.67	34.70	418	1163	0	0	0	88	0	0	0	138
FSAMTX (COLS. 6681- 6685)	027	1	188	61.22	34.94	406	1174	0	0	0	88	0	0	0	139
FSAMTX (COLS. 6686- 6690)	028	1	188	63.80	35.62	414	1138	0	0	0	107	0	0	0	148
FSAMTX (COLS. 6691- 6695)	029	1	188	63.17	35.42	400	1141	0	0	0	117	0	0	0	149
FSAMTX (COLS. 6696- 6700)	030	1	188	63.15	37.05	402	1119	0	0	0	125	0	0	0	161
FSAMTX (COLS. 6701- 6705)	031	4	192	63.68	38.85	404	1105	0	0	0	136	0	0	0	162
FSAMTX (COLS. 6706- 6710)	032	1	192	65.07	39.36	431	1063	0	0	0	148	0	0	0	165
FSAMTX (COLS. 6711- 6715)	033	4	197	62.24	37.95	399	1083	0	0	0	158	0	0	0	167
FSAMTX (COLS. 6716- 6720)	034	1	184	63.91	38.02	400	1072	0	0	0	147	0	0	0	188
FSAMTX (COLS. 6721- 6725)	035	1	192	63.53	38.13	401	1038	0	0	0	138	0	0	0	200
FSAMTX (COLS. 6726- 6730)	036	1	192	64.16	40.23	326	840	0	0	0	122	0	310	0	209
FSAMTX (COLS. 6731- 6735)	037	1	239	69.10	44.98	246	728	0	0	0	114	0	507	0	212
FSAMTX (COLS. 6736- 6740)	038	7	234	67.10	41.95	157	456	0	0	0	79	0	886	0	229
FSAMTX (COLS. 6741- 6745)	039	10	234	67.04	44.10	99	338	0	0	0	60	0	1079	0	231

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
FSAMTX (COLS. 6746- 6750)	040	4	234	61.51	38.61	63	235	0	0	0	48	0	1221	0	240
FSAMTX (COLS. 6751- 6755)	041	10	97	43.36	24.06	11	96	0	0	0	26	0	1424	0	250
FSAMTX (COLS. 6756- 6760)	042	0	0	0.0	0.0	0	0	0	0	0	0	0	1554	0	253
SOCSEX (COLS. 6761- 6765)	000	232	232	232.00	0.0	1	34	0	0	0	317	0	1455	0	0
SOCSEX (COLS. 6766- 6770)	001	50	450	204.59	105.62	46	305	0	0	0	228	0	1228	0	0
SOCSEX (COLS. 6771- 6775)	002	40	490	202.24	108.64	94	480	0	0	0	441	0	792	0	0
SOCSEX (COLS. 6776- 6780)	003	48	450	207.25	106.36	155	850	0	0	0	218	0	583	0	1
SOCSEX (COLS. 6781- 6785)	004	35	435	203.16	107.23	188	1007	0	0	0	199	0	409	0	4
SOCSEX (COLS. 6786- 6790)	005	38	521	215.60	114.58	192	1162	0	0	0	268	0	173	0	12
SOCSEX (COLS. 6791- 6795)	006	38	532	230.47	122.19	221	1369	0	0	0	68	0	126	0	23
SOCSEX (COLS. 6796- 6800)	007	38	503	222.44	117.65	226	1406	0	0	0	20	0	125	0	30
SOCSEX (COLS. 6801- 6805)	008	38	475	220.72	116.45	228	1394	0	0	0	24	0	123	0	38
SOCSEX (COLS. 6806- 6810)	009	38	573	224.37	119.66	231	1384	0	0	0	95	0	52	0	45
SOCSEFX (COLS. 6811- 6815)	010	11	479	225.47	119.29	226	1442	0	0	0	48	0	36	0	55
SOCSEX (COLS. 6816- 6820)	011	38	1416	231.89	144.53	225	1455	0	0	0	58	0	9	0	60
SOCSEX (COLS. 6821- 6825)	012	38	569	231.72	122.88	227	1468	0	0	0	43	0	7	0	62
SOCSEX (COLS. 6826- 6830)	013	13	550	229.89	120.27	226	1443	0	0	0	71	0	3	0	64
SOCSEX (COLS. 6831- 6835)	014	38	479	228.79	117.76	232	1430	0	0	0	75	0	3	0	67
SOCSEFX (COLS. 6836- 6840)	015	38	549	229.25	120.26	234	1422	0	0	0	70	0	1	0	80
SOCSEX (COLS. 6841- 6845)	016	38	480	232.74	120.12	236	1423	0	0	0	60	0	1	0	87
SOCSEFX (COLS. 6846- 6850)	017	37	494	229.00	120.69	244	1393	0	0	0	75	0	0	0	95
SOCSEFX (COLS. 6851- 6855)	018	35	494	227.58	120.66	244	1380	0	0	0	88	0	0	0	95
SOCSEFX (COLS. 6856- 6860)	019	30	468	226.02	120.54	246	1381	0	0	0	77	0	0	0	103
SOCSEFX (COLS. 6861- 6865)	020	30	474	229.38	122.24	239	1374	0	0	0	85	0	0	0	109
SOCSEX (COLS. 6- 6870)	021	35	549	243.23	133.46	242	1350	0	0	0	102	0	0	0	113

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
SOCSEX (COLS. 6871- 6875)	022	36	949	263.48	145.12	240	1357	0	0	0	90	0	0	0
SOCSEX (COLS. 6876- 6880)	023	36	1980	272.28	179.13	243	1357	0	0	0	82	0	0	0
SOCSEX (COLS. 6881- 6885)	024	36	578	266.17	141.86	240	1351	0	0	0	89	0	0	0
SOCSEX (COLS. 6886- 6890)	025	36	1838	274.89	174.64	242	1351	0	0	0	87	0	0	0
SOCSEX (COLS. 6891- 6895)	026	14	579	267.75	142.79	241	1340	0	0	0	88	0	0	0
SOCSEX (COLS. 6896- 6900)	027	9	579	265.05	142.35	248	1332	0	0	0	88	0	0	0
SOCSEX (COLS. 6901- 6905)	028	9	579	266.42	144.54	245	1307	0	0	0	107	0	0	0
SOCSEX (COLS. 6906- 6910)	029	9	579	259.33	143.94	253	1288	0	0	0	117	0	0	0
SOCSEX (COLS. 6911- 6915)	030	9	612	262.57	147.81	254	1267	0	0	0	125	0	0	0
SOCSEX (COLS. 6916- 6920)	031	8	2020	268.77	182.61	257	1252	0	0	0	136	0	0	0
SOCSEX (COLS. 6921- 6925)	032	26	606	268.30	147.11	254	1240	0	0	0	148	0	0	0
SOCSEX (COLS. 6926- 6930)	033	9	606	259.50	147.56	251	1231	0	0	0	158	0	0	0
SOCSEX (COLS. 6931- 6935)	034	8	1049	261.86	155.15	253	1219	0	0	0	147	0	0	0
SOCSEX (COLS. 6936- 6940)	035	9	3921	270.98	274.36	249	1190	0	0	0	138	0	30	0
SOCSEX (COLS. 6941- 6945)	036	9	606	261.40	142.90	201	965	0	0	0	122	0	310	0
SOCSEX (COLS. 6946- 6950)	037	26	606	260.16	142.03	158	816	0	0	0	114	0	507	0
SOCSEX (COLS. 6951- 6955)	038	48	541	259.22	148.87	82	531	0	0	0	79	0	886	0
SOCSEX (COLS. 6956- 6960)	039	73	546	279.37	150.99	51	386	0	0	0	60	0	1079	0
SOCSEX (COLS. 6961- 6965)	040	78	524	283.53	145.94	36	262	0	0	0	48	0	1221	0
SOCSEX (COLS. 6966- 6970)	041	34	525	240.64	152.71	11	96	0	0	0	26	0	1424	0
SOCSEX (COLS. 6971- 6975)	042	0	0	0.0	0.0	0	0	0	0	0	0	0	1554	0
VAX (COLS. 6976- 6980)	000	0	0	0.0	0.0	0	35	0	0	0	317	0	1455	0
VAX (COLS. 6981- 6985)	001	25	105	82.43	27.90	7	344	0	0	0	228	0	1228	0
VAX (COLS. 6986- 6990)	002	25	105	81.91	24.12	11	563	0	0	0	461	0	792	0
VAX (COLS. 6991- 6995)	003	25	293	107.81	59.18	27	978	0	0	0	218	0	583	0

APPENDIX D
A Comparison of Estimated Income Variables

FAMILY VARIABLES		MN VALUE	MAX VALUE	MFAN	STD DEV	FREQ	ZFFO	BLNK	9993	9994	9995	9996	9997	9998	9999
VAX (COLS. 6996- 7000)	004	25	293	108.44	59.82	34	1161	0	0	0	199	0	409	0	4
VAX (COLS. 7001- 7005)	005	10	1708	146.76	266.35	38	1316	0	0	0	268	0	173	0	12
VAX (COLS. 7006- 7010)	006	10	293	101.42	60.20	48	1542	0	0	0	68	0	126	0	23
VAX (COLS. 7011- 7015)	007	10	297	100.72	63.07	47	1585	0	0	0	20	0	125	0	30
VAX (COLS. 7016- 7020)	008	10	315	105.68	67.27	47	1575	0	0	0	24	0	123	0	38
VAX (COLS. 7021- 7025)	009	10	341	109.64	68.66	45	1570	0	0	0	95	0	52	0	45
VAX (COLS. 7026- 7030)	010	25	284	108.35	63.68	46	1622	0	0	0	48	0	36	0	55
VAX (COLS. 7031- 7035)	011	25	342	110.76	70.18	46	1634	0	0	0	58	0	9	0	60
VAX (COLS. 7036- 7040)	012	25	484	115.73	81.67	52	1643	0	0	0	43	0	7	0	62
VAX (COLS. 7041- 7045)	013	25	315	108.42	61.99	53	1616	0	0	0	71	0	3	0	64
VAX (COLS. 7046- 7050)	014	25	315	111.44	63.69	52	1610	0	0	0	75	0	3	0	67
VAX (COLS. 7051- 7055)	015	25	821	126.45	120.16	53	1603	0	0	0	70	0	1	0	80
VAX (COLS. 7056- 7060)	016	25	297	106.96	60.11	50	1609	0	0	0	60	0	1	0	87
VAX (COLS. 7061- 7065)	017	10	297	95.43	61.37	53	1584	0	0	0	75	0	0	0	95
VAX (COLS. 7066- 7070)	018	10	297	97.29	62.59	55	1569	0	0	0	88	0	0	0	95
VAX (COLS. 7071- 7075)	019	10	297	95.02	59.59	54	1573	0	0	0	77	0	0	0	103
VAX (COLS. 7076- 7080)	020	10	297	102.46	64.81	52	1561	0	0	0	85	0	0	0	109
VAX (COLS. 7081- 7085)	021	10	297	99.76	84.92	17	1575	0	0	0	102	0	0	0	113
VAX (COLS. 7086- 7090)	022	10	307	100.23	62.81	52	1545	0	0	0	90	0	0	0	120
VAX (COLS. 7091- 7095)	023	10	300	100.58	67.10	53	1547	0	0	0	82	0	0	0	125
VAX (COLS. 7096- 7100)	024	10	1120	116.26	152.80	54	1537	0	0	0	89	0	0	0	127
VAX (COLS. 7101- 7105)	025	10	29700	677.84	4145.60	51	1542	0	0	0	87	0	0	0	127
VAX (COLS. 7106- 7110)	026	10	1307	123.83	185.53	46	1535	0	0	0	88	0	0	0	138
VAX (COLS. 7111- 7115)	027	10	297	96.50	59.84	48	1532	0	0	0	88	0	0	0	139
VAX (COLS. 7116- 7120)	028	10	327	100.20	65.69	46	1506	0	0	0	107	0	0	0	148

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
VAX (COLS. 7121- 7125)	029	28	327	107.81	62.58	42 1499	0	0	0	117	0	0	0 149
VAX (COLS. 7126- 7130)	030	10	327	105.24	66.72	46 1475	0	0	0	125	0	0	0 161
VAX (COLS. 7131- 7135)	031	10	327	104.13	65.58	46 1463	0	0	0	136	0	0	0 162
VAX (COLS. 7136- 7140)	032	28	327	108.23	65.42	44 1450	0	0	0	148	0	0	0 165
VAX (COLS. 7141- 7145)	033	28	327	110.53	67.70	45 1437	0	0	0	158	0	0	0 167
VAX (COLS. 7146- 7150)	034	28	1637	142.02	231.98	47 1425	0	0	0	147	0	0	0 188
VAX (COLS. 7151- 7155)	035	6	327	106.96	66.28	47 1392	0	0	0	138	0	30	0 200
VAX (COLS. 7156- 7160)	036	29	327	115.71	67.99	36 1128	0	0	0	122	0	310	0 209
VAX (COLS. 7161- 7165)	037	27	745	137.91	128.57	33 941	0	0	0	114	0	507	0 212
VAX (COLS. 7166- 7170)	038	27	616	141.21	103.90	19 594	0	0	0	79	0	886	0 229
VAX (COLS. 7171- 7175)	039	27	242	113.29	67.39	17 420	0	0	0	60	0	1079	0 231
VAX (COLS. 7176- 7180)	040	27	616	140.30	110.42	10 288	0	0	0	48	0	1221	0 240
VAX (COLS. 7181- 7185)	041	79	242	160.50	115.26	2 105	0	0	0	26	0	1624	0 250
VAX (COLS. 7186- 7190)	042	0	0	0.0	0.0	0 0	0	0	0	0	0	1554	0 253
OTHMIS (COLS. 7191- 7195)	000	0	0	0.0	0.0	0 35	0	0	0	317	0	1455	0 0
OTHMIS (COLS. 7196- 7200)	001	15	224	83.70	48.38	47 304	0	0	0	228	0	1228	0 0
OTHMIS (COLS. 7201- 7205)	002	20	240	78.69	47.85	98 476	0	0	0	441	0	792	0 0
OTHMIS (COLS. 7206- 7210)	003	20	363	96.89	67.18	141 864	0	0	0	218	0	583	0 1
OTHMIS (COLS. 7211- 7215)	004	15	600	95.82	68.16	183 1012	0	0	0	199	0	409	0 4
OTHMIS (COLS. 7216- 7220)	005	10	310	94.27	61.28	193 1161	0	0	0	268	0	173	0 12
OTHMIS (COLS. 7221- 7225)	006	13	378	100.06	66.63	227 1363	0	0	0	68	0	126	0 23
OTHMIS (COLS. 7226- 7230)	007	11	750	100.96	82.34	228 1404	0	0	0	20	0	125	0 30
OTHMIS (COLS. 7231- 7235)	008	15	550	98.27	77.96	183 1439	0	0	0	24	0	123	0 38
OTHMIS (COLS. 7236- 7240)	009	8	378	90.41	63.53	180 1435	0	0	0	95	0	52	0 45
OTHMIS (COLS. 7241- 7245)	010	20	378	91.79	64.07	188 1480	0	0	0	48	0	36	0 55

FAMILY VARIABLES		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
VARIABLE DESCRIPTION															
OTHMIS (COLS. 7246- 7250)	011	15	3333	108.33	242.55	193	1487	0	0	0	58	0	9	0	60
OTHMIS (COLS. 7251- 7255)	012	10	378	96.55	67.90	204	1491	0	0	0	43	0	7	0	62
OTHMIS (COLS. 7256- 7260)	013	19	486	90.81	65.28	204	1465	0	0	0	71	0	3	0	64
OTHMIS (COLS. 7261- 7265)	014	10	350	90.10	62.05	200	1462	0	0	0	75	0	3	0	67
OTHMIS (COLS. 7266- 7270)	015	10	947	102.15	96.01	210	1446	0	0	0	70	0	1	0	80
OTHMIS (COLS. 7271- 7275)	016	10	806	99.77	86.69	210	1449	0	0	0	60	0	1	0	87
OTHMIS (COLS. 7276- 7280)	017	10	647	107.73	91.06	257	1380	0	0	0	75	0	0	0	95
OTHMIS (COLS. 7281- 7285)	018	10	1434	110.28	118.86	240	1384	0	0	0	88	0	0	0	95
OTHMIS (COLS. 7286- 7290)	019	5	500	105.25	80.07	240	1387	0	0	0	77	0	0	0	103
OTHMIS (COLS. 7291- 7295)	020	15	403	102.78	74.91	241	1372	0	0	0	85	0	0	0	109
OTHMIS (COLS. 7296- 7300)	021	13	9535	145.38	612.49	241	1351	0	0	0	102	0	0	0	113
OTHMIS (COLS. 7301- 7305)	022	14	425	109.63	81.15	228	1369	0	0	0	90	0	0	0	120
OTHMIS (COLS. 7306- 7310)	023	14	403	108.70	73.07	234	1366	0	0	0	82	0	0	0	125
OTHMIS (COLS. 7311- 7315)	024	10	408	105.21	72.09	237	1354	0	0	0	89	0	0	0	127
OTHMIS (COLS. 7316- 7320)	025	14	600	108.42	84.03	231	1362	0	0	0	87	0	0	0	127
OTHMIS (COLS. 7321- 7325)	026	10	4250	120.72	279.76	240	1341	0	0	0	88	0	0	0	138
OTHMIS (COLS. 7326- 7330)	027	15	479	112.44	84.48	220	1360	0	0	0	88	0	0	0	139
OTHMIS (COLS. 7331- 7335)	028	15	529	104.86	79.73	225	1327	0	0	0	107	0	0	0	148
OTHMIS (COLS. 7336- 7340)	029	5	508	106.55	80.35	222	1319	0	0	0	117	0	0	0	149
OTHMIS (COLS. 7341- 7345)	030	6	507	103.42	74.66	214	1307	0	0	0	125	0	0	0	161
OTHMIS (COLS. 7346- 7350)	031	8	3424	121.22	236.31	222	1287	0	0	0	136	0	0	0	162
OTHMIS (COLS. 7351- 7355)	032	7	650	114.30	87.70	222	1272	0	0	0	148	0	0	0	165
OTHMIS (COLS. 7356- 7360)	033	15	508	114.25	84.53	216	1266	0	0	0	158	0	0	0	167
OTHMIS (COLS. 7361- 7365)	034	7	642	114.10	93.44	215	1257	0	0	0	147	0	0	0	168
OTHMIS (COLS. 7366- 7370)	035	14	1172	123.05	117.11	210	1229	0	0	0	138	0	30	0	200

Computation Center - A Division of American Management Systems, Inc.

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
ERNSF (COLS. 7496- 7500)	018	10	212	106.11	83.44	9 1615	0 0 0	88 0 0	0 0 0	0 0 0	95		
ERNSE (COLS. 7501- 7505)	019	10	200	115.83	80.45	6 1621	0 0 0	77 0 0	0 0 0	0 0 0	103		
ERNSF (COLS. 7506- 7510)	020	10	1750	357.69	556.62	9 1604	0 0 0	85 0 0	0 0 0	0 0 0	109		
ERNSF (COLS. 7511- 7515)	021	10	1565	239.67	502.87	9 1583	0 0 0	102 0 0	0 0 0	0 0 0	113		
ERNSF (COLS. 7516- 7520)	022	10	207	116.50	81.15	6 1591	0 0 0	90 0 0	0 0 0	0 0 0	120		
ERNSE (COLS. 7521- 7525)	023	10	780	164.78	240.34	9 1591	0 0 0	82 0 0	0 0 0	0 0 0	125		
ERNSE (COLS. 7526- 7530)	024	10	339	110.75	114.52	8 1583	0 0 0	89 0 0	0 0 0	0 0 0	127		
ERNSF (COLS. 7531- 7535)	025	10	251	74.77	85.88	13 1560	0 0 0	87 0 0	0 0 0	0 0 0	127		
ERNSE (COLS. 7536- 7540)	026	71	235	139.60	68.68	5 1576	0 0 0	88 0 0	0 0 0	0 0 0	138		
ERNSE (COLS. 7541- 7545)	027	10	310	151.43	130.89	7 1573	0 0 0	88 0 0	0 0 0	0 0 0	139		
ERNSF (COLS. 7546- 7550)	028	10	291	112.86	117.97	7 1545	0 0 0	107 0 0	0 0 0	0 0 0	148		
ERNSF (COLS. 7551- 7555)	029	10	277	122.60	123.72	5 1536	0 0 0	117 0 0	0 0 0	0 0 0	149		
ERNSE (COLS. 7556- 7560)	030	10	321	147.60	136.05	5 1516	0 0 0	125 0 0	0 0 0	0 0 0	161		
ERNSE (COLS. 7561- 7565)	031	10	355	136.50	150.05	6 1503	0 0 0	136 0 0	0 0 0	0 0 0	162		
ERNSE (COLS. 7566- 7570)	032	1	24000	221.65	2036.42	246 1248	0 0 0	148 0 0	0 0 0	0 0 0	165		
ERNSE (COLS. 7571- 7575)	033	1	61500	192.39	2810.63	218 1264	0 0 0	158 0 0	0 0 0	0 0 0	167		
ERNSF (COLS. 7576- 7580)	034	1	170	2.32	13.72	226 1246	0 0 0	147 0 0	0 0 0	0 0 0	188		
ERNSE (COLS. 7581- 7585)	035	1	120	2.12	11.06	219 1220	0 0 0	138 0 0	0 30 0	0 200 0			
ERNSF (COLS. 7586- 7590)	036	1	120	1.74	8.94	177 989	0 0 0	122 0 0	0 310 0	0 209 0			
ERNSF (COLS. 7591- 7595)	037	1	2	1.11	0.31	142 832	0 0 0	114 0 0	0 507 0	0 212 0			
ERNSE (COLS. 7596- 7600)	038	1	2	1.08	0.27	91 522	0 0 0	79 0 0	0 886 0	0 229 0			
ERNSE (COLS. 7601- 7605)	039	1	2	1.09	0.29	56 381	0 0 0	60 0 0	0 1079 0	0 231 0			
ERNSF	040	1	2	1.03	0.19	22 226	0 0 0	48 0 0	0 1221 0	0 240 0			

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	M FAN	STD DFV	FREQ	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
FAMWAG (COLS. 7621- 7625)	000	123	748	377.62	184.54	26	9	0	0	0	317	0	1455	0	0
FAMWAG (COLS. 7626- 7630)	001	12	3126	516.06	350.84	179	172	0	0	0	228	0	1228	0	0
FAMWAG (COLS. 7631- 7635)	002	26	1393	497.82	277.60	250	324	0	0	0	441	0	792	0	0
FAMWAG (COLS. 7636- 7640)	003	19	3367	581.46	358.54	467	537	0	0	1	218	0	583	0	1
FAMWAG (COLS. 7641- 7645)	004	20	1933	582.08	307.25	531	661	0	0	3	199	0	409	0	4
FAMWAG (COLS. 7646- 7650)	005	13	2493	623.76	363.43	581	770	0	0	3	268	0	173	0	12
FAMWAG (COLS. 7651- 7655)	006	13	2034	593.68	323.03	673	914	0	0	3	68	0	126	0	23
FAMWAG (COLS. 7656- 7660)	007	12	2015	581.42	325.62	676	953	0	0	3	20	0	125	0	30
FAMWAG (COLS. 7661- 7665)	008	22	1825	524.80	301.56	571	1048	0	0	3	24	0	123	0	38
FAMWAG (COLS. 7666- 7670)	009	16	2261	552.88	329.56	540	1072	0	0	3	95	0	52	0	45
FAMWAG (COLS. 7671- 7675)	010	13	2228	606.43	345.78	606	1059	0	0	3	48	0	36	0	55
FAMWAG (COLS. 7676- 7680)	011	26	2042	638.31	370.37	625	1052	0	0	3	58	0	9	0	60
FAMWAG (COLS. 7681- 7685)	012	26	2637	635.25	370.41	627	1065	0	0	3	43	0	7	0	62
FAMWAG (COLS. 7686- 7690)	013	7	2896	640.11	381.39	621	1045	0	0	3	71	0	3	0	64
FAMWAG (COLS. 7691- 7695)	014	13	2252	644.66	363.72	630	1029	0	0	3	75	0	3	0	67
FAMWAG (COLS. 7696- 7700)	015	24	3358	724.24	440.54	641	1012	0	0	3	70	0	1	0	80
FAMWAG (COLS. 7701- 7705)	016	23	4116	663.14	417.89	641	1015	0	0	3	60	0	1	0	87
FAMWAG (COLS. 7706- 7710)	017	20	7413	737.15	517.30	639	995	0	0	3	75	0	0	0	95
FAMWAG (COLS. 7711- 7715)	018	19	3550	714.95	418.76	641	980	0	0	3	88	0	0	0	95
FAMWAG (COLS. 7716- 7720)	019	3	2658	706.94	439.43	647	977	0	0	3	77	0	0	0	103
FAMWAG (COLS. 7721- 7725)	020	13	3198	687.17	428.59	630	980	0	0	3	85	0	0	0	109
FAMWAG (COLS. 7726- 7730)	021	25	2956	719.33	411.74	621	968	0	0	3	102	0	0	0	113
FAMWAG (COLS. 7731- 7735)	022	5	2923	782.53	476.26	625	969	0	0	3	90	0	0	0	120
FAMWAG (COLS. 7736- 7740)	023	15	2808	695.90	398.57	626	971	0	0	3	82	0	0	0	125
FAMWAG (COLS. 7741- 7745)	024	22	2721	748.45	405.75	622	966	0	0	3	89	0	0	0	127

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
FAMWAG (COLS. 7746- 7750)	025	12	3406	793.78	500.75	622	968	0	0	3	87	0	0	0
FAMWAG (COLS. 7751- 7755)	026	1	2733	711.04	408.96	623	955	0	0	3	88	0	0	0
FAMWAG (COLS. 7756- 7760)	027	15	4094	785.61	486.87	618	959	0	0	3	88	0	0	0
FAMWAG (COLS. 7761- 7765)	028	15	2721	811.01	479.00	612	937	0	0	3	107	0	0	0
FAMWAG (COLS. 7766- 7770)	029	12	2650	759.27	451.36	610	928	0	0	3	117	0	0	0
FAMWAG (COLS. 7771- 7775)	030	24	2674	784.14	435.82	602	916	0	0	3	125	0	0	0
FAMWAG (COLS. 7776- 7780)	031	15	4758	834.18	510.56	564	942	0	0	3	136	0	0	0
FAMWAG (COLS. 7781- 7785)	032	30	2534	779.47	449.40	585	906	0	0	3	148	0	0	0
FAMWAG (COLS. 7786- 7790)	033	11	2264	748.07	426.48	568	911	0	0	3	158	0	0	0
FAMWAG (COLS. 7791- 7795)	034	30	3036	871.92	541.73	556	913	0	0	3	147	0	0	0
FAMWAG (COLS. 7796- 7800)	035	29	2929	786.82	442.92	530	906	0	0	3	138	0	30	0
FAMWAG (COLS. 7801- 7805)	036	15	3068	827.34	508.66	423	740	0	0	3	122	0	310	0
FAMWAG (COLS. 7806- 7810)	037	14	3405	828.31	493.00	370	601	0	0	3	114	0	507	0
FAMWAG (COLS. 7811- 7815)	038	30	2816	825.03	461.67	224	387	0	0	2	79	0	886	0
FAMWAG (COLS. 7816- 7820)	039	38	4448	922.72	543.18	183	254	0	0	0	60	0	1079	0
FAMWAG (COLS. 7821- 7825)	040	80	2913	1075.29	567.67	134	164	0	0	0	48	0	1221	0
FAMWAG (COLS. 7826- 7830)	041	100	3040	1262.04	585.75	68	39	0	0	0	26	0	1424	0
FAMWAG (COLS. 7831- 7835)	042	0	0	0.0	0.0	0	0	0	0	0	0	0	1554	0
ERNERS (COLS. 7836- 7837)	000	1	3	1.23	0.59	26	326	0	0	0	0	0	1455	0
ERNERS (COLS. 7838- 7839)	001	1	3	1.13	0.39	179	400	0	0	0	0	0	1228	0
ERNERS (COLS. 7840- 7841)	002	1	3	1.10	0.32	252	762	0	0	1	0	0	792	0
ERNERS (COLS. 7842- 7843)	003	1	3	1.11	0.33	471	749	0	0	3	0	0	583	0
ERNERS (COLS. 7844- 7845)	004	1	3	1.10	0.31	532	859	0	0	3	0	0	409	0
ERNERS (COLS. 7846- 7847)	005	1	3	1.09	0.30	582	1027	0	0	3	0	0	173	0
ERNERS (COLS. 7848- 7849)	006	1	3	1.10	0.31	676	979	0	0	3	0	0	126	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	PLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
ERNERS (COLS. 7850- 7851)	007	1	3	1.13	0.36	680	969	C	0	3	0	0	125	0	30
ERNERS (COLS. 7852- 7853)	008	1	4	1.11	0.35	575	1068	0	0	3	0	0	123	0	38
ERNERS (COLS. 7854- 7855)	009	1	3	1.10	0.31	545	1162	0	0	3	0	0	52	0	45
ERNERS (COLS. 7856- 7857)	010	1	4	1.12	0.35	610	1103	0	0	3	0	0	36	0	55
ERNERS (COLS. 7858- 7859)	011	1	4	1.13	0.37	627	1108	0	0	3	0	0	9	0	60
ERNERS (COLS. 7860- 7861)	012	1	4	1.14	0.38	632	1103	0	0	3	0	0	7	0	62
ERNERS (COLS. 7862- 7863)	013	1	3	1.15	0.38	625	1112	0	0	3	0	0	3	0	64
ERNERS (COLS. 7864- 7865)	014	1	3	1.16	0.38	631	1103	0	0	3	0	0	3	0	67
ERNERS (COLS. 7866- 7867)	015	1	3	1.15	0.37	645	1078	0	0	3	0	0	1	0	80
ERNERS (COLS. 7868- 7869)	016	1	3	1.14	0.36	645	1071	0	0	3	0	0	1	0	87
ERNERS (COLS. 7870- 7871)	017	1	5	1.16	0.43	638	1071	0	0	3	0	0	0	0	95
ERNERS (COLS. 7872- 7873)	018	1	4	1.16	0.41	642	1067	0	0	3	0	0	0	0	95
ERNERS (COLS. 7874- 7875)	019	1	4	1.16	0.42	648	1053	0	0	3	0	0	0	0	103
ERNERS (COLS. 7876- 7877)	020	1	4	1.17	0.45	632	1063	0	0	3	0	0	0	0	109
ERNERS (COLS. 7878- 7879)	021	1	4	1.17	0.41	622	1069	0	0	3	0	0	0	0	113
ERNERS (COLS. 7880- 7881)	022	1	3	1.16	0.38	628	1056	0	0	3	0	0	0	0	120
ERNERS (COLS. 7882- 7883)	023	1	3	1.15	0.37	627	1052	0	0	3	0	0	0	0	125
EPNERS (COLS. 7884- 7885)	024	1	3	1.14	0.37	621	1056	0	0	3	0	0	0	0	127
EPNERS (COLS. 7886- 7887)	025	1	3	1.15	0.38	622	1055	0	0	3	0	0	0	0	127
ERNERS (COLS. 7888- 7889)	026	1	3	1.14	0.37	618	1048	0	0	3	0	0	0	0	138
ERNEPS (COLS. 7890- 7891)	027	1	3	1.14	0.37	618	1047	0	0	3	0	0	0	0	139
ERNERS (COLS. 7892- 7893)	028	1	3	1.13	0.35	612	1044	0	0	3	0	0	0	0	148
ERNERS (COLS. 7894- 7895)	029	1	3	1.14	0.36	609	1046	0	0	3	0	0	0	0	149
ERNERS (COLS. 7896- 7897)	030	1	4	1.15	0.41	601	1042	0	0	3	0	0	0	0	161
ERNERS (COLS. 7898- 7899)	031	1	4	1.18	0.46	564	1078	0	0	3	0	0	0	0	162

FAMILY VARIABLES

VAR	NAME	MIN	MAX	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
VARIABLE DESCRIPTION															
ERNFRS (COLS. 7900- 7901)		032	1	4	1.23	0.52	586	1053	0	0	3	0	0	0	0
ERNFRS (COLS. 7902- 7903)		033	1	4	1.18	0.46	568	1069	0	0	3	0	0	0	0
ERNFRS (COLS. 7904- 7905)		034	1	3	1.13	0.35	556	1060	0	0	3	0	0	0	0
FRNFRS (COLS. 7906- 7907)		035	1	3	1.15	0.37	530	1044	0	0	3	0	0	0	0
ERNFRS (COLS. 7908- 7909)		036	1	3	1.14	0.36	423	862	0	0	3	0	0	0	0
ERNFRS (COLS. 7910- 7911)		037	1	3	1.14	0.37	370	715	0	0	3	0	0	0	0
FRNFRS (COLS. 7912- 7913)		038	1	2	1.15	0.36	224	466	0	0	2	0	0	0	0
ERNFRS (COLS. 7914- 7915)		039	1	2	1.14	0.35	183	314	0	0	0	0	0	0	0
ERNFRS (COLS. 7916- 7917)		040	1	3	1.20	0.42	134	212	0	0	0	0	0	0	0
ERNFRS (COLS. 7918- 7919)		041	1	3	1.28	0.48	68	65	0	0	0	0	0	0	0
ERNFRS (COLS. 7920- 7921)		042	0	0	0.0	0.0	0	0	0	0	0	0	0	0	0
STUF (COLS. 7922- 7926)		000	104	104	104.00	0.0	1	34	0	0	0	317	0	1455	0
STUF (COLS. 7927- 7931)		001	16	208	112.00	135.76	2	349	0	0	0	228	0	1228	0
STUF (COLS. 7932- 7936)		002	24	208	120.00	95.50	4	570	0	0	0	441	0	792	0
STUF (COLS. 7937- 7941)		003	40	400	239.77	108.53	13	992	0	0	0	218	0	583	0
STUF (COLS. 7942- 7946)		004	7	320	191.86	91.01	14	1181	0	0	0	199	0	409	0
STUF (COLS. 7947- 7951)		005	66	400	230.44	100.27	9	1345	0	0	0	268	0	173	0
STUF (COLS. 7952- 7956)		006	1	320	134.91	100.71	11	1579	0	0	0	68	0	126	0
STUE (COLS. 7957- 7961)		007	43	314	152.53	91.97	15	1617	0	0	0	20	0	125	0
STUF (COLS. 7962- 7966)		008	22	325	130.93	89.17	72	1550	0	0	0	24	0	123	0
STUF (COLS. 7967- 7971)		009	46	445	173.12	82.33	93	1522	0	0	0	95	0	52	0
STUE (COLS. 7972- 7976)		010	24	356	179.16	70.67	82	1586	0	0	0	48	0	36	0
STUE (COLS. 7977- 7981)		011	20	275	171.62	71.12	85	1595	0	0	0	58	0	9	0
STUF (COLS. 7982- 7986)		012	16	325	179.89	78.71	82	1613	0	0	0	43	0	7	0
STUF (COLS. 7987- 7991)		013	24	270	166.00	72.81	69	1600	0	0	0	71	0	3	0

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZFRQ	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
STUE (COLS. 7992- 7996)	014	15	293	155.16	71.66	55	1607	0	0	0	75	0	3	0	67
STUF (COLS. 7997- 8001)	015	29	388	165.74	92.01	42	1614	0	0	0	70	0	1	0	80
STUE (COLS. 8002- 8006)	016	34	388	161.50	83.52	36	1623	0	0	0	60	0	1	0	87
STUE (COLS. 8007- 8011)	017	45	388	157.32	82.16	28	1609	0	0	0	75	0	0	0	95
STUE (COLS. 8012- 8016)	018	32	450	187.64	104.32	14	1610	0	0	0	88	0	0	0	95
STUE (COLS. 8017- 8021)	019	9	325	158.82	107.37	11	1616	0	0	0	77	0	0	0	103
STUE (COLS. 8022- 8026)	020	130	450	243.80	121.91	5	1608	0	0	0	85	0	0	0	109
STUE (COLS. 8027- 8031)	021	180	450	273.40	105.96	5	1587	0	0	0	102	0	0	0	113
STUE (COLS. 8032- 8036)	022	52	450	233.00	142.68	7	1590	0	0	0	90	0	0	0	120
STUE (COLS. 8037- 8041)	023	74	450	248.33	109.10	9	1591	0	0	0	82	0	0	0	125
STUE (COLS. 8042- 8046)	024	37	273	181.00	89.00	5	1586	0	0	0	89	0	0	0	127
STUE (COLS. 8047- 8051)	025	144	273	208.50	91.22	2	1591	0	0	0	87	0	0	0	127
STUE (COLS. 8052- 8056)	026	65	273	137.50	92.39	4	1577	0	0	0	88	0	0	0	138
STUE (COLS. 8057- 8061)	027	104	273	188.50	119.50	2	1578	0	0	0	88	0	0	0	139
STUF (COLS. 8062- 8066)	028	38	300	195.00	116.47	5	1547	0	0	0	107	0	0	0	148
STUE (COLS. 8067- 8071)	029	1	273	113.00	100.51	6	1535	0	0	0	117	0	0	0	149
STUE (COLS. 8072- 8076)	030	52	273	151.75	98.83	4	1517	0	0	0	125	0	0	0	161
STUE (COLS. 8077- 8081)	031	44	273	160.86	97.95	7	1502	0	0	0	136	0	0	0	162
STUE (COLS. 8082- 8086)	032	1	273	91.56	81.02	9	1485	0	0	0	148	0	0	0	165
STUE (COLS. 8087- 8091)	033	44	273	132.17	98.48	6	1476	0	0	0	158	0	0	0	167
STUE (COLS. 8092- 8096)	034	1	273	115.70	94.85	10	1462	0	0	0	147	0	0	0	188
STUE (COLS. 8097- 8101)	035	44	273	199.40	96.84	5	1434	0	0	0	138	0	30	0	200
STUF (COLS. 8102- 8106)	036	55	300	159.86	123.17	7	1159	0	0	0	122	0	310	0	209
STUE (COLS. 8107- 8111)	037	50	300	155.63	95.63	8	966	0	0	0	114	0	507	0	212
STUE (COLS. 8112- 8116)	038	65	300	235.17	83.38	6	607	0	0	0	79	0	886	0	229

FAMILY VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZFPO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999		
STUE (COLS. 8117- 8121)	039	225	300	256.25	36.22	4	433	0	0	0	60	0	1079	0	231	
STUE (COLS. 8122- 8126)	040	138	300	234.75	71.01	4	294	0	0	0	48	0	1221	0	240	
STUF (COLS. 8127- 8131)	041	300	300	300.00	0.0	1	106	0	0	0	26	0	1424	0	250	
STUE (COLS. 8132- 8136)	042	0	0	0.0	0.0	0	0	0	0	0	0	0	0	1554	0	253
UECMPX (COLS. 8137- 8141)	000	161	161	161.00	0.0	1	34	0	0	0	317	0	1455	0	0	
UECMPX (COLS. 8142- 8146)	001	0	0	0.0	0.0	0	351	0	0	0	228	0	1228	0	0	
UECMPX (COLS. 8147- 8151)	002	208	208	208.00	0.0	1	573	0	0	0	441	0	792	0	0	
UECMPX (COLS. 8152- 8156)	003	110	168	139.33	29.01	3	1002	0	0	0	218	0	583	0	1	
UECMPX (COLS. 8157- 8161)	004	179	380	283.80	86.05	5	1190	0	0	0	199	0	409	0	4	
UECMPX (COLS. 8162- 8166)	005	153	332	243.00	89.50	3	1351	0	0	0	268	0	173	0	12	
UECMPX (COLS. 8167- 8171)	006	40	160	100.00	84.85	2	1588	0	0	0	68	0	126	0	23	
UECMPX (COLS. 8172- 8176)	007	26	100	63.00	52.33	2	1630	0	0	0	20	0	125	0	30	
UECMPX (COLS. 8177- 8181)	008	44	231	115.09	64.37	11	1611	0	0	0	24	0	123	0	38	
UECMPX (COLS. 8182- 8186)	009	32	313	127.64	75.31	44	1571	0	0	0	95	0	52	0	65	
UECMPX (COLS. 8187- 8191)	010	42	336	163.39	75.84	44	1624	0	0	0	48	0	36	0	55	
UECMPX (COLS. 8192- 8196)	011	45	639	153.71	109.75	35	1645	0	0	0	58	0	9	0	60	
UECMPX (COLS. 8197- 8201)	012	52	260	150.59	63.62	37	1658	0	0	0	43	0	7	0	62	
UECMPX (COLS. 8202- 8206)	013	30	260	140.50	70.63	24	1645	0	0	0	71	0	3	0	64	
UECMPX (COLS. 8207- 8211)	014	43	333	152.12	75.43	25	1637	0	0	0	75	0	3	0	67	
UECMPX (COLS. 8212- 8216)	015	39	297	143.45	76.27	11	1645	0	0	0	70	0	1	0	80	
UECMPX (COLS. 8217- 8221)	016	16	281	153.33	76.43	15	1644	0	0	0	60	0	1	0	87	
UECMPX (COLS. 8222- 8226)	017	10	275	117.75	86.27	16	1621	0	0	0	75	0	0	0	95	
UECMPX (COLS. 8227- 8231)	018	10	320	134.43	115.00	14	1610	0	0	0	88	0	0	0	95	
UECMPX (COLS. 8232- 8236)	019	10	372	155.11	121.97	9	1618	0	0	0	77	0	0	0	103	
UECMPX (COLS. 8237- 8241)	020	4	378	132.67	126.88	9	1604	0	0	0	85	0	0	0	109	

FAMILY VARIABLES

VARIABLE DESCRIPTION	MN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.	NO.						
								9993	9994	9995	9996	9997	9998	9999		
UECMPX (COLS. 8242- 8246)	021	10	392	155.17	169.97	6	1586	0	0	0	102	0	0	0	0	113
UECMPX (COLS. 8247- 8251)	022	10	209	65.50	88.40	6	1591	0	0	0	90	0	0	0	0	120
UECMPX (COLS. 8252- 8256)	023	10	431	131.20	149.03	10	1590	0	0	0	82	0	0	0	0	125
UECMPX (COLS. 8257- 8261)	024	10	108	51.33	50.77	3	1588	0	0	0	89	0	0	0	0	127
UECMPX (COLS. 8262- 8266)	025	10	124	51.00	54.07	4	1589	0	0	0	87	0	0	0	0	127
UECMPX (COLS. 8267- 8271)	026	10	200	106.50	77.59	4	1577	0	0	0	88	0	0	0	0	138
UECMPX (COLS. 8272- 8276)	027	10	142	67.75	54.91	4	1576	0	0	0	88	0	0	0	0	139
UECMPX (COLS. 8277- 8281)	028	10	340	162.20	121.64	5	1547	0	0	0	107	0	0	0	0	148
UECMPX (COLS. 8282- 8286)	029	28	400	256.00	199.72	3	1538	0	0	0	117	0	0	0	0	149
UECMPX (COLS. 8287- 8291)	030	28	340	149.00	133.99	4	1517	0	0	0	125	0	0	0	0	161
UECMPX (COLS. 8292- 8296)	031	10	340	163.50	136.79	4	1505	0	0	0	136	0	0	0	0	162
UECMPX (COLS. 8297- 8301)	032	176	217	196.50	28.99	2	1492	0	0	0	148	0	0	0	0	165
UECMPX (COLS. 8302- 8306)	033	176	330	238.00	81.26	3	1479	0	0	0	158	0	0	0	0	167
UECMPX (COLS. 8307- 8311)	034	75	409	216.00	126.38	6	1466	0	0	0	147	0	0	0	0	188
UECMPX (COLS. 8312- 8316)	035	83	264	163.33	68.72	6	1433	0	0	0	138	0	30	0	0	200
UECMPX (COLS. 8317- 8321)	036	57	264	163.43	83.23	7	1159	0	0	0	122	0	310	0	0	209
UECMPX (COLS. 8322- 8326)	037	82	82	82.00	0.0	1	973	0	0	0	114	0	507	0	0	212
UECMPX (COLS. 8327- 8331)	038	186	600	393.00	292.74	2	611	0	0	0	79	0	886	0	0	229
UECMPX (COLS. 8332- 8336)	039	190	544	328.67	189.04	3	434	0	0	0	60	0	1079	0	0	231
UECMPX (COLS. 8337- 8341)	040	75	628	351.50	391.03	2	296	0	0	0	48	0	1221	0	0	240
UECMPX (COLS. 8342- 8346)	041	0	0	0.0	0.0	0	107	0	0	0	26	0	1424	0	0	250
UECMPX (COLS. 8347- 8351)	042	0	0	0.0	0.0	0	0	0	0	0	0	0	1554	0	0	253
STRIKX (COLS. 8352- 8356)	000	0	0	0.0	0.0	0	35	0	0	0	317	0	1455	0	0	0
STRIKX (COLS. 8357- 8361)	001	0	0	0.0	0.0	0	351	0	0	0	228	0	1228	0	0	0
STRIKX (COLS. 8362- 8366)	002	0	0	0.0	0.0	0	574	0	0	0	441	0	792	0	0	0

Computer Center
A Division of American Management Systems, Inc.

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
MRST (COLS. 209- 210)	028	1 6	3.49	1.74	3312	0	0	0 1605	0	0	15	0	411	
MRST (COLS. 211- 212)	029	1 6	3.48	1.74	3313	0	0	0 1603	0	0	14	0	413	
MRST (COLS. 213- 214)	030	1 6	3.48	1.74	3315	0	0	0 1561	0	0	10	0	457	
MRST (COLS. 215- 216)	031	1 6	3.48	1.74	3318	0	0	0 1559	0	0	8	0	458	
MRST (COLS. 217- 218)	032	1 6	3.48	1.74	3321	0	0	0 1554	0	0	5	0	463	
MRST (COLS. 219- 220)	033	1 6	3.48	1.74	3324	0	0	0 1551	0	0	2	0	466	
MRST (COLS. 221- 222)	034	1 6	3.48	1.74	3318	0	0	0 1497	0	0	2	0	526	
MRST (COLS. 223- 224)	035	1 6	3.48	1.74	3319	0	0	0 1463	0	0	0	0	561	
MRST (COLS. 225- 226)	036	1 6	3.48	1.74	3314	0	0	0 1448	0	0	0	0	581	
MRST (COLS. 227- 228)	037	1 6	3.48	1.74	3310	0	0	0 1445	0	0	0	0	588	
MRST (COLS. 229- 230)	038	1 6	3.48	1.74	3317	0	0	0 1390	0	0	0	0	636	
MRST (COLS. 231- 232)	039	1 6	3.44	1.76	3268	0	0	0 1432	0	0	0	0	643	
MRST (COLS. 233- 234)	040	1 6	3.38	1.79	2893	0	0	0 1787	0	0	0	0	663	
MRST (COLS. 235- 236)	041	1 6	3.36	1.80	2670	0	0	0 1977	0	0	0	0	696	
MRST (COLS. 237- 238)	042	1 6	3.36	1.80	2649	0	0	0 1992	0	0	0	0	702	
MRST (COLS. 239- 240)	043	1 6	3.35	1.80	2639	0	0	0 1983	0	0	0	0	721	
MRST (COLS. 241- 242)	044	1 6	3.35	1.80	2634	0	0	0 1921	0	0	0	0	788	
MRST (COLS. 243- 244)	045	1 6	3.35	1.80	2634	0	0	0 1920	0	0	0	0	789	
MRST (COLS. 245- 246)	046	1 6	3.35	1.80	2631	0	0	0 1916	0	0	0	0	796	
MRST (COLS. 247- 248)	047	1 6	3.34	1.80	2631	0	0	0 1876	0	0	0	0	836	
MRST (COLS. 249- 250)	048	1 6	3.35	1.80	2605	0	0	0 1902	0	0	0	0	836	
RELCOD (COLS. 251- 252)	001	1 26	2.75	2.60	287	0	0	0 27	0	0 5029	0	0		
RELCOD (COLS. 253- 254)	002	1 30	2.67	3.38	1433	0	0	0 125	0	0 3785	0	0		
RELCOD (COLS. 255- 256)	003	1 30	2.88	3.47	1971	0	0	0 163	0	0 3208	0	1		
RELCOD (COLS. 257- 258)	004	1 32	2.9	3.45	3155	0	0	0 274	0	0 1895	14	5		

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
RELCOD (COLS. 259- 260)	005	1 32	2.86	3.33	3391	0	0	0	313	0	0	1598	22	19		
RELCOD (COLS. 261- 262)	006	1 32	2.89	3.44	3943	0	0	0	379	0	0	930	41	50		
RELCOD (COLS. 263- 264)	007	1 32	2.94	3.60	4340	0	0	0	401	0	0	485	53	64		
RELCOD (COLS. 265- 266)	008	1 32	2.97	3.67	4352	0	0	0	375	0	0	472	67	77		
RELCOD (COLS. 267- 268)	009	1 32	3.01	3.79	4352	0	0	0	349	0	0	471	80	91		
RELCOD (COLS. 269- 270)	010	1 32	3.08	3.97	4351	0	0	0	300	0	0	471	106	115		
RELCOD (COLS. 271- 272)	011	1 32	3.11	4.02	4587	0	0	0	267	0	0	228	131	130		
RELCOD (COLS. 273- 274)	012	1 32	3.12	4.04	4707	0	0	0	260	0	0	100	142	134		
RELCOD (COLS. 275- 276)	013	1 32	3.10	4.01	4761	0	0	0	258	0	0	21	161	142		
RELCOD (COLS. 277- 278)	014	1 32	3.09	3.99	4738	0	0	0	249	0	0	17	186	153		
RELCOD (COLS. 279- 280)	015	1 32	3.09	3.99	4671	0	0	0	241	0	0	17	215	199		
RELCOD (COLS. 281- 282)	016	1 32	3.10	4.04	4627	0	0	0	232	0	0	17	249	218		
RELCOD (COLS. 283- 284)	017	1 32	3.10	4.07	4588	0	0	0	227	0	0	17	266	245		
RELCOD (COLS. 285- 286)	018	1 32	3.11	4.09	4570	0	0	0	211	0	0	17	300	245		
RELCOD (COLS. 287- 288)	019	1 32	3.10	4.08	4511	0	0	0	206	0	0	17	336	273		
RELCOD (COLS. 289- 290)	020	1 32	3.08	4.07	4453	0	0	0	205	0	0	17	381	287		
RELCOD (COLS. 291- 292)	021	1 32	3.08	4.07	4433	0	0	0	185	0	0	17	407	301		
RELCOD (COLS. 293- 294)	022	1 32	3.11	4.15	4409	0	0	0	177	0	0	17	419	321		
RELCOD (COLS. 295- 296)	023	1 32	3.12	4.21	4371	0	0	0	178	0	0	17	439	338		
RELCOD (COLS. 297- 298)	024	1 32	3.12	4.20	4349	0	0	0	176	0	0	17	457	344		
RELCOD (COLS. 299- 300)	025	1 32	3.13	4.25	4327	0	0	0	181	0	0	17	474	344		
RELCOD (COLS. 301- 302)	026	1 32	3.13	4.25	4294	0	0	0	141	0	0	17	509	382		
RELCOD (COLS. 303- 304)	027	1 30	3.12	4.21	4254	0	0	0	135	0	0	17	552	385		
RELCOD (COLS. 305- 306)	028	1 30	3.13	4.24	4218	0	0	0	125	0	0	15	574	411		
RELCOD (COLS. 307- 308)	029	1 30	3.09	4.17	4187	0	0	0	130	0	0	14	599	413		

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
<hr/>														
RELCOD (COLS. 309- 310)	030	1	30	3.07	4.12	4140	0	0	0	118	0	0	10	618 457
RELCOD (COLS. 311- 312)	031	1	30	3.06	4.12	4125	0	0	0	109	0	0	8	643 458
RELCOD (COLS. 313- 314)	032	1	30	3.04	4.06	4099	0	0	0	102	0	0	5	674 463
RELCOD (COLS. 315- 316)	033	1	30	3.03	4.07	4032	0	0	0	147	0	0	2	696 466
RELCOD (COLS. 317- 318)	034	1	30	3.02	4.06	3959	0	0	0	114	0	0	2	742 526
RELCOD (COLS. 319- 320)	035	1	30	3.01	4.05	3943	0	0	0	82	0	0	0	757 561
RELCOD (COLS. 321- 322)	036	1	30	3.01	4.06	3915	0	0	0	71	0	0	0	776 581
RELCOD (COLS. 323- 324)	037	1	30	3.03	4.13	3886	0	0	0	68	0	0	0	801 588
RELCOD (COLS. 325- 326)	038	1	30	3.02	4.10	3833	0	0	0	56	0	0	0	818 636
RELCOD (COLS. 327- 328)	039	1	30	3.03	4.17	3811	0	0	0	43	0	0	0	846 643
RELCOD (COLS. 329- 330)	040	1	30	3.03	4.15	3784	0	0	0	49	0	0	0	847 663
RELCOD (COLS. 331- 332)	041	1	30	3.03	4.17	3764	0	0	0	36	0	0	0	847 696
RELCOD (COLS. 333- 334)	042	1	30	3.03	4.16	3750	0	0	0	37	0	0	0	854 702
RELCOD (COLS. 335- 336)	043	1	30	3.01	4.13	3714	0	0	0	46	0	0	0	862 721
RELCOD (COLS. 337- 338)	044	1	30	3.01	4.12	3654	0	0	0	44	0	0	0	857 788
RELCOD (COLS. 339- 340)	045	1	30	3.02	4.16	3642	0	0	0	35	0	0	0	877 789
RELCOD (COLS. 341- 342)	046	1	30	3.01	4.14	3593	0	0	0	65	0	0	0	889 796
RELCOD (COLS. 343- 344)	047	1	30	2.97	4.04	3569	0	0	0	26	0	0	0	912 836
RELCOD (COLS. 345- 346)	048	1	30	2.98	4.09	3569	0	0	0	23	0	0	0	915 836
DUB (COLS. 347- 350)	1	9912	4317.36	1511.75	5165	0	0	0	178	0	0	0	0	0
SEX (COLS. 351- 351)	1	2	1.60	0.49	5343	0	0	0	0	0	0	0	0	0
ENRDATE (COLS. 352- 356)	71002	73310	71135.13	179.45	5343	0	0	0	0	0	0	0	0	0
ATTDATE (COLS. 357- 361)	71041	75166	72895.31	1069.88	841 4502	0	0	0	0	0	0	0	0	0
DENRLDAT (COLS. 362- 366)	74046	74227	74122.75	75.19	4625 718	0	0	0	0	0	0	0	0	0
GRADE71 (COLS. 367- 368)	1	24	9.70	2.46	4129 46	0	210	958	0	0	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	N0. 9993	N0. 9994	N0. 9995	N0. 9996	N0. 9997	N0. 9998	N0. 9999
SCHTYP71 (COLS. 369- 370)	1	9	7.29	2.93	5011	122	0	210	0	0	0	0	0	0
GRADE72 (COLS. 371- 372)	1	24	9.93	2.42	3990	19	0	210	1124	0	0	0	0	0
SCHTYP72 (COLS. 373- 374)	1	9	7.50	2.64	5063	70	0	210	0	0	0	0	0	0
GRADE73 (COLS. 375- 376)	1	24	10.10	2.31	2945	4	0	210	2184	0	0	0	0	0
SCHTYP73 (COLS. 377- 378)	1	9	7.96	2.24	5109	24	0	210	0	0	0	0	0	0
EVEREMP (COLS. 380- 381)	1	1	1.00	0.0	1917	478	0	2948	0	0	0	0	0	0
FAMBUS (COLS. 382- 383)	1	1	1.00	0.0	70	2293	0	2948	32	0	0	0	0	0
YRSTWRK (COLS. 384- 385)	12	70	52.51	11.80	1842	1	0	2948	552	0	0	0	0	0
YRFTRWK (COLS. 386- 387)	12	71	53.31	11.62	1792	0	0	2948	603	0	0	0	0	0
JOBTOTAL (COLS. 388- 389)	1	50	3.32	2.60	1854	1	0	2948	540	0	0	0	0	0
JOBS5YRS (COLS. 390- 391)	1	25	1.66	1.19	1547	315	0	2948	533	0	0	0	0	0
JOBS3YRS (COLS. 392- 393)	1	20	1.35	0.88	1436	442	0	2948	517	0	0	0	0	0
JOB1YR (COLS. 394- 395)	1	15	1.06	0.49	1142	765	0	2948	488	0	0	0	0	0
INCOME69 (COLS. 396- 400)	22	18000	5222.08	3346.95	1106	753	0	2948	536	0	0	0	0	0
EMPLOYED (COLS. 401- 402)	1	1	1.00	0.0	954	957	0	2948	484	0	0	0	0	0
LABRSTAT (COLS. 403- 404)	1	2	1.19	0.39	1178	1217	0	2948	0	0	0	0	0	0
MONTHS (COLS. 405- 407)	1	528	82.28	94.67	1115	3	0	2948	1277	0	0	0	0	0
INDUSTRY (COLS. 408- 410)	2	857	237.96	193.48	1122	0	0	2948	1273	0	0	0	0	0
OCCUPA (COLS. 411- 413)	1	984	648.95	232.73	1115	0	0	2948	1276	4	0	0	0	0
HRSVAKY (COLS. 414- 415)	1	1	1.00	0.0	131	935	0	2948	1329	0	0	0	0	0
SEASON (COLS. 416- 417)	1	4	2.54	1.01	48	70	0	2948	2277	0	0	0	0	0
RCNTHRS (COLS. 418- 420)	2	84	37.76	8.10	1064	0	0	2948	1331	0	0	0	0	0
RCNTOT (COLS. 421- 422)	1	20	7.34	4.81	44	964	0	2948	1387	0	0	0	0	0
RCNTHAGR (COLS. 423- 426)	38	2000	296.70	128.50	1046	6	0	2948	1343	0	0	0	0	0
RCNTOTR (COLS. 427- 430)	50	1250	528.00	254.82	44	964	0	2948	1387	0	0	0	0	0



Computer Center

A Division of American Management Systems, Inc.

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
RCNTPAY (COLS. 431- 436)	1000	42000	11475.58	5390.22	1048	6	0	0 2948	1341	0	0	0	0	0
NRMLHRS (COLS. 437- 439)	2	84	38.30	7.17	1113	0	0	0 2948	1282	0	0	0	0	0
NRMLLOT (COLS. 440- 441)	1	16	7.03	4.06	66	896	0	0 2948	1433	0	0	0	0	0
NRMLWAGR (COLS. 442- 445)	38	2000	294.89	125.69	1041	4	0	0 2948	1350	0	0	0	0	0
NRMLOTR (COLS. 446- 449)	58	1112	527.91	218.29	66	896	0	0 2948	1433	0	0	0	0	0
NRMLPAY (COLS. 450- 455)	1000	43200	11524.86	5175.16	1059	2	0	0 2948	1334	0	0	0	0	0
DAYHRSR (COLS. 456- 458)	3	72	28.33	16.02	45	2	0	0 2948	2348	0	0	0	0	0
DAYRATER (COLS. 459- 462)	75	2343	247.30	395.64	44	0	0	0 2948	2351	0	0	0	0	0
DAYPAYR (COLS. 463- 468)	500	43750	6331.25	8373.98	44	2	0	0 2948	2349	0	0	0	0	0
DAYHRSN (COLS. 469- 471)	63	900	577.14	223.07	36	10	0	0 2948	2349	0	0	0	0	0
DAYRATEN (COLS. 472- 475)	75	2343	243.91	391.47	45	0	0	0 2948	2350	0	0	0	0	0
DAYPAIN (COLS. 476- 481)	500	43750	6265.29	8286.71	45	0	0	0 2948	2350	0	0	0	0	0
MOSNOWRK (COLS. 482- 483)	1	88	41.86	32.44	917	21	0	0 2948	1457	0	0	0	0	0
PLANWORK (COLS. 484- 485)	1	2	1.87	0.34	116	831	0	0 2948	1448	0	0	0	0	0
SSI (COLS. 500- 503)	001	0	0.0	0.0	0	0	0	0 747	0	0	0	4596	0	0
SSI (COLS. 504- 507)	002	0	0.0	0.0	0	0	0	0 747	0	0	0	4596	0	0
SSI (COLS. 508- 511)	003	0	0.0	0.0	0	0	0	0 747	0	0	0	4596	0	0
SSI (COLS. 512- 515)	004	0	0.0	0.0	0	0	0	0 747	0	0	0	4596	0	0
SSI (COLS. 516- 519)	005	0	0.0	0.0	0	0	0	0 747	0	0	0	4596	0	0
SSI (COLS. 520- 523)	006	0	0.0	0.0	0	0	0	0 747	0	0	0	4596	0	0
SSI (COLS. 524- 527)	007	0	0.0	0.0	0	0	0	0 747	0	0	0	4596	0	0
SSI (COLS. 528- 531)	008	0	0.0	0.0	0	0	0	0 747	0	0	0	4596	0	0
SSI (COLS. 532- 535)	009	0	0.0	0.0	0	0	0	0 747	0	0	0	4596	0	0
SSI (COLS. 536- 539)	010	0	0.0	0.0	0	0	0	0 747	0	0	0	4596	0	0
SSI (COLS. 540- 543)	011	0	0.0	0.0	0	0	0	0 747	0	0	0	4596	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
SST (COLS. 544- 547)	012	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
SST (COLS. 548- 551)	013	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
SST (COLS. 552- 555)	014	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
SST (COLS. 556- 559)	015	0	0	0.0	0.0	0	0	0	747	0	0	0	4593	0	3
SST (COLS. 560- 563)	016	0	0	0.0	0.0	0	0	0	747	0	0	0	4593	0	3
SST (COLS. 564- 567)	017	0	0	0.0	0.0	0	0	0	747	0	0	0	4591	0	5
SST (COLS. 568- 571)	018	2	200	81.74	41.24	31	3367	0	747	939	0	0	0	254	5
SST (COLS. 572- 575)	019	2	320	89.48	59.42	31	3377	0	747	905	0	0	0	275	8
SST (COLS. 576- 579)	020	2	300	48.30	55.13	33	3383	0	747	875	0	0	0	285	20
SST (COLS. 580- 583)	021	2	200	81.64	39.93	33	3382	0	747	867	0	0	0	285	29
SST (COLS. 584- 587)	022	14	365	104.07	72.47	43	3263	0	747	957	0	0	0	298	35
SST (COLS. 588- 591)	023	21	365	106.05	72.48	44	3266	0	747	927	0	0	0	313	46
SST (COLS. 592- 595)	024	14	365	105.68	72.91	44	3274	0	747	909	0	0	0	317	52
SST (COLS. 596- 599)	025	21	365	105.47	71.76	45	3277	0	747	886	0	0	0	336	52

PERSON VARTABLES

VARTABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	HLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
SST (COLS. 600- 603)	026	30	142	82.77	22.47	35	3158	0	747	965	0	0	0	352	86
SST (COLS. 604- 607)	027	30	142	82.77	22.47	35	3160	0	747	946	0	0	0	366	89
SST (COLS. 608- 611)	028	30	142	82.77	22.47	35	3165	0	747	904	0	0	0	382	110
SST (COLS. 612- 615)	029	30	142	82.54	21.95	37	3168	0	747	882	0	0	0	397	112
SST (COLS. 616- 619)	030	6	142	81.89	23.82	37	3165	0	747	838	0	0	0	407	149
SST (COLS. 620- 623)	031	6	142	81.58	24.21	36	3975	0	747	8	0	0	0	427	150
SST (COLS. 624- 627)	032	6	142	79.45	27.30	20	3962	0	747	8	0	0	0	451	155
SST (COLS. 628- 631)	033	0	0	0.0	0.0	0	0	0	747	0	0	0	4438	0	158
SST (COLS. 632- 635)	034	0	0	0.0	0.0	0	0	0	747	0	0	0	4391	0	205
SST (COLS. 636- 639)	035	80	80	80.00	0.0	3	3842	0	747	3	0	0	0	509	239
SST (COLS. 640- 643)	036	80	140	90.00	24.49	6	3805	0	747	3	0	0	0	526	256
SST (COLS. 644- 647)	037	65	149	104.83	32.82	12	3234	0	747	545	0	0	0	542	263
SST (COLS. 648- 651)	038	65	149	102.64	30.98	14	3376	0	747	358	0	0	0	557	291
SST (COLS. 652- 655)	039	16	140	85.93	44.38	14	3378	0	747	350	0	0	0	557	297
SST (COLS. 656- 659)	040	16	146	91.46	48.94	13	3372	0	747	340	0	0	0	555	316
SST (COLS. 660- 663)	041	16	146	91.46	48.94	13	3351	0	747	331	0	0	0	555	346
SST (COLS. 664- 667)	042	16	146	91.92	49.46	13	2982	0	747	685	0	0	0	565	351
SST (COLS. 668- 671)	043	40	146	101.18	39.09	11	3283	0	747	362	0	0	0	572	368
SST (COLS. 672- 675)	044	59	146	124.00	31.70	10	3281	0	747	302	0	0	0	574	429
SST (COLS. 676- 679)	045	59	146	132.09	28.28	11	2885	0	747	676	0	0	0	594	430
SST (COLS. 680- 683)	046	59	146	132.09	28.28	11	2879	0	747	652	0	0	0	617	437
SST (COLS. 684- 687)	047	59	146	128.25	31.14	12	2877	0	747	626	0	0	0	612	469
SST (COLS. 688- 691)	048	97	146	140.56	16.33	9	2851	0	747	624	0	0	0	614	498
TTT (COLS. 692- 695)	001	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	
TTT (COLS. 696- 699)	002	0	0	0	0.0	0	0	0	747	0	0	0	4596	0	

PERSON VARTABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	NO.	NO.							
							9493	9994	9995	9996	9997	9998	9999		
TTI (COLS. 700- 703)	003	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 704- 707)	004	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 708- 711)	005	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 712- 715)	006	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 716- 719)	007	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 720- 723)	008	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 724- 727)	009	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 728- 731)	010	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 732- 735)	011	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 736- 739)	012	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 740- 743)	013	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 744- 747)	014	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4596	0
TTI (COLS. 748- 751)	015	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4593	0
TTI (COLS. 752- 755)	016	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4593	0
TTI (COLS. 756- 759)	017	0	0	0.0	0.0	0	0	0	0	0	0	0	0	4591	0
TTI (COLS. 760- 763)	018	30	195	96.13	56.72	8	3389	0	747	940	0	0	0	254	5
TTI (COLS. 764- 767)	019	30	195	91.44	55.38	9	3398	0	747	906	0	0	0	275	8
TTI (COLS. 768- 771)	020	30	195	111.88	62.46	8	3407	0	747	876	0	0	0	265	20
TTI (COLS. 772- 775)	021	30	195	93.27	49.24	11	3403	0	747	868	0	0	0	285	29
TTI (COLS. 776- 779)	022	36	284	111.16	60.73	32	3274	0	747	957	0	0	0	298	35
TTI (COLS. 780- 783)	023	36	284	113.07	61.79	30	3280	0	747	927	0	0	0	313	46
TTI (COLS. 784- 787)	024	36	208	100.06	47.89	33	3285	0	747	909	0	0	0	317	52
TTI (COLS. 788- 791)	025	36	208	102.97	50.32	31	3291	0	747	886	0	0	0	336	52
TTI (COLS. 792- 795)	026	40	200	110.62	56.98	13	3180	0	747	965	0	0	0	352	86
TTI (COLS. 796- 799)	027	40	200	110.80	60.88	10	3185	0	747	946	0	0	0	366	89

PERSON VARTABLES

VARTABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.						
								9993	9994	9995	9996	9997	9998	9999	
III (COLS. 800- 803)	028	38	200	106.67	61.10	12	3188	0	747	904	0	0	0	382	110
III (COLS. 804- 807)	029	11	200	104.69	60.74	13	3192	0	747	882	0	0	0	397	112
III (COLS. 808- 811)	030	39	200	124.25	66.78	8	3194	0	747	838	0	0	0	407	149
III (COLS. 812- 815)	031	10	216	95.47	67.75	17	3988	0	747	14	0	0	0	427	150
III (COLS. 816- 819)	032	38	391	109.40	107.56	10	3967	0	747	13	0	0	0	451	155
III (COLS. 820- 823)	033	0	0	0.0	0.0	0	0	0	747	0	0	0	4438	0	158
III (COLS. 824- 827)	034	0	0	0.0	0.0	0	0	0	747	0	0	0	4391	0	205
III (COLS. 828- 831)	035	38	117	77.50	55.86	2	3844	0	747	2	0	0	0	509	239
III (COLS. 832- 835)	036	38	539	181.50	190.33	6	3807	0	747	1	0	0	0	526	256
III (COLS. 836- 839)	037	10	539	133.48	134.99	21	3224	0	747	546	0	0	0	542	263
III (COLS. 840- 843)	038	10	539	97.69	88.66	39	3351	0	747	358	0	0	0	557	291
III (COLS. 844- 847)	039	25	343	95.23	64.62	35	3357	0	747	350	0	0	0	557	297
III (COLS. 848- 851)	040	22	343	91.92	66.75	37	3348	0	747	340	0	0	0	555	316
III (COLS. 852- 855)	041	22	343	83.67	61.45	36	3328	0	747	331	0	0	0	555	346
III (COLS. 856- 859)	042	22	400	97.71	79.61	41	2954	0	747	685	0	0	0	565	351
III (COLS. 860- 863)	043	22	343	104.59	78.57	37	3257	0	747	362	0	0	0	572	368
III (COLS. 864- 867)	044	22	343	101.96	76.42	46	3245	0	747	302	0	0	0	574	429
III (COLS. 868- 871)	045	22	325	114.69	81.40	39	2855	0	747	678	0	0	0	594	430
III (COLS. 872- 875)	046	22	300	94.82	63.61	38	2851	0	747	653	0	0	0	617	437
III (COLS. 876- 879)	047	17	300	92.34	62.00	50	2838	0	747	627	0	0	0	612	469
III (COLS. 880- 883)	048	22	300	91.18	71.74	51	2808	0	747	625	0	0	0	614	498
SS (COLS. 884- 887)	001	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
SS (COLS. 888- 891)	002	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
SS (COLS. 892- 895)	003	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
SS (COLS. 896- 899)	004	0	0	0	0.0	0	0	0	747	0	0	0	4596	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN	MAX	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.	NO.						
								9993	9994	9995	9996	9997	9998	9999		
SS (COLS. 900- 903)	005	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0	
SS (COLS. 904- 907)	006	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0	
SS (COLS. 908- 911)	007	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0	
SS (COLS. 912- 915)	008	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0	
SS (COLS. 916- 919)	009	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0	
SS (COLS. 920- 923)	010	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0	
SS (COLS. 924- 927)	011	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0	
SS (COLS. 928- 931)	012	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0	
SS (COLS. 932- 935)	013	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0	
SS (COLS. 936- 939)	014	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0	
SS (COLS. 940- 943)	015	0	0	0.0	0.0	0	0	0	747	0	0	0	4593	0	3	
SS (COLS. 944- 947)	016	0	0	0.0	0.0	0	0	0	747	0	0	0	4593	0	3	
SS (COLS. 948- 951)	017	0	0	0.0	0.0	0	0	0	747	0	0	0	4591	0	5	
SS (COLS. 952- 955)	018	18	571	203.78	119.32	268	3132	0	747	939	0	0	0	252	5	
SS (COLS. 956- 959)	019	18	571	204.84	119.06	269	3141	0	747	905	0	0	0	273	8	
SS (COLS. 960- 963)	020	18	571	206.14	120.74	269	3149	0	747	875	0	0	0	283	20	
SS (COLS. 964- 967)	021	18	571	208.25	120.58	267	3150	0	747	867	0	0	0	283	29	
SS (COLS. 968- 971)	022	20	578	228.78	134.88	283	3025	0	747	957	0	0	0	296	35	
SS (COLS. 972- 975)	023	20	578	230.20	136.09	284	3028	0	747	927	0	0	0	311	46	
SS (COLS. 976- 979)	024	20	578	230.86	136.47	286	3033	0	747	909	0	0	0	316	52	
SS (COLS. 980- 983)	025	20	578	231.75	136.54	284	3039	0	747	886	0	0	0	335	52	
SS (COLS. 984- 987)	026	25	578	230.00	130.64	301	2894	0	747	965	0	0	0	350	86	
SS (COLS. 988- 991)	027	25	629	231.71	132.68	301	2896	0	747	946	0	0	0	364	89	
SS (COLS. 992- 995)	028	25	578	230.87	131.90	300	2900	0	747	904	0	0	0	382	110	
SS (COLS. 996- 999)	029	25	578	231.87	131.99	301	2904	0	747	882	0	0	0	397	112	

PERSON VARTABLES

VARTABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
SS (COLS. 1000- 1003)	030	25	578	232.34	132.00	300	2902	0	747	838	0	0	0	407	149
SS (COLS. 1004- 1007)	031	25	600	231.47	133.51	318	3152	0	747	551	0	0	0	425	150
SS (COLS. 1008- 1011)	032	10	600	219.25	130.29	344	3110	0	747	538	0	0	0	449	155
SS (COLS. 1012- 1015)	033	10	600	215.35	129.26	323	2823	0	747	803	0	0	0	489	158
SS (COLS. 1016- 1019)	034	10	600	215.71	128.79	326	2822	0	747	748	0	0	0	495	205
SS (COLS. 1020- 1023)	035	10	600	214.14	127.99	334	3051	0	747	463	0	0	0	509	239
SS (COLS. 1024- 1027)	036	10	600	219.04	131.02	327	3055	0	747	433	0	0	0	525	256
SS (COLS. 1028- 1031)	037	25	606	221.98	130.59	344	2905	0	747	543	0	0	0	541	263
SS (COLS. 1032- 1035)	038	25	606	221.53	128.55	344	3049	0	747	358	0	0	0	554	291
SS (COLS. 1036- 1039)	039	12	597	213.48	129.29	333	3060	0	747	350	0	0	0	556	297
SS (COLS. 1040- 1043)	040	12	860	222.99	136.02	330	3057	0	747	340	0	0	0	553	316
SS (COLS. 1044- 1047)	041	12	597	220.72	131.22	333	2665	0	747	699	0	0	0	553	346
SS (COLS. 1048- 1051)	042	12	597	222.88	132.33	332	2665	0	747	685	0	0	0	563	351
SS (COLS. 1052- 1055)	043	11	642	224.59	136.64	336	2961	0	747	362	0	0	0	569	368
SS (COLS. 1056- 1059)	044	11	700	223.32	134.08	360	2932	0	747	302	0	0	0	573	429
SS (COLS. 1060- 1063)	045	11	700	224.21	137.74	352	2542	0	747	678	0	0	0	594	430
SS (COLS. 1064- 1067)	046	11	700	224.21	137.77	354	2534	0	747	654	0	0	0	617	437
SS (COLS. 1068- 1071)	047	11	700	230.44	137.79	350	2537	0	747	628	0	0	0	612	469
SS (COLS. 1072- 1075)	048	19	700	232.84	139.70	294	2566	0	747	624	0	0	0	614	498
VA (COLS. 1076- 1079)	001	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
VA (COLS. 1080- 1083)	002	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
VA (COLS. 1084- 1087)	003	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
VA (COLS. 1088- 1091)	004	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
VA (COLS. 1092- 1095)	005	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
VA (COLS. 1096- 0991)	006	0	0	0.	0.0	0	0	0	747	0	0	0	4596	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN		MAX		MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993		NO. 9994		NO. 9995		NO. 9996		NO. 9997		NO. 9998	
	VALUE	COL.	VALUE	COL.						9993	9994	9995	9996	9997	9998	9999					
VA (COLS. 1100- 1103)	007		0		0.0	0.0	0	0	0	747	0	0	0	0	0	0	4596	0	0	0	0
VA (COLS. 1104- 1107)	008		0		0.0	0.0	0	0	0	747	0	0	0	0	0	0	4596	0	0	0	0
VA (COLS. 1108- 1111)	009		0		0.0	0.0	0	0	0	747	0	0	0	0	0	0	4596	0	0	0	0
VA (COLS. 1112- 1115)	010		0		0.0	0.0	0	0	0	747	0	0	0	0	0	0	4596	0	0	0	0
VA (COLS. 1116- 1119)	011		0		0.0	0.0	0	0	0	747	0	0	0	0	0	0	4596	0	0	0	0
VA (COLS. 1120- 1123)	012		0		0.0	0.0	0	0	0	747	0	0	0	0	0	0	4596	0	0	0	0
VA (COLS. 1124- 1127)	013		0		0.0	0.0	0	0	0	747	0	0	0	0	0	0	4596	0	0	0	0
VA (COLS. 1128- 1131)	014		0		0.0	0.0	0	0	0	747	0	0	0	0	0	0	4596	0	0	0	0
VA (COLS. 1132- 1135)	015		0		0.0	0.0	0	0	0	747	0	0	0	0	0	0	4593	0	3	0	0
VA (COLS. 1136- 1139)	016		0		0.0	0.0	0	0	0	747	0	0	0	0	0	0	4593	0	3	0	0
VA (COLS. 1140- 1143)	017		0		0.0	0.0	0	0	0	747	0	0	0	0	0	0	4591	0	5	0	0
VA (COLS. 1144- 1147)	018	19	436	137.10	101.93	50	3348	0	747	939	0	0	0	0	0	0	254	5	0	0	0
VA (COLS. 1148- 1151)	019	19	436	137.10	101.93	50	3358	0	747	905	0	0	0	0	0	0	275	8	0	0	0
VA (COLS. 1152- 1155)	020	19	436	137.10	101.93	50	3366	0	747	875	0	0	0	0	0	0	285	20	0	0	0
VA (COLS. 1156- 1159)	021	19	436	139.66	106.44	50	3365	0	747	867	0	0	0	0	0	0	285	29	0	0	0
VA (COLS. 1160- 1163)	022	28	307	102.82	57.76	34	3272	0	747	957	0	0	0	0	0	0	298	35	0	0	0
VA (COLS. 1164- 1167)	023	14	307	102.44	58.34	34	3276	0	747	927	0	0	0	0	0	0	313	46	0	0	0
VA (COLS. 1168- 1171)	024	14	307	102.44	58.34	34	3284	0	747	909	0	0	0	0	0	0	317	52	0	0	0
VA (COLS. 1172- 1175)	025	14	307	101.60	57.76	35	3287	0	747	886	0	0	0	0	0	0	336	52	0	0	0
VA (COLS. 1176- 1179)	026	25	384	111.20	77.57	40	3153	0	747	965	0	0	0	0	0	0	352	86	0	0	0
VA (COLS. 1180- 1183)	027	25	384	111.20	77.57	40	3155	0	747	946	0	0	0	0	0	0	366	89	0	0	0
VA (COLS. 1184- 1187)	028	25	384	114.83	80.04	41	3159	0	747	904	0	0	0	0	0	0	382	110	0	0	0
VA (COLS. 1188- 1191)	029	25	384	115.24	79.94	41	3164	0	747	882	0	0	0	0	0	0	397	112	0	0	0
VA (COLS. 1192- 1195)	030	25	384	120.60	86.24	42	3160	0	747	838	0	0	0	0	0	0	407	149	0	0	0
VA (COLS. 1196- 1199)	031	25	384	115.72	83.45	40	3957	0	747	22	0	0	0	0	0	0	427	150	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN	MAX	MEAN	STD DEV	FREQ	ZERO	NO.								
							BLNK	9993	9994	9995	9996	9997	9998	9999	
VA (COLS. 1200- 1203)	032	29	340	108.48	72.29	25	3944	0	747	21	0	0	0	451	155
VA (COLS. 1204- 1207)	033	0	0	0.0	0.0	0	0	0	747	0	0	0	4438	0	158
VA (COLS. 1208- 1211)	034	0	0	0.0	0.0	0	0	0	747	0	0	0	4391	0	205
VA (COLS. 1212- 1215)	035	28	152	90.00	87.68	2	3844	0	747	2	0	0	0	509	239
VA (COLS. 1216- 1219)	036	28	152	94.57	39.78	7	3805	0	747	2	0	0	0	526	256
VA (COLS. 1220- 1223)	037	28	508	115.03	89.28	29	3217	0	747	545	0	0	0	542	263
VA (COLS. 1224- 1227)	038	28	508	127.94	104.36	31	3359	0	747	358	0	0	0	557	291
VA (COLS. 1228- 1231)	039	28	508	129.65	103.88	31	3361	0	747	350	0	0	0	557	297
VA (COLS. 1232- 1235)	040	27	238	103.00	51.62	26	3359	0	747	340	0	0	0	555	316
VA (COLS. 1236- 1239)	041	27	238	105.96	50.30	25	3339	0	747	331	0	0	0	555	346
VA (COLS. 1240- 1243)	042	27	238	106.36	50.49	25	2970	0	747	685	0	0	0	565	351
VA (COLS. 1244- 1247)	043	27	590	128.46	106.23	26	3268	0	747	362	0	0	0	572	368
VA (COLS. 1248- 1251)	044	27	590	132.32	102.02	34	3257	0	747	302	0	0	0	574	429
VA (COLS. 1252- 1255)	045	27	590	146.77	121.80	39	2857	0	747	676	0	0	0	594	430
VA (COLS. 1256- 1259)	046	27	590	146.77	121.80	39	2851	0	747	652	0	0	0	617	437
VA (COLS. 1260- 1263)	047	27	590	144.07	121.43	40	2849	0	747	626	0	0	0	612	469
VA (COLS. 1264- 1267)	048	27	590	153.82	130.88	33	2827	0	747	624	0	0	0	614	498
MISTINC (COLS. 1268- 1271)	001	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISTINC (COLS. 1272- 1275)	002	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISTINC (COLS. 1276- 1279)	003	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISTINC (COLS. 1280- 1283)	004	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISTINC (COLS. 1284- 1287)	005	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISTINC (COLS. 1288- 1291)	006	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISTINC (COLS. 1292- 1295)	007	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISTINC (COLS. 1296- 1299)	008	0	0	0	0.0	0	0	0	747	0	0	0	4596	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN	MAX	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
MISINC (COLS. 1300- 1303)	009	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISINC (COLS. 1304- 1307)	010	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISINC (COLS. 1308- 1311)	011	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISINC (COLS. 1312- 1315)	012	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISINC (COLS. 1316- 1319)	013	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISINC (COLS. 1320- 1323)	014	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
MISINC (COLS. 1324- 1327)	015	0	0	0.0	0.0	0	0	0	747	0	0	0	4593	0	3
MISINC (COLS. 1328- 1331)	016	0	0	0.0	0.0	0	0	0	747	0	0	0	4593	0	3
MISINC (COLS. 1332- 1335)	017	0	0	0.0	0.0	0	0	0	747	0	0	0	4591	0	5
MISINC (COLS. 1336- 1339)	018	10	1035	120.08	103.57	261	3139	0	747	939	0	0	0	252	5
MISINC (COLS. 1340- 1343)	019	10	650	118.34	87.69	259	3150	0	747	905	0	0	0	274	8
MISINC (COLS. 1344- 1347)	020	10	650	117.90	87.53	257	3160	0	747	875	0	0	0	284	20
MISINC (COLS. 1348- 1351)	021	10	650	118.94	86.00	261	3156	0	747	867	0	0	0	283	29
MISINC (COLS. 1352- 1355)	022	20	564	110.41	78.44	234	3074	0	747	957	0	0	0	296	35
MISINC (COLS. 1356- 1359)	023	20	564	112.28	81.84	236	3075	0	747	927	0	0	0	312	46
MISINC (COLS. 1360- 1363)	024	20	564	113.94	85.37	240	3078	0	747	909	0	0	0	317	52
MISINC (COLS. 1364- 1367)	025	20	564	113.86	81.96	237	3085	0	747	886	0	0	0	336	52
MISINC (COLS. 1368- 1371)	026	10	508	109.81	78.57	212	2981	0	747	965	0	0	0	352	86
MISINC (COLS. 1372- 1375)	027	10	769	115.56	92.81	211	2984	0	747	946	0	0	0	366	89
MISINC (COLS. 1376- 1379)	028	10	508	113.47	81.56	213	2987	0	747	904	0	0	0	382	110
MISINC (COLS. 1380- 1383)	029	10	508	111.54	81.11	212	2993	0	747	882	0	0	0	397	112
MISINC (COLS. 1384- 1387)	030	10	508	115.11	86.46	209	2993	0	747	838	0	0	0	407	149
MISINC (COLS. 1388- 1391)	031	10	1075	121.14	107.83	202	3725	0	747	92	0	0	0	427	150
MISINC (COLS. 1392- 1395)	032	5	508	111.65	84.08	117	3783	0	747	90	0	0	0	451	155
MISINC (COLS. 1396- 1399)	033	0	0	0.0	0.0	0	0	0	747	0	0	0	4438	0	158

PERSON VARTANCES

VARTABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
MISTINC (COLS. 1400- 1403)	034	0	0	0.0	0.0	0	0	0	747	0	0	0	4391	0	205
MISTINC (COLS. 1404- 1407)	035	20	320	96.41	81.23	27	3815	0	747	6	0	0	0	509	239
MISTINC (COLS. 1408- 1411)	036	20	320	106.23	82.97	39	3770	0	747	5	0	0	0	526	256
MISTINC (COLS. 1412- 1415)	037	25	390	121.12	79.29	173	3074	0	747	545	0	0	0	541	263
MISTINC (COLS. 1416- 1419)	038	25	400	123.74	82.44	205	3186	0	747	358	0	0	0	556	291
MISTINC (COLS. 1420- 1423)	039	10	400	120.96	78.90	181	3212	0	747	350	0	0	0	556	297
MISTINC (COLS. 1424- 1427)	040	10	400	117.83	73.94	170	3215	0	747	340	0	0	0	555	316
MISTINC (COLS. 1428- 1431)	041	25	600	125.08	87.94	173	3191	0	747	331	0	0	0	555	346
MISTINC (COLS. 1432- 1435)	042	25	416	120.78	78.78	170	2825	0	747	685	0	0	0	565	351
MISTINC (COLS. 1436- 1439)	043	25	416	119.45	77.50	174	3120	0	747	362	0	0	0	572	368
MISTINC (COLS. 1440- 1443)	044	25	416	128.98	80.70	188	3103	0	747	302	0	0	0	574	429
MISTINC (COLS. 1444- 1447)	045	30	416	135.32	83.71	173	2721	0	747	678	0	0	0	594	430
MISTINC (COLS. 1448- 1451)	046	30	416	134.10	82.25	172	2716	0	747	654	0	0	0	617	437
MISTINC (COLS. 1452- 1455)	047	29	900	136.80	100.28	176	2711	0	747	628	0	0	0	612	469
MISTINC (COLS. 1456- 1459)	048	18	416	131.26	81.51	144	2714	0	747	626	0	0	0	614	498
OTHINC (COLS. 1460- 1463)	001	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1464- 1467)	002	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1468- 1471)	003	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1472- 1475)	004	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1476- 1479)	005	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1480- 1483)	006	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1484- 1487)	007	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1488- 1491)	008	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1492- 1495)	009	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1496- 1499)	010	0	0	0.0	0.0	0	0	0	747	0	0	0	459	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRFQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
OTHINC (COLS. 1500- 1503)	011	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1504- 1507)	012	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1508- 1511)	013	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1512- 1515)	014	0	0	0.0	0.0	0	0	0	747	0	0	0	4596	0	0
OTHINC (COLS. 1516- 1519)	015	0	0	0.0	0.0	0	0	0	747	0	0	0	4593	0	3
OTHINC (COLS. 1520- 1523)	016	0	0	0.0	0.0	0	0	0	747	0	0	0	4593	0	3
OTHINC (COLS. 1524- 1527)	017	0	0	0.0	0.0	0	0	0	747	0	0	0	4591	0	5
OTHINC (COLS. 1528- 1531)	018	5	567	129.48	137.25	1462	1938	0	747	939	0	0	0	252	5
OTHINC (COLS. 1532- 1535)	019	5	567	129.30	137.22	1463	1946	0	747	905	0	0	0	274	8
OTHINC (COLS. 1536- 1539)	020	5	567	130.29	137.40	1461	1956	0	747	875	0	0	0	284	20
OTHINC (COLS. 1540- 1543)	021	5	620	130.28	138.19	1460	1956	0	747	867	0	0	0	284	29
OTHINC (COLS. 1544- 1547)	022	5	779	160.50	125.46	1456	1850	0	747	958	0	0	0	297	35
OTHINC (COLS. 1548- 1551)	023	5	779	160.89	125.75	1456	1854	0	747	928	0	0	0	312	46
OTHINC (COLS. 1552- 1555)	024	5	779	160.29	126.12	1457	1861	0	747	910	0	0	0	316	52
OTHINC (COLS. 1556- 1559)	025	5	779	161.24	127.06	1461	1861	0	747	887	0	0	0	335	52
OTHINC (COLS. 1560- 1563)	026	22	380	163.57	67.18	98	3095	0	747	965	0	0	0	352	86
OTHINC (COLS. 1564- 1567)	027	22	380	163.57	67.18	98	3097	0	747	946	0	0	0	366	89
OTHINC (COLS. 1568- 1571)	028	22	380	163.55	67.22	98	3102	0	747	904	0	0	0	382	110
OTHINC (COLS. 1572- 1575)	029	22	380	162.89	68.02	98	3107	0	747	882	0	0	0	397	112
OTHINC (COLS. 1576- 1579)	030	22	380	162.08	65.85	97	3105	0	747	838	0	0	0	407	149
OTHINC (COLS. 1580- 1583)	031	22	380	162.90	67.19	96	3886	0	747	37	0	0	0	427	150
OTHINC (COLS. 1584- 1587)	032	43	380	164.68	66.42	60	3893	0	747	37	0	0	0	451	155
OTHINC (COLS. 1588- 1591)	033	0	0	0.0	0.0	0	0	0	747	0	0	0	4438	0	158
OTHINC (COLS. 1592- 1595)	034	0	0	0.0	0.0	0	0	0	747	0	0	0	4391	0	205
OTHINC (COLS. 1596- 1599)	035	0	0	0.0	0.0	0	0	0	747	0	0	0	509	239	

PERSON VARTABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
OTHINC (COLS. 1600- 1603)	036	44	80	62.00	25.46	2	3812	0	747	0	0	0	0	526 256
OTHINC (COLS. 1604- 1607)	037	44	200	106.00	46.51	9	3237	0	747	545	0	0	0	542 263
OTHINC (COLS. 1608- 1611)	038	44	200	101.90	45.72	10	3380	0	747	358	0	0	0	557 291
OTHINC (COLS. 1612- 1615)	039	48	146	113.25	37.15	8	3384	0	747	350	0	0	0	557 297
OTHINC (COLS. 1616- 1619)	040	119	150	141.17	11.32	6	3379	0	747	340	0	0	0	555 316
OTHINC (COLS. 1620- 1623)	041	119	150	141.17	11.32	6	3358	0	747	331	0	0	0	555 346
OTHINC (COLS. 1624- 1627)	042	119	380	171.63	84.75	8	2987	0	747	685	0	0	0	565 351
OTHINC (COLS. 1628- 1631)	043	33	146	120.60	38.58	10	3284	0	747	362	0	0	0	572 368
OTHINC (COLS. 1632- 1635)	044	19	380	129.13	92.78	15	3276	0	747	302	0	0	0	574 429
OTHINC (COLS. 1636- 1639)	045	19	500	145.79	135.67	14	2882	0	747	676	0	0	0	594 430
OTHINC (COLS. 1640- 1643)	046	19	500	145.79	135.67	14	2876	0	747	652	0	0	0	617 437
OTHINC (COLS. 1644- 1647)	047	19	500	160.87	143.19	15	2874	0	747	626	0	0	0	612 469
OTHINC (COLS. 1648- 1651)	048	19	375	135.54	115.94	13	2847	0	747	624	0	0	0	614 498

To: Miriam prod II
from: Dale

PERSON VARIABLES		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NU.	NU.						
VARIABLE DESCRIPTION									9993	9994	9995	9996	9997	9998	9999	
FAMNUM (COLS. 1- 4)		4000	9692	7869.20	1214.02	5343	0	0	0	0	0	0	0	0	0	0
PERNUM (COLS. 5- 10)		400001	969201	-16926.50	796125.00	5343	0	0	0	0	0	0	0	0	0	0
STATUS (COLS. 11- 12)	001	1	2	1.91	0.28	314	5029	0	0	0	0	0	0	0	0	0
STATUS (COLS. 13- 14)	002	1	13	2.30	0.90	1558	3785	0	0	0	0	0	0	0	0	0
STATUS (COLS. 15- 16)	003	1	15	3.38	1.54	2133	3208	0	0	2	0	0	0	0	0	0
STATUS (COLS. 17- 18)	004	1	15	3.13	1.35	3434	1903	0	0	6	0	0	0	0	0	0
STATUS (COLS. 19- 20)	005	1	15	3.75	1.38	3712	1620	0	0	11	0	0	0	0	0	0
STATUS (COLS. 21- 22)	006	1	15	3.58	1.35	4339	993	0	0	11	0	0	0	0	0	0
STATUS (COLS. 23- 24)	007	1	15	3.72	1.35	4765	561	0	0	17	0	0	0	0	0	0
STATUS (COLS. 25- 26)	008	1	23	3.90	1.28	4761	561	0	0	21	0	0	0	0	0	0
STATUS (COLS. 27- 28)	009	1	23	4.02	1.55	4751	568	0	0	24	0	0	0	0	0	0
STATUS (COLS. 29- 30)	010	1	23	4.05	1.49	4729	589	0	0	25	0	0	0	0	0	0
STATUS (COLS. 31- 32)	011	1	23	3.88	1.27	4957	361	0	0	25	0	0	0	0	0	0
STATUS (COLS. 33- 34)	012	1	25	3.92	1.14	5077	237	0	0	29	0	0	0	0	0	0
STATUS (COLS. 35- 36)	013	1	25	3.97	1.26	5148	166	0	0	29	0	0	0	0	0	0
STATUS (COLS. 37- 38)	014	1	25	4.05	1.31	5140	173	0	0	30	0	0	0	0	0	0
STATUS (COLS. 39- 40)	015	1	23	4.06	1.28	5094	216	0	0	33	0	0	0	0	0	0
STATUS (COLS. 41- 42)	016	1	23	4.04	1.16	5070	239	0	0	34	0	0	0	0	0	0
STATUS (COLS. 43- 44)	017	1	25	4.09	1.33	5040	265	0	0	38	0	0	0	0	0	0
STATUS (COLS. 45- 46)	018	1	25	4.16	1.55	5037	265	0	0	41	0	0	0	0	0	0
STATUS (COLS. 47- 48)	019	1	25	4.21	1.63	5005	296	0	0	42	0	0	0	0	0	0
STATUS (COLS. 49- 50)	020	1	33	4.15	1.38	4976	323	0	0	44	0	0	0	0	0	0
STATUS (COLS. 51- 52)	021	1	33	4.17	1.41	4969	324	0	0	50	0	0	0	0	0	0
STATUS (COLS. 53- 54)	022	1	25	4.18	1.36	4943	345	0	0	55	0	0	0	0	0	0
STATUS (COLS. 55- 56)	023	1	25	4.15	1.19	4914	370	0	0	59	0	0	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
STATUS (COLS. 57- 58)	024	1	25	4.19	1.31	4908	375	0	0	60	0	0	0	0
STATUS (COLS. 59- 60)	025	1	33	4.25	1.52	4888	389	0	0	66	0	0	0	0
STATUS (COLS. 61- 62)	026	1	25	4.28	1.51	4874	399	0	0	70	0	0	0	0
STATUS (COLS. 63- 64)	027	1	25	4.25	1.24	4867	405	0	0	71	0	0	0	0
STATUS (COLS. 65- 66)	028	1	33	4.29	1.47	4847	425	0	0	71	0	0	0	0
STATUS (COLS. 67- 68)	029	1	33	4.31	1.40	4834	436	0	0	73	0	0	0	0
STATUS (COLS. 69- 70)	030	1	25	4.32	1.48	4804	464	0	0	75	0	0	0	0
STATUS (COLS. 71- 72)	031	1	25	4.33	1.39	4801	464	0	0	78	0	0	0	0
STATUS (COLS. 73- 74)	032	1	25	4.37	1.44	4799	465	0	0	79	0	0	0	0
STATUS (COLS. 75- 76)	033	1	25	4.45	1.75	4749	506	0	0	88	0	0	0	0
STATUS (COLS. 77- 78)	034	1	33	4.36	1.33	4720	535	0	0	88	0	0	0	0
STATUS (COLS. 79- 80)	035	1	35	4.38	1.34	4710	543	0	0	90	0	0	0	0
STATUS (COLS. 81- 82)	036	1	25	4.41	1.33	4702	549	0	0	92	0	0	0	0
STATUS (COLS. 83- 84)	037	1	25	4.42	1.27	4680	568	0	0	95	0	0	0	0
STATUS (COLS. 85- 86)	038	1	25	4.47	1.47	4645	600	0	0	98	0	0	0	0
STATUS (COLS. 87- 88)	039	1	33	4.44	1.35	4639	606	0	0	98	0	0	0	0
STATUS (COLS. 89- 90)	040	1	33	4.41	1.18	4625	620	0	0	98	0	0	0	0
STATUS (COLS. 91- 92)	041	1	23	4.44	1.19	4619	626	0	0	98	0	0	0	0
STATUS (COLS. 93- 94)	042	1	25	4.45	1.19	4589	653	0	0	101	0	0	0	0
STATUS (COLS. 95- 96)	043	1	25	4.46	1.13	4564	678	0	0	101	0	0	0	0
STATUS (COLS. 97- 98)	044	1	35	4.50	1.50	4510	732	0	0	101	0	0	0	0
STATUS (COLS. 99- 100)	045	1	25	4.54	1.45	4507	732	0	0	104	0	0	0	0
STATUS (COLS. 101- 102)	046	1	33	4.53	1.36	4479	760	0	0	104	0	0	0	0
STATUS (COLS. 103- 104)	047	1	33	4.50	1.24	4474	764	0	0	105	0	0	0	0
STATUS (COLS. 105- 106)	048	4	23	4.47	0.98	4474	764	0	0	105	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
MOPRES (COLS. 107- 107)	001	2	2	2.00	0.0	287	27	0	0	0	0	0	0 5029
MOPRES (COLS. 108- 108)	002	2	2	2.00	0.0	1435	123	0	0	0	0	0	0 3785
MOPRES (COLS. 109- 109)	003	2	2	2.00	0.0	1952	173	0	0	2	0	0	0 3216
MOPRES (COLS. 110- 110)	004	2	2	2.00	0.00	3133	286	0	1	6	0	0	0 1917
MOPRES (COLS. 111- 111)	005	2	2	2.00	0.0	3334	336	0	1	11	0	0	0 1661
MOPRES (COLS. 112- 112)	006	2	2	2.00	0.0	3924	401	0	1	11	0	0	0 1006
MOPRES (COLS. 113- 113)	007	2	2	2.00	0.00	4323	427	0	2	17	0	0	0 574
MOPRES (COLS. 114- 114)	008	2	2	2.00	0.0	4332	416	0	5	21	0	0	0 569
MOPRES (COLS. 115- 115)	009	2	2	2.00	0.0	4328	394	0	8	24	0	0	0 589
MOPRES (COLS. 116- 116)	010	2	2	2.00	0.00	4327	377	0	10	25	0	0	0 604
MOPRES (COLS. 117- 117)	011	2	2	2.00	0.00	4555	388	0	10	25	0	0	0 365
MOPRES (COLS. 118- 118)	012	2	2	2.00	0.00	4653	403	0	13	29	0	0	0 245
MOPRES (COLS. 119- 119)	013	2	2	2.00	0.0	4700	423	0	14	29	0	0	0 177
MOPRES (COLS. 120- 120)	014	2	2	2.00	0.0	4640	443	0	14	30	0	0	0 216
MOPRES (COLS. 121- 121)	015	2	2	2.00	0.0	4590	465	0	17	32	0	0	0 239
MOPRES (COLS. 122- 122)	016	2	2	2.00	0.0	4550	478	0	17	33	0	0	0 265
MOPRES (COLS. 123- 123)	017	2	2	2.00	0.0	4528	494	0	19	37	0	0	0 265
MOPRES (COLS. 124- 124)	018	2	2	2.00	0.0	4468	519	0	20	40	0	0	0 296
MOPRES (COLS. 125- 125)	019	2	2	2.00	0.00	4409	549	0	21	41	0	0	0 323
MOPRES (COLS. 126- 126)	020	2	2	2.00	0.00	4387	567	0	22	43	0	0	0 324
MOPRES (COLS. 127- 127)	021	2	2	2.00	0.0	4358	567	0	24	49	0	0	0 345
MOPRES (COLS. 128- 128)	022	2	2	2.00	0.0	4314	579	0	26	54	0	0	0 370
MOPRES (COLS. 129- 129)	023	2	2	2.00	0.00	4289	595	0	26	58	0	0	0 375
MOPRES (COLS. 130- 130)	024	2	2	2.00	0.0	4266	603	0	26	59	0	0	0 389
MOPRES (COLS. 131- 131)	025	2	2	2.00	0.00	4229	621	0	29	65	0	0	0 399

Computer Center
A Division of American Management Systems, Inc.

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999

MOPRES (COLS. 132- 132)	026	2	2.00	0.00	4185	650	0	34	69	0	0	0	0	405
MOPRES (COLS. 133- 133)	027	2	2.00	0.00	4147	663	0	36	70	0	0	0	0	427
MOPRES (COLS. 134- 134)	028	2	2.00	0.00	4115	683	0	38	70	0	0	0	0	437
MOPRES (COLS. 135- 135)	029	2	2.00	0.0	4066	697	0	40	72	0	0	0	0	408
MOPRES (COLS. 136- 136)	030	2	2.00	0.00	4049	713	0	41	74	0	0	0	0	466
MOPRES (COLS. 137- 137)	031	2	2.00	0.0	4020	735	0	43	77	0	0	0	0	468
MOPRES (COLS. 138- 138)	032	2	2.00	0.00	3953	759	0	44	78	0	0	0	0	509
MOPRES (COLS. 139- 139)	033	2	2.00	0.00	3875	799	0	47	87	0	0	0	0	535
MOPRES (COLS. 140- 140)	034	2	2.00	0.00	3857	806	0	48	87	0	0	0	0	545
MOPRES (COLS. 141- 141)	035	2	2.00	0.0	3838	818	0	49	89	0	0	0	0	549
MOPRES (COLS. 142- 142)	036	2	2.00	0.0	3798	837	0	49	91	0	0	0	0	568
MOPRES (COLS. 143- 143)	037	2	2.00	0.0	3744	854	0	51	94	0	0	0	0	600
MOPRES (COLS. 144- 144)	038	2	2.00	0.00	3717	870	0	53	97	0	0	0	0	606
MOPRES (COLS. 145- 145)	039	2	2.00	0.00	3699	873	0	54	97	0	0	0	0	620
MOPRES (COLS. 146- 146)	040	2	2.00	0.0	3690	875	0	55	97	0	0	0	0	626
MOPRES (COLS. 147- 147)	041	2	2.00	0.0	3658	878	0	57	97	0	0	0	0	653
MOPRES (COLS. 148- 148)	042	2	2.00	0.00	3619	888	0	58	100	0	0	0	0	678
MOPRES (COLS. 149- 149)	043	2	2.00	0.00	3557	896	0	58	100	0	0	0	0	732
MOPRES (COLS. 150- 150)	044	2	2.00	0.00	3545	905	0	61	100	0	0	0	0	732
MOPRES (COLS. 151- 151)	045	2	2.00	0.00	3493	924	0	63	103	0	0	0	0	760
MOPRES (COLS. 152- 152)	046	2	2.00	0.0	3472	940	0	64	103	0	0	0	0	764
MOPRES (COLS. 153- 153)	047	2	2.00	0.00	3471	938	0	66	104	0	0	0	0	764
MOPRES (COLS. 154- 154)	048	2	2.00	0.0	3468	940	0	67	104	0	0	0	0	764
MRST (COLS. 155- 156)	001	1	6	3.14	1.89	212	0	0	0	102	0	0	5029	0
MRST (COLS. 157- 158)	002	1	6	3.40	1.78	1014	0	0	0	544	0	0	3785	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
MRST (COLS. 159- 160)	003	1	6	3.29	1.82	1379	0	0	0	755	0	0	3208	0	1
MRST (COLS. 161- 162)	004	1	6	3.43	1.78	2242	0	0	0	1201	0	0	1895	0	5
MRST (COLS. 163- 164)	005	1	6	3.46	1.76	2445	0	0	0	1281	0	0	1598	0	19
MRST (COLS. 165- 166)	006	1	6	3.49	1.74	2864	0	0	0	1499	0	0	930	0	50
MRST (COLS. 167- 168)	007	1	6	3.50	1.75	3162	0	0	0	1632	0	0	485	0	64
MRST (COLS. 169- 170)	008	1	6	3.50	1.74	3172	0	0	0	1622	0	0	472	0	77
MRST (COLS. 171- 172)	009	1	6	3.50	1.74	3174	0	0	0	1607	0	0	471	0	91
MRST (COLS. 173- 174)	010	1	6	3.50	1.74	3174	0	0	0	1583	0	0	471	0	115
MRST (COLS. 175- 176)	011	1	6	3.46	1.76	3301	0	0	0	1684	0	0	228	0	130
MRST (COLS. 177- 178)	012	1	6	3.45	1.76	3362	0	0	0	1747	0	0	100	0	134
MRST (COLS. 179- 180)	013	1	6	3.44	1.77	3408	0	0	0	1772	0	0	21	0	142
MRST (COLS. 181- 182)	014	1	6	3.44	1.77	3417	0	0	0	1756	0	0	17	0	153
MRST (COLS. 183- 184)	015	1	6	3.44	1.77	3421	0	0	0	1706	0	0	17	0	199
MRST (COLS. 185- 186)	016	1	6	3.43	1.76	3426	0	0	0	1682	0	0	17	0	218
MRST (COLS. 187- 188)	017	1	6	3.43	1.77	3426	0	0	0	1655	0	0	17	0	245
MRST (COLS. 189- 190)	018	1	6	3.43	1.77	3426	0	0	0	1655	0	0	17	0	245
MRST (COLS. 191- 192)	019	1	6	3.43	1.77	3426	0	0	0	1627	0	0	17	0	273
MRST (COLS. 193- 194)	020	1	6	3.44	1.76	3426	0	0	0	1613	0	0	17	0	287
MRST (COLS. 195- 196)	021	1	6	3.44	1.76	3429	0	0	0	1596	0	0	17	0	301
MRST (COLS. 197- 198)	022	1	6	3.43	1.76	3430	0	0	0	1575	0	0	17	0	321
MRST (COLS. 199- 200)	023	1	6	3.43	1.76	3432	0	0	0	1556	0	0	17	0	338
MRST (COLS. 201- 202)	024	1	6	3.43	1.76	3421	0	0	0	1561	0	0	17	0	344
MRST (COLS. 203- 204)	025	1	6	3.45	1.75	3383	0	0	0	1599	0	0	17	0	344
MRST (COLS. 205- 206)	026	1	6	3.48	1.74	3322	0	0	0	1622	0	0	17	0	382
MRST (COLS. 207- 208)	027	1	6	3.49	1.74	3307	0	0	0	1634	0	0	17	0	385

PERSON VARIABLES

VARIABLE DESCRIPTION		MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
JOBINC (COLS. 1652- 1655)	001	25	4400	492.88	252.40	847	2690	0	747	1040	0	0	0	19	0
JOBINC (COLS. 1656- 1659)	002	33	4400	491.88	252.47	857	2665	0	747	1000	0	0	0	74	0
JOBINC (COLS. 1660- 1663)	003	33	4400	489.03	252.95	865	2651	0	747	983	0	0	0	97	0
JOBINC (COLS. 1664- 1667)	004	26	4400	488.72	254.29	871	2623	0	747	934	0	0	0	168	0
JOBINC (COLS. 1668- 1671)	005	33	4400	487.15	255.08	870	2620	0	747	914	0	0	0	192	0
JOBINC (COLS. 1672- 1675)	006	11	4400	458.76	267.06	913	2563	0	747	888	0	0	0	232	0
JOBINC (COLS. 1676- 1679)	007	8	4400	440.71	263.42	923	2554	0	747	874	0	0	0	245	0
JOBINC (COLS. 1680- 1683)	008	24	4400	429.76	273.18	831	2652	0	747	881	0	0	0	232	0
JOBINC (COLS. 1684- 1687)	009	9	4400	456.96	284.93	805	2697	0	747	880	0	0	0	214	0
JOBINC (COLS. 1688- 1691)	010	12	5760	486.41	306.52	762	2762	0	747	882	0	0	0	190	0
JOBINC (COLS. 1692- 1695)	011	15	5660	491.70	303.33	772	2757	0	747	874	0	0	0	193	0
JOBINC (COLS. 1696- 1699)	012	25	5760	497.29	303.73	772	2753	0	747	872	0	0	0	199	0
JOBINC (COLS. 1700- 1703)	013	7	5760	499.70	306.19	789	2734	0	747	875	0	0	0	198	0
JOBINC (COLS. 1704- 1707)	014	26	1405	499.48	233.04	788	2349	0	747	1252	0	0	0	207	0
JOBINC (COLS. 1708- 1711)	015	26	1405	499.38	233.72	796	2345	0	747	1240	0	0	0	212	3
JOBINC (COLS. 1712- 1715)	016	26	1405	494.88	236.68	801	2342	0	747	1231	0	0	0	219	3
JOBINC (COLS. 1716- 1719)	017	9	2000	497.80	242.40	806	2342	0	747	1209	0	0	0	234	5
JOBINC (COLS. 1720- 1723)	018	14	2052	514.83	243.70	797	2611	0	747	938	0	0	0	245	5
JOBINC (COLS. 1724- 1727)	019	8	2052	475.42	252.19	885	2532	0	747	905	0	0	0	266	8
JOBINC (COLS. 1728- 1731)	020	13	2052	492.10	264.82	903	2518	0	747	875	0	0	0	280	20
JOBINC (COLS. 1732- 1735)	021	5	2052	509.05	259.22	868	2551	0	747	867	0	0	0	281	29
JOBINC (COLS. 1736- 1739)	022	16	1440	549.32	241.23	785	2530	0	747	957	0	0	0	289	35
JOBINC (COLS. 1740- 1743)	023	16	1440	546.71	243.55	793	2525	0	747	927	0	0	0	305	46

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
JOBINC (COLS. 1744- 1747)	024	16	1440	542.30	245.58	797	2527	0	747	909	0	0	0	311	52
JOBINC (COLS. 1748- 1751)	025	16	1440	543.77	246.52	800	2527	0	747	886	0	0	0	331	52
JOBINC (COLS. 1752- 1755)	026	28	1400	572.98	243.70	736	2496	0	747	965	0	0	0	343	86
JOBINC (COLS. 1756- 1759)	027	28	1400	571.43	244.47	720	2482	0	747	946	0	0	0	359	89
JOBINC (COLS. 1760- 1763)	028	12	1400	567.71	248.19	727	2481	0	747	904	0	0	0	374	110
JOBINC (COLS. 1764- 1767)	029	6	1435	564.69	250.43	738	2475	0	747	882	0	0	0	389	112
JOBINC (COLS. 1768- 1771)	030	10	2061	554.89	258.10	761	2451	0	747	838	0	0	0	397	149
JOBINC (COLS. 1772- 1775)	031	14	2061	492.21	283.04	919	2567	0	747	552	0	0	0	406	150
JOBINC (COLS. 1776- 1779)	032	24	2080	523.07	288.11	855	2610	0	747	538	0	0	0	438	155
JOBINC (COLS. 1780- 1783)	033	13	1800	590.27	266.75	723	2433	0	747	802	0	0	0	480	158
JOBINC (COLS. 1784- 1787)	034	24	1800	591.31	266.51	724	2431	0	747	747	0	0	0	489	205
JOBINC (COLS. 1788- 1791)	035	13	1500	579.98	260.73	746	2652	0	747	464	0	0	0	495	239
JOBINC (COLS. 1792- 1795)	036	8	1560	574.03	260.81	735	2662	0	747	434	0	0	0	509	256
JOBINC (COLS. 1796- 1799)	037	38	1930	576.81	266.20	727	2662	0	747	414	0	0	0	530	263
JOBINC (COLS. 1800- 1803)	038	64	1930	590.09	267.59	711	2688	0	747	358	0	0	0	548	291
JOBINC (COLS. 1804- 1807)	039	45	2000	610.00	279.16	685	2714	0	747	350	0	0	0	550	297
JOBINC (COLS. 1808- 1811)	040	32	1600	631.48	274.59	665	2726	0	747	340	0	0	0	549	316
JOBINC (COLS. 1812- 1815)	041	18	1650	627.03	287.58	678	2690	0	747	331	0	0	0	551	346
JOBINC (COLS. 1816- 1819)	042	28	1650	612.43	283.50	694	2305	0	747	685	0	0	0	561	351
JOBINC (COLS. 1820- 1823)	043	50	1650	570.37	299.52	603	2497	0	747	362	0	0	0	566	368
JOBINC (COLS. 1824- 1827)	044	10	1650	600.56	300.93	748	2549	0	747	302	0	0	0	568	429
JOBINC (COLS. 1828- 1831)	045	33	2264	660.23	313.69	677	2221	0	747	676	0	0	0	592	430
JOBINC (COLS. 1832- 1835)	046	40	2264	657.59	313.56	695	2197	0	747	652	0	0	0	615	437
JOBINC (COLS. 1836- 1839)	047	40	2264	655.07	313.04	699	2193	0	747	626	0	0	0	609	469
JOBINC (COLS. 1840- 1843)	048	20	2264	646.28	322.44	616	2246	0	747	624	0	0	0	612	498

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
DAYINC (COLS. 1844- 1847)	001	48	800	276.90	251.23	10	4566	0	747	0	0	0	0	20	0
DAYINC (COLS. 1848- 1851)	002	24	800	273.30	270.05	10	4510	0	747	0	0	0	0	76	0
DAYINC (COLS. 1852- 1855)	003	48	800	289.44	291.52	9	4486	0	747	0	0	0	0	101	0
DAYINC (COLS. 1856- 1859)	004	48	800	276.11	268.30	9	4412	0	747	0	0	0	0	175	0
DAYINC (COLS. 1860- 1863)	005	48	800	294.78	287.95	9	4387	0	747	0	0	0	0	200	0
DAYINC (COLS. 1864- 1867)	006	48	800	303.00	284.24	9	4344	0	747	0	0	0	0	243	0
DAYINC (COLS. 1868- 1871)	007	48	543	211.75	154.26	8	4333	0	747	0	0	0	0	255	0
DAYINC (COLS. 1872- 1875)	008	48	776	218.38	238.18	8	4350	0	747	0	0	0	0	238	0
DAYINC (COLS. 1876- 1879)	009	48	716	247.38	214.30	8	4369	0	747	0	0	0	0	219	0
DAYINC (COLS. 1880- 1883)	010	20	800	248.89	244.01	9	4394	0	747	0	0	0	0	193	0
DAYINC (COLS. 1884- 1887)	011	45	800	320.50	301.99	8	4394	0	747	0	0	0	0	194	0
DAYINC (COLS. 1888- 1891)	012	10	800	279.33	289.07	9	4386	0	747	0	0	0	0	201	0
DAYINC (COLS. 1892- 1895)	013	40	800	254.40	281.32	10	4383	0	747	0	0	0	0	203	0
DAYINC (COLS. 1896- 1899)	014	30	712	260.60	224.18	10	4374	0	747	0	0	0	0	212	0
DAYINC (COLS. 1900- 1903)	015	25	712	293.44	246.01	9	4366	0	747	0	0	0	0	218	3
DAYINC (COLS. 1904- 1907)	016	40	604	261.00	216.41	8	4361	0	747	0	0	0	0	224	3
DAYINC (COLS. 1908- 1911)	017	40	604	286.86	220.00	7	4348	0	747	0	0	0	0	236	5
DAYINC (COLS. 1912- 1915)	018	40	960	300.00	326.26	12	4325	0	747	0	0	0	0	254	5
DAYINC (COLS. 1916- 1919)	019	100	960	397.78	333.93	9	4304	0	747	0	0	0	0	275	8
DAYINC (COLS. 1920- 1923)	020	40	960	333.20	349.60	10	4281	0	747	0	0	0	0	285	20
DAYINC (COLS. 1924- 1927)	021	90	960	369.20	327.80	10	4272	0	747	0	0	0	0	285	29
DAYINC (COLS. 1928- 1931)	022	46	960	456.18	385.31	11	4252	0	747	0	0	0	0	298	35
DAYINC (COLS. 1932- 1935)	023	46	960	493.80	384.27	10	4227	0	747	0	0	0	0	313	46
DAYINC (COLS. 1936- 1939)	024	12	960	454.91	389.03	11	4216	0	747	0	0	0	0	317	52

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
DAYINC (COLS. 1944- 1947)	026	24	249	129.08	83.36	13	3180	0	747	965	0	0	0
DAYINC (COLS. 1948- 1951)	027	24	240	126.36	72.99	14	3181	0	747	946	0	0	0
DAYINC (COLS. 1952- 1955)	028	24	240	126.36	72.99	14	3186	0	747	904	0	0	0
DAYINC (COLS. 1956- 1959)	029	24	240	124.60	70.66	15	3190	0	747	882	0	0	0
DAYINC (COLS. 1960- 1963)	030	24	240	124.57	73.98	14	3188	0	747	838	0	0	0
DAYINC (COLS. 1964- 1967)	031	24	240	126.43	68.93	14	3454	0	747	551	0	0	0
DAYINC (COLS. 1968- 1971)	032	40	300	156.29	70.85	14	3438	0	747	538	0	0	0
DAYINC (COLS. 1972- 1975)	033	60	700	187.14	157.01	14	3131	0	747	802	0	0	0
DAYINC (COLS. 1976- 1979)	034	60	700	196.07	155.22	14	3133	0	747	747	0	0	0
DAYINC (COLS. 1980- 1983)	035	45	350	171.87	74.87	15	3369	0	747	464	0	0	0
DAYINC (COLS. 1984- 1987)	036	45	240	150.29	59.82	14	3366	0	747	434	0	0	0
DAYINC (COLS. 1988- 1991)	037	45	240	162.73	56.10	11	3366	0	747	414	0	0	0
DAYINC (COLS. 1992- 1995)	038	40	300	155.90	79.01	10	3380	0	747	358	0	0	0
DAYINC (COLS. 1996- 1999)	039	40	200	141.89	62.02	9	3383	0	747	350	0	0	0
DAYINC (COLS. 2000- 2003)	040	40	312	166.08	88.66	12	3373	0	747	340	0	0	0
DAYINC (COLS. 2004- 2007)	041	40	300	173.92	88.17	13	3351	0	747	331	0	0	0
DAYINC (COLS. 2008- 2011)	042	40	306	155.77	98.46	13	2982	0	747	685	0	0	0
DAYINC (COLS. 2012- 2015)	043	48	300	156.55	88.03	11	3283	0	747	362	0	0	0
DAYINC (COLS. 2016- 2019)	044	60	489	230.55	127.70	11	3280	0	747	302	0	0	0
DAYINC (COLS. 2020- 2023)	045	72	489	223.10	124.66	10	2886	0	747	676	0	0	0
DAYINC (COLS. 2024- 2027)	046	60	489	233.58	123.56	12	2878	0	747	652	0	0	0
DAYINC (COLS. 2028- 2031)	047	24	489	225.73	133.61	11	2878	0	747	626	0	0	0
DAYINC (COLS. 2032- 2035)	048	70	489	228.90	137.34	10	2850	0	747	624	0	0	0
DJINC (COLS. 2036- 2039)	001	10	979	110.59	227.81	17	3517	0	747	1042	0	0	0
DJINC (COLS. 2040- 2043)	002	10	979	126.81	240.95	15	3503	0	747	1002	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
DJINC (COLS. 2044- 2047)	003	10	979	126.79	249.07	14 3496	0 747	985	0	0	0	101	0
DJINC (COLS. 2048- 2051)	004	10	979	120.94	232.91	16 3470	0 747	936	0	0	0	174	0
DJINC (COLS. 2052- 2055)	005	2	979	120.13	241.51	15 3467	0 747	915	0	0	0	199	0
DJINC (COLS. 2056- 2059)	006	8	979	105.08	192.88	24 3441	0 747	889	0	0	0	242	0
DJINC (COLS. 2060- 2063)	007	8	979	115.05	199.65	22 3444	0 747	875	0	0	0	255	0
DJINC (COLS. 2064- 2067)	008	8	979	107.73	200.97	22 3454	0 747	882	0	0	0	238	0
DJINC (COLS. 2068- 2071)	009	5	979	105.56	222.88	18 3478	0 747	881	0	0	0	219	0
DJINC (COLS. 2072- 2075)	010	10	150	47.00	44.59	13 3506	0 747	884	0	0	0	193	0
DJINC (COLS. 2076- 2079)	011	10	150	50.09	48.91	11 3515	0 747	876	0	0	0	194	0
DJINC (COLS. 2080- 2083)	012	10	200	59.73	58.02	15 3506	0 747	874	0	0	0	201	0
DJINC (COLS. 2084- 2087)	013	3	150	51.86	47.28	14 3502	0 747	877	0	0	0	203	0
DJINC (COLS. 2088- 2091)	014	10	100	36.56	23.15	16 3113	0 747	1256	0	0	0	211	0
DJINC (COLS. 2092- 2095)	015	20	100	40.00	25.37	9 3123	0 747	1244	0	0	0	217	3
DJINC (COLS. 2096- 2099)	016	20	100	41.25	26.83	8 3126	0 747	1235	0	0	0	224	3
DJINC (COLS. 2100- 2103)	017	10	348	81.55	93.86	11 3131	0 747	1213	0	0	0	236	5
DJINC (COLS. 2104- 2107)	018	12	105	59.00	30.81	8 3391	0 747	938	0	0	0	254	5
DJINC (COLS. 2108- 2111)	019	5	115	57.86	38.39	7 3401	0 747	905	0	0	0	275	8
DJINC (COLS. 2112- 2115)	020	45	120	72.14	27.67	7 3409	0 747	875	0	0	0	285	20
DJINC (COLS. 2116- 2119)	021	15	160	77.50	46.60	8 3407	0 747	867	0	0	0	285	29
DJINC (COLS. 2120- 2123)	022	5	60	30.83	25.18	6 3300	0 747	957	0	0	0	298	35
DJINC (COLS. 2124- 2127)	023	5	60	33.00	27.52	5 3305	0 747	927	0	0	0	313	46
DJINC (COLS. 2128- 2131)	024	5	60	33.00	27.52	5 3313	0 747	909	0	0	0	317	52
DJINC (COLS. 2132- 2135)	025	5	60	33.00	27.52	5 3317	0 747	886	0	0	0	336	52
DJINC (COLS. 2136- 2139)	026	2	100	50.62	27.20	13 3180	0 747	965	0	0	0	352	86
DJINC (COLS. 2140- 2143)	027	20	100	54.60	26.38	10 3185	0 747	946	0	0	0	366	89

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
DJINC (COLS. 2144- 2147)	028	20	100	54.00	27.91	9	3191	0	747	904	0	0	0	362	110
DJINC (COLS. 2148- 2151)	029	20	100	54.00	27.91	9	3196	0	747	882	0	0	0	397	112
DJINC (COLS. 2152- 2155)	030	20	100	55.11	27.93	9	3193	0	747	838	0	0	0	407	149
DJINC (COLS. 2156- 2159)	031	20	160	69.82	46.67	11	3457	0	747	551	0	0	0	427	150
DJINC (COLS. 2160- 2163)	032	7	400	99.75	117.06	12	3440	0	747	538	0	0	0	451	155
DJINC (COLS. 2164- 2167)	033	8	400	219.33	197.79	3	3141	0	747	803	0	0	0	491	158
DJINC (COLS. 2168- 2171)	034	8	250	129.00	171.12	2	3144	0	747	748	0	0	0	497	205
DJINC (COLS. 2172- 2175)	035	8	210	79.00	89.90	4	3380	0	747	464	0	0	0	509	239
DJINC (COLS. 2176- 2179)	036	8	210	109.00	142.84	2	3378	0	747	434	0	0	0	526	256
DJINC (COLS. 2180- 2183)	037	60	300	130.00	91.47	7	3240	0	747	545	0	0	0	541	263
DJINC (COLS. 2184- 2187)	038	60	210	95.00	57.18	6	3385	0	747	358	0	0	0	556	291
DJINC (COLS. 2188- 2191)	039	60	210	100.00	54.77	6	3387	0	747	350	0	0	0	556	297
DJINC (COLS. 2192- 2195)	040	80	185	111.00	44.50	5	3380	0	747	340	0	0	0	555	316
DJINC (COLS. 2196- 2199)	041	80	120	92.50	18.93	4	2991	0	747	700	0	0	0	555	346
DJINC (COLS. 2200- 2203)	042	50	260	110.86	69.03	7	2988	0	747	685	0	0	0	565	351
DJINC (COLS. 2204- 2207)	043	35	260	99.50	64.66	10	3284	0	747	362	0	0	0	572	368
DJINC (COLS. 2208- 2211)	044	70	260	118.33	71.67	6	3285	0	747	302	0	0	0	574	429
DJINC (COLS. 2212- 2215)	045	50	150	93.33	33.27	6	2889	0	747	677	0	0	0	594	430
DJINC (COLS. 2216- 2219)	046	15	150	71.00	39.50	10	2879	0	747	653	0	0	0	617	437
DJINC (COLS. 2220- 2223)	047	10	140	77.50	41.66	8	2880	0	747	627	0	0	0	612	469
DJINC (COLS. 2224- 2227)	048	40	140	96.00	35.76	5	2854	0	747	625	0	0	0	614	498
UEMBEN (COLS. 2228- 2231)	001	151	487	233.46	93.57	13	4563	0	747	0	0	0	0	20	0
UEMBEN (COLS. 2232- 2235)	002	136	440	214.67	87.28	12	4508	0	747	0	0	0	0	76	0
UEMBEN (COLS. 2236- 2239)	003	151	487	237.58	96.49	12	4483	0	747	0	0	0	0	101	0
UEMBEN (COLS. 2240- 2243)	004	111	471	210.53	87.87	15	4406	0	747	0	0	0	0	175	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN	MAX	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
UEMBEN (COLS. 2244- 2247)	005	29	487	205.60	101.09	15	4381	0	747	0	0	0	0	200	0
UEMBEN (COLS. 2248- 2251)	006	86	471	200.89	85.72	19	4334	0	747	0	0	0	0	243	0
UEMBEN (COLS. 2252- 2255)	007	52	487	221.46	86.12	28	4313	0	747	0	0	0	0	255	0
UEMBEN (COLS. 2256- 2259)	008	5	576	240.79	91.30	104	4257	0	747	0	0	0	0	235	0
UEMBEN (COLS. 2260- 2263)	009	9	557	220.16	85.90	123	4255	0	747	0	0	0	0	218	0
UEMBEN (COLS. 2264- 2267)	010	16	576	232.73	74.10	115	4289	0	747	0	0	0	0	192	0
UEMBEN (COLS. 2268- 2271)	011	7	558	220.01	84.20	114	4289	0	747	0	0	0	0	193	0
UEMBEN (COLS. 2272- 2275)	012	28	523	216.90	74.46	110	4286	0	747	0	0	0	0	200	0
UEMBEN (COLS. 2276- 2279)	013	5	523	204.25	85.44	96	4298	0	747	0	0	0	0	202	0
UEMBEN (COLS. 2280- 2283)	014	3	472	181.57	86.51	76	4310	0	747	0	0	0	0	210	0
UEMBEN (COLS. 2284- 2287)	015	13	471	187.75	110.22	60	4316	0	747	0	0	0	0	217	3
UEMBEN (COLS. 2288- 2291)	016	9	489	189.08	124.33	38	4331	0	747	0	0	0	0	224	3
UEMBEN (COLS. 2292- 2295)	017	69	430	229.87	88.26	23	4332	0	747	0	0	0	0	236	5
UEMBEN (COLS. 2296- 2299)	018	7	399	161.69	118.14	16	4321	0	747	0	0	0	0	254	5
UEMBEN (COLS. 2300- 2303)	019	26	412	182.85	115.55	13	4300	0	747	0	0	0	0	275	8
UEMBEN (COLS. 2304- 2307)	020	9	531	168.00	144.07	12	4279	0	747	0	0	0	0	265	20
UEMBEN (COLS. 2308- 2311)	021	22	373	168.78	119.07	9	4273	0	747	0	0	0	0	285	29
UEMBEN (COLS. 2312- 2315)	022	14	385	210.00	113.73	7	4256	0	747	0	0	0	0	298	35
UEMBEN (COLS. 2316- 2319)	023	96	360	208.25	90.48	8	4230	0	747	0	0	0	0	312	46
UEMBEN (COLS. 2320- 2323)	024	21	239	176.00	83.74	6	4222	0	747	0	0	0	0	316	52
UEMBEN (COLS. 2324- 2327)	025	31	279	120.13	80.56	8	4200	0	747	0	0	0	0	336	52
UEMBEN (COLS. 2328- 2331)	026	46	300	174.33	66.92	12	4147	0	747	0	0	0	0	351	86
UEMBEN (COLS. 2332- 2335)	027	97	332	187.60	73.03	10	4132	0	747	0	0	0	0	365	89
UEMBEN (COLS. 2336- 2339)	028	55	321	154.09	73.94	11	4093	0	747	0	0	0	0	382	110
UEMBEN (COLS. 2340- 2343)	029	22	332	152.36	95.90	11	4076	0	747	0	0	0	0	397	112

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
<hr/>													
UEMBEN (COLS. 2344- 2347)	030	13	214	155.78	70.11	9 4032	0 747	0 0	0 0	0 0	0 406	0 149	
UEMBEN (COLS. 2348- 2351)	031	108	205	151.17	41.16	6 4013	0 747	0 0	0 0	0 0	0 427	0 150	
UEMBEN (COLS. 2352- 2355)	032	5	306	145.67	112.64	6 3985	0 747	0 0	0 0	0 0	0 450	0 155	
UEMBEN (COLS. 2356- 2359)	033	39	225	161.43	60.58	7 3940	0 747	0 0	0 0	0 0	0 491	0 158	
UEMBEN (COLS. 2360- 2363)	034	46	499	186.89	135.60	9 3885	0 747	0 0	0 0	0 0	0 497	0 205	
UEMBEN (COLS. 2364- 2367)	035	24	463	203.38	147.35	8 3840	0 747	0 0	0 0	0 0	0 509	0 239	
UEMBEN (COLS. 2368- 2371)	036	31	322	169.00	100.94	11 3803	0 747	0 0	0 0	0 0	0 526	0 256	
UEMBEN (COLS. 2372- 2375)	037	9	231	118.15	81.10	13 3778	0 747	0 0	0 0	0 0	0 542	0 263	
UEMBEN (COLS. 2376- 2379)	038	13	385	159.92	123.19	12 3736	0 747	0 0	0 0	0 0	0 557	0 291	
UEMBEN (COLS. 2380- 2383)	039	8	542	186.83	155.68	12 3730	0 747	0 0	0 0	0 0	0 557	0 297	
UEMBEN (COLS. 2384- 2387)	040	32	274	111.44	74.09	9 3716	0 747	0 0	0 0	0 0	0 555	0 316	
UEMBEN (COLS. 2388- 2391)	041	50	283	162.40	97.65	5 3690	0 747	0 0	0 0	0 0	0 555	0 346	
UEMBEN (COLS. 2392- 2395)	042	41	274	161.40	102.51	5 3675	0 747	0 0	0 0	0 0	0 565	0 351	
UEMBEN (COLS. 2396- 2399)	043	53	197	113.80	67.71	5 3651	0 747	0 0	0 0	0 0	0 572	0 368	
UEMBEN (COLS. 2400- 2403)	044	63	240	144.25	79.74	4 3589	0 747	0 0	0 0	0 0	0 574	0 429	
UEMBEN (COLS. 2404- 2407)	045	11	390	149.25	176.05	4 3568	0 747	0 0	0 0	0 0	0 594	0 430	
UEMBEN (COLS. 2408- 2411)	046	177	177	177.00	0.0	1 3541	0 747	0 0	0 0	0 0	0 617	0 437	
UEMBEN (COLS. 2412- 2415)	047	80	200	150.33	62.61	3 3512	0 747	0 0	0 0	0 0	0 612	0 469	
UEMBEN (COLS. 2416- 2419)	048	6	6	6.00	0.0	1 3483	0 747	0 0	0 0	0 0	0 614	0 498	
STRKWC (COLS. 2420- 2423)	001	65	204	116.00	55.72	5 4571	0 747	0 0	0 0	0 0	0 20	0 0	
STRKWC (COLS. 2424- 2427)	002	65	204	116.00	55.72	5 4515	0 747	0 0	0 0	0 0	0 76	0 0	
STRKWC (COLS. 2428- 2431)	003	65	204	116.00	55.72	5 4490	0 747	0 0	0 0	0 0	0 101	0 0	
STRKWC (COLS. 2432- 2435)	004	65	306	147.67	92.20	6 4415	0 747	0 0	0 0	0 0	0 175	0 0	
STRKWC (COLS. 2436- 2439)	005	65	306	147.67	92.20	6 4390	0 747	0 0	0 0	0 0	0 200	0 0	
STRKWC (COLS. 2440- 2443)	006	65	901	246.44	263.28	9 4344	0 747	0 0	0 0	0 0	0 243	0 0	

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	NO. ZERO	NO. BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
STRKWC (COLS. 2444- 2447)	007	67	320	165.22	94.97	9 4333	0 747	0 0	0 0	0 0	0 0	0 254	0 0	
STRKWC (COLS. 2448- 2451)	008	50	328	126.32	77.32	34 4325	0 747	0 0	0 0	0 0	0 0	0 237	0 0	
STRKWC (COLS. 2452- 2455)	009	32	328	150.90	84.52	40 4338	0 747	0 0	0 0	0 0	0 0	0 218	0 0	
STRKWC (COLS. 2456- 2459)	010	32	328	153.72	83.29	39 4365	0 747	0 0	0 0	0 0	0 0	0 192	0 0	
STRKWC (COLS. 2460- 2463)	011	32	328	150.05	81.92	40 4363	0 747	0 0	0 0	0 0	0 0	0 193	0 0	
STRKWC (COLS. 2464- 2467)	012	32	284	142.25	72.91	36 4360	0 747	0 0	0 0	0 0	0 0	0 200	0 0	
STRKWC (COLS. 2468- 2471)	013	27	295	135.09	77.24	32 4362	0 747	0 0	0 0	0 0	0 0	0 202	0 0	
STRKWC (COLS. 2472- 2475)	014	70	428	215.50	139.10	8 4376	0 747	0 0	0 0	0 0	0 0	0 212	0 0	
STRKWC (COLS. 2476- 2479)	015	70	428	219.14	148.63	7 4368	0 747	0 0	0 0	0 0	0 0	0 218	3 0	
STRKWC (COLS. 2480- 2483)	016	70	428	252.86	141.58	7 4362	0 747	0 0	0 0	0 0	0 0	0 224	3 0	
STRKWC (COLS. 2484- 2487)	017	70	372	222.29	118.72	7 4348	0 747	0 0	0 0	0 0	0 0	0 236	5 0	
STRKWC (COLS. 2488- 2491)	018	92	340	184.86	103.27	7 4330	0 747	0 0	0 0	0 0	0 0	0 254	5 0	
STRKWC (COLS. 2492- 2495)	019	2	428	222.56	145.92	9 4304	0 747	0 0	0 0	0 0	0 0	0 275	8 0	
STRKWC (COLS. 2496- 2499)	020	92	540	276.90	146.43	10 4281	0 747	0 0	0 0	0 0	0 0	0 285	20 0	
STRKWC (COLS. 2500- 2503)	021	34	540	262.79	140.65	14 4268	0 747	0 0	0 0	0 0	0 0	0 285	29 0	
STRKWC (COLS. 2504- 2507)	022	120	120	120.00	0.0	1 4262	0 747	0 0	0 0	0 0	0 0	0 298	35 0	
STRKWC (COLS. 2508- 2511)	023	120	120	120.00	0.0	1 4236	0 747	0 0	0 0	0 0	0 0	0 313	46 0	
STRKWC (COLS. 2512- 2515)	024	120	340	230.00	155.56	2 4225	0 747	0 0	0 0	0 0	0 0	0 317	52 0	
STRKWC (COLS. 2516- 2519)	025	120	340	203.67	119.08	3 4205	0 747	0 0	0 0	0 0	0 0	0 336	52 0	
STRKWC (COLS. 2520- 2523)	026	0	0	0.0	0.0	0 4158	0 747	0 0	0 0	0 0	0 0	0 352	86 0	
STRKWC (COLS. 2524- 2527)	027	0	0	0.0	0.0	0 4141	0 747	0 0	0 0	0 0	0 0	0 366	89 0	
STRKWC (COLS. 2528- 2531)	028	0	0	0.0	0.0	0 4104	0 747	0 0	0 0	0 0	0 0	0 382	110 0	
STRKWC (COLS. 2532- 2535)	029	0	0	0.0	0.0	0 4087	0 747	0 0	0 0	0 0	0 0	0 397	112 0	
STRKWC (COLS. 2536- 2539)	030	0	0	0.0	0.0	0 4040	0 747	0 0	0 0	0 0	0 0	0 407	149 0	
STRKWC (COLS. 2540- 2543)	031	0	0	0.0	0.0	0 4019	0 747	0 0	0 0	0 0	0 0	0 427	150 0	

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	NO. ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
STRKWC (COLS. 2544- 2547)	032	0	0.0	0.0	0 3990	0	747	0	0	0	0	0	451	155	
STRKWC (COLS. 2548- 2551)	033	0	0.0	0.0	0 3947	0	747	0	0	0	0	0	491	158	
STRKWC (COLS. 2552- 2555)	034	0	0.0	0.0	0.0	0 3894	0	747	0	0	0	0	497	205	
STRKWC (COLS. 2556- 2559)	035	0	0.0	0.0	0.0	0 3848	0	747	0	0	0	0	509	239	
STRKWC (COLS. 2560- 2563)	036	0	0.0	0.0	0.0	0 3814	0	747	0	0	0	0	526	256	
STRKWC (COLS. 2564- 2567)	037	214	252	233.00	26.87	2 3789	0	747	0	0	0	0	542	263	
STRKWC (COLS. 2568- 2571)	038	252	252	252.00	0.0	1 3747	0	747	0	0	0	0	557	291	
STRKWC (COLS. 2572- 2575)	039	252	252	252.00	0.0	1 3741	0	747	0	0	0	0	557	297	
STRKWC (COLS. 2576- 2579)	040	252	252	252.00	0.0	1 3724	0	747	0	0	0	0	555	316	
STRKWC (COLS. 2580- 2583)	041	252	252	252.00	0.0	1 3694	0	747	0	0	0	0	555	346	
STRKWC (COLS. 2584- 2587)	042	107	107	107.00	0.0	1 3679	0	747	0	0	0	0	565	351	
STRKWC (COLS. 2588- 2591)	043	93	250	171.50	111.02	2 3654	0	747	0	0	0	0	572	368	
STRKWC (COLS. 2592- 2595)	044	14	250	132.00	166.88	2 3591	0	747	0	0	0	0	574	429	
STRKWC (COLS. 2596- 2599)	045	107	250	178.50	101.12	2 3570	0	747	0	0	0	0	594	430	
STRKWC (COLS. 2600- 2603)	046	75	250	162.50	123.74	2 3540	0	747	0	0	0	0	617	437	
STRKWC (COLS. 2604- 2607)	047	250	250	250.00	0.0	1 3514	0	747	0	0	0	0	612	469	
STRKWC (COLS. 2608- 2611)	048	0	0	0.0	0.0	0 3484	0	747	0	0	0	0	614	498	
EMPSTAT (COLS. 2612- 2613)	001	1	2	1.71	0.45	3086	448	0	749	64	823	0	0	173	0
EMPSTAT (COLS. 2614- 2615)	002	1	2	1.66	0.48	2731	426	0	749	239	953	0	0	245	0
EMPSTAT (COLS. 2616- 2617)	003	1	2	1.72	0.45	3139	299	0	749	211	649	0	0	296	0
EMPSTAT (COLS. 2618- 2619)	004	1	2	1.71	0.45	3020	328	0	749	284	589	0	0	373	0
EMPSTAT (COLS. 2620- 2621)	005	1	2	1.68	0.47	2913	312	0	749	399	533	0	0	437	0
EMPSTAT (COLS. 2622- 2623)	006	1	2	1.74	0.44	2918	257	0	749	448	461	0	0	510	0
EMPSTAT (COLS. 2624- 2625)	007	1	2	1.75	0.43	3064	202	0	749	468	319	0	0	541	0
EMPSTAT (COLS. 2626- 2627)	008	1	2	1.70	0.46	2804	212	0	749	828	229	0	0	521	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
EMPSTAT (COLS. 2628- 2629)	009	1	2	1.74	0.44	2707	174	0	749	1608	28	0	0	77	0
TYPWRKR (COLS. 2630- 2631)	001	1	3	1.03	0.24	880	0	0	749	2718	823	0	0	173	0
TYPWRKR (COLS. 2632- 2633)	002	1	3	1.03	0.24	942	0	0	749	2454	953	0	0	245	0
TYPWRKR (COLS. 2634- 2635)	003	1	3	1.04	0.27	865	0	0	749	2784	649	0	0	296	0
TYPWRKR (COLS. 2636- 2637)	004	1	3	1.04	0.26	866	0	0	749	2766	589	0	0	373	0
TYPWRKR (COLS. 2638- 2639)	005	1	3	1.04	0.25	941	0	0	749	2683	533	0	0	437	0
TYPWRKR (COLS. 2640- 2641)	006	1	3	1.04	0.28	762	0	0	749	2861	461	0	0	510	0
TYPWRKR (COLS. 2642- 2643)	007	1	3	1.03	0.23	763	0	0	749	2971	319	0	0	541	0
TYPWRKR (COLS. 2644- 2645)	008	1	3	1.04	0.26	830	0	0	749	3014	229	0	0	521	0
TYPWRKR (COLS. 2646- 2647)	009	1	3	1.04	0.26	718	0	0	749	3771	28	0	0	77	0
WYNOWRK (COLS. 2648- 2649)	001	1	5	2.21	1.41	1394	725	0	749	1479	823	0	0	173	0
WYNOWRK (COLS. 2650- 2651)	002	1	7	2.91	1.91	1717	0	0	749	1679	953	0	0	245	0
WYNOWRK (COLS. 2652- 2653)	003	1	7	3.18	1.87	2236	0	0	749	1413	649	0	0	296	0
WYNOWRK (COLS. 2654- 2655)	004	1	9	3.41	2.22	2078	0	0	749	1554	589	0	0	373	0
WYNOWRK (COLS. 2656- 2657)	005	1	7	3.59	1.87	1664	0	0	749	1960	533	0	0	437	0
WYNOWRK (COLS. 2658- 2659)	006	1	7	3.33	1.82	1873	0	0	749	1750	461	0	0	510	0
WYNOWRK (COLS. 2660- 2661)	007	1	8	4.13	1.85	2051	0	0	749	1683	319	0	0	541	0
WYNOWRK (COLS. 2662- 2663)	008	1	8	4.40	1.94	1750	0	0	749	2094	229	0	0	521	0
WYNOWRK (COLS. 2664- 2665)	009	1	8	4.38	1.81	1710	0	0	749	2779	28	0	0	77	0
HRSWEEK (COLS. 2666- 2668)	001	1	651	37.86	32.03	808	2711	0	749	79	823	0	0	173	0
HRSWEEK (COLS. 2669- 2671)	002	2	72	35.80	8.88	867	2280	0	749	249	953	0	0	245	0
HRSWEEK (COLS. 2672- 2674)	003	2	56	36.82	8.26	801	2626	0	749	222	649	0	0	296	0
HRSWEEK (COLS. 2675- 2677)	004	3	133	37.90	8.82	790	2547	0	749	295	589	0	0	373	0
HRSWEEK (COLS. 2678- 2680)	005	5	168	36.53	9.96	825	2390	0	749	409	533	0	0	437	0
HRSWEEK (COLS. 2681- 2683)	006	2	82	37.08	8.24	689	2475	0	749	459	461	0	0	510	0

PERSUN VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
HRSWEEK (COLS. 2684- 2686)	007	4	60	37.73	6.85	696 2555	0	749	483	319	0	0	541	0
HRSWEEK (COLS. 2687- 2689)	008	7	112	36.86	8.41	755 2253	0	749	836	229	0	0	521	0
HRSWEEK (COLS. 2690- 2692)	009	7	685	38.68	25.98	673 2203	0	749	1613	28	0	0	77	0
OTHRSWK (COLS. 2693- 2695)	001	1	35	7.42	5.55	73 3446	0	749	79	823	0	0	173	0
OTHRSWK (COLS. 2696- 2698)	002	1	40	9.27	7.02	67 3080	0	749	249	953	0	0	245	0
OTHRSWK (COLS. 2699- 2701)	003	1	24	10.20	5.70	45 3382	0	749	222	649	0	0	296	0
OTHRSWK (COLS. 2702- 2704)	004	1	56	10.94	9.49	36 3301	0	749	295	589	0	0	373	0
OTHRSWK (COLS. 2705- 2707)	005	2	40	12.22	8.15	37 3178	0	749	409	533	0	0	437	0
OTHRSWK (COLS. 2708- 2710)	006	1	32	9.04	8.41	25 3139	0	749	459	461	0	0	510	0
OTHRSWK (COLS. 2711- 2713)	007	2	24	8.46	5.26	26 3225	0	749	483	319	0	0	541	0
OTHRSWK (COLS. 2714- 2716)	008	2	42	12.00	9.88	24 2984	0	749	836	229	0	0	521	0
OTHRSWK (COLS. 2717- 2719)	009	2	685	66.92	194.84	12 2864	0	749	1613	28	0	0	77	0
HRSREG (COLS. 2720- 2722)	001	0	0	0.0	0.0	0 0	0	749	0	0	0	4594	0	0
HRSREG (COLS. 2723- 2725)	002	0	0	0.0	0.0	0 0	0	749	0	0	0	4594	0	0
HRSREG (COLS. 2726- 2728)	003	0	0	0.0	0.0	0 0	0	749	0	0	0	4594	0	0
HRSREG (COLS. 2729- 2731)	004	3	133	38.13	8.23	839 2482	0	749	311	589	0	0	373	0
HRSREG (COLS. 2732- 2734)	005	6	94	36.48	7.88	916 2288	0	749	420	533	0	0	437	0
HRSREG (COLS. 2735- 2737)	006	2	82	37.77	6.78	729 2426	0	749	468	461	0	0	510	0
HRSREG (COLS. 2738- 2740)	007	8	64	37.93	6.35	741 2509	0	749	484	319	0	0	541	0
HRSREG (COLS. 2741- 2743)	008	6	60	36.91	6.73	804 2193	0	749	847	229	0	0	521	0
HRSREG (COLS. 2744- 2746)	009	8	60	37.79	6.20	700 2167	0	749	1622	28	0	0	77	0
OTHREG (COLS. 2747- 2749)	001	0	0	0.0	0.0	0 0	0	749	0	0	0	4594	0	0
OTHREG (COLS. 2750- 2752)	002	0	0	0.0	0.0	0 0	0	749	0	0	0	4594	0	0
OTHREG (COLS. 2753- 2755)	003	0	0	0.0	0.0	0 0	0	749	0	0	0	4594	0	0
OTHREG (COLS. 2756- 2758)	004	2	24	9.2	5.87	18 3303	0	749	311	589	0	0	373	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
OTHREG (COLS. 2759- 2761)	005	2	24	9.47	5.14	51	3153	0	749	420	533	0	0	437	0
OTHREG (COLS. 2762- 2764)	006	1	24	8.22	4.25	49	3106	0	749	468	461	0	0	510	/0
OTHREG (COLS. 2765- 2767)	007	4	18	8.22	3.18	23	3227	0	749	484	319	0	0	541	0
OTHREG (COLS. 2768- 2770)	008	4	18	8.40	3.51	25	2972	0	749	847	229	0	0	521	0
OTHREG (COLS. 2771- 2773)	009	4	22	8.92	5.14	12	2855	0	749	1622	28	0	0	77	0
DISABLED (COLS. 2774- 2775)	001	0	0	0.0	0.0	0	0	0	749	0	0	0	4594	0	0
DISABLED (COLS. 2776- 2777)	002	0	0	0.0	0.0	0	0	0	749	0	0	0	4594	0	0
DISABLED (COLS. 2778- 2779)	003	0	0	0.0	0.0	0	0	0	749	0	0	0	4594	0	0
DISABLED (COLS. 2780- 2781)	004	0	0	0.0	0.0	0	0	0	749	0	0	0	4594	0	0
DISABLED (COLS. 2782- 2783)	005	1	3	1.36	0.63	456	0	0	749	3168	533	0	0	437	0
DISABLED (COLS. 2784- 2785)	006	1	3	1.25	0.60	412	0	0	749	3211	461	0	0	510	0
DISABLED (COLS. 2786- 2787)	007	1	3	1.17	0.50	383	0	0	749	3351	319	0	0	541	0
DISABLED (COLS. 2788- 2789)	008	1	3	1.29	0.66	331	0	0	749	3513	229	0	0	521	0
DISABLED (COLS. 2790- 2791)	009	1	3	1.24	0.59	337	0	0	749	4152	28	0	0	77	0
DISLIMT (COLS. 2792- 2793)	001	0	0	0.0	0.0	0	0	0	749	0	0	0	4594	0	0
DISLIMT (COLS. 2794- 2795)	002	0	0	0.0	0.0	0	0	0	749	0	0	0	4594	0	0
DISLIMT (COLS. 2796- 2797)	003	0	0	0.0	0.0	0	0	0	749	0	0	0	4594	0	0
DISLIMT (COLS. 2798- 2799)	004	0	0	0.0	0.0	0	0	0	749	0	0	0	4594	0	0
DISLIMT (COLS. 2800- 2801)	005	3	4	3.25	0.43	455	0	0	749	3169	533	0	0	437	0
DISLIMT (COLS. 2802- 2803)	006	1	3	2.77	0.44	416	0	0	749	3207	461	0	0	510	0
DISLIMT (COLS. 2804- 2805)	007	1	3	2.82	0.39	386	0	0	749	3348	319	0	0	541	0
DISLIMT (COLS. 2806- 2807)	008	1	3	2.86	0.35	333	0	0	749	3511	229	0	0	521	0
DISLIMT (COLS. 2808- 2809)	009	1	3	2.82	0.45	342	0	0	749	4147	28	0	0	77	0
TYPWRK (COLS. 2810- 2811)	001	1	8	1.47	1.58	871	3705	0	747	1	0	0	0	19	0
TYPWRK (COLS. 2812- 2813)	002	1	8	1.46	1.57	883	3639	0	747	1	0	0	0	73	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.								
<hr/>																
TYPWRK (COLS. 2814- 2815)	003	1	8	1.47	1.58	898	3601	0	747	1	0	0	0	96	0	0
TYPWRK (COLS. 2816- 2817)	004	1	8	1.47	1.59	906	3522	0	747	1	0	0	0	167	0	0
TYPWRK (COLS. 2818- 2819)	005	1	8	1.47	1.59	906	3497	0	747	1	0	0	0	192	0	0
TYPWRK (COLS. 2820- 2821)	006	1	8	1.44	1.56	998	3366	0	747	1	0	0	0	231	0	0
TYPWRK (COLS. 2822- 2823)	007	1	8	1.44	1.54	1015	3338	0	747	1	0	0	0	242	0	0
TYPWRK (COLS. 2824- 2825)	008	1	8	1.47	1.58	939	3427	0	747	1	0	0	0	229	0	0
TYPWRK (COLS. 2826- 2827)	009	1	8	1.51	1.64	840	3544	0	747	1	0	0	0	211	0	0
TYPWRK (COLS. 2828- 2829)	010	1	8	1.52	1.66	835	3570	0	747	1	0	0	0	190	0	0
TYPWRK (COLS. 2830- 2831)	011	1	8	1.52	1.66	832	3570	0	747	1	0	0	0	193	0	0
TYPWRK (COLS. 2832- 2833)	012	1	8	1.52	1.65	827	3569	0	747	1	0	0	0	199	0	0
TYPWRK (COLS. 2834- 2835)	013	1	8	1.51	1.64	859	3538	0	747	1	0	0	0	198	0	0
TYPWRK (COLS. 2836- 2837)	014	1	8	1.54	1.68	887	3507	0	747	1	0	0	0	201	0	0
TYPWRK (COLS. 2838- 2839)	015	1	8	1.52	1.66	909	3479	0	747	0	0	0	0	205	3	0
TYPWRK (COLS. 2840- 2841)	016	1	8	1.49	1.61	901	3477	0	747	0	0	0	0	215	3	0
TYPWRK (COLS. 2842- 2843)	017	1	8	1.50	1.63	868	3489	0	747	0	0	0	0	234	5	0
TYPWRK (COLS. 2844- 2845)	018	1	8	1.50	1.64	938	3410	0	747	0	0	0	0	243	5	0
TYPWRK (COLS. 2846- 2847)	019	1	8	1.38	1.45	1077	3250	0	747	0	0	0	0	261	8	0
TYPWRK (COLS. 2848- 2849)	020	1	8	1.37	1.42	1095	3203	0	747	0	0	0	0	278	20	0
TYPWRK (COLS. 2850- 2851)	021	1	8	1.46	1.57	906	3380	0	747	0	0	0	0	281	29	0
TYPWRK (COLS. 2852- 2853)	022	1	8	1.48	1.60	934	3342	0	747	1	0	0	0	284	35	0
TYPWRK (COLS. 2854- 2855)	023	1	8	1.46	1.56	928	3324	0	747	0	0	0	0	298	46	0
TYPWRK (COLS. 2856- 2857)	024	1	8	1.45	1.55	891	3346	0	747	0	0	0	0	307	52	0
TYPWRK (COLS. 2858- 2859)	025	1	8	1.47	1.58	862	3351	0	747	0	0	0	0	331	52	0
TYPWRK (COLS. 2860- 2861)	026	1	8	1.45	1.54	866	3302	0	747	2	0	0	0	340	86	0
TYPWRK (COLS. 2862- 2863)	027	1	8	1.44	1.52	859	3290	0	747	2	0	0	0	356	89	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
TYPWRK (COLS. 2864- 2865)	028	1	8	1.45	1.53	866 3251	0 747	0 0	0 0	0 0	369	110	
TYPWRK (COLS. 2866- 2867)	029	1	8	1.45	1.53	870 3231	0 747	0 0	0 0	0 0	383	112	
TYPWRK (COLS. 2868- 2869)	030	1	8	1.40	1.45	861 3190	0 747	0 0	0 0	0 0	396	149	
TYPWRK (COLS. 2870- 2871)	031	1	8	1.34	1.34	1002 3029	0 747	0 0	0 0	0 0	415	150	
TYPWRK (COLS. 2872- 2873)	032	1	8	1.34	1.34	1006 2998	0 747	0 0	0 0	0 0	437	155	
TYPWRK (COLS. 2874- 2875)	033	1	8	1.42	1.50	790 3167	0 747	0 0	0 0	0 0	481	158	
TYPWRK (COLS. 2876- 2877)	034	1	8	1.43	1.50	769 3132	0 747	0 0	0 0	0 0	490	205	
TYPWRK (COLS. 2878- 2879)	035	1	8	1.43	1.50	767 3091	0 747	0 0	0 0	0 0	499	239	
TYPWRK (COLS. 2880- 2881)	036	1	8	1.42	1.49	775 3055	0 747	0 0	0 0	0 0	510	256	
TYPWRK (COLS. 2882- 2883)	037	1	8	1.42	1.49	772 3031	0 747	0 0	0 0	0 0	530	263	
TYPWRK (COLS. 2884- 2885)	038	1	8	1.41	1.48	782 2973	0 747	1 0	0 0	0 0	549	291	
TYPWRK (COLS. 2886- 2887)	039	1	8	1.39	1.45	767 2982	0 747	1 0	0 0	0 0	549	297	
TYPWRK (COLS. 2888- 2889)	040	1	8	1.36	1.38	719 3012	0 747	1 0	0 0	0 0	548	316	
TYPWRK (COLS. 2890- 2891)	041	1	8	1.32	1.30	709 2990	0 747	1 0	0 0	0 0	550	346	
TYPWRK (COLS. 2892- 2893)	042	1	8	1.31	1.28	732 2951	0 747	1 0	0 0	0 0	561	351	
TYPWRK (COLS. 2894- 2895)	043	1	8	1.26	1.18	902 2760	0 747	1 0	0 0	0 0	565	368	
TYPWRK (COLS. 2896- 2897)	044	1	8	1.28	1.24	875 2723	0 747	1 0	0 0	0 0	568	429	
TYPWRK (COLS. 2898- 2899)	045	1	8	1.39	1.44	731 2844	0 747	1 0	0 0	0 0	590	430	
TYPWRK (COLS. 2900- 2901)	046	1	7	1.40	1.45	727 2816	0 747	1 0	0 0	0 0	615	437	
TYPWRK (COLS. 2902- 2903)	047	1	7	1.39	1.44	728 2760	0 747	30 0	0 0	0 0	609	469	
TYPWRK (COLS. 2904- 2905)	048	1	7	1.42	1.50	645 2468	0 747	373 0	0 0	0 0	612	498	
PCTEMP (COLS. 2906- 2909)	001	97	1000	988.63	88.08	886 2599	0 747	1093 0	0 0	0 0	18	0	
PCTEMP (COLS. 2910- 2913)	002	71	1000	989.14	78.92	901 2588	0 747	1035 0	0 0	0 0	72	0	
PCTEMP (COLS. 2914- 2917)	003	97	1000	989.69	75.49	914 2570	0 747	1017 0	0 0	0 0	95	0	
PCTEMP (COLS. 2918- 2921)	004	33	1000	984.69	96.67	921 2542	0 747	967 0	0 0	0 0	166	0	

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
<hr/>																
PCTEMP (COLS. 2922- 2925)	005	32	1000	982.91	105.43	921	2538	0	747	946	0	0	0	191	0	0
PCTEMP (COLS. 2926- 2929)	006	33	1000	902.59	230.91	1017	2429	0	747	920	0	0	0	230	0	0
PCTEMP (COLS. 2930- 2933)	007	32	1000	971.36	127.56	998	2453	0	747	904	0	0	0	241	0	0
PCTEMP (COLS. 2934- 2937)	008	65	1000	961.51	140.58	975	2486	0	747	907	0	0	0	228	0	0
PCTEMP (COLS. 2938- 2941)	009	33	1000	952.39	165.17	915	2566	0	747	904	0	0	0	211	0	0
PCTEMP (COLS. 2942- 2945)	010	65	1000	983.28	102.33	895	2603	0	747	908	0	0	0	190	0	0
PCTEMP (COLS. 2946- 2949)	011	33	1000	993.23	62.49	889	2616	0	747	898	0	0	0	193	0	0
PCTEMP (COLS. 2950- 2953)	012	65	1000	991.55	73.03	882	2621	0	747	894	0	0	0	199	0	0
PCTEMP (COLS. 2954- 2957)	013	32	1000	980.12	110.79	890	2612	0	747	896	0	0	0	198	0	0
PCTEMP (COLS. 2958- 2961)	014	34	1000	983.01	106.12	910	2662	0	747	823	0	0	0	201	0	0
PCTEMP (COLS. 2962- 2965)	015	32	1000	966.49	138.64	929	2520	0	747	939	0	0	0	205	3	0
PCTEMP (COLS. 2966- 2969)	016	33	1000	956.47	162.82	908	2347	0	747	1123	0	0	0	215	3	0
PCTEMP (COLS. 2970- 2973)	017	32	1000	974.95	124.69	870	2313	0	747	1174	0	0	0	234	5	0
PCTEMP (COLS. 2974- 2977)	018	33	1000	934.54	186.88	937	2678	0	747	733	0	0	0	243	5	0
PCTEMP (COLS. 2978- 2981)	019	32	1000	953.43	145.62	1038	2571	0	747	718	0	0	0	261	8	0
PCTEMP (COLS. 2982- 2985)	020	32	1000	911.02	216.35	1061	2408	0	747	828	0	0	0	279	20	0
PCTEMP (COLS. 2986- 2989)	021	67	1000	945.30	178.05	905	2522	0	747	859	0	0	0	281	29	0
PCTEMP (COLS. 2990- 2993)	022	32	1000	975.78	125.87	931	2687	0	747	659	0	0	0	284	35	0
PCTEMP (COLS. 2994- 2997)	023	33	1000	973.16	126.73	925	2655	0	747	672	0	0	0	298	46	0
PCTEMP (COLS. 2998- 3001)	024	32	1000	960.76	151.16	896	2584	0	747	757	0	0	0	307	52	0
PCTEMP (COLS. 3002- 3005)	025	32	1000	959.53	151.82	856	2485	0	747	872	0	0	0	331	52	0
PCTEMP (COLS. 3006- 3009)	026	107	1000	981.34	101.88	863	2640	0	747	667	0	0	0	340	86	0
PCTEMP (COLS. 3010- 3013)	027	129	1000	986.64	92.77	862	2635	0	747	654	0	0	0	356	89	0
PCTEMP (COLS. 3014- 3017)	028	33	1000	977.03	123.94	868	2589	0	747	660	0	0	0	369	110	0
PCTEMP (COLS. 3018- 3021)	029	32	1000	960.95	154.95	874	2532	0	747	695	0	0	0	383	112	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NU. 9993	NU. 9994	NU. 9995	NU. 9996	NU. 9997	NU. 9998	NU. 9999
PCTEMP (COLS. 3022- 3025)	030	33	1000	909.21	224.74	869	2384	0	747	798	0	0	0	396 149
PCTEMP (COLS. 3026- 3029)	031	32	1000	928.39	197.58	983	2197	0	747	851	0	0	0	415 150
PCTEMP (COLS. 3030- 3033)	032	32	1000	929.28	192.03	981	2180	0	747	843	0	0	0	437 155
PCTEMP (COLS. 3034- 3037)	033	33	1000	953.98	154.83	800	2363	0	747	795	0	0	0	480 158
PCTEMP (COLS. 3038- 3041)	034	32	1000	981.79	105.79	784	2383	0	747	735	0	0	0	489 205
PCTEMP (COLS. 3042- 3045)	035	33	1000	973.77	128.26	781	2365	0	747	713	0	0	0	498 239
PCTEMP (COLS. 3046- 3049)	036	65	1000	977.07	119.99	789	2490	0	747	552	0	0	0	509 256
PCTEMP (COLS. 3050- 3053)	037	32	1000	968.94	136.45	782	2470	0	747	551	0	0	0	530 263
PCTEMP (COLS. 3054- 3057)	038	36	1000	954.38	164.59	785	2404	0	747	568	0	0	0	548 291
PCTEMP (COLS. 3058- 3061)	039	32	1000	947.83	178.76	764	2385	0	747	601	0	0	0	549 297
PCTEMP (COLS. 3062- 3065)	040	33	1000	959.74	153.85	717	2302	0	747	713	0	0	0	548 316
PCTEMP (COLS. 3066- 3069)	041	32	1000	982.34	105.99	714	2298	0	747	689	0	0	0	549 346
PCTEMP (COLS. 3070- 3073)	042	100	1000	953.04	158.82	733	2275	0	747	676	0	0	0	561 351
PCTEMP (COLS. 3074- 3077)	043	32	1000	952.95	157.56	880	2032	0	747	751	0	0	0	565 368
PCTEMP (COLS. 3078- 3081)	044	32	1000	886.67	244.07	849	2015	0	747	735	0	0	0	568 429
PCTEMP (COLS. 3082- 3085)	045	33	1000	942.69	160.95	729	2078	0	747	769	0	0	0	590 430
PCTEMP (COLS. 3086- 3089)	046	65	1000	974.23	131.30	730	2107	0	747	707	0	0	0	615 437
PCTEMP (COLS. 3090- 3093)	047	33	1000	982.37	111.75	729	2085	0	747	704	0	0	0	609 469
PCTEMP (COLS. 3094- 3097)	048	129	1000	990.77	70.21	643	1837	0	747	1006	0	0	0	612 498
PCTWRK (COLS. 3098- 3101)	001	97	1000	986.12	97.85	882	2616	0	747	1079	0	0	0	19 0
PCTWRK (COLS. 3102- 3105)	002	71	1000	986.98	87.94	891	2597	0	747	1035	0	0	0	73 0
PCTWRK (COLS. 3106- 3109)	003	32	1000	985.30	93.35	901	2582	0	747	1017	0	0	0	96 0
PCTWRK (COLS. 3110- 3113)	004	33	1000	984.58	102.43	908	2554	0	747	967	0	0	0	167 0
PCTWRK (COLS. 3114- 3117)	005	32	1000	978.36	115.80	908	2549	0	747	947	0	0	0	192 0
PCTWRK (COLS. 3118- 3121)	006	33	1000	891.32	240.76	999	2446	0	747	920	0	0	0	231 0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
PCTWRK (COLS. 3122- 3125)	007	32	1000	953.59	159.28	962	2485	0	747	906	0	0	0	243	0
PCTWRK (COLS. 3126- 3129)	008	32	1000	921.43	192.49	867	2589	0	747	909	0	0	0	231	0
PCTWRK (COLS. 3130- 3133)	009	33	1000	924.67	201.04	816	2603	0	747	905	0	0	0	212	0
PCTWRK (COLS. 3134- 3137)	010	32	1000	966.23	144.73	810	2687	0	747	909	0	0	0	190	0
PCTWRK (COLS. 3138- 3141)	011	33	1000	982.08	101.97	807	2695	0	747	901	0	0	0	193	0
PCTWRK (COLS. 3142- 3145)	012	32	1000	980.48	106.51	808	2693	0	747	896	0	0	0	199	0
PCTWRK (COLS. 3146- 3149)	013	32	1000	959.45	157.48	846	2655	0	747	897	0	0	0	198	0
PCTWRK (COLS. 3150- 3153)	014	34	1000	969.94	138.89	877	2694	0	747	824	0	0	0	201	0
PCTWRK (COLS. 3154- 3157)	015	32	1000	961.21	146.17	899	2548	0	747	941	0	0	0	205	3
PCTWRK (COLS. 3158- 3161)	016	33	1000	939.39	181.81	884	2369	0	747	1125	0	0	0	215	3
PCTWRK (COLS. 3162- 3165)	017	32	1000	957.08	163.71	853	2328	0	747	1176	0	0	0	234	5
PCTWRK (COLS. 3166- 3169)	018	33	1000	927.67	193.66	926	2688	0	747	734	0	0	0	243	5
PCTWRK (COLS. 3170- 3173)	019	32	1000	949.91	150.13	1028	2580	0	747	719	0	0	0	261	8
PCTWRK (COLS. 3174- 3177)	020	32	1000	903.34	225.54	1054	2414	0	747	829	0	0	0	279	20
PCTWRK (COLS. 3178- 3181)	021	67	1000	943.23	179.02	899	2527	0	747	860	0	0	0	281	29
PCTWRK (COLS. 3182- 3185)	022	32	1000	970.04	138.23	928	2690	0	747	659	0	0	0	284	35
PCTWRK (COLS. 3186- 3189)	023	33	1000	969.54	135.84	918	2662	0	747	672	0	0	0	298	46
PCTWRK (COLS. 3190- 3193)	024	32	1000	957.67	155.26	889	2591	0	747	757	0	0	0	307	52
PCTWRK (COLS. 3194- 3197)	025	32	1000	951.52	166.50	854	2487	0	747	872	0	0	0	331	52
PCTWRK (COLS. 3198- 3201)	026	107	1000	980.32	100.37	855	2648	0	747	667	0	0	0	340	86
PCTWRK (COLS. 3202- 3205)	027	65	1000	983.91	102.40	852	2645	0	747	654	0	0	0	356	89
PCTWRK (COLS. 3206- 3209)	028	33	1000	970.15	139.31	860	2597	0	747	660	0	0	0	369	110
PCTWRK (COLS. 3210- 3213)	029	32	1000	956.95	158.76	865	2541	0	747	695	0	0	0	383	112
PCTWRK (COLS. 3214- 3217)	030	33	1000	900.83	230.55	855	2398	0	747	798	0	0	0	396	149
PCTWRK (COLS. 3218- 3221)	031	32	1000	919.15	207.03	956	2224	0	747	851	0	0	0	415	150

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
PCTWRK (COLS. 3222- 3225)	032	32	1000	923.15	196.70	964	2197	0	747	843	0	0	0	437	155
PCTWRK (COLS. 3226- 3229)	033	33	1000	946.01	161.33	785	2375	0	747	797	0	0	0	481	158
PCTWRK (COLS. 3230- 3233)	034	32	1000	978.04	112.79	766	2400	0	747	735	0	0	0	490	205
PCTWRK (COLS. 3234- 3237)	035	33	1000	963.68	153.38	764	2381	0	747	713	0	0	0	499	239
PCTWRK (COLS. 3238- 3241)	036	65	1000	968.41	134.21	774	2502	0	747	554	0	0	0	510	256
PCTWRK (COLS. 3242- 3245)	037	32	1000	960.80	151.63	771	2479	0	747	552	0	0	0	531	263
PCTWRK (COLS. 3246- 3249)	038	36	1000	948.67	171.86	777	2411	0	747	568	0	0	0	549	291
PCTWRK (COLS. 3250- 3253)	039	32	1000	940.90	188.74	759	2390	0	747	601	0	0	0	549	297
PCTWRK (COLS. 3254- 3257)	040	33	1000	953.46	164.46	712	2307	0	747	713	0	0	0	548	316
PCTWRK (COLS. 3258- 3261)	041	32	1000	961.09	108.36	706	2304	0	747	690	0	0	0	550	346
PCTWRK (COLS. 3262- 3265)	042	100	1000	946.92	168.47	725	2282	0	747	677	0	0	0	561	351
PCTWRK (COLS. 3266- 3269)	043	32	1000	950.13	161.21	865	2047	0	747	751	0	0	0	565	368
PCTWRK (COLS. 3270- 3273)	044	32	1000	882.38	247.74	842	2021	0	747	736	0	0	0	568	429
PCTWRK (COLS. 3274- 3277)	045	33	1000	940.66	183.37	726	2079	0	747	771	0	0	0	590	430
PCTWRK (COLS. 3278- 3281)	046	65	1000	974.26	129.78	726	2111	0	747	707	0	0	0	615	437
PCTWRK (COLS. 3282- 3285)	047	33	1000	979.39	116.74	727	2088	0	747	703	0	0	0	609	469
PCTWRK (COLS. 3286- 3289)	048	129	1000	986.10	85.41	638	1843	0	747	1005	0	0	0	612	498
REASON (COLS. 3290- 3291)	001	2	4	3.41	0.71	17	0	0	747	4561	0	0	0	18	0
REASON (COLS. 3292- 3293)	002	2	4	3.37	0.68	19	0	0	747	4503	0	0	0	74	0
REASON (COLS. 3294- 3295)	003	1	4	3.23	0.73	30	0	0	747	4468	0	0	0	98	0
REASON (COLS. 3296- 3297)	004	1	4	3.03	0.94	29	0	0	747	4394	0	0	0	173	0
REASON (COLS. 3298- 3299)	005	1	4	3.00	0.89	31	0	0	747	4367	0	0	0	198	0
REASON (COLS. 3300- 3301)	006	1	4	3.02	0.84	50	0	0	747	4306	0	0	0	240	0
REASON (COLS. 3302- 3303)	007	1	4	3.20	0.97	110	0	0	747	4235	0	0	0	251	0
REASON (COLS. 3304- 3305)	008	1	4	3.48	0.92	203	0	0	747	4159	0	0	0	234	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
REASON (COLS. 3306- 3307)	009	1 4	3.54	0.82	164	0 0	747	4214	0 0	0 0	218	0	
REASON (COLS. 3308- 3309)	010	1 4	3.64	0.74	122	0 0	747	4281	0 0	0 0	193	0	
REASON (COLS. 3310- 3311)	011	1 4	3.59	0.79	116	0 0	747	4287	0 0	0 0	193	0	
REASON (COLS. 3312- 3313)	012	1 4	3.60	0.76	109	0 0	747	4288	0 0	0 0	199	0	
REASON (COLS. 3314- 3315)	013	1 90	4.49	8.76	98	0 0	747	4295	0 0	0 0	203	0	
REASON (COLS. 3316- 3317)	014	1 4	3.54	0.71	71	0 0	747	4314	0 0	0 0	211	0	
REASON (COLS. 3318- 3319)	015	1 4	3.55	0.63	69	0 0	747	4307	0 0	0 0	217	3	
REASON (COLS. 3320- 3321)	016	1 4	2.96	1.17	78	0 0	747	4291	0 0	0 0	224	3	
REASON (COLS. 3322- 3323)	017	1 90	4.44	11.82	55	0 0	747	4301	0 0	0 0	235	5	
REASON (COLS. 3324- 3325)	018	1 90	5.42	14.12	38	0 0	747	4300	0 0	0 0	253	5	
REASON (COLS. 3326- 3327)	019	2 90	6.52	16.70	27	0 0	747	4287	0 0	0 0	274	8	
REASON (COLS. 3328- 3329)	020	1 4	3.32	0.82	28	0 0	747	4263	0 0	0 0	285	20	
REASON (COLS. 3330- 3331)	021	1 4	3.09	0.97	22	0 0	747	4260	0 0	0 0	285	29	
REASON (COLS. 3332- 3333)	022	1 4	3.35	0.78	23	0 0	747	4243	0 0	0 0	295	35	
REASON (COLS. 3334- 3335)	023	1 4	3.38	0.74	21	0 0	747	4219	0 0	0 0	310	46	
REASON (COLS. 3336- 3337)	024	1 4	3.16	0.76	19	0 0	747	4210	0 0	0 0	315	52	
REASON (COLS. 3338- 3339)	025	2 90	6.62	17.02	26	0 0	747	4182	0 0	0 0	336	52	
REASON (COLS. 3340- 3341)	026	1 90	7.18	18.51	22	0 0	747	4136	0 0	0 0	352	86	
REASON (COLS. 3342- 3343)	027	1 90	6.83	18.15	23	0 0	747	4119	0 0	0 0	365	89	
REASON (COLS. 3344- 3345)	028	2 90	6.17	16.13	29	0 0	747	4077	0 0	0 0	380	110	
REASON (COLS. 3346- 3347)	029	2 90	6.07	16.15	29	0 0	747	4059	0 0	0 0	396	112	
REASON (COLS. 3348- 3349)	030	1 4	3.06	0.55	50	0 0	747	3990	0 0	0 0	407	149	
REASON (COLS. 3350- 3351)	031	2 4	3.10	0.58	58	0 0	747	3961	0 0	0 0	427	150	
REASON (COLS. 3352- 3353)	032	1 4	3.19	0.68	54	0 0	747	3937	0 0	0 0	450	155	
REASON (COLS. 3354- 3355)	033	2 4	3.34	0.53	41	0 0	747	3907	0 0	0 0	490	158	

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FRq	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
REASON (COLS. 3350- 3357)	034	2	3.22	0.46	37	0	0	747	3858	0	0	0	496	205	
REASUN (COLS. 3358- 3359)	035	2	3.31	0.56	45	0	0	747	3804	0	0	0	508	239	
REASON (COLS. 3360- 3361)	036	2	3.40	0.63	55	0	0	747	3760	0	0	0	525	256	
REASON (COLS. 3362- 3363)	037	2	3.47	0.57	57	0	0	747	3735	0	0	0	541	263	
REASON (COLS. 3364- 3365)	038	2	3.48	0.55	46	0	0	747	3703	0	0	0	556	291	
REASON (COLS. 3366- 3367)	039	1	5.69	14.70	35	0	0	747	3707	0	0	0	557	297	
REASON (COLS. 3368- 3369)	040	1	6.50	17.06	26	0	0	747	3700	0	0	0	554	316	
REASON (COLS. 3370- 3371)	041	2	6.29	21.06	17	0	0	747	3679	0	0	0	554	346	
REASON (COLS. 3372- 3373)	042	1	6.19	17.12	26	0	0	747	3654	0	0	0	565	351	
REASON (COLS. 3374- 3375)	043	1	5.65	15.68	31	0	0	747	3625	0	0	0	572	368	
REASON (COLS. 3376- 3377)	044	1	3.12	1.01	25	0	0	747	3568	0	0	0	574	429	
REASON (COLS. 3378- 3379)	045	1	3.40	0.94	20	0	0	747	3552	0	0	0	594	430	
REASON (COLS. 3380- 3381)	046	1	3.50	0.74	22	0	0	747	3521	0	0	0	616	437	
REASON (COLS. 3382- 3383)	047	3	3.75	0.44	32	0	0	747	3485	0	0	0	610	469	
REASON (COLS. 3384- 3385)	048	3	3.85	0.36	40	0	0	747	3446	0	0	0	612	498	
PCTNLF (COLS. 3386- 3389)	001	65	1000	996.44	48.21	2316	1190	0	747	1079	0	0	0	11	0
PCTNLF (COLS. 3390- 3393)	002	71	1000	997.72	39.17	2308	1194	0	747	1035	0	0	0	59	0
PCTNLF (COLS. 3394- 3397)	003	32	1000	995.37	56.96	2307	1193	0	747	1017	0	0	0	79	0
PCTNLF (COLS. 3398- 3401)	004	33	1000	994.92	54.94	2305	1187	0	747	967	0	0	0	137	0
PCTNLF (COLS. 3402- 3405)	005	65	1000	994.69	59.92	2307	1183	0	747	947	0	0	0	159	0
PCTNLF (COLS. 3406- 3409)	006	33	1000	962.53	137.83	2355	1131	0	747	920	0	0	0	190	0
PCTNLF (COLS. 3410- 3413)	007	32	1000	985.12	103.16	2235	1250	0	747	906	0	0	0	205	0
PCTNLF (COLS. 3414- 3417)	008	32	1000	965.06	160.80	2308	1185	0	747	909	0	0	0	194	0
PCTNLF (COLS. 3418- 3421)	009	33	1000	975.17	127.46	2322	1185	0	747	905	0	0	0	184	0
PCTNLF (COLS. 3422- 3425)	010	65	1000	994.06	58.99	2262	1247	0	747	909	0	0	0	178	0

PERSUN VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
PCINLF (COLS. 3426- 3429)	011	67	1000	995.45	55.46	2248	1265	0	747	901	0	0	0	182	0
PCTNLF (COLS. 3430- 3433)	012	32	1000	994.74	61.23	2243	1269	0	747	896	0	0	0	188	0
PCTNLF (COLS. 3434- 3437)	013	32	1000	987.63	93.79	2238	1274	0	747	897	0	0	0	187	0
PCTNLF (COLS. 3438- 3441)	014	34	1000	988.36	92.38	2292	1299	0	747	824	0	0	0	181	0
PCTNLF (COLS. 3442- 3445)	015	32	1000	947.88	177.88	2297	1163	0	747	941	0	0	0	192	3
PCTNLF (COLS. 3446- 3449)	016	67	1000	949.29	169.57	2166	1099	0	747	1125	0	0	0	203	3
PCTNLF (COLS. 3450- 3453)	017	32	1000	986.49	90.28	2037	1153	0	747	1176	0	0	0	225	5
PCTNLF (COLS. 3454- 3457)	018	33	1000	962.08	147.40	2474	1171	0	747	734	0	0	0	212	5
PCTNLF (COLS. 3458- 3461)	019	32	1000	941.10	210.35	2337	1291	0	747	719	0	0	0	241	8
PCTNLF (COLS. 3462- 3465)	020	32	1000	903.95	238.68	2408	1082	0	747	829	0	0	0	257	20
PCTNLF (COLS. 3466- 3469)	021	33	1000	971.31	134.38	2378	1071	0	747	860	0	0	0	258	29
PCTNLF (COLS. 3470- 3473)	022	32	1000	987.95	86.44	2492	1161	0	747	659	0	0	0	249	35
PCTNLF (COLS. 3474- 3477)	023	33	1000	977.99	120.05	2506	1107	0	747	672	0	0	0	265	46
PCTNLF (COLS. 3478- 3481)	024	32	1000	972.24	128.63	2498	1004	0	747	757	0	0	0	285	52
PCTNLF (COLS. 3482- 3485)	025	32	1000	961.05	154.67	2439	921	0	747	871	0	0	0	313	52
PCTNLF (COLS. 3486- 3489)	026	143	1000	987.88	86.14	2533	993	0	747	667	0	0	0	317	86
PCTNLF (COLS. 3490- 3493)	027	32	1000	991.09	76.94	2512	1011	0	747	654	0	0	0	330	89
PCTNLF (COLS. 3494- 3497)	028	33	1000	976.40	120.68	2476	995	0	747	660	0	0	0	355	110
PCTNLF (COLS. 3498- 3501)	029	32	1000	959.62	161.95	2408	1005	0	747	695	0	0	0	376	112
PCTNLF (COLS. 3502- 3505)	030	33	1000	905.08	222.30	2349	912	0	747	797	0	0	0	389	149
PCTNLF (COLS. 3506- 3509)	031	32	1000	925.13	221.98	2166	1020	0	747	851	0	0	0	409	150
PCTNLF (COLS. 3510- 3513)	032	32	1000	917.31	231.33	2231	939	0	747	843	0	0	0	428	155
PCTNLF (COLS. 3514- 3517)	033	33	1000	960.37	162.54	2293	884	0	747	797	0	0	0	464	158
PCTNLF (COLS. 3518- 3521)	034	32	1000	981.19	110.77	2267	919	0	747	735	0	0	0	470	205
PCTNLF (COLS. 3522- 3525)	035	33	1000	979.46	112.21	2261	899	0	747	713	0	0	0	484	239

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
PCTNLF (COLS. 3526- 3529)	036	32	1000	976.34	122.03	2419	871	0	747	554	0	0	0	496	256
PCTNLF (COLS. 3530- 3533)	037	32	1000	966.14	147.79	2427	839	0	747	552	0	0	0	515	263
PCTNLF (COLS. 3534- 3537)	038	36	1000	963.10	148.15	2377	821	0	747	568	0	0	0	539	291
PCTNLF (COLS. 3538- 3541)	039	32	1000	956.99	163.53	2397	760	0	747	601	0	0	0	541	297
PCTNLF (COLS. 3542- 3545)	040	33	1000	975.79	123.27	2284	741	0	747	714	0	0	0	541	316
PCTNLF (COLS. 3546- 3549)	041	32	1000	988.89	80.17	2232	788	0	747	691	0	0	0	539	346
PCTNLF (COLS. 3550- 3553)	042	33	1000	953.65	166.58	2226	792	0	747	678	0	0	0	549	351
PCTNLF (COLS. 3554- 3557)	043	32	1000	949.07	182.16	2040	879	0	747	752	0	0	0	557	368
PCTNLF (COLS. 3558- 3561)	044	32	1000	928.16	206.47	2117	753	0	747	737	0	0	0	560	429
PCTNLF (COLS. 3562- 3565)	045	33	1000	959.78	159.13	2031	778	0	747	771	0	0	0	586	430
PCTNLF (COLS. 3566- 3569)	046	32	1000	991.05	74.88	1981	863	0	747	708	0	0	0	607	437
PCTNLF (COLS. 3570- 3573)	047	33	1000	992.66	67.20	1958	864	0	747	704	0	0	0	601	469
PCTNLF (COLS. 3574- 3577)	048	32	1000	989.59	87.21	1726	762	0	747	1007	0	0	0	603	498
PCTUMP (COLS. 3578- 3581)	001	97	1000	977.48	115.87	338	3160	0	747	1079	0	0	0	19	0
PCTUMP (COLS. 3582- 3585)	002	71	1000	970.08	137.17	339	3153	0	747	1035	0	0	0	69	0
PCTUMP (COLS. 3586- 3589)	003	32	1000	963.73	159.58	340	3146	0	747	1017	0	0	0	93	0
PCTUMP (COLS. 3590- 3593)	004	133	1000	971.53	127.85	336	3130	0	747	967	0	0	0	163	0
PCTUMP (COLS. 3594- 3597)	005	32	1000	960.45	159.60	341	3122	0	747	947	0	0	0	186	0
PCTUMP (COLS. 3598- 3601)	006	33	1000	912.95	220.46	386	3065	0	747	920	0	0	0	225	0
PCTUMP (COLS. 3602- 3605)	007	32	1000	885.68	277.24	443	3011	0	747	906	0	0	0	236	0
PCTUMP (COLS. 3606- 3609)	008	32	1000	911.59	236.09	536	2931	0	747	909	0	0	0	220	0
PCTUMP (COLS. 3610- 3613)	009	33	1000	944.68	184.31	530	2950	0	747	905	0	0	0	211	0
PCTUMP (COLS. 3614- 3617)	010	32	1000	964.30	143.13	506	2997	0	747	909	0	0	0	184	0
PCTUMP (COLS. 3618- 3621)	011	100	1000	976.22	116.28	500	3008	0	747	901	0	0	0	187	0
PCTUMP (COLS. 3622- 3625)	012	129	1000	978.48	117.18	508	2999	0	747	896	0	0	0	193	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
PCTUMP (COLS. 3626- 3629)	013	32	1000	942.84	183.85	531 2974	0	747	897	0	0	0	194	0
PCTUMP (COLS. 3630- 3633)	014	34	1000	971.19	129.48	516 3061	0	747	824	0	0	0	195	0
PCTUMP (COLS. 3634- 3637)	015	32	1000	789.87	310.86	554 2895	0	747	941	0	0	0	203	3
PCTUMP (COLS. 3638- 3641)	016	33	1000	806.03	268.05	484 2770	0	747	1125	0	0	0	214	3
PCTUMP (COLS. 3642- 3645)	017	65	1000	924.47	215.25	401 2787	0	747	1175	0	0	0	228	5
PCTUMP (COLS. 3646- 3649)	018	33	1000	821.30	316.81	521 3098	0	747	733	0	0	0	239	5
PCTUMP (COLS. 3650- 3653)	019	32	1000	863.73	294.51	550 3059	0	747	719	0	0	0	260	8
PCTUMP (COLS. 3654- 3657)	020	32	1000	701.88	327.99	511 2956	0	747	829	0	0	0	280	20
PCTUMP (COLS. 3658- 3661)	021	33	1000	887.04	254.87	332 3091	0	747	860	0	0	0	284	29
PCTUMP (COLS. 3662- 3665)	022	32	1000	917.99	212.88	333 3274	0	747	659	0	0	0	295	35
PCTUMP (COLS. 3666- 3669)	023	33	1000	863.62	260.48	331 3238	0	747	672	0	0	0	309	46
PCTUMP (COLS. 3670- 3673)	024	32	1000	803.08	299.48	287 3188	0	747	757	0	0	0	312	52
PCTUMP (COLS. 3674- 3677)	025	32	1000	741.59	315.44	276 3064	0	747	872	0	0	0	332	52
PCTUMP (COLS. 3678- 3681)	026	36	1000	899.93	237.02	220 3274	0	747	667	0	0	0	349	86
PCTUMP (COLS. 3682- 3685)	027	32	1000	931.32	204.09	224 3268	0	747	654	0	0	0	361	89
PCTUMP (COLS. 3686- 3689)	028	33	1000	818.20	288.08	284 3164	0	747	660	0	0	0	378	110
PCTUMP (COLS. 3690- 3693)	029	32	1000	815.76	290.16	354 3044	0	747	695	0	0	0	391	112
PCTUMP (COLS. 3694- 3697)	030	33	1000	654.36	322.92	560 2684	0	747	797	0	0	0	406	149
PCTUMP (COLS. 3698- 3701)	031	32	1000	682.40	358.13	455 2716	0	747	850	0	0	0	425	150
PCTUMP (COLS. 3702- 3705)	032	32	1000	693.95	352.64	343 2804	0	747	843	0	0	0	451	155
PCTUMP (COLS. 3706- 3709)	033	33	1000	809.22	300.39	296 2857	0	747	797	0	0	0	488	158
PCTUMP (COLS. 3710- 3713)	034	32	1000	840.12	292.71	263 2899	0	747	735	0	0	0	494	205
PCTUMP (COLS. 3714- 3717)	035	33	1000	847.69	270.44	260 2880	0	747	713	0	0	0	504	239
PCTUMP (COLS. 3718- 3721)	036	32	1000	780.70	308.36	248 3015	0	747	554	0	0	0	523	256
PCTUMP (COLS. 3722- 3725)	037	32	1000	714.20	345.09	265 2975	0	747	552	0	0	0	541	263

PERSUN VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
PCTUMP (COLS. 3726- 3729)	038	36	1000	683.14	330.56	263	2917	0	747	569	0	0	0	556	291
PCTUMP (COLS. 3730- 3733)	039	32	1000	649.40	353.83	236	2906	0	747	602	0	0	0	555	297
PCTUMP (COLS. 3734- 3737)	040	33	1000	717.83	333.73	172	2841	0	747	714	0	0	0	553	316
PCTUMP (COLS. 3738- 3741)	041	32	1000	781.93	331.73	162	2844	0	747	691	0	0	0	553	346
PCTUMP (COLS. 3742- 3745)	042	33	1000	746.80	305.32	287	2720	0	747	678	0	0	0	560	351
PCTUMP (COLS. 3746- 3749)	043	32	1000	704.22	344.50	234	2672	0	747	752	0	0	0	570	368
PCTUMP (COLS. 3750- 3753)	044	32	1000	706.50	334.95	229	2628	0	747	737	0	0	0	573	429
PCTUMP (COLS. 3754- 3757)	045	33	1000	771.69	307.89	229	2573	0	747	771	0	0	0	593	430
PCTUMP (COLS. 3758- 3761)	046	32	1000	915.93	225.93	193	2646	0	747	708	0	0	0	612	437
PCTUMP (COLS. 3762- 3765)	047	33	1000	888.41	257.96	193	2623	0	747	704	0	0	0	607	469
PCTUMP (COLS. 3766- 3769)	048	32	1000	898.83	241.15	174	2308	0	747	1007	0	0	0	609	498
EMPSTA (COLS. 3770- 3771)	001	1	3	1.84	0.57	3533	0	0	747	1054	0	0	0	9	0
EMPSTA (COLS. 3772- 3773)	002	1	3	1.84	0.57	3535	0	0	747	1012	0	0	0	49	0
EMPSTA (COLS. 3774- 3775)	003	1	3	1.83	0.57	3536	0	0	747	994	0	0	0	66	0
EMPSTA (COLS. 3776- 3777)	004	1	3	1.83	0.57	3535	0	0	747	946	0	0	0	115	0
EMPSTA (COLS. 3778- 3779)	005	1	3	1.84	0.57	3535	0	0	747	925	0	0	0	136	0
EMPSTA (COLS. 3780- 3781)	006	1	3	1.84	0.58	3534	0	0	747	900	0	0	0	162	0
EMPSTA (COLS. 3782- 3783)	007	1	3	1.84	0.59	3535	0	0	747	885	0	0	0	176	0
EMPSTA (COLS. 3784- 3785)	008	1	3	1.90	0.60	3536	0	0	747	891	0	0	0	169	0
EMPSTA (COLS. 3786- 3787)	009	1	3	1.92	0.60	3536	0	0	747	891	0	0	0	169	0
EMPSTA (COLS. 3788- 3789)	010	1	3	1.91	0.60	3535	0	0	747	895	0	0	0	166	0
EMPSTA (COLS. 3790- 3791)	011	1	3	1.91	0.60	3536	0	0	747	886	0	0	0	174	0
EMPSTA (COLS. 3792- 3793)	012	1	3	1.91	0.60	3537	0	0	747	882	0	0	0	177	0
EMPSTA (COLS. 3794- 3795)	013	1	3	1.91	0.61	3537	0	0	747	886	0	0	0	173	0
EMPSTA (COLS. 3796- 3797)	014	1	3	1.90	0.61	3638	0	0	747	807	0	0	0	151	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	NU. ZERO	NU. BLNK	NU. 9993	NU. 9994	NU. 9995	NU. 9996	NU. 9997	NU. 9998	NU. 9999	
EMPSTA (COLS. 3798- 3799)	015	1	3	1.87	0.60	3500	0	0	747	930	0	0	0	163	3
EMPSTA (COLS. 3800- 3801)	016	1	3	1.86	0.60	3293	0	0	747	1115	0	0	0	185	3
EMPSTA (COLS. 3802- 3803)	017	1	3	1.86	0.59	3203	0	0	747	1171	0	0	0	217	5
EMPSTA (COLS. 3804- 3805)	018	1	3	1.87	0.59	3687	0	0	747	719	0	0	0	185	5
EMPSTA (COLS. 3806- 3807)	019	1	3	1.85	0.62	3674	0	0	747	705	0	0	0	209	8
EMPSTA (COLS. 3808- 3809)	020	1	3	1.83	0.59	3507	0	0	747	821	0	0	0	248	20
EMPSTA (COLS. 3810- 3811)	021	1	3	1.84	0.55	3459	0	0	747	855	0	0	0	253	29
EMPSTA (COLS. 3812- 3813)	022	1	3	1.83	0.55	3686	0	0	747	644	0	0	0	231	35
EMPSTA (COLS. 3814- 3815)	023	1	3	1.83	0.55	3647	0	0	747	658	0	0	0	245	46
EMPSTA (COLS. 3816- 3817)	024	1	3	1.82	0.53	3527	0	0	747	746	0	0	0	271	52
EMPSTA (COLS. 3818- 3819)	025	1	3	1.82	0.52	3369	0	0	747	869	0	0	0	306	52
EMPSTA (COLS. 3820- 3821)	026	1	3	1.81	0.51	3554	0	0	747	655	0	0	0	301	86
EMPSTA (COLS. 3822- 3823)	027	1	3	1.82	0.52	3552	0	0	747	643	0	0	0	312	89
EMPSTA (COLS. 3824- 3825)	028	1	3	1.83	0.53	3499	0	0	747	651	0	0	0	336	110
EMPSTA (COLS. 3826- 3827)	029	1	3	1.84	0.55	3439	0	0	747	689	0	0	0	356	112
EMPSTA (COLS. 3828- 3829)	030	1	3	1.88	0.58	3277	0	0	747	792	0	0	0	378	149
EMPSTA (COLS. 3830- 3831)	031	1	3	1.82	0.59	3202	0	0	747	846	0	0	0	398	150
EMPSTA (COLS. 3832- 3833)	032	1	3	1.79	0.56	3186	0	0	747	838	0	0	0	417	155
EMPSTA (COLS. 3834- 3835)	033	1	3	1.83	0.53	3194	0	0	747	791	0	0	0	453	158
EMPSTA (COLS. 3836- 3837)	034	1	3	1.83	0.53	3200	0	0	747	731	0	0	0	460	205
EMPSTA (COLS. 3838- 3839)	035	1	3	1.84	0.53	3176	0	0	747	710	0	0	0	471	239
EMPSTA (COLS. 3840- 3841)	036	1	3	1.83	0.51	3313	0	0	747	548	0	0	0	479	256
EMPSTA (COLS. 3842- 3843)	037	1	3	1.83	0.51	3283	0	0	747	547	0	0	0	503	263
EMPSTA (COLS. 3844- 3845)	038	1	3	1.82	0.51	3209	0	0	747	566	0	0	0	530	291
EMPSTA (COLS. 3846- 3847)	039	1	3	1.83	0.49	3108	0	0	747	599	0	0	0	532	297

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
EMPSTA (COLS. 3848- 3849)	040	1	3	1.81	0.48	3036	0	0	747	711	0	0	0	533	316
EMPSTA (COLS. 3850- 3851)	041	1	3	1.81	0.49	3030	0	0	747	687	0	0	0	533	346
EMPSTA (COLS. 3852- 3853)	042	1	3	1.84	0.53	3028	0	0	747	674	0	0	0	543	351
EMPSTA (COLS. 3854- 3855)	043	1	3	1.77	0.54	2928	0	0	747	751	0	0	0	549	368
EMPSTA (COLS. 3856- 3857)	044	1	3	1.79	0.53	2880	0	0	747	733	0	0	0	554	429
EMPSTA (COLS. 3858- 3859)	045	1	3	1.82	0.53	2820	0	0	747	766	0	0	0	580	430
EMPSTA (COLS. 3860- 3861)	046	1	3	1.81	0.53	2856	0	0	747	703	0	0	0	600	437
EMPSTA (COLS. 3862- 3863)	047	1	3	1.81	0.53	2834	0	0	747	700	0	0	0	593	469
EMPSTA (COLS. 3864- 3865)	048	1	3	1.81	0.53	2494	0	0	747	1009	0	0	0	595	498
ISABL (COLS. 3866- 3867)	001	2	2	2.00	0.0	338	0	0	747	1043	0	3197	0	18	0
ISABL (COLS. 3868- 3869)	002	2	2	2.00	0.0	338	0	0	747	1003	0	3183	0	72	0
ISABL (COLS. 3870- 3871)	003	2	2	2.00	0.0	338	0	0	747	986	0	3176	0	96	0
ISABL (COLS. 3872- 3873)	004	2	2	2.00	0.0	338	0	0	747	938	0	3153	0	167	0
ISABL (COLS. 3874- 3875)	005	2	2	2.00	0.0	338	0	0	747	917	0	3148	0	193	0
ISABL (COLS. 3876- 3877)	006	2	2	2.00	0.0	338	0	0	747	891	0	3133	0	234	0
ISABL (COLS. 3878- 3879)	007	2	2	2.00	0.0	338	0	0	747	877	0	3136	0	245	0
ISABL (COLS. 3880- 3881)	008	2	2	2.00	0.0	338	0	0	747	884	0	3146	0	228	0
ISABL (COLS. 3882- 3883)	009	2	2	2.00	0.0	338	0	0	747	883	0	3163	0	212	0
ISABL (COLS. 3884- 3885)	010	2	2	2.00	0.0	338	0	0	747	886	0	3186	0	186	0
ISABL (COLS. 3886- 3887)	011	2	2	2.00	0.0	338	0	0	747	878	0	3190	0	190	0
ISABL (COLS. 3888- 3889)	012	2	2	2.00	0.0	338	0	0	747	876	0	3184	0	198	0
ISABL (COLS. 3890- 3891)	013	2	2	2.00	0.0	338	0	0	747	880	0	3179	0	199	0
ISABL (COLS. 3892- 3893)	014	2	2	2.00	0.0	349	0	0	747	802	0	3239	0	206	0
ISABL (COLS. 3894- 3895)	015	2	2	2.00	0.0	390	0	0	747	926	0	3064	0	213	3
ISABL (COLS. 3896- 3897)	016	2	2	2.00	0.0	359	0	0	747	1112	0	2901	0	221	3

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
DISABL (COLS. 3898- 3899)	017	2	2.00	0.0	328	0	0	747	1170	0	2859	0	234
DISABL (COLS. 3900- 3901)	018	2	2.00	0.0	346	0	0	747	717	0	3279	0	249
DISABL (COLS. 3902- 3903)	019	2	2.00	0.0	360	0	0	747	702	0	3256	0	270
DISABL (COLS. 3904- 3905)	020	2	2.00	0.0	406	0	0	747	818	0	3071	0	281
DISABL (COLS. 3906- 3907)	021	2	2.00	0.0	350	0	0	747	853	0	3063	0	281
DISABL (COLS. 3908- 3909)	022	2	2.00	0.0	362	0	0	747	636	0	3272	0	291
DISABL (COLS. 3910- 3911)	023	2	2.00	0.0	374	0	0	747	653	0	3218	0	305
DISABL (COLS. 3912- 3913)	024	2	2.00	0.0	357	0	0	747	743	0	3132	0	312
DISABL (COLS. 3914- 3915)	025	2	2.00	0.0	329	0	0	747	868	0	3014	0	333
DISABL (COLS. 3916- 3917)	026	1	2.95	0.22	282	0	0	747	647	0	3234	0	347
DISABL (COLS. 3918- 3919)	027	1	2.94	0.24	273	0	0	747	636	0	3237	0	361
DISABL (COLS. 3920- 3921)	028	1	2.70	0.46	305	0	0	747	648	0	3153	0	380
DISABL (COLS. 3922- 3923)	029	1	2.47	0.50	316	0	0	747	687	0	3086	0	395
DISABL (COLS. 3924- 3925)	030	1	2.17	0.38	342	0	0	747	791	0	2909	0	405
DISABL (COLS. 3926- 3927)	031	1	2.05	0.21	318	0	0	747	846	0	2856	0	426
DISABL (COLS. 3928- 3929)	032	1	2.03	0.16	308	0	0	747	838	0	2848	0	447
DISABL (COLS. 3930- 3931)	033	1	2.03	0.18	288	0	0	747	790	0	2873	0	467
DISABL (COLS. 3932- 3933)	034	1	2.01	0.12	277	0	0	747	730	0	2891	0	493
DISABL (COLS. 3934- 3935)	035	1	2.00	0.06	290	0	0	747	709	0	2852	0	506
DISABL (COLS. 3936- 3937)	036	1	2.00	0.06	316	0	0	747	547	0	2954	0	523
DISABL (COLS. 3938- 3939)	037	1	1.00	0.0	341	0	0	747	547	0	2905	0	540
DISABL (COLS. 3940- 3941)	038	1	1.00	0.0	349	0	0	747	566	0	2834	0	556
DISABL (COLS. 3942- 3943)	039	1	1.00	0.0	328	0	0	747	598	0	2817	0	556
DISABL (COLS. 3944- 3945)	040	1	1.00	0.0	281	0	0	747	710	0	2735	0	554
DISABL (COLS. 3946- 3947)	041	1	1.00	0.0	249	0	0	747	686	0	2761	0	554

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
DISABL (COLS. 3948- 3949)	042	1	1	1.00	0.0	249	0	0	747	674	0	2758	0	564	351
DISABL (COLS. 3950- 3951)	043	1	1	1.00	0.0	281	0	0	747	750	0	2627	0	570	368
DISABL (COLS. 3952- 3953)	044	1	1	1.00	0.0	290	0	0	747	732	0	2571	0	574	429
DISABL (COLS. 3954- 3955)	045	1	1	1.00	0.0	268	0	0	747	765	0	2539	0	594	430
DISABL (COLS. 3956- 3957)	046	1	1	1.00	0.0	258	0	0	747	702	0	2582	0	617	437
DISABL (COLS. 3958- 3959)	047	1	1	1.00	0.0	255	0	0	747	670	0	2590	0	612	469
DISABL (COLS. 3960- 3961)	048	1	1	1.00	0.0	251	0	0	747	634	0	2599	0	614	498
NUMJBS (COLS. 3962- 3963)	001	1	2	1.00	0.07	850	895	0	3163	431	0	0	0	4	0
NUMJBS (COLS. 3964- 3965)	002	1	2	1.01	0.08	866	887	0	3163	405	0	0	0	22	0
NUMJBS (COLS. 3966- 3967)	003	1	2	1.01	0.09	880	872	0	3163	402	0	0	0	26	0
NUMJBS (COLS. 3968- 3969)	004	1	2	1.01	0.08	887	857	0	3163	381	0	0	0	55	0
NUMJBS (COLS. 3970- 3971)	005	1	2	1.01	0.08	888	853	0	3163	372	0	0	0	67	0
NUMJBS (COLS. 3972- 3973)	006	1	2	1.01	0.10	982	755	0	3163	362	0	0	0	81	0
NUMJBS (COLS. 3974- 3975)	007	1	3	1.01	0.11	963	779	0	3163	356	0	0	0	82	0
NUMJBS (COLS. 3976- 3977)	008	1	3	1.01	0.12	943	807	0	3163	350	0	0	0	80	0
NUMJBS (COLS. 3978- 3979)	009	1	2	1.01	0.08	885	868	0	3163	351	0	0	0	76	0
NUMJBS (COLS. 3980- 3981)	010	1	2	1.01	0.08	866	889	0	3163	355	0	0	0	70	0
NUMJBS (COLS. 3982- 3983)	011	1	2	1.01	0.08	860	899	0	3163	349	0	0	0	72	0
NUMJBS (COLS. 3984- 3985)	012	1	2	1.00	0.07	851	905	0	3163	349	0	0	0	75	0
NUMJBS (COLS. 3986- 3987)	013	1	2	1.00	0.07	861	899	0	3163	347	0	0	0	73	0
NUMJBS (COLS. 3988- 3989)	014	1	2	1.01	0.12	891	917	0	3163	302	0	0	0	70	0
NUMJBS (COLS. 3990- 3991)	015	1	2	1.01	0.12	907	849	0	3163	354	0	0	0	70	0
NUMJBS (COLS. 3992- 3993)	016	1	2	1.01	0.08	886	779	0	3163	440	0	0	0	75	0
NUMJBS (COLS. 3994- 3995)	017	1	2	1.01	0.11	850	768	0	3163	474	0	0	0	87	1
NUMJBS (COLS. 3996- 3997)	018	1	2	1.02	0.15	919	923	0	3163	252	0	0	0	85	1

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
NUMJBS (COLS. 3998- 3999)	019	1	2	1.02	0.12	1022	823	0	3163	243	0	0	0	89	3
NUMJBS (COLS. 4000- 4001)	020	1	2	1.01	0.11	1043	739	0	3163	288	0	0	0	101	9
NUMJBS (COLS. 4002- 4003)	021	1	2	1.02	0.12	886	867	0	3163	314	0	0	0	100	13
NUMJBS (COLS. 4004- 4005)	022	1	3	1.02	0.16	909	936	0	3163	221	0	0	0	97	17
NUMJBS (COLS. 4006- 4007)	023	1	3	1.02	0.14	902	924	0	3163	232	0	0	0	102	20
NUMJBS (COLS. 4008- 4009)	024	1	2	1.01	0.12	870	905	0	3163	272	0	0	0	111	22
NUMJBS (COLS. 4010- 4011)	025	1	2	1.01	0.10	830	874	0	3163	332	0	0	0	122	22
NUMJBS (COLS. 4012- 4013)	026	1	3	1.01	0.13	842	936	0	3163	241	0	0	0	120	41
NUMJBS (COLS. 4014- 4015)	027	1	3	1.01	0.11	840	933	0	3163	234	0	0	0	132	41
NUMJBS (COLS. 4016- 4017)	028	1	3	1.01	0.12	847	913	0	3163	230	0	0	0	140	50
NUMJBS (COLS. 4018- 4019)	029	1	3	1.01	0.12	852	880	0	3163	246	0	0	0	151	51
NUMJBS (COLS. 4020- 4021)	030	1	2	1.01	0.08	844	798	0	3163	309	0	0	0	161	68
NUMJBS (COLS. 4022- 4023)	031	1	2	1.01	0.09	943	658	0	3163	340	0	0	0	170	69
NUMJBS (COLS. 4024- 4025)	032	1	2	1.00	0.06	947	640	0	3163	337	0	0	0	184	72
NUMJBS (COLS. 4026- 4027)	033	1	2	1.00	0.06	767	797	0	3163	329	0	0	0	215	72
NUMJBS (COLS. 4028- 4029)	034	1	2	1.01	0.07	754	813	0	3163	302	0	0	0	216	95
NUMJBS (COLS. 4030- 4031)	035	1	2	1.00	0.06	754	805	0	3163	286	0	0	0	221	114
NUMJBS (COLS. 4032- 4033)	036	1	2	1.01	0.07	763	859	0	3163	206	0	0	0	229	123
NUMJBS (COLS. 4034- 4035)	037	1	2	1.00	0.06	762	845	0	3163	206	0	0	0	242	125
NUMJBS (COLS. 4036- 4037)	038	1	2	1.00	0.06	763	819	0	3163	207	0	0	0	252	139
NUMJBS (COLS. 4038- 4039)	039	1	2	1.00	0.06	744	803	0	3163	235	0	0	0	254	144
NUMJBS (COLS. 4040- 4041)	040	1	2	1.00	0.07	697	774	0	3163	304	0	0	0	255	150
NUMJBS (COLS. 4042- 4043)	041	1	2	1.00	0.04	688	772	0	3163	287	0	0	0	260	173
NUMJBS (COLS. 4044- 4045)	042	1	2	1.00	0.04	710	749	0	3163	281	0	0	0	265	175
NUMJBS (COLS. 4046- 0471)	043	1	2	1.00	0.03	824	585	0	3163	321	0	0	0	268	182

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
JUMJBS (COLS. 4048- 4049)	044	1	2	1.00	0.07	828	557	0	3163	317	0	0	0	267	211
JUMJBS (COLS. 4050- 4051)	045	1	2	1.01	0.10	709	629	0	3163	348	0	0	0	282	212
JUMJBS (COLS. 4052- 4053)	046	1	2	1.00	0.06	712	633	0	3163	326	0	0	0	295	214
JUMJBS (COLS. 4054- 4055)	047	1	2	1.00	0.06	714	625	0	3163	313	0	0	0	295	233
JUMJBS (COLS. 4056- 4057)	048	1	2	1.00	0.06	633	562	0	3163	442	0	0	0	299	244
EXPER (COLS. 4058- 4060)	001	1	429	110.09	102.40	856	1320	0	3163	0	0	0	0	4	0
EXPER (COLS. 4061- 4063)	002	2	430	109.20	102.51	871	1287	0	3163	0	0	0	0	22	0
EXPER (COLS. 4064- 4066)	003	3	431	107.92	102.60	885	1269	0	3163	0	0	0	0	26	0
EXPER (COLS. 4067- 4069)	004	4	432	107.38	102.74	890	1235	0	3163	0	0	0	0	55	0
EXPER (COLS. 4070- 4072)	005	5	433	107.85	102.91	894	1220	0	3163	0	0	0	0	66	0
EXPER (COLS. 4073- 4075)	006	6	434	98.84	102.42	990	1109	0	3163	0	0	0	0	81	0
EXPER (COLS. 4076- 4078)	007	7	435	97.45	102.34	1013	1085	0	3163	0	0	0	0	82	0
EXPER (COLS. 4079- 4081)	008	1	436	100.13	103.06	993	1107	0	3163	0	0	0	0	80	0
EXPER (COLS. 4082- 4084)	009	9	437	109.67	104.48	900	1204	0	3163	0	0	0	0	76	0
EXPER (COLS. 4085- 4087)	010	10	438	113.29	104.72	873	1237	0	3163	0	0	0	0	70	0
EXPER (COLS. 4088- 4090)	011	11	439	113.93	104.37	869	1239	0	3163	0	0	0	0	72	0
EXPER (COLS. 4091- 4093)	012	12	440	115.55	104.58	860	1245	0	3163	0	0	0	0	75	0
EXPER (COLS. 4094- 4096)	013	1	441	115.04	105.06	869	1238	0	3163	0	0	0	0	73	0
EXPER (COLS. 4097- 4099)	014	2	454	108.68	105.60	979	1133	0	3163	0	0	0	0	68	0
EXPER (COLS. 4100- 4102)	015	3	455	107.94	105.65	986	1128	0	3163	0	0	0	0	66	0
EXPER (COLS. 4103- 4105)	016	4	456	109.81	105.93	948	1161	0	3163	0	0	0	0	71	0
EXPER (COLS. 4106- 4108)	017	5	457	111.55	106.67	901	1196	0	3163	0	0	0	0	82	1
EXPER (COLS. 4109- 4111)	018	6	458	104.21	104.82	1009	1090	0	3163	0	0	0	0	60	1
EXPER (COLS. 4112- 4114)	019	7	459	92.32	102.42	1139	950	0	3163	0	0	0	0	88	3
EXPER (COLS. 4115- 4117)	020	8	460	92.65	102.47	1147	930	0	3163	0	0	0	0	94	9

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
EXPER (COLS. 4118- 4120)	021	9	461	107.38	106.34	943	1124	0	3163	0	0	0	0	100	13
EXPER (COLS. 4121- 4123)	022	1	462	107.98	104.94	966	1099	0	3163	1	0	0	0	97	17
EXPER (COLS. 4124- 4126)	023	2	463	108.26	105.13	964	1094	0	3163	1	0	0	0	101	20
EXPER (COLS. 4127- 4129)	024	3	464	111.97	105.87	928	1121	0	3163	0	0	0	0	109	22
EXPER (COLS. 4130- 4132)	025	1	465	114.99	106.72	884	1158	0	3163	0	0	0	0	116	22
EXPER (COLS. 4133- 4135)	026	2	466	114.81	107.11	898	1122	0	3163	0	0	0	0	119	41
EXPER (COLS. 4136- 4138)	027	3	467	115.01	107.46	885	1122	0	3163	0	0	0	0	132	41
EXPER (COLS. 4139- 4141)	028	4	468	114.49	107.44	892	1098	0	3163	0	0	0	0	140	50
EXPER (COLS. 4142- 4144)	029	5	469	114.26	107.96	896	1084	0	3163	0	0	0	0	149	51
EXPER (COLS. 4145- 4147)	030	6	458	110.74	107.96	912	1045	0	3163	0	0	0	0	155	68
EXPER (COLS. 4148- 4150)	031	7	459	97.07	106.50	1039	910	0	3163	0	0	0	0	162	69
EXPER (COLS. 4151- 4153)	032	8	460	96.44	105.82	1066	865	0	3163	0	0	0	0	177	72
EXPER (COLS. 4154- 4156)	033	9	461	117.41	108.64	816	1086	0	3163	0	0	0	0	206	72
EXPER (COLS. 4157- 4159)	034	10	462	118.67	108.42	781	1092	0	3163	0	0	0	0	212	95
EXPER (COLS. 4160- 4162)	035	11	463	116.49	107.63	792	1056	0	3163	0	0	0	0	218	114
EXPER (COLS. 4163- 4165)	036	12	464	118.18	107.70	781	1048	0	3163	0	0	0	0	228	123
EXPER (COLS. 4166- 4168)	037	1	465	117.25	108.15	783	1033	0	3163	0	0	0	0	239	125
EXPER (COLS. 4169- 4171)	038	2	466	115.21	108.66	800	996	0	3163	0	0	0	0	245	139
EXPER (COLS. 4172- 4174)	039	3	465	114.88	107.85	792	993	0	3163	0	0	0	0	251	144
EXPER (COLS. 4175- 4177)	040	4	466	118.18	108.84	744	1032	0	3163	0	0	0	0	254	150
EXPER (COLS. 4178- 4180)	041	5	467	118.93	109.66	702	1046	0	3163	0	0	0	0	259	173
EXPER (COLS. 4181- 4183)	042	6	468	116.55	109.65	724	1018	0	3163	0	0	0	0	263	175
EXPER (COLS. 4184- 4186)	043	7	469	99.55	106.94	887	843	0	3163	0	0	0	0	268	182
EXPER (COLS. 4187- 4189)	044	8	470	97.18	105.45	921	781	0	3163	0	0	0	0	267	211
EXPER (COLS. 4190- 1921)	045	9	471	115.53	108.46	772	917	0	3163	0	0	0	0	279	212

PERSUN VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
EXPER (COLS. 4193- 4195)	046	10	472	113.52	109.21	735	938	0	3163	0	0	0	0	293	214
EXPER (COLS. 4196- 4198)	047	11	473	114.42	109.42	729	923	0	3163	0	0	0	0	295	233
EXPER (COLS. 4199- 4201)	048	12	474	115.56	109.53	717	920	0	3163	0	0	0	0	299	244
INDUS (COLS. 4202- 4204)	001	1	857	263.19	201.66	853	895	0	3163	428	0	0	0	4	0
INDUS (COLS. 4205- 4207)	002	1	857	261.39	203.29	870	887	0	3163	401	0	0	0	22	0
INDUS (COLS. 4208- 4210)	003	1	857	261.70	205.60	884	872	0	3163	398	0	0	0	26	0
INDUS (COLS. 4211- 4213)	004	1	857	261.24	205.19	891	857	0	3163	377	0	0	0	55	0
INDUS (COLS. 4214- 4216)	005	1	857	261.60	204.93	892	853	0	3163	368	0	0	0	67	0
INDUS (COLS. 4217- 4219)	006	1	857	247.39	201.58	986	755	0	3163	358	0	0	0	81	0
INDUS (COLS. 4220- 4222)	007	1	857	221.75	166.58	967	779	0	3163	352	0	0	0	82	0
INDUS (COLS. 4223- 4225)	008	1	857	219.71	167.70	947	807	0	3163	346	0	0	0	80	0
INDUS (COLS. 4226- 4228)	009	1	857	257.21	209.53	891	868	0	3163	345	0	0	0	76	0
INDUS (COLS. 4229- 4231)	010	1	857	257.54	209.27	872	889	0	3163	349	0	0	0	70	0
INDUS (COLS. 4232- 4234)	011	1	857	256.73	210.31	865	899	0	3163	344	0	0	0	72	0
INDUS (COLS. 4235- 4237)	012	1	857	257.90	210.70	857	905	0	3163	343	0	0	0	75	0
INDUS (COLS. 4238- 4240)	013	1	857	258.42	211.89	866	899	0	3163	342	0	0	0	73	0
INDUS (COLS. 4241- 4243)	014	1	857	257.12	210.59	896	917	0	3163	297	0	0	0	70	0
INDUS (COLS. 4244- 4246)	015	1	857	254.76	208.78	912	849	0	3163	349	0	0	0	70	0
INDUS (COLS. 4247- 4249)	016	1	857	256.61	206.06	892	779	0	3163	434	0	0	0	75	0
INDUS (COLS. 4250- 4252)	017	1	857	249.96	203.57	855	768	0	3163	469	0	0	0	87	1
INDUS (COLS. 4253- 4255)	018	1	857	246.12	200.00	924	923	0	3163	247	0	0	0	65	1
INDUS (COLS. 4256- 4258)	019	1	857	205.02	155.25	1026	823	0	3163	239	0	0	0	89	3
INDUS (COLS. 4259- 4261)	020	1	857	206.61	158.57	1047	739	0	3163	284	0	0	0	101	9
INDUS (COLS. 4262- 4264)	021	1	857	251.98	202.52	892	867	0	3163	308	0	0	0	100	13
INDUS (COLS. 4265- 4267)	022	1	857	255.98	204.12	916	936	0	3163	214	0	0	0	97	17

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.	NO.						
								9993	9994	9995	9996	9997	9998	9999		
INDUS (COLS. 4266- 4270)	023	1	857	255.21	204.97	909	924	0	3163	224	0	0	0	103	20	
INDUS (COLS. 4271- 4273)	024	1	857	255.93	205.98	880	905	0	3163	262	0	0	0	111	22	
INDUS (COLS. 4274- 4276)	025	1	857	257.33	204.26	838	874	0	3163	324	0	0	0	122	22	
INDUS (COLS. 4277- 4279)	026	1	857	256.24	202.29	849	936	0	3163	234	0	0	0	120	41	
INDUS (COLS. 4280- 4282)	027	1	857	255.69	202.88	847	933	0	3163	227	0	0	0	132	41	
INDUS (COLS. 4283- 4285)	028	1	857	254.24	202.80	854	913	0	3163	223	0	0	0	140	50	
INDUS (COLS. 4286- 4288)	029	1	857	252.98	203.84	860	880	0	3163	238	0	0	0	151	51	
INDUS (COLS. 4289- 4291)	030	1	857	249.08	199.13	852	798	0	3163	301	0	0	0	161	68	
INDUS (COLS. 4292- 4294)	031	1	857	210.60	160.05	953	658	0	3164	329	0	0	0	170	69	
INDUS (COLS. 4295- 4297)	032	1	857	205.92	157.70	940	640	0	3179	328	0	0	0	184	72	
INDUS (COLS. 4298- 4300)	033	1	857	249.20	197.39	761	797	0	3180	318	0	0	0	215	72	
INDUS (COLS. 4301- 4303)	034	1	857	250.17	198.63	747	813	0	3181	291	0	0	0	216	95	
INDUS (COLS. 4304- 4306)	035	1	857	248.37	197.93	745	805	0	3183	275	0	0	0	221	114	
INDUS (COLS. 4307- 4309)	036	1	857	251.28	199.90	745	859	0	3192	195	0	0	0	229	123	
INDUS (COLS. 4310- 4312)	037	1	857	252.02	200.41	739	845	0	3194	198	0	0	0	242	125	
INDUS (COLS. 4313- 4315)	038	1	857	253.43	203.55	733	819	0	3201	199	0	0	0	252	139	
INDUS (COLS. 4316- 4318)	039	1	857	253.37	201.84	708	803	0	3207	227	0	0	0	254	144	
INDUS (COLS. 4319- 4321)	040	1	857	251.06	195.95	666	774	0	3202	296	0	0	0	255	150	
INDUS (COLS. 4322- 4324)	041	1	857	246.32	192.07	663	772	0	3198	277	0	0	0	260	173	
INDUS (COLS. 4325- 4327)	042	1	857	244.29	186.14	665	749	0	3196	273	0	0	0	265	175	
INDUS (COLS. 4328- 4330)	043	1	897	209.56	156.31	797	585	0	3195	316	0	0	0	268	182	
INDUS (COLS. 4331- 4333)	044	1	897	210.96	159.06	810	557	0	3187	311	0	0	0	267	211	
INDUS (COLS. 4334- 4336)	045	1	857	209.00	213.72	705	629	0	3175	340	0	0	0	262	212	
INDUS (COLS. 4337- 4339)	046	1	857	271.38	221.41	715	633	0	3166	320	0	0	0	245	214	
INDUS (COLS. 4340- 4342)	047	1	857	270.57	221.09	719	625	0	3163	300	0	0	0	295	233	

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERU	BLNK	NO.	NU.	NU.	NO.						
INDUS (COLS. 4343- 4345)	048	1	857	267.83	219.83	637	562	0	3163	438	0	0	0	299	244		
OCCUP (COLS. 4346- 4349)	001	1	984	650.65	222.35	852	895	0	3163	429	0	0	0	4	0		
OCCUP (COLS. 4350- 4353)	002	1	984	649.94	224.02	869	887	0	3163	402	0	0	0	22	0		
OCCUP (COLS. 4354- 4357)	003	1	984	649.93	226.44	883	872	0	3163	399	0	0	0	26	0		
OCCUP (COLS. 4358- 4361)	004	1	984	647.31	227.09	890	857	0	3163	378	0	0	0	55	0		
OCCUP (COLS. 4362- 4365)	005	1	984	646.21	227.03	890	853	0	3163	370	0	0	0	67	0		
OCCUP (COLS. 4366- 4369)	006	1	984	654.13	229.15	984	755	0	3163	360	0	0	0	81	0		
OCCUP (COLS. 4370- 4373)	007	1	984	663.60	219.86	966	779	0	3163	353	0	0	0	82	0		
OCCUP (COLS. 4374- 4377)	008	1	984	656.12	221.18	945	807	0	3163	348	0	0	0	80	0		
OCCUP (COLS. 4378- 4381)	009	1	999	636.93	230.83	889	868	0	3163	347	0	0	0	76	0		
OCCUP (COLS. 4382- 4385)	010	1	999	629.94	232.36	870	889	0	3163	351	0	0	0	70	0		
UCCUP (COLS. 4386- 4389)	011	1	984	627.89	233.81	862	899	0	3163	347	0	0	0	72	0		
OCCUP (COLS. 4390- 4393)	012	1	984	626.76	233.70	854	905	0	3163	346	0	0	0	75	0		
OCCUP (COLS. 4394- 4397)	013	1	984	625.33	236.13	863	899	0	3163	345	0	0	0	73	0		
OCCUP (COLS. 4398- 4401)	014	1	984	626.12	237.81	892	917	0	3163	301	0	0	0	70	0		
OCCUP (COLS. 4402- 4405)	015	1	984	618.43	237.97	908	849	0	3163	353	0	0	0	70	0		
OCCUP (COLS. 4406- 4409)	016	1	984	615.65	239.57	889	779	0	3163	437	0	0	0	75	0		
OCCUP (COLS. 4410- 4413)	017	56	984	617.81	237.06	851	768	0	3163	473	0	0	0	87	1		
OCCUP (COLS. 4414- 4417)	018	56	984	625.30	236.41	922	923	0	3163	249	0	0	0	85	1		
OCCUP (COLS. 4418- 4421)	019	56	994	634.23	240.49	1025	823	0	3163	240	0	0	0	89	3		
OCCUP (COLS. 4422- 4425)	020	56	984	638.36	237.25	1048	739	0	3163	283	0	0	0	101	9		
OCCUP (COLS. 4426- 4429)	021	14	984	636.17	230.49	893	867	0	3163	307	0	0	0	100	13		
OCCUP (COLS. 4430- 4433)	022	14	984	633.80	229.15	916	936	0	3163	214	0	0	0	97	17		
OCCUP (COLS. 4434- 4437)	023	14	984	633.43	229.21	909	924	0	3163	225	0	0	0	102	20		
OCCUP (COLS. 4438- 4441)	024	14	984	631.03	228.69	879	905	0	3163	263	0	0	0	111	22		

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
OCCUP (COLS. 4442- 4445)	025	14	984	632.52	228.28	838	874	0	3163	324	0	0	0	122	22
OCCUP (COLS. 4446- 4449)	026	32	984	639.22	224.70	849	936	0	3163	234	0	0	0	120	41
OCCUP (COLS. 4450- 4453)	027	32	984	640.92	223.96	847	933	0	3163	227	0	0	0	132	41
OCCUP (COLS. 4454- 4457)	028	32	984	640.71	224.63	854	913	0	3163	223	0	0	0	140	50
OCCUP (COLS. 4458- 4461)	029	1	984	633.58	228.62	859	880	0	3163	239	0	0	0	151	51
OCCUP (COLS. 4462- 4465)	030	1	984	636.32	231.10	851	798	0	3163	302	0	0	0	161	68
OCCUP (COLS. 4466- 4469)	031	1	995	649.17	234.64	952	658	0	3163	331	0	0	0	170	69
OCCUP (COLS. 4470- 4473)	032	1	995	657.01	236.49	954	640	0	3163	330	0	0	0	184	72
OCCUP (COLS. 4474- 4477)	033	1	995	638.98	236.64	776	797	0	3163	320	0	0	0	215	72
OCCUP (COLS. 4478- 4481)	034	13	995	640.01	237.00	763	813	0	3163	293	0	0	0	216	95
OCCUP (COLS. 4482- 4485)	035	13	995	642.61	237.31	763	805	0	3163	277	0	0	0	221	114
OCCUP (COLS. 4486- 4489)	036	1	993	642.89	242.90	774	859	0	3163	195	0	0	0	229	123
OCCUP (COLS. 4490- 4493)	037	1	993	643.87	243.09	770	845	0	3163	198	0	0	0	242	125
OCCUP (COLS. 4494- 4497)	038	1	993	644.63	243.54	771	819	0	3163	199	0	0	0	252	139
OCCUP (COLS. 4498- 4501)	039	1	993	649.85	244.27	752	803	0	3163	227	0	0	0	254	144
OCCUP (COLS. 4502- 4505)	040	1	993	650.31	243.38	705	774	0	3163	296	0	0	0	255	150
OCCUP (COLS. 4506- 4509)	041	1	993	650.65	242.38	698	772	0	3163	277	0	0	0	260	173
OCCUP (COLS. 4510- 4513)	042	1	993	646.79	241.49	718	749	0	3163	273	0	0	0	265	175
OCCUP (COLS. 4514- 4517)	043	1	993	670.61	238.76	829	585	0	3163	316	0	0	0	268	182
OCCUP (COLS. 4518- 4521)	044	1	993	671.79	239.74	833	557	0	3163	312	0	0	0	267	211
OCCUP (COLS. 4522- 4525)	045	23	993	659.29	241.92	717	629	0	3163	340	0	0	0	282	212
OCCUP (COLS. 4526- 4529)	046	23	993	661.10	242.97	719	633	0	3163	319	0	0	0	295	214
OCCUP (COLS. 4530- 4533)	047	23	993	661.97	243.09	720	625	0	3163	307	0	0	0	295	233
OCCUP (COLS. 4534- 4537)	048	23	995	655.72	246.74	639	562	0	3163	436	0	0	0	299	244
WRKLNG (COLS. 4538- 4541)	001	129	1000	993.93	63.39	871	1305	0	3163	0	0	0	0	4	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
WRKLNG (COLS. 4542- 4545)	002	36	1000	987.35	89.92	887	1272	0	3163	0	0	0	0	21	0
WRKLNG (COLS. 4546- 4549)	003	32	1000	987.40	87.20	901	1254	0	3163	0	0	0	0	25	0
WRKLNG (COLS. 4550- 4553)	004	33	1000	984.86	95.35	907	1219	0	3163	0	0	0	0	54	0
WRKLNG (COLS. 4554- 4557)	005	32	1000	980.65	113.80	911	1204	0	3163	0	0	0	0	65	0
WRKLNG (COLS. 4558- 4561)	006	33	1000	920.79	220.51	1007	1093	0	3163	0	0	0	0	80	0
WRKLNG (COLS. 4562- 4565)	007	32	1000	970.10	134.68	1030	1069	0	3163	0	0	0	0	81	0
WRKLNG (COLS. 4566- 4569)	008	32	1000	962.87	142.91	1009	1092	0	3163	0	0	0	0	79	0
WRKLNG (COLS. 4570- 4573)	009	33	1000	955.75	178.05	918	1187	0	3163	0	0	0	0	75	0
WRKLNG (COLS. 4574- 4577)	010	97	1000	984.32	96.18	891	1219	0	3163	0	0	0	0	70	0
WRKLNG (COLS. 4578- 4581)	011	33	1000	990.27	80.51	886	1222	0	3163	0	0	0	0	72	0
WRKLNG (COLS. 4582- 4585)	012	32	1000	990.26	85.78	878	1227	0	3163	0	0	0	0	75	0
WRKLNG (COLS. 4586- 4589)	013	32	1000	976.54	125.69	885	1222	0	3163	0	0	0	0	73	0
WRKLNG (COLS. 4590- 4593)	014	69	1000	982.94	99.24	994	1118	0	3163	0	0	0	0	68	0
WRKLNG (COLS. 4594- 4597)	015	32	1000	971.39	125.96	1003	1111	0	3163	0	0	0	0	66	0
WRKLNG (COLS. 4598- 4601)	016	33	1000	953.83	169.93	965	1144	0	3163	0	0	0	0	71	0
WRKLNG (COLS. 4602- 4605)	017	32	1000	967.18	146.14	916	1181	0	3163	0	0	0	0	82	1
WRKLNG (COLS. 4606- 4609)	018	33	1000	945.11	181.55	1023	1076	0	3163	0	0	0	0	80	1
WRKLNG (COLS. 4610- 4613)	019	32	1000	955.26	148.19	1152	937	0	3163	0	0	0	0	88	3
WRKLNG (COLS. 4614- 4617)	020	32	1000	915.27	217.60	1162	915	0	3163	0	0	0	0	94	9
WRKLNG (COLS. 4618- 4621)	021	33	1000	921.58	240.40	960	1107	0	3163	0	0	0	0	100	13
WRKLNG (COLS. 4622- 4625)	022	32	1000	977.01	122.31	984	1082	0	3163	0	0	0	0	97	17
WRKLNG (COLS. 4626- 4629)	023	33	1000	969.64	136.72	982	1077	0	3163	0	0	0	0	101	20
WRKLNG (COLS. 4630- 4633)	024	32	1000	953.24	167.95	949	1100	0	3163	0	0	0	0	109	22
WRKLNG (COLS. 4634- 4637)	025	65	1000	964.90	140.80	902	1140	0	3163	0	0	0	0	116	22
WRKLNG (COLS. 4638- 4641)	026	36	1000	973.84	127.34	912	1107	0	3163	1	0	0	0	119	91

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERU	BLNK	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
HOURS (COLS. 4742- 4745)	004	5	90	37.43	8.16	902	856	0	3163	368	0	0	0	54	0
HOURS (COLS. 4746- 4749)	005	5	90	37.44	8.09	902	852	0	3163	360	0	0	0	66	0
HOURS (COLS. 4750- 4753)	006	3	90	36.48	8.35	997	754	0	3163	349	0	0	0	80	0
HOURS (COLS. 4754- 4757)	007	2	90	36.46	8.26	977	778	0	3163	344	0	0	0	81	0
HOURS (COLS. 4758- 4761)	008	2	90	36.25	8.49	954	806	0	3163	341	0	0	0	79	0
HOURS (COLS. 4762- 4765)	009	5	90	36.78	8.48	898	867	0	3163	340	0	0	0	75	0
HOURS (COLS. 4766- 4769)	010	5	90	36.91	8.40	879	888	0	3163	343	0	0	0	70	0
HOURS (COLS. 4770- 4773)	011	5	90	36.88	8.61	869	898	0	3163	341	0	0	0	72	0
HOURS (COLS. 4774- 4777)	012	5	90	36.68	8.66	861	904	0	3163	340	0	0	0	75	0
HOURS (COLS. 4778- 4781)	013	5	90	36.73	8.66	871	898	0	3163	338	0	0	0	73	0
HOURS (COLS. 4782- 4785)	014	4	96	36.75	8.79	902	916	0	3163	292	0	0	0	70	0
HOURS (COLS. 4786- 4789)	015	5	96	36.75	8.57	919	847	0	3163	344	0	0	0	70	0
HOURS (COLS. 4790- 4793)	016	3	96	36.61	8.51	898	778	0	3163	429	0	0	0	75	0
HOURS (COLS. 4794- 4797)	017	2	96	36.85	8.45	861	767	0	3163	464	0	0	0	67	1
HOURS (COLS. 4798- 4801)	018	2	72	36.87	7.98	932	922	0	3163	240	0	0	0	85	1
HOURS (COLS. 4802- 4805)	019	2	72	35.82	8.07	1033	822	0	3163	233	0	0	0	89	3
HOURS (COLS. 4806- 4809)	020	2	1998	37.45	61.01	1054	738	0	3163	278	0	0	0	101	9
HOURS (COLS. 4810- 4813)	021	2	72	36.68	8.25	898	866	0	3163	303	0	0	0	100	13
HOURS (COLS. 4814- 4817)	022	3	90	36.96	8.32	921	935	0	3163	209	0	0	0	98	17
HOURS (COLS. 4818- 4821)	023	3	90	36.85	8.28	915	923	0	3163	220	0	0	0	102	20
HOURS (COLS. 4822- 4825)	024	2	90	37.02	8.11	882	904	0	3163	261	0	0	0	111	22
HOURS (COLS. 4826- 4829)	025	2	90	37.20	8.08	844	872	0	3163	320	0	0	0	122	22
HOURS (COLS. 4830- 4833)	026	2	96	37.32	8.24	845	935	0	3163	239	0	0	0	120	41
HOURS (COLS. 4834- 4837)	027	2	96	3	8.50	841	932	0	3163	234	0	0	0	1	

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
HOURS (COLS. 4842- 4845)	029	2	96	37.42	8.26	862	878	0	3163	238	0	0	0	151	51
HOURS (COLS. 4846- 4849)	030	5	96	37.52	7.91	852	796	0	3163	303	0	0	0	161	68
HOURS (COLS. 4850- 4853)	031	7	96	35.92	8.37	956	657	0	3163	328	0	0	0	170	69
HOURS (COLS. 4854- 4857)	032	2	96	35.88	8.10	958	639	0	3163	327	0	0	0	184	72
HOURS (COLS. 4858- 4861)	033	2	84	37.53	7.35	77d	796	0	3163	319	0	0	0	215	72
HOURS (COLS. 4862- 4865)	034	2	84	37.58	7.44	769	811	0	3163	289	0	0	0	216	95
HOURS (COLS. 4866- 4869)	035	2	84	37.47	7.52	766	803	0	3163	276	0	0	0	221	114
HOURS (COLS. 4870- 4873)	036	2	84	37.38	7.55	774	857	0	3163	197	0	0	0	229	123
HOURS (COLS. 4874- 4877)	037	2	84	37.48	7.38	770	842	0	3163	201	0	0	0	242	125
HOURS (COLS. 4878- 4881)	038	7	69	37.28	7.14	774	818	0	3163	197	0	0	0	252	139
HOURS (COLS. 4882- 4885)	039	7	64	37.59	6.81	753	802	0	3163	227	0	0	0	254	144
HOURS (COLS. 4886- 4889)	040	7	60	37.80	6.58	707	773	0	3163	295	0	0	0	255	150
HOURS (COLS. 4890- 4893)	041	7	60	37.97	6.36	699	771	0	3163	277	0	0	0	260	173
HOURS (COLS. 4894- 4897)	042	7	60	37.95	6.28	720	747	0	3163	273	0	0	0	265	175
HOURS (COLS. 4898- 4901)	043	7	60	36.31	7.16	830	583	0	3163	317	0	0	0	268	182
HOURS (COLS. 4902- 4905)	044	6	60	36.45	6.98	837	554	0	3163	311	0	0	0	267	211
HOURS (COLS. 4906- 4909)	045	6	60	37.76	6.34	720	626	0	3163	340	0	0	0	282	212
HOURS (COLS. 4910- 4913)	046	6	98	37.85	6.78	723	629	0	3163	319	0	0	0	295	214
HOURS (COLS. 4914- 4917)	047	6	80	37.77	6.43	724	621	0	3163	307	0	0	0	295	233
HOURS (COLS. 4918- 4921)	048	6	80	37.60	6.41	641	559	0	3163	437	0	0	0	299	244
HRCHNG (COLS. 4922- 4923)	001	1	1	1.00	0.0	15	2165	0	3163	0	0	0	0	0	0
HRCHNG (COLS. 4924- 4925)	002	1	1	1.00	0.0	27	2153	0	3163	0	0	0	0	0	0
HRCHNG (COLS. 4926- 4927)	003	1	1	1.00	0.0	35	2145	0	3163	0	0	0	0	0	0
HRCHNG (COLS. 4928- 4929)	004	1	1	1.00	0.0	30	2150	0	3163	0	0	0	0	0	0
HRCHNG (COLS. 4930- 4931)	005	1	1	1.00	0.0	34	2146	0	3163	0	0	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
HRCHNG (COLS. 4932- 4933)	006	1	1	1.00	0.0	140	2040	0	3163	0	0	0	0	0
HRCHNG (COLS. 4934- 4935)	007	1	1	1.00	0.0	76	2104	0	3163	0	0	0	0	0
HRCHNG (COLS. 4936- 4937)	008	1	1	1.00	0.0	113	2067	0	3163	0	0	0	0	0
HRCHNG (COLS. 4938- 4939)	009	1	1	1.00	0.0	74	2106	0	3163	0	0	0	0	0
HRCHNG (COLS. 4940- 4941)	010	1	1	1.00	0.0	33	2147	0	3163	0	0	0	0	0
HRCHNG (COLS. 4942- 4943)	011	1	1	1.00	0.0	27	2153	0	3163	0	0	0	0	0
HRCHNG (COLS. 4944- 4945)	012	1	1	1.00	0.0	18	2162	0	3163	0	0	0	0	0
HRCHNG (COLS. 4946- 4947)	013	1	1	1.00	0.0	49	2131	0	3163	0	0	0	0	0
HRCHNG (COLS. 4948- 4949)	014	1	1	1.00	0.0	145	2035	0	3163	0	0	0	0	0
HRCHNG (COLS. 4950- 4951)	015	1	1	1.00	0.0	135	2045	0	3163	0	0	0	0	0
HRCHNG (COLS. 4952- 4953)	016	1	1	1.00	0.0	142	2038	0	3163	0	0	0	0	0
HRCHNG (COLS. 4954- 4955)	017	1	1	1.00	0.0	68	2111	0	3163	0	0	0	0	1
HRCHNG (COLS. 4956- 4957)	018	1	1	1.00	0.0	215	1964	0	3163	0	0	0	0	1
HRCHNG (COLS. 4958- 4959)	019	1	1	1.00	0.0	232	1945	0	3163	0	0	0	0	3
HRCHNG (COLS. 4960- 4961)	020	1	1	1.00	0.0	295	1876	0	3163	0	0	0	0	9
HRCHNG (COLS. 4962- 4963)	021	1	1	1.00	0.0	147	2020	0	3163	0	0	0	0	13
HRCHNG (COLS. 4964- 4965)	022	1	1	1.00	0.0	155	2008	0	3163	0	0	0	0	17
HRCHNG (COLS. 4966- 4967)	023	1	1	1.00	0.0	88	2072	0	3163	0	0	0	0	20
HRCHNG (COLS. 4968- 4969)	024	1	1	1.00	0.0	125	2033	0	3163	0	0	0	0	22
HRCHNG (COLS. 4970- 4971)	025	1	1	1.00	0.0	145	2013	0	3163	0	0	0	0	22
HRCHNG (COLS. 4972- 4973)	026	1	1	1.00	0.0	114	2025	0	3163	0	0	0	0	41
HRCHNG (COLS. 4974- 4975)	027	1	1	1.00	0.0	36	2103	0	3163	0	0	0	0	41
HRCHNG (COLS. 4976- 4977)	028	1	1	1.00	0.0	77	2053	0	3163	0	0	0	0	50
HRCHNG (COLS. 4978- 4979)	029	1	1	1.00	0.0	117	2012	0	3163	0	0	0	0	51
HRCHNG (COLS. 4980- 4981)	030	1	1	1.00	0.0	222	1890	0	3163	0	0	0	0	68

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
HRCHNG (COLS. 4982- 4983)	031	1	1	1.00	0.0	285	1826	0	3163	0	0	0	0	0	69
HRCHNG (COLS. 4984- 4985)	032	1	1	1.00	0.0	273	1835	0	3163	0	0	0	0	0	72
HRCHNG (COLS. 4986- 4987)	033	1	1	1.00	0.0	108	2000	0	3163	0	0	0	0	0	72
HRCHNG (COLS. 4988- 4989)	034	1	1	1.00	0.0	73	2012	0	3163	0	0	0	0	0	95
HRCHNG (COLS. 4990- 4991)	035	1	1	1.00	0.0	89	1977	0	3163	0	0	0	0	0	114
HRCHNG (COLS. 4992- 4993)	036	1	1	1.00	0.0	71	1980	0	3163	0	0	0	0	0	123
HRCHNG (COLS. 4994- 4995)	037	1	1	1.00	0.0	111	1944	0	3163	0	0	0	0	0	125
HRCHNG (COLS. 4996- 4997)	038	1	1	1.00	0.0	148	1893	0	3163	0	0	0	0	0	139
HRCHNG (COLS. 4998- 4999)	039	1	1	1.00	0.0	168	1868	0	3163	0	0	0	0	0	144
HRCHNG (COLS. 5000- 5001)	040	1	1	1.00	0.0	113	1917	0	3163	0	0	0	0	0	150
HRCHNG (COLS. 5002- 5003)	041	1	1	1.00	0.0	33	1974	0	3163	0	0	0	0	0	173
HRCHNG (COLS. 5004- 5005)	042	1	1	1.00	0.0	59	1946	0	3163	0	0	0	0	0	175
HRCHNG (COLS. 5006- 5007)	043	1	1	1.00	0.0	234	1764	0	3163	0	0	0	0	0	182
HRCHNG (COLS. 5008- 5009)	044	1	1	1.00	0.0	280	1689	0	3163	0	0	0	0	0	211
HRCHNG (COLS. 5010- 5011)	045	1	1	1.00	0.0	153	1815	0	3163	0	0	0	0	0	212
HRCHNG (COLS. 5012- 5013)	046	1	1	1.00	0.0	64	1902	0	3163	0	0	0	0	0	214
HRCHNG (COLS. 5014- 5015)	047	1	1	1.00	0.0	37	1910	0	3163	0	0	0	0	0	233
HRCHNG (COLS. 5016- 5017)	048	1	1	1.00	0.0	91	1845	0	3163	0	0	0	0	0	244
OTHRS (COLS. 5018- 5021)	001	1	20	8.77	4.44	39	1720	0	3163	415	0	0	0	6	0
OTHRS (COLS. 5022- 5025)	002	1	20	8.58	4.39	38	1725	0	3163	393	0	0	0	24	0
OTHRS (COLS. 5026- 5029)	003	1	20	8.69	4.58	39	1721	0	3163	390	0	0	0	30	0
OTHRS (COLS. 5030- 5033)	004	1	20	8.46	4.58	41	1709	0	3163	368	0	0	0	62	0
OTHRS (COLS. 5034- 5037)	005	1	20	8.57	4.58	42	1704	0	3163	360	0	0	0	74	0
OTHRS (COLS. 5038- 5041)	006	1	22	8.30	4.79	44	1696	0	3163	349	0	0	0	91	0
OTHRS (COLS. 5042- 5045)	007	1	24	8.43	4.99	42	1701	0	3163	344	0	0	0	93	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
OTHRS (COLS. 5046- 5049)	008	1	24	8.41	5.01	41	1710	0	3163	341	0	0	0	88	0
OTHRS (COLS. 5050- 5053)	009	1	24	8.56	4.87	36	1721	0	3163	340	0	0	0	83	0
OTHRS (COLS. 5054- 5057)	010	1	24	8.33	4.90	36	1729	0	3163	342	0	0	0	73	0
OTHRS (COLS. 5058- 5061)	011	1	24	8.28	4.92	36	1731	0	3163	340	0	0	0	73	0
OTHRS (COLS. 5062- 5065)	012	1	24	8.49	5.01	37	1727	0	3163	339	0	0	0	77	0
OTHRS (COLS. 5066- 5069)	013	1	24	7.98	4.72	41	1724	0	3163	337	0	0	0	78	0
OTHRS (COLS. 5070- 5073)	014	1	24	7.85	4.65	41	1766	0	3163	292	0	0	0	81	0
OTHRS (COLS. 5074- 5077)	015	1	24	6.39	4.85	44	1709	0	3163	344	0	0	0	83	0
OTHRS (COLS. 5078- 5081)	016	1	20	6.65	4.43	39	1628	0	3163	429	0	0	0	84	0
OTHRS (COLS. 5082- 5085)	017	1	20	7.90	4.58	31	1595	0	3163	464	0	0	0	89	1
OTHRS (COLS. 5086- 5089)	018	1	20	6.41	3.77	32	1811	0	3163	240	0	0	0	96	1
OTHRS (COLS. 5090- 5093)	019	1	20	6.94	3.69	32	1809	0	3163	233	0	0	0	103	3
OTHRS (COLS. 5094- 5097)	020	1	17	5.72	3.93	36	1750	0	3163	278	0	0	0	107	9
OTHRS (COLS. 5098- 5101)	021	2	24	7.69	4.48	29	1732	0	3163	302	0	0	0	104	13
OTHRS (COLS. 5102- 5105)	022	1	24	7.38	4.42	32	1812	0	3163	208	0	0	0	111	17
OTHRS (COLS. 5106- 5109)	023	1	24	7.74	4.85	34	1791	0	3163	219	0	0	0	116	20
OTHRS (COLS. 5110- 5113)	024	1	24	6.66	5.63	44	1733	0	3163	260	0	0	0	121	22
OTHRS (COLS. 5114- 5117)	025	1	24	6.03	4.93	41	1671	0	3163	319	0	0	0	127	22
OTHRS (COLS. 5118- 5121)	026	1	20	8.07	4.83	28	1746	0	3163	234	0	0	0	131	41
OTHRS (COLS. 5122- 5125)	027	1	20	8.62	4.73	26	1743	0	3163	229	0	0	0	141	41
OTHRS (COLS. 5126- 5129)	028	1	20	7.44	4.47	34	1722	0	3163	222	0	0	0	152	50
OTHRS (COLS. 5130- 5133)	029	1	32	7.67	5.96	45	1686	0	3163	234	0	0	0	164	51
OTHRS (COLS. 5134- 5137)	030	1	32	6.65	5.32	60	1582	0	3163	300	0	0	0	170	68
OTHRS (COLS. 5138- 5141)	031	1	32	8.94	5.82	52	1553	0	3163	325	0	0	0	181	69
OTHRS (COLS. 5142- 451)	032	1	24	6.19	5.40	58	1530	0	3163	324	0	0	0	196	??

PERSUN VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
OTHRS (COLS. 5146- 5149)	033	2	24	9.49	5.11	49	1519	0	3163	315	0	0	0	225	72
OTHRS (COLS. 5150- 5153)	034	2	24	9.00	4.68	46	1530	0	3163	285	0	0	0	224	95
OTHRS (COLS. 5154- 5157)	035	3	24	9.72	4.40	39	1522	0	3163	273	0	0	0	232	114
OTHRS (COLS. 5158- 5161)	036	1	24	9.05	5.58	40	1577	0	3163	195	0	0	0	245	123
OTHRS (COLS. 5162- 5165)	037	1	24	8.76	5.51	37	1564	0	3163	200	0	0	0	254	125
OTHRS (COLS. 5166- 5169)	038	1	32	7.55	5.74	42	1542	0	3163	196	0	0	0	261	139
OTHRS (COLS. 5170- 5173)	039	1	16	6.96	4.63	28	1520	0	3163	226	0	0	0	262	144
OTHRS (COLS. 5174- 5177)	040	1	18	9.19	5.43	26	1447	0	3163	295	0	0	0	262	150
OTHRS (COLS. 5178- 5181)	041	4	16	11.12	4.59	25	1440	0	3163	277	0	0	0	265	173
OTHRS (COLS. 5182- 5185)	042	1	18	10.76	5.01	25	1438	0	3163	273	0	0	0	269	175
OTHRS (COLS. 5186- 5189)	043	2	18	10.33	4.90	24	1382	0	3163	317	0	0	0	275	182
OTHRS (COLS. 5190- 5193)	044	2	18	9.10	4.79	20	1365	0	3163	311	0	0	0	273	211
OTHRS (COLS. 5194- 5197)	045	1	21	7.53	4.62	19	1324	0	3163	339	0	0	0	286	212
OTHRS (COLS. 5198- 5201)	046	1	23	7.80	4.92	15	1336	0	3163	318	0	0	0	297	214
OTHRS (COLS. 5202- 5205)	047	2	8	6.82	2.14	11	1332	0	3163	306	0	0	0	298	233
OTHRS (COLS. 5206- 5209)	048	2	8	6.82	2.14	11	1188	0	3163	436	0	0	0	301	244
WGRATE (COLS. 5210- 5213)	001	20	1500	310.63	125.63	860	895	0	3163	421	0	0	0	4	0
WGRATE (COLS. 5214- 5217)	002	20	1500	310.22	127.69	878	887	0	3163	394	0	0	0	21	0
WGRATE (COLS. 5218- 5221)	003	20	1500	310.95	128.55	892	872	0	3163	391	0	0	0	25	0
WGRATE (COLS. 5222- 5225)	004	20	1500	310.42	127.39	900	857	0	3163	369	0	0	0	54	0
WGRATE (COLS. 5226- 5229)	005	20	1500	309.86	127.56	901	853	0	3163	360	0	0	0	66	0
WGRATE (COLS. 5230- 5233)	006	20	1500	296.12	129.26	995	755	0	3163	350	0	0	0	80	0
WGRATE (COLS. 5234- 5237)	007	20	1500	289.56	122.17	975	779	0	3163	345	0	0	0	81	0
WGRATE (COLS. 5238- 5241)	008	4	1500	300.57	131.42	955	807	0	3163	339	0	0	0	79	0
WGRATE (COLS. 5242- 5245)	009	4	1500	319.72	138.63	899	868	0	3163	338	0	0	0	75	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREU	ZERO	BLNK	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
WGRATE (COLS. 5246- 5249)	010	4	1500	323.61	138.24	879	889	0	3163	342	0	0	0	70	0	1
WGRATE (COLS. 5250- 5253)	011	4	1500	324.98	138.59	872	899	0	3163	337	0	0	0	72	0	1
WGRATE (COLS. 5254- 5257)	012	4	1500	326.46	138.45	864	905	0	3163	336	0	0	0	75	0	1
WGRATE (COLS. 5258- 5261)	013	4	1500	325.97	137.85	873	899	0	3163	335	0	0	0	73	0	1
WGRATE (COLS. 5262- 5265)	014	4	1500	325.81	136.66	901	917	0	3163	292	0	0	0	70	0	1
WGRATE (COLS. 5266- 5269)	015	25	2479	329.93	155.15	918	849	0	3163	343	0	0	0	70	0	1
WGRATE (COLS. 5270- 5273)	016	25	1500	330.05	137.63	897	779	0	3163	429	0	0	0	75	0	1
WGRATE (COLS. 5274- 5277)	017	25	1083	329.45	131.74	860	768	0	3163	464	0	0	0	87	1	1
WGRATE (COLS. 5278- 5281)	018	35	1118	327.92	133.83	928	923	0	3163	243	0	0	0	85	1	1
WGRATE (COLS. 5282- 5285)	019	35	750	301.00	125.34	1030	823	0	3163	235	0	0	0	69	3	1
WGRATE (COLS. 5286- 5289)	020	35	1150	306.11	130.50	1052	739	0	3163	279	0	0	0	101	9	1
WGRATE (COLS. 5290- 5293)	021	35	1179	337.84	138.46	896	867	0	3163	304	0	0	0	100	13	1
WGRATE (COLS. 5294- 5297)	022	28	1173	342.01	133.37	920	936	0	3163	210	0	0	0	97	17	1
WGRATE (COLS. 5298- 5301)	023	28	1171	341.90	131.91	914	924	0	3163	220	0	0	0	102	20	1
WGRATE (COLS. 5302- 5305)	024	28	1171	343.75	132.93	885	905	0	3163	257	0	0	0	111	22	1
WGRATE (COLS. 5306- 5309)	025	28	1072	345.63	130.80	842	874	0	3163	320	0	0	0	122	22	1
WGRATE (COLS. 5310- 5313)	026	28	997	349.21	131.08	850	936	0	3163	233	0	0	0	120	41	1
WGRATE (COLS. 5314- 5317)	027	28	997	349.37	131.51	848	933	0	3163	226	0	0	0	132	41	1
WGRATE (COLS. 5318- 5321)	028	28	997	349.15	130.99	855	913	0	3163	222	0	0	0	140	50	1
WGRATE (COLS. 5322- 5325)	029	28	997	349.61	130.28	861	880	0	3163	237	0	0	0	151	51	1
WGRATE (COLS. 5326- 5329)	030	28	1096	346.56	134.92	854	798	0	3163	299	0	0	0	161	68	1
WGRATE (COLS. 5330- 5333)	031	28	5211	322.12	209.93	956	658	0	3163	327	0	0	0	170	69	1
WGRATE (COLS. 5334- 5337)	032	28	1300	320.59	141.19	957	640	0	3163	327	0	0	0	184	72	1
WGRATE (COLS. 5338- 5341)	033	33	1000	360.70	133.07	778	797	0	3163	318	0	0	0	215	72	1
WGRATE (COLS. 5342- 5345)	034	33	1000	363.59	135.94	768	813	0	3163	288	0	0	0	216	95	1

PERSUN VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
WGRATE (COLS. 5346- 5349)	035	33	1000	363.02	136.16	768	805	0 3163	272	0	0	0	221	114
WGRATE (COLS. 5350- 5353)	036	33	1000	363.49	134.95	777	859	0 3163	192	0	0	0	229	123
WGRATE (COLS. 5354- 5357)	037	52	1166	364.41	137.90	772	845	0 3163	196	0	0	0	242	125
WGRATE (COLS. 5358- 5361)	038	69	2102	369.54	150.36	774	819	0 3163	196	0	0	0	252	139
WGRATE (COLS. 5362- 5365)	039	75	1206	371.43	140.34	754	803	0 3163	225	0	0	0	254	144
WGRATE (COLS. 5366- 5369)	040	65	1062	378.46	143.48	707	774	0 3163	294	0	0	0	255	150
WGRATE (COLS. 5370- 5373)	041	52	1062	385.47	144.70	699	772	0 3163	276	0	0	0	260	173
WGRATE (COLS. 5374- 5377)	042	42	1062	384.14	145.21	720	749	0 3163	271	0	0	0	265	175
WGRATE (COLS. 5378- 5381)	043	52	1000	356.85	142.21	830	585	0 3163	315	0	0	0	268	182
WGRATE (COLS. 5382- 5385)	044	52	1000	365.84	149.24	834	557	0 3163	311	0	0	0	267	211
WGRATE (COLS. 5386- 5389)	045	52	1058	397.98	155.22	718	629	0 3163	339	0	0	0	282	212
WGRATE (COLS. 5390- 5393)	046	52	1172	401.76	159.42	720	633	0 3163	318	0	0	0	295	214
WGRATE (COLS. 5394- 5397)	047	38	1172	401.73	160.43	721	625	0 3163	306	0	0	0	295	233
WGRATE (COLS. 5398- 5401)	048	36	1172	404.86	164.25	640	562	0 3163	435	0	0	0	299	244
WGCHNG (COLS. 5402- 5403)	001	1	1	1.00	0.0	23	2157	0 3163	0	0	0	0	0	0
WGCHNG (COLS. 5404- 5405)	002	1	1	1.00	0.0	33	2147	0 3163	0	0	0	0	0	0
WGCHNG (COLS. 5406- 5407)	003	1	1	1.00	0.0	52	2128	0 3163	0	0	0	0	0	0
WGCHNG (COLS. 5408- 5409)	004	1	1	1.00	0.0	41	2139	0 3163	0	0	0	0	0	0
WGCHNG (COLS. 5410- 5411)	005	1	1	1.00	0.0	43	2137	0 3163	0	0	0	0	0	0
WGCHNG (COLS. 5412- 5413)	006	1	1	1.00	0.0	163	2017	0 3163	0	0	0	0	0	0
WGCHNG (COLS. 5414- 5415)	007	1	1	1.00	0.0	90	2090	0 3163	0	0	0	0	0	0
WGCHNG (COLS. 5416- 5417)	008	1	1	1.00	0.0	360	1820	0 3163	0	0	0	0	0	0
WGCHNG (COLS. 5418- 5419)	009	1	1	1.00	0.0	82	2098	0 3163	0	0	0	0	0	0
WGCHNG (COLS. 5420- 5421)	010	1	1	1.00	0.0	50	2130	0 3163	0	0	0	0	0	0
WGCHNG (COLS. 5422- 5423)	011	1	1	1.00	0.0	49	2131	0 3163	0	0	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
WGCHNG (COLS. 5424- 5425)	012	1	1	1.00	0.0	25	2155	0	3163	0	0	0	0	0
WGCHNG (COLS. 5426- 5427)	013	1	1	1.00	0.0	92	2088	0	3163	0	0	0	0	0
WGCHNG (COLS. 5428- 5429)	014	1	1	1.00	0.0	178	2002	0	3163	0	0	0	0	0
WGCHNG (COLS. 5430- 5431)	015	1	1	1.00	0.0	262	1918	0	3163	0	0	0	0	0
WGCHNG (COLS. 5432- 5433)	016	1	1	1.00	0.0	320	1860	0	3163	0	0	0	0	0
WGCHNG (COLS. 5434- 5435)	017	1	1	1.00	0.0	107	2072	0	3163	0	0	0	0	1
WGCHNG (COLS. 5436- 5437)	018	1	1	1.00	0.0	298	1881	0	3163	0	0	0	0	1
WGCHNG (COLS. 5438- 5439)	019	1	1	1.00	0.0	253	1924	0	3163	0	0	0	0	3
WGCHNG (COLS. 5440- 5441)	020	1	1	1.00	0.0	673	1498	0	3163	0	0	0	0	9
WGCHNG (COLS. 5442- 5443)	021	1	1	1.00	0.0	219	1948	0	3163	0	0	0	0	13
WGCHNG (COLS. 5444- 5445)	022	1	1	1.00	0.0	230	1933	0	3163	0	0	0	0	17
WGCHNG (COLS. 5446- 5447)	023	1	1	1.00	0.0	130	2030	0	3163	0	0	0	0	20
WGCHNG (COLS. 5448- 5449)	024	1	1	1.00	0.0	241	1917	0	3163	0	0	0	0	22
WGCHNG (COLS. 5450- 5451)	025	1	1	1.00	0.0	340	1818	0	3163	0	0	0	0	22
WGCHNG (COLS. 5452- 5453)	026	1	1	1.00	0.0	182	1957	0	3163	0	0	0	0	41
WGCHNG (COLS. 5454- 5455)	027	1	1	1.00	0.0	55	2084	0	3163	0	0	0	0	41
WGCHNG (COLS. 5456- 5457)	028	1	1	1.00	0.0	103	2027	0	3163	0	0	0	0	50
WGCHNG (COLS. 5458- 5459)	029	1	1	1.00	0.0	237	1892	0	3163	0	0	0	0	51
WGCHNG (COLS. 5460- 5461)	030	1	1	1.00	0.0	407	1705	0	3163	0	0	0	0	68
WGCHNG (COLS. 5462- 5463)	031	1	1	1.00	0.0	351	1760	0	3163	0	0	0	0	69
WGCHNG (COLS. 5464- 5465)	032	1	1	1.00	0.0	506	1602	0	3163	0	0	0	0	72
WGCHNG (COLS. 5466- 5467)	033	1	1	1.00	0.0	218	1890	0	3163	0	0	0	0	72
WGCHNG (COLS. 5468- 5469)	034	1	1	1.00	0.0	114	1971	0	3163	0	0	0	0	95
WGCHNG (COLS. 5470- 5471)	035	1	1	1.00	0.0	123	1943	0	3163	0	0	0	0	114
WGCHNG (COLS. 5472- 5473)	036	1	1	1.00	0.0	109	1948	0	3163	0	0	0	0	123

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
<hr/>																
WGCHNG (COLS. 5474- 5475)	037	1	1	1.00	0.0	206	1849	0	3163	0	0	0	0	0	125	
WGCHNG (COLS. 5476- 5477)	038	1	1	1.00	0.0	337	1704	0	3163	0	0	0	0	0	139	
WGCHNG (COLS. 5478- 5479)	039	1	1	1.00	0.0	329	1707	0	3163	0	0	0	0	0	144	
WGCHNG (COLS. 5480- 5481)	040	1	1	1.00	0.0	213	1817	0	3163	0	0	0	0	0	150	
WGCHNG (COLS. 5482- 5483)	041	1	1	1.00	0.0	123	1884	0	3163	0	0	0	0	0	173	
WGCHNG (COLS. 5484- 5485)	042	1	1	1.00	0.0	65	1940	0	3163	0	0	0	0	0	175	
WGCHNG (COLS. 5486- 5487)	043	1	1	1.00	0.0	289	1709	0	3163	0	0	0	0	0	182	
WGCHNG (COLS. 5488- 5489)	044	1	1	1.00	0.0	454	1515	0	3163	0	0	0	0	0	211	
WGCHNG (COLS. 5490- 5491)	045	1	1	1.00	0.0	303	1665	0	3163	0	0	0	0	0	212	
WGCHNG (COLS. 5492- 5493)	046	1	1	1.00	0.0	99	1867	0	3163	0	0	0	0	0	214	
WGCHNG (COLS. 5494- 5495)	047	1	1	1.00	0.0	41	1906	0	3163	0	0	0	0	0	233	
WGCHNG (COLS. 5496- 5497)	048	1	1	1.00	0.0	97	1839	0	3163	0	0	0	0	0	244	
OTRATE (COLS. 5498- 5499)	001	1	7	6.76	1.08	856	1320	0	3163	0	0	0	0	4	0	
OTRATE (COLS. 5500- 5501)	002	1	7	6.77	1.06	871	1287	0	3163	0	0	0	0	0	22	0
OTRATE (COLS. 5502- 5503)	003	1	7	6.77	1.07	885	1269	0	3163	0	0	0	0	0	26	0
OTRATE (COLS. 5504- 5505)	004	1	7	6.76	1.09	890	1235	0	3163	0	0	0	0	0	55	0
OTRATE (COLS. 5506- 5507)	005	1	7	6.76	1.10	894	1220	0	3163	0	0	0	0	0	66	0
OTRATE (COLS. 5508- 5509)	006	1	7	6.78	1.06	990	1109	0	3163	0	0	0	0	0	81	0
OTRATE (COLS. 5510- 5511)	007	1	7	6.78	1.05	1013	1085	0	3163	0	0	0	0	0	82	0
OTRATE (COLS. 5512- 5513)	008	1	7	6.79	1.03	993	1107	0	3163	0	0	0	0	0	80	0
OTRATE (COLS. 5514- 5515)	009	1	7	6.79	1.02	900	1204	0	3163	0	0	0	0	0	76	0
OTRATE (COLS. 5516- 5517)	010	1	7	6.78	1.04	873	1237	0	3163	0	0	0	0	0	70	0
OTRATE (COLS. 5518- 5519)	011	1	7	6.78	1.05	869	1239	0	3163	0	0	0	0	0	72	0
OTRATE (COLS. 5520- 5521)	012	1	7	6.77	1.07	860	1245	0	3163	0	0	0	0	0	75	0
OTRATE (COLS. 5522- 5523)	013	1	7	6.75	1.12	869	1238	0	3163	0	0	0	0	0	73	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
OTRATE (COLS. 5524- 5525)	014	1	7	6.78	1.05	979	1133	0	3163	0	0	0	0	68	0
OTRATE (COLS. 5526- 5527)	015	1	7	6.80	1.00	986	1128	0	3163	0	0	0	0	66	0
OTRATE (COLS. 5528- 5529)	016	1	7	6.79	1.02	948	1161	0	3163	0	0	0	0	71	0
OTRATE (COLS. 5530- 5531)	017	1	7	6.81	0.98	901	1196	0	3163	0	0	0	0	82	1
OTRATE (COLS. 5532- 5533)	018	1	7	6.83	0.92	1009	1090	0	3163	0	0	0	0	80	1
OTRATE (COLS. 5534- 5535)	019	1	7	6.85	0.88	1139	950	0	3163	0	0	0	0	88	3
OTRATE (COLS. 5536- 5537)	020	1	7	6.88	0.76	1147	930	0	3163	0	0	0	0	94	9
OTRATE (COLS. 5538- 5539)	021	1	7	6.85	0.86	943	1124	0	3163	0	0	0	0	100	13
OTRATE (COLS. 5540- 5541)	022	1	7	6.85	0.87	967	1099	0	3163	0	0	0	0	97	17
OTRATE (COLS. 5542- 5543)	023	1	7	6.85	0.86	965	1094	0	3163	0	0	0	0	101	20
OTRATE (COLS. 5544- 5545)	024	1	7	6.85	0.87	931	1118	0	3163	0	0	0	0	109	22
OTRATE (COLS. 5546- 5547)	025	1	7	6.84	0.89	884	1158	0	3163	0	0	0	0	116	22
OTRATE (COLS. 5548- 5549)	026	1	7	6.86	0.86	898	1122	0	3163	0	0	0	0	119	41
OTRATE (COLS. 5550- 5551)	027	1	7	6.85	0.88	885	1122	0	3163	0	0	0	0	132	41
OTRATE (COLS. 5552- 5553)	028	1	7	6.83	0.91	892	1098	0	3163	0	0	0	0	140	50
OTRATE (COLS. 5554- 5555)	029	1	7	6.82	0.95	896	1084	0	3163	0	0	0	0	149	51
OTRATE (COLS. 5556- 5557)	030	1	7	6.77	1.06	912	1045	0	3163	0	0	0	0	155	68
OTRATE (COLS. 5558- 5559)	031	1	7	6.75	1.09	1039	910	0	3163	0	0	0	0	162	69
OTRATE (COLS. 5560- 5561)	032	1	7	6.75	1.10	1066	865	0	3163	0	0	0	0	177	72
OTRATE (COLS. 5562- 5563)	033	1	7	6.70	1.21	816	1086	0	3163	0	0	0	0	206	72
OTRATE (COLS. 5564- 5565)	034	1	7	6.69	1.22	781	1092	0	3163	0	0	0	0	212	95
OTRATE (COLS. 5566- 5567)	035	1	7	6.74	1.13	792	1056	0	3163	0	0	0	0	218	114
OTRATE (COLS. 5568- 5569)	036	1	7	6.75	1.09	781	1048	0	3163	0	0	0	0	228	123
OTRATE (COLS. 5570- 5571)	037	1	7	6.78	1.04	783	1033	0	3163	0	0	0	0	239	125
OTRATE (COLS. 5572- 5573)	038	1	7	6.78	1.04	800	996	0	3163	0	0	0	0	245	139

PEKSEN VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	N0.	N0.	N0.	N0.	N0.	N0.	N0.	N0.	N0.
OTRATE (COLS. 5574- 5575)	039	1	7	6.84	0.89	792	993	0	3163	0	0	0	0	251	144	
OTRATE (COLS. 5576- 5577)	040	1	7	6.83	0.93	744	1032	0	3163	0	0	0	0	254	150	
OTRATE (COLS. 5578- 5579)	041	1	7	6.81	0.97	702	1046	0	3163	0	0	0	0	259	173	
OTRATE (COLS. 5580- 5581)	042	1	7	6.83	0.92	724	1018	0	3163	0	0	0	0	263	175	
OTRATE (COLS. 5582- 5583)	043	1	7	6.87	0.81	887	843	0	3163	0	0	0	0	268	182	
OTRATE (COLS. 5584- 5585)	044	1	7	6.89	0.74	921	781	0	3163	0	0	0	0	267	211	
OTRATE (COLS. 5586- 5587)	045	1	7	6.90	0.69	772	917	0	3163	0	0	0	0	279	212	
OTRATE (COLS. 5588- 5589)	046	2	7	6.92	0.63	735	938	0	3163	0	0	0	0	293	214	
OTRATE (COLS. 5590- 5591)	047	2	7	6.93	0.57	728	924	0	3163	0	0	0	0	295	233	
OTRATE (COLS. 5592- 5593)	048	2	7	6.93	0.58	716	921	0	3163	0	0	0	0	299	244	
GWAGES (COLS. 5594- 5597)	000	16	748	300.81	197.28	32	48	0	0	4	49	0	5185	9	16	
GWAGES (COLS. 5598- 5601)	001	12	3126	455.04	342.53	203	208	0	0	8	543	0	4282	83	16	
GWAGES (COLS. 5602- 5605)	002	24	1197	454.21	254.05	274	1128	0	0	14	132	0	3650	129	16	
GWAGES (COLS. 5606- 5609)	003	15	2617	528.30	317.08	514	1512	0	0	23	712	0	2349	217	16	
GWAGES (COLS. 5610- 5613)	004	20	1540	534.75	283.37	578	2461	0	0	33	230	0	1744	281	16	
GWAGES (COLS. 5614- 5617)	005	13	2493	577.09	343.12	628	2662	0	0	34	419	0	1261	323	16	
GWAGES (COLS. 5618- 5621)	006	13	1714	547.31	296.41	730	3185	0	0	42	452	0	567	351	16	
GWAGES (COLS. 5622- 5625)	007	12	1665	517.84	291.99	759	3493	0	0	45	231	0	460	339	16	
GWAGES (COLS. 5626- 5629)	008	16	1539	474.89	271.39	631	3623	0	0	45	275	0	459	294	16	
GWAGES (COLS. 5630- 5633)	009	16	1999	505.17	294.53	591	3628	0	0	45	357	0	452	254	16	
GWAGES (COLS. 5634- 5637)	010	13	1918	543.63	294.89	676	3568	0	0	51	582	0	194	256	16	
GWAGES (COLS. 5638- 5641)	011	23	1891	565.07	319.70	706	3691	0	0	51	488	0	138	253	16	
GWAGES (COLS. 5642- 5645)	012	26	1758	556.98	309.05	713	3799	0	0	55	476	0	35	249	16	
GWAGES (COLS. 5646- 5649)	013	7	2326	563.85	323.32	705	3715	0	0	55	585	0	28	239	16	
GWAGES (COLS. 5650- 5653)	014	13	1988	561.73	305.57	723	3692	0	0	55	607	0	20	230	16	

PERSUN VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
GWAGES (COLS. 5654- 5657)	015	24	2532	634.20	359.31	732	3625	0	0	55	670	0	20	225
GWAGES (COLS. 5658- 5661)	016	23	4116	583.89	359.14	728	3633	0	0	55	685	0	17	209
GWAGES (COLS. 5662- 5665)	017	20	7413	638.27	466.95	738	3544	0	0	55	775	0	17	198
GWAGES (COLS. 5666- 5669)	018	14	2000	620.14	354.08	739	3477	0	0	55	855	0	17	184
GWAGES (COLS. 5670- 5673)	019	3	2658	610.68	392.46	749	3454	0	0	55	875	0	17	177
GWAGES (COLS. 5674- 5677)	020	13	2304	586.61	371.66	738	3416	0	0	55	935	0	17	166
GWAGES (COLS. 5678- 5681)	021	25	1928	620.42	352.87	720	3320	0	0	55	1056	0	17	159
GWAGES (COLS. 5682- 5685)	022	5	2247	677.40	411.90	722	3370	0	0	56	1006	0	17	156
GWAGES (COLS. 5686- 5689)	023	15	2369	606.73	343.10	718	3358	0	0	58	1029	0	17	147
GWAGES (COLS. 5690- 5693)	024	22	1953	649.77	344.02	709	3347	0	0	59	1062	0	17	133
GWAGES (COLS. 5694- 5697)	025	12	3334	691.51	445.80	714	3312	0	0	63	1098	0	17	123
GWAGES (COLS. 5698- 5701)	026	1	2083	620.43	353.02	714	3280	0	0	64	1138	0	17	114
GWAGES (COLS. 5702- 5705)	027	15	4000	690.62	410.50	703	3255	0	0	65	1179	0	17	108
GWAGES (COLS. 5706- 5709)	028	15	2077	721.43	434.57	688	3182	0	0	65	1277	0	15	100
GWAGES (COLS. 5710- 5713)	029	8	2650	669.30	404.24	692	3088	0	0	65	1378	0	14	90
GWAGES (COLS. 5714- 5717)	030	24	2316	680.21	382.43	694	3065	0	0	65	1407	0	10	86
GWAGES (COLS. 5718- 5721)	031	15	4758	707.49	469.70	665	3046	0	0	65	1461	0	7	83
GWAGES (COLS. 5722- 5725)	032	20	2427	634.21	390.63	719	2901	0	0	66	1559	0	5	77
GWAGES (COLS. 5726- 5729)	033	11	1876	633.93	374.00	671	2945	0	0	66	1574	0	2	69
GWAGES (COLS. 5730- 5733)	034	30	2706	769.52	461.61	630	2900	0	0	66	1667	0	2	62
GWAGES (COLS. 5734- 5737)	035	7	2111	687.41	363.60	632	2903	0	0	66	1671	0	0	55
GWAGES (COLS. 5738- 5741)	036	15	2930	734.04	439.46	581	2821	0	0	61	1674	0	124	49
GWAGES (COLS. 5742- 5745)	037	14	2400	701.02	421.29	465	2212	0	0	59	1516	0	929	37
GWAGES (COLS. 5746- 5749)	038	28	2376	696.86	383.37	401	1839	0	0	49	1335	0	1482	33
GWAGES (COLS. 5750- 5753)	039	38	2825	787.96	409.09	252	1164	0	0	37	876	0	2613	32

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
GWAGES (COLS. 5754- 5757)	040	30	2562	878.40	477.41	209	784	0	0	19	723	0	3153	28	427
GWAGES (COLS. 5758- 5761)	041	30	2419	893.61	478.44	153	527	0	0	17	561	0	3561	26	498
GWAGES (COLS. 5762- 5765)	042	30	2453	923.59	489.21	82	173	0	0	12	319	0	4170	0	587
FTXWTH (COLS. 5766- 5769)	000	11	81	35.77	16.95	26	50	0	0	4	53	0	5185	9	16
FTXWTH (COLS. 5770- 5773)	001	1	345	51.49	43.68	177	215	0	0	8	562	0	4282	83	16
FTXWTH (COLS. 5774- 5777)	002	1	185	50.89	35.19	235	1162	0	0	14	137	0	3650	129	16
FTXWTH (COLS. 5778- 5781)	003	1	252	61.56	42.04	405	1574	0	0	23	759	0	2349	217	16
FTXWTH (COLS. 5782- 5785)	004	1	277	60.89	41.50	490	2548	0	0	33	231	0	1744	281	16
FTXWTH (COLS. 5786- 5789)	005	1	475	67.83	52.29	540	2737	0	0	34	432	0	1261	323	16
FTXWTH (COLS. 5790- 5793)	006	1	703	64.75	49.85	627	3275	0	0	42	465	0	567	351	16
FTXWTH (COLS. 5794- 5797)	007	1	282	61.75	42.79	635	3616	0	0	45	232	0	460	339	16
FTXWTH (COLS. 5798- 5801)	008	1	279	53.43	39.46	528	3726	0	0	45	275	0	459	294	16
FTXWTH (COLS. 5802- 5805)	009	1	959	60.37	59.54	508	3710	0	0	45	358	0	452	254	16
FTXWTH (COLS. 5806- 5809)	010	1	785	65.84	56.91	583	3649	0	0	51	594	0	194	256	16
FTXWTH (COLS. 5810- 5813)	011	1	336	65.96	43.73	609	3781	0	0	51	495	0	138	253	16
FTXWTH (COLS. 5814- 5817)	012	1	297	68.04	46.92	606	3904	0	0	55	478	0	35	249	16
FTXWTH (COLS. 5818- 5821)	013	1	369	68.83	48.84	622	3795	0	0	55	588	0	28	239	16
FTXWTH (COLS. 5822- 5825)	014	1	714	70.04	54.18	634	3770	0	0	55	618	0	20	230	16
FTXWTH (COLS. 5826- 5829)	015	1	518	81.66	61.06	632	3711	0	0	55	684	0	20	225	16
FTXWTH (COLS. 5830- 5833)	016	1	603	75.30	57.55	636	3715	0	0	55	695	0	17	209	16
FTXWTH (COLS. 5834- 5837)	017	1	346	80.29	57.48	543	3719	0	0	55	795	0	17	198	16
FTXWTH (COLS. 5838- 5841)	018	1	373	78.71	57.55	589	3607	0	0	55	875	0	17	184	16
FTXWTH (COLS. 5842- 5845)	019	1	389	83.39	62.59	571	3619	0	0	55	888	0	17	177	16
FTXWTH (COLS. 5846- 5849)	020	1	370	79.11	59.85	548	3599	0	0	55	942	0	17	166	16
FTXWTH (COLS. 5850- 5853)	021	1	359	82.20	58.86	567	3460	0	0	55	1069	0	17	159	16

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.						
								9993	9994	9995	9996	9997	9998	9999	
FTXWTH (COLS. 5854- 5857)	022	1	431	87.63	65.19	574	3515	0	0	56	1009	0	17	156	16
FTXWTH (COLS. 5858- 5861)	023	1	426	80.30	58.76	563	3507	0	0	58	1035	0	17	147	16
FTXWTH (COLS. 5862- 5865)	024	1	332	85.61	58.38	555	3497	0	0	59	1066	0	17	133	16
FTXWTH (COLS. 5866- 5869)	025	1	433	92.85	70.54	559	3458	0	0	63	1107	0	17	123	16
FTXWTH (COLS. 5870- 5873)	026	2	456	80.84	56.70	537	3452	0	0	64	1143	0	17	114	16
FTXWTH (COLS. 5874- 5877)	027	1	511	85.60	65.39	558	3391	0	0	65	1188	0	17	108	16
FTXWTH (COLS. 5878- 5881)	028	1	410	91.34	67.22	557	3303	0	0	65	1287	0	15	100	16
FTXWTH (COLS. 5882- 5885)	029	1	451	88.45	70.32	534	3224	0	0	65	1400	0	14	90	16
FTXWTH (COLS. 5886- 5889)	030	1	425	90.86	65.98	546	3191	0	0	65	1429	0	10	86	16
FTXWTH (COLS. 5890- 5893)	031	1	756	97.56	78.43	534	3170	0	0	65	1468	0	7	83	16
FTXWTH (COLS. 5894- 5897)	032	1	494	93.17	66.71	525	3087	0	0	66	1567	0	5	77	16
FTXWTH (COLS. 5898- 5901)	033	1	414	91.09	64.08	520	3089	0	0	66	1581	0	2	69	16
FTXWTH (COLS. 5902- 5905)	034	1	536	101.80	78.23	531	2997	0	0	66	1669	0	2	62	16
FTXWTH (COLS. 5906- 5909)	035	2	370	93.23	61.03	515	3017	0	0	66	1674	0	0	55	16
FTXWTH (COLS. 5910- 5913)	036	1	614	102.47	75.55	467	2926	0	0	61	1683	0	124	49	33
FTXWTH (COLS. 5914- 5917)	037	1	511	96.64	72.85	363	2311	0	0	59	1519	0	929	37	125
FTXWTH (COLS. 5918- 5921)	038	1	407	96.24	69.48	326	1914	0	0	49	1335	0	1482	33	204
FTXWTH (COLS. 5922- 5925)	039	1	542	104.31	79.56	212	1200	0	0	37	880	0	2613	32	369
FTXWTH (COLS. 5926- 5929)	040	1	414	110.30	80.22	178	815	0	0	19	723	0	3153	28	427
FTXWTH (COLS. 5930- 5933)	041	2	563	137.43	95.30	129	549	0	0	17	563	0	3561	26	498
FTXWTH (COLS. 5934- 5937)	042	5	404	148.30	94.35	66	189	0	0	12	319	0	4170	0	587
STXWTH (COLS. 5938- 5941)	000	1	14	4.35	2.90	26	50	0	0	4	53	0	5185	9	16
STXWTH (COLS. 5942- 5945)	001	1	41	6.77	6.03	170	222	0	0	8	562	0	4282	83	16
STXWTH (COLS. 5946- 5949)	002	1	29	6.74	4.53	219	1176	0	0	14	139	0	3650	129	16
STXWTH (COLS. 5950- 5953)	003	1	30	8.07	5.50	373	1590	0	0	23	769	0	2349	217	16

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	NU. ZERO	NU. BLNK	NU. 9993	NU. 9994	NU. 9995	NU. 9996	NU. 9997	NU. 9998	NU. 9999	
STXWTH (COLS. 5954- 5957)	004	1	38	7.85	5.17	456	2580	0	0	33	233	0	1744	281	16
STXWTH (COLS. 5958- 5961)	005	1	200	8.90	10.32	505	2769	0	0	34	435	0	1261	323	16
STXWTH (COLS. 5962- 5965)	006	1	219	8.44	10.61	592	3306	0	0	42	469	0	567	351	16
STXWTH (COLS. 5966- 5969)	007	1	213	8.34	10.62	602	3646	0	0	45	235	0	460	339	16
STXWTH (COLS. 5970- 5973)	008	1	29	6.70	4.65	499	3753	0	0	45	277	0	459	294	16
STXWTH (COLS. 5974- 5977)	009	1	510	8.79	24.16	477	3739	0	0	45	360	0	452	254	16
STXWTH (COLS. 5978- 5981)	010	1	193	8.57	12.28	555	3673	0	0	51	598	0	194	256	16
STXWTH (COLS. 5982- 5985)	011	1	57	8.17	5.77	587	3801	0	0	51	497	0	138	253	16
STXWTH (COLS. 5986- 5989)	012	1	80	8.69	6.25	574	3935	0	0	55	479	0	35	249	16
STXWTH (COLS. 5990- 5993)	013	1	59	8.82	6.00	582	3835	0	0	55	588	0	28	239	16
STXWTH (COLS. 5994- 5997)	014	1	257	9.01	11.49	592	3811	0	0	55	619	0	20	230	16
STXWTH (COLS. 5998- 6001)	015	1	45	9.89	6.71	609	3733	0	0	55	685	0	20	225	16
STXWTH (COLS. 6002- 6005)	016	1	70	9.00	6.28	604	3747	0	0	55	695	0	17	209	16
STXWTH (COLS. 6006- 6009)	017	1	413	10.49	18.95	524	3737	0	0	55	796	0	17	198	16
STXWTH (COLS. 6010- 6013)	018	1	34	9.26	6.34	571	3625	0	0	55	875	0	17	184	16
STXWTH (COLS. 6014- 6017)	019	1	40	9.05	6.69	544	3646	0	0	55	888	0	17	177	16
STXWTH (COLS. 6018- 6021)	020	1	45	9.35	6.56	532	3615	0	0	55	942	0	17	166	16
STXWTH (COLS. 6022- 6025)	021	1	34	9.62	6.24	545	3482	0	0	55	1069	0	17	159	16
STXWTH (COLS. 6026- 6029)	022	1	41	10.35	6.86	548	3541	0	0	56	1009	0	17	156	16
STXWTH (COLS. 6030- 6033)	023	1	73	9.59	6.84	535	3535	0	0	58	1035	0	17	147	16
STXWTH (COLS. 6034- 6037)	024	1	34	9.67	6.31	539	3513	0	0	59	1066	0	17	133	16
STXWTH (COLS. 6038- 6041)	025	1	108	11.01	8.95	536	3480	0	0	63	1108	0	17	123	16
STXWTH (COLS. 6042- 6045)	026	1	34	9.46	5.97	519	3470	0	0	64	1143	0	17	114	16
STXWTH (COLS. 6046- 6049)	027	1	56	10.07	6.99	530	3418	0	0	65	1189	0	17	108	16
STXWTH (COLS. 6050- 6053)	028	1	42	10.64	7.25	535	3325	0	0	65	1287	0	15	100	16



Computer Center A Division of American Management Systems, Inc.

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
STXWTH (COLS. 6054- 6057)	029	1	41	10.34	7.32	513	3243	0	0	65	1402	0	14	90	16
STXWTH (COLS. 6058- 6061)	030	1	44	10.64	6.91	521	3215	0	0	65	1430	0	10	86	16
STXWTH (COLS. 6062- 6065)	031	1	79	11.64	8.46	520	3184	0	0	65	1468	0	7	83	16
STXWTH (COLS. 6066- 6069)	032	1	90	10.93	8.19	552	3058	0	0	66	1569	0	5	77	16
STXWTH (COLS. 6070- 6073)	033	1	65	11.03	7.37	521	3087	0	0	66	1582	0	2	69	16
STXWTH (COLS. 6074- 6077)	034	1	51	12.91	8.76	515	3013	0	0	66	1669	0	2	62	16
STXWTH (COLS. 6078- 6081)	035	1	35	11.72	6.61	503	3028	0	0	66	1675	0	0	55	16
STXWTH (COLS. 6082- 6085)	036	1	55	12.68	7.97	451	2941	0	0	61	1684	0	124	49	33
STXWTH (COLS. 6086- 6089)	037	1	43	12.19	7.74	346	2326	0	0	59	1519	0	929	37	125
STXWTH (COLS. 6090- 6093)	038	1	58	12.22	7.79	315	1925	0	0	49	1335	0	1482	33	204
STXWTH (COLS. 6094- 6097)	039	1	49	12.86	7.77	203	1209	0	0	37	880	0	2613	32	369
STXWTH (COLS. 6098- 6101)	040	1	37	14.75	8.39	169	824	0	0	19	723	0	3153	28	427
STXWTH (COLS. 6102- 6105)	041	1	52	16.21	9.43	124	554	0	0	17	563	0	3561	26	498
STXWTH (COLS. 6106- 6109)	042	2	36	16.35	8.10	63	192	0	0	12	319	0	4170	0	587
ICA (COLS. 6110- 6113)	000	1	28	13.78	7.74	18	53	0	0	4	58	0	5185	9	16
ICA (COLS. 6114- 6117)	001	1	162	23.21	17.52	179	212	0	0	8	563	0	4282	83	16
ICA (COLS. 6118- 6121)	002	1	68	23.91	13.70	239	1161	0	0	14	134	0	3650	129	16
ICA (COLS. 6122- 6125)	003	1	112	28.86	16.38	422	1563	0	0	23	753	0	2349	217	16
ICA (COLS. 6126- 6129)	004	1	400	29.88	23.31	503	2535	0	0	33	231	0	1744	281	16
ICA (COLS. 6130- 6133)	005	1	139	32.08	19.59	546	2731	0	0	34	432	0	1261	323	16
ICA (COLS. 6134- 6137)	006	2	140	29.73	16.03	633	3267	0	0	42	467	0	567	351	16
ICA (COLS. 6138- 6141)	007	1	92	27.82	15.13	650	3594	0	0	45	233	0	460	339	16
ICA (COLS. 6142- 6145)	008	1	86	24.67	14.07	547	3707	0	0	45	275	0	459	294	16
ICA (COLS. 6146- 6149)	009	1	740	27.68	41.42	496	3722	0	0	45	358	0	452	254	16
ICA (COLS. 6150- 6153)	010	1	590	27.19	29.11	516	3703	0	0	51	607	0	194	250	16

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
FICA (COLS. 6154- 6157)	011	1	128	24.19	14.87	477	3903	0	0	51	505	0	138	253	16
FICA (COLS. 6158- 6161)	012	1	96	22.46	14.73	434	4070	0	0	55	484	0	35	249	16
FICA (COLS. 6162- 6165)	013	1	121	30.15	16.63	618	3798	0	0	55	589	0	28	239	16
FICA (COLS. 6166- 6169)	014	1	103	30.84	16.20	634	3772	0	0	55	616	0	20	230	16
FICA (COLS. 6170- 6173)	015	1	194	34.28	19.80	649	3696	0	0	55	682	0	20	225	16
FICA (COLS. 6174- 6177)	016	1	214	31.81	18.93	640	3712	0	0	55	694	0	17	209	16
FICA (COLS. 6178- 6181)	017	1	233	34.91	22.29	568	3700	0	0	55	789	0	17	198	16
FICA (COLS. 6182- 6185)	018	1	103	33.27	18.96	594	3607	0	0	55	870	0	17	184	16
FICA (COLS. 6186- 6189)	019	1	138	33.95	20.29	586	3608	0	0	55	884	0	17	177	16
FICA (COLS. 6190- 6193)	020	1	106	31.18	18.52	585	3567	0	0	55	937	0	17	166	16
FICA (COLS. 6194- 6197)	021	1	68	31.03	17.32	572	3461	0	0	55	1063	0	17	159	16
FICA (COLS. 6198- 6201)	022	1	126	31.81	17.89	533	3558	0	0	56	1007	0	17	156	16
FICA (COLS. 6202- 6205)	023	1	82	25.44	14.01	466	3602	0	0	58	1037	0	17	147	16
FICA (COLS. 6206- 6209)	024	1	86	26.20	14.88	405	3646	0	0	59	1067	0	17	133	16
FICA (COLS. 6210- 6213)	025	2	195	41.19	26.08	571	3449	0	0	63	1104	0	17	123	16
FICA (COLS. 6214- 6217)	026	1	122	37.02	20.76	561	3431	0	0	64	1140	0	17	114	16
FICA (COLS. 6218- 6221)	027	1	195	39.65	22.79	572	3381	0	0	65	1184	0	17	108	16
FICA (COLS. 6222- 6225)	028	2	122	41.62	24.80	577	3290	0	0	65	1280	0	15	100	16
FICA (COLS. 6226- 6229)	029	1	142	39.30	23.58	565	3204	0	0	65	1389	0	14	90	16
FICA (COLS. 6230- 6233)	030	2	136	40.34	22.09	567	3180	0	0	65	1419	0	10	86	16
FICA (COLS. 6234- 6237)	031	2	233	43.21	27.26	543	3164	0	0	65	1465	0	7	83	16
FICA (COLS. 6238- 6241)	032	2	192	37.68	22.96	570	3059	0	0	66	1564	0	5	77	16
FICA (COLS. 6242- 6245)	033	1	104	36.58	20.75	529	3084	0	0	66	1577	0	2	69	16
FICA (COLS. 6246- 6249)	034	1	181	39.10	23.38	499	3029	0	0	66	1669	0	2	62	16
FICA (COLS. 6250- 6253)	035	2	95	34.59	17.99	439	3090	0	0	66	1677	0	0	55	16

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
FICA (COLS. 6254- 6257)	036	1	109	31.09	17.90	360	3036	0	0	61	1680	0	124	49	33
FICA (COLS. 6258- 6261)	037	1	140	41.55	24.28	358	2315	0	0	59	1520	0	929	37	125
FICA (COLS. 6262- 6265)	038	1	170	42.00	24.29	323	1917	0	0	49	1335	0	1482	33	204
FICA (COLS. 6266- 6269)	039	1	165	44.22	24.57	214	1198	0	0	37	880	0	2613	32	369
FICA (COLS. 6270- 6273)	040	4	116	50.16	26.31	175	817	0	0	19	724	0	3153	28	427
FICA (COLS. 6274- 6277)	041	4	142	53.65	28.07	126	553	0	0	17	562	0	3561	20	498
FICA (COLS. 6278- 6281)	042	5	112	54.78	25.62	64	191	0	0	12	319	0	4170	0	587
JOBS (COLS. 6497- 6498)	000	1	1	1.00	0.0	32	48	0	0	4	49	0	5185	9	16
JOBS (COLS. 6499- 6500)	001	1	1	1.00	0.0	203	208	0	0	8	543	0	4282	83	16
JOBS (COLS. 6501- 6502)	002	1	2	1.01	0.08	276	1126	0	0	14	132	0	3650	129	16
JOBS (COLS. 6503- 6504)	003	1	2	1.01	0.08	522	1506	0	0	23	710	0	2349	217	16
JOBS (COLS. 6505- 6506)	004	1	2	1.01	0.07	583	2456	0	0	33	230	0	1744	281	16
JOBS (COLS. 6507- 6508)	005	1	2	1.01	0.08	634	2658	0	0	34	417	0	1261	323	16
JOBS (COLS. 6509- 6510)	006	1	2	1.00	0.06	742	3175	0	0	42	450	0	567	351	16
JOBS (COLS. 6511- 6512)	007	1	2	1.01	0.07	770	3483	0	0	45	230	0	460	339	16
JOBS (COLS. 6513- 6514)	008	1	2	1.00	0.07	640	3615	0	0	45	274	0	459	294	16
JOBS (COLS. 6515- 6516)	009	1	2	1.00	0.06	600	3620	0	0	45	356	0	452	254	16
JOBS (COLS. 6517- 6518)	010	1	2	1.01	0.08	685	3560	0	0	51	581	0	194	256	16
JOBS (COLS. 6519- 6520)	011	1	2	1.01	0.08	711	3687	0	0	51	487	0	138	253	16
JOBS (COLS. 6521- 6522)	012	1	2	1.01	0.08	724	3789	0	0	55	475	0	35	249	16
JOBS (COLS. 6523- 6524)	013	1	2	1.01	0.07	717	3706	0	0	55	582	0	28	239	16
JOBS (COLS. 6525- 6526)	014	1	4	1.01	0.13	730	3686	0	0	55	606	0	20	230	16
JOBS (COLS. 6527- 6528)	015	1	2	1.01	0.08	739	3619	0	0	55	669	0	20	225	16
JOBS (COLS. 6529- 6530)	016	1	2	1.01	0.09	737	3625	0	0	55	684	0	17	209	16
JOBS (COLS. 6531- 6532)	017	1	2	1.01	0.12	741	3542	0	0	55	774	0	17	198	16

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	9993	9994	9995	9996	9997	9998	9999		
JOBS (COLS. 6533- 6534)	018	1	2	1.01	0.09	744	3474	0	0	55	853	0	17	184	16
JOBS (COLS. 6535- 6536)	019	1	3	1.01	0.14	752	3453	0	0	55	873	0	17	177	16
JOBS (COLS. 6537- 6538)	020	1	3	1.01	0.12	740	3416	0	0	55	933	0	17	166	16
JOBS (COLS. 6539- 6540)	021	1	3	1.01	0.12	725	3317	0	0	55	1054	0	17	159	16
JOBS (COLS. 6541- 6542)	022	1	3	1.01	0.12	726	3367	0	0	56	1005	0	17	156	16
JOBS (COLS. 6543- 6544)	023	1	3	1.01	0.11	718	3358	0	0	58	1029	0	17	147	16
JOBS (COLS. 6545- 6546)	024	1	3	1.01	0.12	709	3347	0	0	59	1062	0	17	133	16
JOBS (COLS. 6547- 6548)	025	1	3	1.01	0.11	713	3313	0	0	63	1098	0	17	123	16
JOBS (COLS. 6549- 6550)	026	1	3	1.01	0.12	706	3288	0	0	64	1138	0	17	114	16
JOBS (COLS. 6551- 6552)	027	1	5	1.02	0.22	704	3254	0	0	65	1179	0	17	108	16
JOBS (COLS. 6553- 6554)	028	1	3	1.01	0.11	690	3180	0	0	65	1277	0	15	100	16
JOBS (COLS. 6555- 6556)	029	1	3	1.01	0.12	692	3089	0	0	65	1377	0	14	90	16
JOBS (COLS. 6557- 6558)	030	1	3	1.01	0.11	693	3066	0	0	65	1407	0	10	86	16
JOBS (COLS. 6559- 6560)	031	1	2	1.01	0.10	666	3045	0	0	65	1461	0	7	83	16
JOBS (COLS. 6561- 6562)	032	1	3	1.01	0.12	722	2898	0	0	66	1559	0	5	77	16
JOBS (COLS. 6563- 6564)	033	1	2	1.01	0.11	673	2943	0	0	66	1574	0	2	69	16
JOBS (COLS. 6565- 6566)	034	1	2	1.01	0.09	630	2900	0	0	66	1667	0	2	62	16
JOBS (COLS. 6567- 6568)	035	1	2	1.01	0.09	632	2903	0	0	66	1671	0	0	55	16
JOBS (COLS. 6569- 6570)	036	1	4	1.01	0.15	581	2821	0	0	61	1674	0	124	49	33
JOBS (COLS. 6571- 6572)	037	1	2	1.01	0.09	465	2212	0	0	59	1516	0	929	37	125
JOBS (COLS. 6573- 6574)	038	1	2	1.01	0.11	401	1839	0	0	49	1335	0	1482	33	204
JOBS (COLS. 6575- 6576)	039	1	2	1.02	0.13	252	1164	0	0	37	876	0	2613	32	369
JOBS (COLS. 6577- 6578)	040	1	2	1.02	0.14	209	784	0	0	19	723	0	3153	28	427
JOBS (COLS. 6579- 6580)	041	1	2	1.02	0.14	153	527	0	0	17	561	0	3561	26	498
JOBS (COLS. 6581- 6582)	042	1	2	1.02	0.16	82	173	0	0	12	319	0	4170	0	587

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN	MAX	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
HRSWRK (COLS. 6583- 6586)	000	120	1920	835.56	441.32	32	48	0	0	4	49	0	5185	9	16
HRSWRK (COLS. 6587- 6590)	001	60	4800	1250.73	600.03	202	208	0	0	8	544	0	4282	83	16
HRSWRK (COLS. 6591- 6594)	002	100	2700	1336.08	509.30	275	1126	0	0	14	133	0	3650	129	16
HRSWRK (COLS. 6595- 6598)	003	80	4800	1539.45	561.60	502	1519	0	0	23	717	0	2349	217	16
HRSWRK (COLS. 6599- 6602)	004	80	3000	1503.07	533.58	564	2474	0	0	33	231	0	1744	281	16
HRSWRK (COLS. 6603- 6606)	005	20	3495	1621.05	625.32	614	2674	0	0	34	421	0	1261	323	16
HRSWRK (COLS. 6607- 6610)	006	70	3530	1504.58	510.78	706	3206	0	0	42	455	0	567	351	16
HRSWRK (COLS. 6611- 6614)	007	50	3820	1465.60	557.25	735	3516	0	0	45	232	0	460	339	16
HRSWRK (COLS. 6615- 6618)	008	80	4210	1367.89	559.04	613	3641	0	0	45	275	0	459	294	16
HRSWRK (COLS. 6619- 6622)	009	40	3820	1368.90	535.26	578	3639	0	0	45	359	0	452	254	16
HRSWRK (COLS. 6623- 6626)	010	70	3080	1468.04	515.15	667	3577	0	0	51	582	0	194	256	16
HRSWRK (COLS. 6627- 6630)	011	80	4010	1493.34	557.25	683	3713	0	0	51	489	0	138	253	16
HRSWRK (COLS. 6631- 6634)	012	80	3735	1441.92	555.76	689	3823	0	0	55	476	0	35	249	16
HRSWRK (COLS. 6635- 6638)	013	40	4080	1364.93	503.68	677	3744	0	0	55	584	0	28	239	16
HRSWRK (COLS. 6639- 6642)	014	70	3200	1419.45	475.05	695	3719	0	0	55	608	0	20	230	16
HRSWRK (COLS. 6643- 6646)	015	90	3610	1573.03	562.72	710	3646	0	0	55	671	0	20	225	16
HRSWRK (COLS. 6647- 6650)	016	80	3210	1385.89	482.93	704	3656	0	0	55	686	0	17	209	16
HRSWRK (COLS. 6651- 6654)	017	70	7840	1631.12	777.61	733	3548	0	0	55	776	0	17	198	16
HRSWRK (COLS. 6655- 6658)	018	80	4560	1577.41	650.34	739	3478	0	0	55	854	0	17	184	16
HRSWRK (COLS. 6659- 6662)	019	50	4050	1493.97	652.55	742	3462	0	0	55	874	0	17	177	16
HRSWRK (COLS. 6663- 6666)	020	50	4400	1466.84	608.79	734	3422	0	0	55	933	0	17	166	16
HRSWRK (COLS. 6667- 6670)	021	90	4320	1519.98	619.98	721	3321	0	0	55	1054	0	17	159	16
HRSWRK (COLS. 6671- 6674)	022	20	4800	1651.56	696.65	724	3369	0	0	56	1005	0	17	156	16
HRSWRK (COLS. 6675- 6678)	023	60	4160	1490.19	547.14	717	3359	0	0	58	1029	0	17	147	16
HRSWRK (COLS. 6679- 6682)	024	80	4080	1560.88	567.50	709	3347	0	0	59	1062	0	17	133	

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
HRSWRK (COLS. 6683- 6686)	025	80	5520	1571.24	669.66	715	3311	0	0	63	1098	0	17	123	16
HRSWRK (COLS. 6687- 6690)	026	20	5160	1534.13	571.74	704	3290	0	0	64	1138	0	17	114	16
HRSWRK (COLS. 6691- 6694)	027	70	8950	1665.77	642.17	702	3255	0	0	65	1180	0	17	108	16
HRSWRK (COLS. 6695- 6698)	028	70	3860	1651.20	626.95	690	3180	0	0	65	1277	0	15	100	16
HRSWRK (COLS. 6699- 6702)	029	50	4200	1551.64	580.84	693	3088	0	0	65	1377	0	14	90	16
HRSWRK (COLS. 6703- 6706)	030	40	8880	1611.43	684.41	694	3065	0	0	65	1407	0	10	86	16
HRSWRK (COLS. 6707- 6710)	031	70	9440	1653.20	775.14	664	3047	0	0	65	1461	0	7	83	16
HRSWRK (COLS. 6711- 6714)	032	140	7920	1558.02	697.42	717	2903	0	0	66	1559	0	5	77	16
HRSWRK (COLS. 6715- 6718)	033	50	3200	1411.60	508.66	672	2944	0	0	66	1574	0	2	69	16
HRSWRK (COLS. 6719- 6722)	034	80	4360	1693.03	636.69	629	2901	0	0	66	1667	0	2	62	16
HRSWRK (COLS. 6723- 6726)	035	100	3520	1570.48	540.31	631	2904	0	0	66	1671	0	0	55	16
HRSWRK (COLS. 6727- 6730)	036	70	4350	1566.78	531.68	579	2823	0	0	61	1674	0	124	49	33
HRSWRK (COLS. 6731- 6734)	037	60	3540	1502.24	531.86	464	2213	0	0	59	1516	0	929	37	125
HRSWRK (COLS. 6735- 6738)	038	100	3280	1473.11	463.52	399	1841	0	0	49	1335	0	1482	33	204
HRSWRK (COLS. 6739- 6742)	039	80	6480	1652.96	588.88	252	1164	0	0	37	876	0	2613	32	369
HRSWRK (COLS. 6743- 6746)	040	180	3580	1703.67	573.27	208	785	0	0	19	723	0	3153	28	427
HRSWRK (COLS. 6747- 6750)	041	160	4000	1698.88	589.78	153	527	0	0	17	561	0	3561	26	498
HRSWRK (COLS. 6751- 6754)	042	180	3200	1492.62	559.27	82	173	0	0	12	319	0	4170	0	587
EGHRS (COLS. 6755- 6758)	000	120	1920	822.47	435.82	32	48	0	0	4	49	0	5185	9	16
EGHRS (COLS. 6759- 6762)	001	60	2400	1195.37	523.39	200	209	0	0	8	545	0	4282	83	16
EGHRS (COLS. 6763- 6766)	002	100	2600	1272.26	471.82	274	1126	0	0	14	134	0	3650	129	16
EGHRS (COLS. 6767- 6770)	003	80	4800	1474.97	522.07	502	1519	0	0	23	717	0	2349	217	16
EGHRS (COLS. 6771- 6774)	004	80	2720	1422.55	494.19	564	2474	0	0	33	231	0	1744	281	16
EGHRS (COLS. 6775- 6778)	005	20	2765	1518.22	555.61	614	2674	0	0	34	421	0	1261	323	16
EGHRS (COLS. 6779- 6782)	006	70	2880	1407.09	460.74	704	3208	0	0	42	455	0	567	351	16

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999	
REGRHS (COLS. 6783- 6786)	007	50	8000	1367.26	554.48	731	3520	0	0	45	232	0	460	339	16
REGRHS (COLS. 6787- 6790)	008	80	3200	1237.38	505.74	607	3647	0	0	45	275	0	459	294	16
REGRHS (COLS. 6791- 6794)	009	40	3510	1295.14	488.20	570	3647	0	0	45	359	0	452	254	16
REGRHS (COLS. 6795- 6798)	010	70	2785	1414.46	480.34	605	3579	0	0	51	582	0	194	256	16
REGRHS (COLS. 6799- 6802)	011	80	2825	1441.24	504.55	682	3714	0	0	51	489	0	138	253	16
REGRHS (COLS. 6803- 6806)	012	80	8000	1401.49	568.42	689	3823	0	0	55	476	0	35	249	16
REGRHS (COLS. 6807- 6810)	013	40	2460	1296.64	451.73	673	3748	0	0	55	584	0	28	239	16
REGRHS (COLS. 6811- 6814)	014	70	2990	1359.01	419.28	689	3725	0	0	55	608	0	20	230	16
REGRHS (COLS. 6815- 6818)	015	80	3475	1497.48	523.51	708	3648	0	0	55	671	0	20	225	16
REGRHS (COLS. 6819- 6822)	016	80	3200	1326.22	440.41	700	3660	0	0	55	686	0	17	209	16
REGRHS (COLS. 6823- 6826)	017	70	4010	1544.44	677.84	730	3551	0	0	55	776	0	17	198	16
REGRHS (COLS. 6827- 6830)	018	80	4000	1476.63	597.88	736	3480	0	0	55	855	0	17	184	16
REGRHS (COLS. 6831- 6834)	019	50	3490	1373.34	574.25	738	3466	0	0	55	874	0	17	177	16
REGRHS (COLS. 6835- 6838)	020	50	4000	1380.34	553.86	724	3432	0	0	55	933	0	17	166	16
REGRHS (COLS. 6839- 6842)	021	90	3580	1421.33	566.62	716	3325	0	0	55	1055	0	17	159	16
REGRHS (COLS. 6843- 6846)	022	20	4000	1546.64	611.55	719	3373	0	0	56	1006	0	17	156	16
REGRHS (COLS. 6847- 6850)	023	70	3210	1405.78	474.13	711	3365	0	0	58	1029	0	17	147	16
REGRHS (COLS. 6851- 6854)	024	80	3920	1464.74	521.76	704	3352	0	0	59	1062	0	17	133	16
REGRHS (COLS. 6855- 6858)	025	80	3770	1446.07	575.95	712	3313	0	0	63	1099	0	17	123	16
REGRHS (COLS. 6859- 6862)	026	20	3600	1429.02	480.76	701	3293	0	0	64	1138	0	17	114	16
REGRHS (COLS. 6863- 6866)	027	70	8790	1569.68	593.47	695	3262	0	0	65	1180	0	17	108	16
REGRHS (COLS. 6867- 6870)	028	70	3460	1541.74	544.68	688	3182	0	0	65	1277	0	15	100	16
REGRHS (COLS. 6871- 6874)	029	50	3900	1451.46	507.85	692	3089	0	0	65	1377	0	14	90	16
REGRHS (COLS. 6875- 6878)	030	40	8800	1490.66	608.90	688	3071	0	0	65	1407	0	10	86	16
REGRHS (COLS. 6879- 692)	031	60	3890	1469.64	565.01	660	3051	0	0	65	1461	0	7	83	16

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
REGHRS (COLS. 6883- 6886)	032	140	7920	1430.53	587.89	714	2905	0	0	66	1560	0	5	77	16
REGHRS (COLS. 6887- 6890)	033	50	2800	1293.17	442.69	670	2946	0	0	66	1574	0	2	69	16
REGHRS (COLS. 6891- 6894)	034	80	3130	1576.43	525.46	626	2903	0	0	66	1668	0	2	62	16
REGHRS (COLS. 6895- 6898)	035	100	3440	1483.77	485.55	630	2904	0	0	66	1672	0	0	55	16
REGHRS (COLS. 6899- 6902)	036	70	4340	1483.70	469.24	578	2823	0	0	61	1675	0	124	49	33
REGHRS (COLS. 6903- 6906)	037	60	3200	1402.91	463.05	464	2213	0	0	59	1516	0	929	37	125
REGHRS (COLS. 6907- 6910)	038	100	3090	1375.07	391.44	398	1842	0	0	49	1335	0	1482	33	204
REGHRS (COLS. 6911- 6914)	039	80	6480	1580.38	529.15	251	1165	0	0	37	876	0	2613	32	369
REGHRS (COLS. 6915- 6918)	040	180	3200	1614.66	517.18	208	785	0	0	19	723	0	3153	28	427
REGHRS (COLS. 6919- 6922)	041	160	3225	1568.49	460.82	153	527	0	0	17	561	0	3561	26	498
REGHRS (COLS. 6923- 6926)	042	180	2070	1344.01	415.05	82	173	0	0	12	319	0	4170	0	587
OVRTHE (COLS. 6927- 6930)	000	5	240	83.80	93.26	5	57	0	0	4	67	0	5185	9	16
OVRTHE (COLS. 6931- 6934)	001	10	360	171.14	112.89	29	259	0	0	8	666	0	4282	83	16
OVRTHE (COLS. 6935- 6938)	002	15	690	194.77	148.10	74	1304	0	0	14	156	0	3650	129	16
OVRTHE (COLS. 6939- 6942)	003	10	1120	220.77	180.73	124	1791	0	0	23	823	0	2349	217	16
OVRTHE (COLS. 6943- 6946)	004	10	1060	214.99	199.11	157	2868	0	0	33	244	0	1744	281	16
OVRTHE (COLS. 6947- 6950)	005	10	1240	231.48	203.59	204	3036	0	0	34	469	0	1261	323	16
OVRTHE (COLS. 6951- 6954)	006	10	1280	220.23	183.23	215	3642	0	0	42	510	0	567	351	16
OVRTHE (COLS. 6955- 6958)	007	10	1160	198.66	202.87	192	4050	0	0	45	241	0	460	339	16
OVRTHE (COLS. 6959- 6962)	008	15	980	180.60	169.84	129	4121	0	0	45	279	0	459	294	16
OVRTHE (COLS. 6963- 6966)	009	10	910	203.77	208.24	104	4100	0	0	45	372	0	452	254	16
OVRTHE (COLS. 6967- 6970)	010	10	1065	220.51	236.67	98	4057	0	0	51	671	0	194	256	16
OVRTHE (COLS. 6971- 6974)	011	10	800	185.59	172.86	110	4229	0	0	51	546	0	138	253	16
OVRTHE (COLS. 6975- 6978)	012	10	1320	207.67	234.65	125	4361	0	0	55	502	0	35	249	16
OVRTHE (COLS. 6979- 6982)	013	10	1460	202.06	204.31	131	4267	0	0	55	607	0	28	239	16

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
<hr/>													
OVRTME (COLS. 6983- 6986)	014	5	1300	211.91	217.12	152 4243	0	0	55	627	0	20	230
OVRTME (COLS. 6987- 6990)	015	5	2010	212.47	233.54	172 4160	0	0	55	695	0	20	225
OVRTME (COLS. 6991- 6994)	016	10	1130	181.72	188.70	162 4184	0	0	55	700	0	17	209
OVRTME (COLS. 6995- 6998)	017	10	2080	223.50	234.48	215 4040	0	0	55	802	0	17	198
OVRTME (COLS. 6999- 7002)	018	5	1070	219.79	212.50	243 3944	0	0	55	884	0	17	184
OVRTME (COLS. 7003- 7006)	019	10	1600	220.24	232.84	216 3968	0	0	55	894	0	17	177
OVRTME (COLS. 7007- 7010)	020	5	1424	213.95	203.86	202 3939	0	0	55	948	0	17	166
OVRTME (COLS. 7011- 7014)	021	10	1200	218.60	217.65	240 3784	0	0	55	1072	0	17	159
OVRTME (COLS. 7015- 7018)	022	10	1400	233.55	234.80	227 3855	0	0	56	1016	0	17	156
OVRTME (COLS. 7019- 7022)	023	10	1290	208.06	209.97	239 3823	0	0	58	1043	0	17	147
OVRTME (COLS. 7023- 7026)	024	10	1380	197.28	186.11	243 3808	0	0	59	1067	0	17	133
OVRTME (COLS. 7027- 7030)	025	10	1120	220.41	188.75	224 3785	0	0	63	1115	0	17	123
OVRTME (COLS. 7031- 7034)	026	10	1440	228.12	238.64	240 3745	0	0	64	1147	0	17	114
OVRTME (COLS. 7035- 7036)	027	10	960	224.37	201.30	245 3700	0	0	65	1192	0	17	108
OVRTME (COLS. 7039- 7042)	028	10	1240	240.12	226.19	243 3611	0	0	65	1293	0	15	100
OVRTME (COLS. 7043- 7046)	029	5	1600	238.65	245.50	231 3520	0	0	65	1407	0	14	90
OVRTME (COLS. 7047- 7050)	030	10	1130	232.59	211.11	228 3498	0	0	65	1440	0	10	86
OVRTME (COLS. 7051- 7054)	031	10	2400	248.03	279.72	224 3468	0	0	65	1480	0	7	83
OVRTME (COLS. 7055- 7058)	032	10	8000	312.87	686.06	241 3352	0	0	66	1586	0	5	77
OVRTME (COLS. 7059- 7062)	033	10	1600	235.68	235.97	232 3365	0	0	66	1593	0	2	69
OVRTME (COLS. 7063- 7066)	034	10	1960	251.17	267.28	238 3280	0	0	66	1679	0	2	62
OVRTME (COLS. 7067- 7070)	035	10	1290	222.08	207.37	219 3299	0	0	66	1688	0	0	55
OVRTME (COLS. 7071- 7074)	036	10	1600	211.17	208.50	206 3178	0	0	61	1692	0	124	49
OVRTME (COLS. 7075- 7078)	037	10	1600	246.04	250.74	134 2535	0	0	59	1524	0	929	37
OVRTME (COLS. 7079- 7082)	038	5	1680	255.96	292.26	135 2092	0	0	49	1348	0	1482	33

PERSUN VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
DVRTME (COLS. 7083- 7086)	039	10	2000	221.33	265.98	75	1333	0	0	37	884	0	2613	32	369	
DVRTME (COLS. 7087- 7090)	040	10	1180	220.82	201.45	67	918	0	0	19	731	0	3153	28	427	
DVRTME (COLS. 7091- 7094)	041	20	2000	335.96	418.15	57	620	0	0	17	564	0	3561	26	498	
DVRTME (COLS. 7095- 7098)	042	30	1600	355.94	380.88	32	222	0	0	12	320	0	4170	0	587	
SPECL (COLS. 7099- 7102)	000	0	0	0.0	0.0	0	59	0	0	4	70	0	5185	9	16	
SPECL (COLS. 7103- 7106)	001	150	4800	981.00	1370.91	10	267	0	0	8	677	0	4282	83	16	
SPECL (COLS. 7107- 7110)	002	80	1600	649.00	420.12	10	1366	0	0	14	158	0	3650	129	16	
SPECL (COLS. 7111- 7114)	003	75	1910	507.92	521.12	12	1877	0	0	23	849	0	2349	217	16	
SPECL (COLS. 7115- 7118)	004	80	1200	434.00	354.40	30	2993	0	0	33	246	0	1744	281	16	
SPECL (COLS. 7119- 7122)	005	80	1600	551.37	332.91	30	3197	0	0	34	482	0	1261	323	16	
SPECL (COLS. 7123- 7126)	006	80	2060	473.77	444.71	53	3791	0	0	42	523	0	567	351	16	
SPECL (COLS. 7127- 7130)	007	80	1680	650.08	457.74	74	4166	0	0	45	243	0	460	339	16	
SPECL (COLS. 7131- 7134)	008	40	3200	798.49	492.82	85	4164	0	0	45	280	0	459	294	16	
SPECL (COLS. 7135- 7138)	009	50	2000	464.91	396.00	74	4129	0	0	45	373	0	452	254	16	
SPECL (COLS. 7139- 7142)	010	80	1600	555.81	369.01	31	4117	0	0	51	678	0	194	250	16	
SPECL (COLS. 7143- 7146)	011	400	2400	1085.00	655.78	16	4320	0	0	51	549	0	138	253	16	
SPECL (COLS. 7147- 7150)	012	80	1600	663.75	451.50	16	4467	0	0	55	505	0	35	249	16	
SPECL (COLS. 7151- 7154)	013	80	3200	981.60	742.70	25	4373	0	0	55	607	0	28	239	16	
SPECL (COLS. 7155- 7158)	014	280	2750	957.89	657.61	19	4373	0	0	55	630	0	20	230	16	
SPECL (COLS. 7159- 7162)	015	320	1600	827.92	437.06	24	4304	0	0	55	699	0	20	225	16	
SPECL (COLS. 7163- 7166)	016	80	1980	751.07	414.53	28	4313	0	0	55	705	0	17	209	16	
SPECL (COLS. 7167- 7170)	017	80	4800	797.14	919.61	28	4221	0	0	55	808	0	17	198	16	
SPECL (COLS. 7171- 7174)	018	50	1680	632.84	456.58	43	4139	0	0	55	889	0	17	184	16	
SPECL (COLS. 7175- 7178)	019	80	1600	642.60	408.89	73	4108	0	0	55	897	0	17	177	16	
SPECL (COLS. 7179- 7182)	020	10	2120	803.91	433.44	46	4092	0	0	55	951	0	17	166	16	

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
SPEC1 (COLS. 7183- 7186)	021	50	1600	668.82	468.29	44	3974	0	0	55	1078	0	17	159
SPEC1 (COLS. 7187- 7190)	022	80	4000	1000.00	869.78	32	4049	0	0	56	1017	0	17	156
PECL (COLS. 7191- 7194)	023	60	1660	641.00	456.39	30	4029	0	0	58	1046	0	17	147
PECL (COLS. 7195- 7198)	024	80	2400	623.93	510.46	42	4007	0	0	59	1069	0	17	133
PECL (COLS. 7199- 7202)	025	40	4800	799.56	906.05	57	3949	0	0	63	1118	0	17	123
PECL (COLS. 7203- 7206)	026	80	3200	841.29	625.10	31	3949	0	0	64	1152	0	17	114
PECL (COLS. 7207- 7210)	027	80	2000	782.90	506.43	31	3908	0	0	65	1198	0	17	108
PECL (COLS. 7211- 7214)	028	160	2400	954.58	577.83	24	3826	0	0	65	1297	0	15	100
PECL (COLS. 7215- 7218)	029	50	1600	688.48	383.10	23	3717	0	0	65	1418	0	14	90
PECL (COLS. 7219- 7222)	030	60	2437	747.60	549.59	56	3667	0	0	65	1443	0	10	86
ECL (COLS. 7223- 7226)	031	60	8640	971.64	1327.10	76	3606	0	0	65	1490	0	7	83
ECL (COLS. 7227- 7230)	032	80	1600	755.38	400.04	39	3547	0	0	66	1593	0	5	77
ECL (COLS. 7231- 7234)	033	60	2000	796.82	542.21	34	3558	0	0	66	1598	0	2	69
ECL (COLS. 7235- 7238)	034	80	9900	1078.15	1842.43	27	3484	0	0	66	1686	0	2	62
ECL (COLS. 7239- 7242)	035	50	1200	355.00	342.50	24	3492	0	0	66	1690	0	0	55
ECL (COLS. 7243- 7246)	036	50	800	339.55	246.82	22	3362	0	0	61	1692	0	124	49
ECL (COLS. 7247- 7250)	037	70	880	434.84	285.43	31	2637	0	0	59	1525	0	929	37
ECL (COLS. 7251- 7254)	038	480	1200	880.00	252.98	7	2216	0	0	49	1352	0	1482	33
ECL (COLS. 7255- 7258)	039	80	2400	1093.33	1187.49	3	1401	0	0	37	888	0	2613	32
ECL (COLS. 7259- 7262)	040	480	1640	930.00	496.79	4	981	0	0	19	731	0	3153	28
ECL (COLS. 7263- 7266)	041	800	800	600.00	0.0	1	675	0	0	17	565	0	3561	26
ECL (COLS. 7267- 7270)	042	800	800	800.00	0.0	1	252	0	0	12	321	0	4170	0
CLCD (COLS. 7271- 7272)	000	0	0	0.0	0.0	0	59	0	0	4	70	0	5185	9
CLCD (COLS. 7273- 7274)	001	1	4	2.20	1.40	10	267	0	0	8	677	0	4282	83
CLCD (COLS. 7275- 7276)	002	1	3	1.40	0.70	10	1366	0	0	14	158	0	3650	129

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN	MAX	MEAN	STD DEV	FREQ	ZERO	BLNK	NU.	NU.	NU.	NU.	NU.	NU.	NU.	NU.	NU.	NU.	NU.	NU.
SPCLCD (COLS. 7277- 7278)	003	1	4	2.08	1.08	12	1877	0	0	23	849	0	2349	217	16				
SPCLCD (COLS. 7279- 7280)	004	1	5	2.47	1.36	30	2993	0	0	33	246	0	1744	281	16				
SPCLCD (COLS. 7281- 7282)	005	1	4	1.55	0.49	29	3198	0	0	34	482	0	1261	323	16				
SPCLCD (COLS. 7283- 7284)	006	1	4	2.23	1.34	53	3791	0	0	42	523	0	567	351	16				
SPCLCD (COLS. 7285- 7286)	007	1	4	2.11	1.28	74	4106	0	0	45	243	0	460	339	16				
SPCLCD (COLS. 7287- 7288)	008	1	5	1.26	0.79	85	4164	0	0	45	280	0	459	294	16				
SPCLCD (COLS. 7289- 7290)	009	1	5	2.32	1.43	74	4129	0	0	45	373	0	452	254	16				
SPCLCD (COLS. 7291- 7292)	010	1	5	1.77	1.26	31	4117	0	0	51	678	0	194	250	16				
SPCLCD (COLS. 7293- 7294)	011	1	3	1.13	0.50	16	4320	0	0	51	549	0	138	253	16				
SPCLCD (COLS. 7295- 7296)	012	1	5	1.63	1.36	16	4467	0	0	55	505	0	35	249	16				
SPCLCD (COLS. 7297- 7298)	013	1	5	1.44	1.23	25	4373	0	0	55	607	0	28	239	16				
SPCLCD (COLS. 7299- 7300)	014	1	1	1.00	0.0	19	4373	0	0	55	630	0	20	230	16				
SPCLCD (COLS. 7301- 7302)	015	1	1	1.00	0.0	24	4304	0	0	55	699	0	20	225	16				
SPCLCD (COLS. 7303- 7304)	016	1	2	1.04	0.19	28	4313	0	0	55	705	0	17	209	16				
SPCLCD (COLS. 7305- 7306)	017	1	4	1.30	0.72	27	4222	0	0	55	808	0	17	198	16				
SPCLCD (COLS. 7307- 7308)	018	1	4	1.67	1.19	43	4139	0	0	55	889	0	17	184	16				
SPCLCD (COLS. 7309- 7310)	019	1	4	1.78	1.19	72	4109	0	0	55	897	0	17	177	16				
SPCLCD (COLS. 7311- 7312)	020	1	4	1.17	0.68	46	4092	0	0	55	951	0	17	166	16				
SPCLCD (COLS. 7313- 7314)	021	1	4	1.80	1.17	44	3974	0	0	55	1078	0	17	159	16				
SPCLCD (COLS. 7315- 7316)	022	1	4	1.35	0.88	31	4050	0	0	56	1017	0	17	156	16				
SPCLCD (COLS. 7317- 7318)	023	1	5	1.53	1.07	30	4029	0	0	58	1046	0	17	147	16				
SPCLCD (COLS. 7319- 7320)	024	1	4	1.74	1.19	42	4007	0	0	59	1069	0	17	133	16				
SPCLCD (COLS. 7321- 7322)	025	1	4	2.05	1.29	57	3949	0	0	63	1118	0	17	123	16				
SPCLCD (COLS. 7323- 7324)	026	1	4	1.52	0.96	31	3949	0	0	64	1152	0	17	114	16				
SPCLCD (COLS. 7325- 7326)	027	1	5	1.45	0.99	31	3908	0	0	65	1198	0	17	108	16				



Computer Center A Division of American Management Systems, Inc.

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999	
SPCLCD (COLS. 7327- 7328)	028	1	3	1.35	0.78	23	3827	0	0	65	1297	0	15	100	16
SPCLCD (COLS. 7329- 7330)	029	1	4	1.48	1.08	23	3717	0	0	65	1418	0	14	90	16
SPCLCD (COLS. 7331- 7332)	030	1	4	1.56	1.05	55	3668	0	0	65	1443	0	10	80	16
SPCLCD (COLS. 7333- 7334)	031	1	5	1.45	1.04	75	3607	0	0	65	1490	0	7	83	16
SPCLCD (COLS. 7335- 7336)	032	1	5	1.36	0.90	39	3547	0	0	66	1593	0	5	77	16
SPCLCD (COLS. 7337- 7338)	033	1	4	1.74	1.11	34	3558	0	0	66	1598	0	2	69	16
SPCLCD (COLS. 7339- 7340)	034	1	5	1.65	1.13	26	3485	0	0	66	1686	0	2	62	16
SPCLCD (COLS. 7341- 7342)	035	1	4	2.29	1.33	24	3492	0	0	66	1690	0	0	55	16
SPCLCD (COLS. 7343- 7344)	036	1	4	2.32	1.32	22	3362	0	0	61	1692	0	124	49	33
SPCLCD (COLS. 7345- 7346)	037	1	4	2.07	1.28	30	2638	0	0	59	1525	0	929	37	125
SPCLCD (COLS. 7347- 7348)	038	1	2	1.29	0.49	7	2216	0	0	49	1352	0	1482	33	204
SPCLCD (COLS. 7349- 7350)	039	1	4	2.00	1.73	3	1401	0	0	37	888	0	2613	32	369
SPCLCD (COLS. 7351- 7352)	040	1	1	1.00	0.0	4	981	0	0	19	731	0	3153	28	427
SPCLCD (COLS. 7353- 7354)	041	1	1	1.00	0.0	1	675	0	0	17	565	0	3561	26	498
SPCLCD (COLS. 7355- 7356)	042	1	1	1.00	0.0	1	252	0	0	12	321	0	4170	0	587
AFDC1970 (COLS. 7357- 7360)	57	3900	1598.63	669.48	851	0	0	4492	0	0	0	0	0	0	0
AFDCM070 (COLS. 7361- 7362)	1	12	10.52	2.96	851	0	0	4492	0	0	0	0	0	0	0
AFDCBASE (COLS. 7363- 7366)	17	600	150.63	59.04	772	71	0	4492	8	0	0	0	0	0	0
AFDC (COLS. 7367- 7370)	001	10	560	150.09	65.86	707	3513	0	747	316	0	0	0	0	0
AFDC (COLS. 7371- 7374)	002	5	500	147.28	57.32	834	3502	0	747	260	0	0	0	0	0
AFDC (COLS. 7375- 7378)	003	5	500	147.50	57.43	743	3600	0	747	253	0	0	0	0	0
AFDC (COLS. 7379- 7382)	004	15	597	148.76	61.35	722	3638	0	747	236	0	0	0	0	0
AFDC (COLS. 7383- 7386)	005	12	520	188.54	77.94	633	3744	0	747	219	0	0	0	0	0
AFDC (COLS. 7387- 7390)	006	12	965	172.51	81.39	568	3829	0	747	199	0	0	0	0	0
AFDC (COLS. 7391- 7394)	007	7	1180	169.65	90.15	522	3884	0	747	190	0	0	0	0	0

PERSON VARIABLES

ARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	NU. ZERO	NU. BLNK	NU. 9993	NU. 9994	NU. 9995	NU. 9996	NU. 9997	NU. 9998	NU. 9999
FDC (COLS. 7395- 7398)	008	7	575	167.50	77.14	458	3950	0	747	188	0	0	0	0
FDC (COLS. 7399- 7402)	009	7	535	163.63	68.61	453	3970	0	747	173	0	0	0	0
AFDC (COLS. 7403- 7406)	010	9	470	161.53	67.76	457	3974	0	747	165	0	0	0	0
FDC (COLS. 7407- 7410)	011	9	2110	168.25	116.21	467	3966	0	747	163	0	0	0	0
FDC (COLS. 7411- 7414)	012	9	425	160.50	68.09	477	3961	0	747	158	0	0	0	0
FDC (COLS. 7415- 7418)	013	9	590	161.58	76.91	483	3957	0	747	156	0	0	0	0
FDC (COLS. 7419- 7422)	014	9	415	157.70	66.13	478	3966	0	747	152	0	0	0	0
FDC (COLS. 7423- 7426)	015	15	480	159.16	68.03	476	3969	0	747	151	0	0	0	0
FDC (COLS. 7427- 7430)	016	10	415	159.04	66.07	477	3973	0	747	146	0	0	0	0
FDC (COLS. 7431- 7434)	017	6	415	157.86	65.93	473	3982	0	747	141	0	0	0	0
FDC (COLS. 7435- 7438)	018	6	1111	161.00	84.50	475	3974	0	747	147	0	0	0	0
FDC (COLS. 7439- 7442)	019	6	713	156.98	73.07	483	3974	0	747	139	0	0	0	0
FDC (COLS. 7443- 7446)	020	6	544	154.29	67.22	481	3974	0	747	141	0	0	0	0
IFDC (COLS. 7447- 7450)	021	6	645	154.60	70.77	481	3970	0	747	145	0	0	0	0
IFDC (COLS. 7451- 7454)	022	6	615	153.01	70.75	482	3969	0	747	145	0	0	0	0
IFDC (COLS. 7455- 7458)	023	6	705	153.49	70.95	479	3969	0	747	148	0	0	0	0
IFDC (COLS. 7459- 7462)	024	6	795	157.13	82.29	486	3962	0	747	148	0	0	0	0
IFDC (COLS. 7463- 7466)	025	6	486	154.02	68.72	490	3958	0	747	148	0	0	0	0
IFDC (COLS. 7467- 7470)	026	11	735	155.83	71.53	492	3964	0	747	140	0	0	0	0
IFDC (COLS. 7471- 7474)	027	11	700	156.48	73.38	495	396d	0	747	133	0	0	0	0
IFDC (COLS. 7475- 7478)	028	10	615	156.27	71.80	507	3957	0	747	132	0	0	0	0
IFDC (COLS. 7479- 7482)	029	10	770	155.04	73.37	516	3947	0	747	133	0	0	0	0
IFDC (COLS. 7483- 7486)	030	8	415	154.03	66.70	511	3954	0	747	131	0	0	0	0
IFDC (COLS. 7487- 7490)	031	8	415	153.25	65.03	499	3964	0	747	133	0	0	0	0
IFDC (COLS. 7491- 7494)	032	8	705	153.56	74.36	511	3953	0	747	132	0	0	0	0



PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ ZERO	BLNK	9993	9994	9995	9996	9997	9998	9999
AFDC (COLS. 7495- 7498)	033	10	415	148.87	64.93	497	3972	0	747	127	0	0	0
AFDC (COLS. 7499- 7502)	034	10	770	150.39	69.98	493	3968	0	747	135	0	0	0
AFDC (COLS. 7503- 7506)	035	10	1140	153.97	83.86	490	3957	0	747	149	0	0	0
AFDC (COLS. 7507- 7510)	036	2	770	151.27	74.04	497	3934	0	747	165	0	0	0
AFDC (COLS. 7511- 7514)	037	2	770	155.10	81.68	498	3933	0	747	165	0	0	0
AFDC (COLS. 7515- 7518)	038	1	820	155.84	89.71	489	3936	0	747	171	0	0	0
AFDC (COLS. 7519- 7522)	039	1	1175	154.99	84.30	614	3810	0	747	172	0	0	0
AFDC (COLS. 7523- 7526)	040	1	940	153.60	73.28	692	3724	0	747	180	0	0	0
AFDC (COLS. 7527- 7530)	041	1	1060	155.90	81.81	683	3714	0	747	199	0	0	0
AFDC (COLS. 7531- 7534)	042	1	1315	156.63	80.57	742	3649	0	747	205	0	0	0
AFDC (COLS. 7535- 7538)	043	1	491	165.10	78.69	776	3607	0	747	213	0	0	0
AFDC (COLS. 7539- 7542)	044	1	618	166.48	82.12	835	3528	0	747	233	0	0	0
AFDC (COLS. 7543- 7546)	045	1	507	166.13	79.87	847	3514	0	747	235	0	0	0
AFDC (COLS. 7547- 7550)	046	1	491	165.30	78.99	847	3513	0	747	236	0	0	0
AFDC (COLS. 7551- 7554)	047	1	491	165.30	78.99	847	3513	0	747	236	0	0	0
AFDC (COLS. 7555- 7558)	048	1	491	165.30	78.99	847	3513	0	747	236	0	0	0
AFDCEL (COLS. 7559- 7562)	001	10	560	150.09	65.86	767	3513	0	747	316	0	0	0
AFDCEL (COLS. 7563- 7566)	002	5	500	147.28	57.32	834	3502	0	747	260	0	0	0
AFDCEL (COLS. 7567- 7570)	003	5	500	146.30	56.59	847	3495	0	747	254	0	0	0
AFDCEL (COLS. 7571- 7574)	004	14	597	147.37	59.69	862	3497	0	747	237	0	0	0
AFDCEL (COLS. 7575- 7578)	005	12	520	185.88	75.74	873	3504	0	747	219	0	0	0
AFDCEL (COLS. 7579- 7582)	006	12	965	170.41	78.36	890	3507	0	747	199	0	0	0
AFDCEL (COLS. 7583- 7586)	007	7	1180	167.47	80.42	897	3508	0	747	191	0	0	0
AFDCEL (COLS. 7587- 7590)	008	7	575	165.42	71.05	915	3491	0	747	190	0	0	0
AFDCEL (COLS. 7591- 7594)	009	7	535	162.30	64.76	918	3501	0	747	177	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO BLNK	NU. 9993	NU. 9994	NU. 9995	NU. 9996	NU. 9997	NU. 9998	NU. 9999
AFOCEL (COLS. 7595- 7598)	010	9	470	161.77	64.05	924 3504	0 747	168	0	0	0	0	0
AFOCEL (COLS. 7599- 7602)	011	9	2110	166.69	93.96	935 3495	0 747	166	0	0	0	0	0
AFOCEL (COLS. 7603- 7606)	012	9	425	161.77	65.16	944 3491	0 747	161	0	0	0	0	0
AFOCEL (COLS. 7607- 7610)	013	9	590	162.90	70.38	951 3486	0 747	159	0	0	0	0	0
AFOCEL (COLS. 7611- 7614)	014	9	415	159.65	64.11	954 3487	0 747	155	0	0	0	0	0
AFOCEL (COLS. 7615- 7618)	015	14	480	160.32	65.12	957 3485	0 747	154	0	0	0	0	0
AFOCEL (COLS. 7619- 7622)	016	10	415	160.11	64.17	960 3488	0 747	148	0	0	0	0	0
AFOCEL (COLS. 7623- 7626)	017	6	640	160.33	68.95	953 3500	0 747	143	0	0	0	0	0
AFOCEL (COLS. 7627- 7630)	018	6	1111	162.01	79.89	957 3489	0 747	150	0	0	0	0	0
AFOCEL (COLS. 7631- 7634)	019	6	931	163.39	78.43	963 3491	0 747	142	0	0	0	0	0
AFOCEL (COLS. 7635- 7638)	020	4	655	157.38	67.15	954 3498	0 747	144	0	0	0	0	0
AFOCEL (COLS. 7639- 7642)	021	4	645	158.12	68.38	953 3495	0 747	148	0	0	0	0	0
AFOCEL (COLS. 7643- 7646)	022	4	615	156.74	66.76	941 3507	0 747	148	0	0	0	0	0
AFOCEL (COLS. 7647- 7650)	023	4	705	156.73	66.37	934 3511	0 747	151	0	0	0	0	0
AFOCEL (COLS. 7651- 7654)	024	3	795	159.13	72.82	935 3510	0 747	151	0	0	0	0	0
AFOCEL (COLS. 7655- 7658)	025	3	625	158.00	68.35	935 3510	0 747	151	0	0	0	0	0
AFOCEL (COLS. 7659- 7662)	026	3	735	158.20	67.74	935 3518	0 747	143	0	0	0	0	0
AFOCEL (COLS. 7663- 7666)	027	3	835	159.13	71.53	936 3524	0 747	136	0	0	0	0	0
AFOCEL (COLS. 7667- 7670)	028	3	703	158.92	69.97	938 3524	0 747	134	0	0	0	0	0
AFOCEL (COLS. 7671- 7674)	029	3	1216	158.74	79.76	939 3523	0 747	134	0	0	0	0	0
AFOCEL (COLS. 7675- 7678)	030	3	415	157.58	67.79	939 3526	0 747	131	0	0	0	0	0
AFOCEL (COLS. 7679- 7682)	031	3	655	157.08	69.41	934 3529	0 747	133	0	0	0	0	0
AFOCEL (COLS. 7683- 7686)	032	3	705	155.50	70.64	947 3517	0 747	132	0	0	0	0	0
AFOCEL (COLS. 7687- 7690)	033	10	435	153.79	64.98	934 3535	0 747	127	0	0	0	0	0
AFOCEL (COLS. 7691- 7694)	034	10	770	154.52	67.15	912 3549	0 747	135	0	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
AFOCEL (COLS. 7695- 7698)	035	8	1140	156.21	75.69	889	3558	0	747	149	0	0	0	0
AFOCEL (COLS. 7699- 7702)	036	2	1155	156.52	75.61	893	3537	0	747	166	0	0	0	0
AFOCEL (COLS. 7703- 7706)	037	2	1155	159.03	82.49	895	3536	0	747	165	0	0	0	0
AFOCEL (COLS. 7707- 7710)	038	1	885	159.72	86.65	891	3534	0	747	171	0	0	0	0
AFOCEL (COLS. 7711- 7714)	039	1	1175	157.52	79.40	893	3531	0	747	172	0	0	0	0
AFOCEL (COLS. 7715- 7718)	040	1	940	154.85	70.63	879	3537	0	747	180	0	0	0	0
AFOCEL (COLS. 7719- 7722)	041	1	1060	157.09	77.99	870	3527	0	747	199	0	0	0	0
AFOCEL (COLS. 7723- 7726)	042	1	1315	156.39	77.58	860	3531	0	747	205	0	0	0	0
AFOCEL (COLS. 7727- 7730)	043	1	491	165.17	79.46	844	3539	0	747	213	0	0	0	0
AFOCEL (COLS. 7731- 7734)	044	1	618	166.63	82.42	848	3515	0	747	233	0	0	0	0
AFOCEL (COLS. 7735- 7738)	045	1	567	166.13	79.87	847	3514	0	747	235	0	0	0	0
AFOCEL (COLS. 7739- 7742)	046	1	491	165.30	78.99	847	3513	0	747	236	0	0	0	0
AFOCEL (COLS. 7743- 7746)	047	1	491	165.30	78.99	847	3513	0	747	236	0	0	0	0
AFOCEL (COLS. 7747- 7750)	048	1	491	165.30	78.99	847	3513	0	747	236	0	0	0	0
SS11970 (COLS. 7751- 7754)	100	1200	735.86	308.37	50	48	0	5245	0	0	0	0	0	0
SSIM0570 (COLS. 7755- 7756)	1	12	10.40	3.13	50	48	0	5245	0	0	0	0	0	0
SSIBASE (COLS. 7757- 7760)	7	95	64.67	24.88	45	53	0	5245	0	0	0	0	0	0
SSICUR (COLS. 7761- 7764)	001	7	95	65.52	23.52	50	48	0	5245	0	0	0	0	0
SSICUR (COLS. 7765- 7768)	002	7	95	65.77	22.98	53	45	0	5245	0	0	0	0	0
SSICUR (COLS. 7769- 7772)	003	7	95	65.96	22.61	53	45	0	5245	0	0	0	0	0
SSICUR (COLS. 7773- 7776)	004	7	125	67.33	24.56	54	44	0	5245	0	0	0	0	0
SSICUR (COLS. 7777- 7780)	005	19	125	68.50	23.13	56	42	0	5245	0	0	0	0	0
SSICUR (COLS. 7781- 7784)	006	19	125	68.53	22.92	57	41	0	5245	0	0	0	0	0
SSICUR (COLS. 7785- 7788)	007	2	125	70.75	28.10	57	41	0	5245	0	0	0	0	0
SSICUR (COLS. 7789- 7792)	008	2	125	70.35	28.42	60	38	0	5245	0	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
SSICUR (COLS. 7793- 7796)	009	2	125	69.44	28.76	62	36	0	5245	0	0	0	0	0
SSICUR (COLS. 7797- 7800)	010	2	125	69.20	27.28	65	33	0	5245	0	0	0	0	0
SSICUR (COLS. 7801- 7804)	011	2	125	68.53	28.23	66	32	0	5245	0	0	0	0	0
SSICUR (COLS. 7805- 7808)	012	2	125	68.70	28.05	67	31	0	5245	0	0	0	0	0
SSICUR (COLS. 7809- 7812)	013	2	125	66.39	27.42	67	31	0	5245	0	0	0	0	0
SSICUR (COLS. 7813- 7816)	014	2	125	69.48	26.75	67	31	0	5245	0	0	0	0	0
SSICUR (COLS. 7817- 7820)	015	2	125	69.08	27.32	65	33	0	5245	0	0	0	0	0
SSICUR (COLS. 7821- 7824)	016	2	125	68.95	27.51	64	34	0	5245	0	0	0	0	0
SSICUR (COLS. 7825- 7828)	017	2	125	68.92	27.66	65	33	0	5245	0	0	0	0	0
SSICUR (COLS. 7829- 7832)	018	2	125	69.11	27.69	66	32	0	5245	0	0	0	0	0
SSICUR (COLS. 7833- 7836)	019	2	125	69.60	27.18	68	30	0	5245	0	0	0	0	0
SSICUR (COLS. 7837- 7840)	020	2	125	69.49	27.17	68	30	0	5245	0	0	0	0	0
SSICUR (COLS. 7841- 7844)	021	2	125	69.64	27.55	70	28	0	5245	0	0	0	0	0
SSICUR (COLS. 7845- 7848)	022	2	125	69.43	28.51	67	31	0	5245	0	0	0	0	0
SSICUR (COLS. 7849- 7852)	023	2	125	67.81	30.02	67	31	0	5245	0	0	0	0	0
SSICUR (COLS. 7853- 7856)	024	2	125	67.67	29.89	67	31	0	5245	0	0	0	0	0
SSICUR (COLS. 7857- 7860)	025	2	125	67.25	30.10	68	30	0	5245	0	0	0	0	0
SSICUR (COLS. 7861- 7864)	026	2	125	67.95	29.14	66	32	0	5245	0	0	0	0	0
SSICUR (COLS. 7865- 7868)	027	2	125	66.60	28.50	67	31	0	5245	0	0	0	0	0
SSICUR (COLS. 7869- 7872)	028	2	125	68.94	28.15	69	29	0	5245	0	0	0	0	0
SSICUR (COLS. 7873- 7876)	029	2	125	69.33	27.52	70	28	0	5245	0	0	0	0	0
SSICUR (COLS. 7877- 7880)	030	2	125	69.14	27.98	71	27	0	5245	0	0	0	0	0
SSICUR (COLS. 7881- 7884)	031	6	125	70.70	26.10	71	27	0	5245	0	0	0	0	0
SSICUR (COLS. 7885- 7888)	032	6	125	71.65	25.60	72	26	0	5245	0	0	0	0	0
SSICUR (COLS. 7889- 7892)	033	6	125	71.58	25.51	74	24	0	5245	0	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	NO. ZERO	NO. BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
SSICUR (COLS. 7893- 7896)	034	6	125	72.00	25.00	76	22	0	5245	0	0	0	0	0
SSICUR (COLS. 7897- 7900)	035	0	125	72.45	24.40	73	25	0	5245	0	0	0	0	0
SSICUR (COLS. 7901- 7904)	036	5	125	71.90	24.56	73	25	0	5245	0	0	0	0	0
SSIRET (COLS. 7905- 7908)	001	0	0	0.0	0.0	0	98	0	5245	0	0	0	0	0
SSIRET (COLS. 7909- 7912)	002	4	504	888	677.33	194.70	3	95	0	5245	0	0	0	0
SSIRET (COLS. 7913- 7916)	003	0	0	0.0	0.0	0	98	0	5245	0	0	0	0	0
SSIRET (COLS. 7917- 7920)	004	00	320	146.67	150.11	3	95	0	5245	0	0	0	0	0
SSIRET (COLS. 7921- 7924)	005	240	320	280.00	56.57	2	96	0	5245	0	0	0	0	0
SSIRET (COLS. 7925- 7928)	006	1440	1440	1440.00	0.0	1	97	0	5245	0	0	0	0	0
SSIRET (COLS. 7929- 7932)	007	0	0	0.0	0.0	0	98	0	5245	0	0	0	0	0
SSIRET (COLS. 7933- 7936)	008	480	720	600.00	169.71	2	96	0	5245	0	0	0	0	0
SSIRET (COLS. 7937- 7940)	009	135	240	187.50	74.25	2	96	0	5245	0	0	0	0	0
SSIRET (COLS. 7941- 7944)	010	148	960	651.00	382.10	4	94	0	5245	0	0	0	0	0
SSIRET (COLS. 7945- 7948)	011	240	240	240.00	0.0	1	97	0	5245	0	0	0	0	0
SSIRET (COLS. 7949- 7952)	012	720	720	720.00	0.0	1	97	0	5245	0	0	0	0	0
SSIRET (COLS. 7953- 7956)	013	28	28	28.00	0.0	1	97	0	5245	0	0	0	0	0
SSIRET (COLS. 7957- 7960)	014	320	320	320.00	0.0	1	97	0	5245	0	0	0	0	0
SSIRET (COLS. 7961- 7964)	015	0	0	0.0	0.0	0	98	0	5245	0	0	0	0	0
SSIRET (COLS. 7965- 7968)	016	0	0	0.0	0.0	0	98	0	5245	0	0	0	0	0
SSIRET (COLS. 7969- 7972)	017	400	400	400.00	0.0	1	97	0	5245	0	0	0	0	0
SSIRET (COLS. 7973- 7976)	018	366	366	366.00	0.0	1	97	0	5245	0	0	0	0	0
SSIRET (COLS. 7977- 7980)	019	240	320	280.00	56.57	2	96	0	5245	0	0	0	0	0
SSIRET (COLS. 7981- 7984)	020	1040	1040	1040.00	0.0	1	97	0	5245	0	0	0	0	0
SSIRET (COLS. 7985- 7988)	021	196	640	358.67	244.63	3	95	0	5245	0	0	0	0	0
SSIRET (COLS. 7989- 992)	022	0	0	0.0	0.0	0	98	0	5245	0	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
SSIRET (COLS. 7993- 7996)	023	5	5	5.00	0.0	1	97	0 5245	0	0	0	0	0	0
SSIRET (COLS. 7997- 8000)	024	0	0	0.0	0.0	0	98	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8001- 8004)	025	400	400	400.00	0.0	1	97	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8005- 8008)	026	21	82	42.33	34.39	3	95	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8009- 8012)	027	20	350	230.00	182.48	3	95	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8013- 8016)	028	240	480	360.00	169.71	2	96	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8017- 8020)	029	936	936	936.00	0.0	1	97	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8021- 8024)	030	0	0	0.0	0.0	0	98	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8025- 8028)	031	0	0	0.0	0.0	0	98	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8029- 8032)	032	464	464	464.00	0.0	1	97	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8033- 8036)	033	160	160	160.00	0.0	1	97	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8037- 8040)	034	120	1064	592.00	667.51	2	96	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8041- 8044)	035	480	480	480.00	0.0	1	97	0 5245	0	0	0	0	0	0
SSIRET (COLS. 8045- 8048)	036	0	0	0.0	0.0	0	98	0 5245	0	0	0	0	0	0
FSV1970 (COLS. 8049- 8052)	28	5468	879.53	865.90	427	471	0 4445	0	0	0	0	0	0	0
FSP1970 (COLS. 8053- 8056)	1	3031	449.09	514.08	346	552	0 4445	0	0	0	0	0	0	0
FSM0570 (COLS. 8057- 8058)	1	12	6.07	4.04	427	471	0 4445	0	0	0	0	0	0	0
FSVECON (COLS. 8059- 8062)	14	616	149.38	102.55	237	653	0 4445	8	0	0	0	0	0	0
FSPEC0N (COLS. 8063- 8066)	1	284	68.46	65.00	207	683	0 4445	8	0	0	0	0	0	0
FSVADM (COLS. 8067- 8070)	001	28	616	154.77	103.04	256	642	0 4445	0	0	0	0	0	0
FSVADM (COLS. 8071- 8074)	002	28	616	155.12	105.67	250	648	0 4445	0	0	0	0	0	0
FSVADM (COLS. 8075- 8078)	003	28	616	153.02	103.58	242	656	0 4445	0	0	0	0	0	0
FSVADM (COLS. 8079- 8082)	004	28	616	155.36	108.11	227	671	0 4445	0	0	0	0	0	0
FSVADM (COLS. 8083- 8086)	005	28	616	155.09	104.85	217	681	0 4445	0	0	0	0	0	0
FSVADM (COLS. 8087- 8090)	006	28	520	159.43	105.15	210	688	0 4445	0	0	0	0	0	0

PERSUN VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.						
								9993	9994	9995	9996	9997	9998	9999	
FSVADM (COLS. 8091- 8094)	007	28	520	162.88	105.78	182	716	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8095- 8098)	008	28	648	145.85	97.05	236	662	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8099- 8102)	009	14	520	146.27	93.13	252	640	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8103- 8106)	010	28	520	151.93	97.80	234	664	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8107- 8110)	011	28	520	152.70	98.45	232	666	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8111- 8114)	012	28	520	150.29	89.82	228	670	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8115- 8118)	013	28	520	141.94	86.07	207	691	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8119- 8122)	014	28	520	144.31	88.09	196	702	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8123- 8126)	015	28	520	148.44	93.85	171	727	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8127- 8130)	016	32	584	144.22	97.27	129	769	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8131- 8134)	017	32	584	153.61	100.27	147	751	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8135- 8138)	018	32	488	159.60	100.32	136	762	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8139- 8142)	019	36	832	157.27	117.92	135	763	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8143- 8146)	020	32	608	173.54	107.86	123	775	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8147- 8150)	021	33	512	163.69	99.87	121	777	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8151- 8154)	022	36	544	164.61	109.88	111	787	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8155- 8158)	023	33	544	155.51	94.51	105	793	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8159- 8162)	024	32	544	147.89	93.31	96	802	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8163- 8166)	025	28	544	151.22	97.91	102	796	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8167- 8170)	026	32	544	164.79	105.82	107	791	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8171- 8174)	027	23	544	154.18	96.55	126	772	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8175- 8178)	028	23	512	141.68	96.52	140	758	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8179- 8182)	029	23	512	145.45	100.63	144	754	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8183- 8186)	030	23	448	146.90	93.32	143	755	0	4445	0	0	0	0	0	0
FSVADM (COLS. 8187- 8190)	031	24	528	149.09	96.55	152	746	0	4445	0	0	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZER0 BLNK	9993	9994	9995	9996	9997	9998	9999
FSVADM (COLS. 8191- 8194)	032	33	528	158.86	100.35	161	737	0	4445	0	0	0	0
FSVADM (COLS. 8195- 8198)	033	33	528	147.43	93.10	159	739	0	4445	0	0	0	0
FSVADM (COLS. 8199- 8202)	034	32	464	151.10	99.14	165	733	0	4445	0	0	0	0
FSVADM (COLS. 8203- 8206)	035	32	464	148.32	97.22	151	747	0	4445	0	0	0	0
FSVADM (COLS. 8207- 8210)	036	33	496	139.42	89.22	144	754	0	4445	0	0	0	0
FSPADM (COLS. 8211- 8214)	001	2	268	68.15	63.38	238	660	0	4445	0	0	0	0
FSPADM (COLS. 8215- 8218)	002	1	268	68.25	65.31	235	663	0	4445	0	0	0	0
FSPADM (COLS. 8219- 8222)	003	1	276	67.97	61.93	234	664	0	4445	0	0	0	0
FSPADM (COLS. 8223- 8226)	004	1	276	71.21	66.18	220	678	0	4445	0	0	0	0
FSPADM (COLS. 8227- 8230)	005	1	276	72.44	64.29	207	691	0	4445	0	0	0	0
FSPADM (COLS. 8231- 8234)	006	4	276	77.56	65.21	197	701	0	4445	0	0	0	0
FSPADM (COLS. 8235- 8238)	007	1	276	78.20	65.20	177	721	0	4445	0	0	0	0
FSPADM (COLS. 8239- 8242)	008	1	276	72.75	58.51	179	719	0	4445	0	0	0	0
FSPADM (COLS. 8243- 8246)	009	1	268	73.07	61.27	198	700	0	4445	0	0	0	0
FSPADM (COLS. 8247- 8250)	010	1	268	74.44	62.12	211	687	0	4445	0	0	0	0
FSPADM (COLS. 8251- 8254)	011	1	308	76.01	64.02	205	693	0	4445	0	0	0	0
FSPADM (COLS. 8255- 8258)	012	1	268	74.90	64.38	204	694	0	4445	0	0	0	0
FSPADM (COLS. 8259- 8262)	013	1	268	68.56	60.89	185	713	0	4445	0	0	0	0
FSPADM (COLS. 8263- 8266)	014	1	252	72.09	60.77	175	723	0	4445	0	0	0	0
FSPADM (COLS. 8267- 8270)	015	10	292	78.66	65.73	158	740	0	4445	0	0	0	0
FSPADM (COLS. 8271- 8274)	016	4	244	72.35	62.82	125	773	0	4445	0	0	0	0
FSPADM (COLS. 8275- 8278)	017	10	292	78.93	67.22	143	755	0	4445	0	0	0	0
FSPADM (COLS. 8279- 8282)	018	4	300	81.93	69.49	130	768	0	4445	0	0	0	0
FSPADM (COLS. 8283- 8286)	019	1	324	76.27	67.74	131	767	0	4445	0	0	0	0
FSPADM (COLS. 8287- 8290)	020	4	352	88.28	74.06	121	777	0	4445	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO. 9993	NO. 9994	NO. 9995	NO. 9996	NO. 9997	NO. 9998	NO. 9999
FSPADM (COLS. 8291- 8294)	021	4	352	81.56	73.68	114	784	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8295- 8298)	022	4	324	81.40	75.04	108	790	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8299- 8302)	023	4	324	76.87	68.90	99	799	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8303- 8306)	024	4	324	70.05	63.16	94	804	0 4445	0 0	0 0	0 0	0 0	0 0	/ 0
FSPADM (COLS. 8307- 8310)	025	4	324	73.96	64.68	101	797	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8311- 8314)	026	7	324	85.20	69.89	106	792	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8315- 8318)	027	7	324	78.37	64.32	124	774	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8319- 8322)	028	7	300	72.01	67.28	140	758	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8323- 8326)	029	7	324	74.34	68.25	143	755	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8327- 8330)	030	4	300	76.26	66.59	142	756	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8331- 8334)	031	7	346	75.26	69.90	149	749	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8335- 8338)	032	4	338	82.13	75.47	158	740	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8339- 8342)	033	7	338	72.93	63.25	156	742	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8343- 8346)	034	4	338	77.09	66.83	163	735	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8347- 8350)	035	4	338	74.57	65.84	150	748	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
FSPADM (COLS. 8351- 8354)	036	4	338	70.99	65.84	142	756	0 4445	0 0	0 0	0 0	0 0	0 0	0 0
INDWGS (COLS. 8355- 8360)	069	51	11913	2218.44	2135.40	339	6	0 4268	730 0	0 0	0 0	0 0	0 0	0 0
INDWGS (COLS. 8361- 8366)	070	54	11250	2468.98	2380.35	409	7	0 4268	659 0	0 0	0 0	0 0	0 0	0 0
INDWGS (COLS. 8367- 8372)	071	74	13433	3104.12	2664.97	316	14	0 4268	745 0	0 0	0 0	0 0	0 0	0 0
INDWGS (COLS. 8373- 8378)	072	64	13995	3383.05	2667.60	301	12	0 4268	762 0	0 0	0 0	0 0	0 0	0 0
INDWGS (COLS. 8379- 8384)	073	51	13919	3474.32	2807.42	414	7	0 4268	654 0	0 0	0 0	0 0	0 0	0 0
INTWGS (COLS. 8385- 8390)	069	224	25415	8593.42	3490.74	301	3	0 4268	771 0	0 0	0 0	0 0	0 0	0 0
INTWGS (COLS. 8391- 8396)	070	461	25725	8495.36	3453.41	297	4	0 4268	774 0	0 0	0 0	0 0	0 0	0 0
INTWGS (COLS. 8397- 8402)	071	29	27132	8530.46	3607.87	292	5	0 4268	778 0	0 0	0 0	0 0	0 0	0 0
INTWGS (COLS. 8403- 8408)	072	60	31616	9651.07	4274.47	285	10	0 4268	780 0	0 0	0 0	0 0	0 0	0 0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	NU. ZERO	NU. BLNK	NU. 9993	NU. 9994	NU. 9995	NU. 9996	NU. 9997	NU. 9998	NU. 9999
INTWGS (COLS. 8409- 8414)	073	915	30341	11632.91	4256.36	271	12	0	4268	792	0	0	0	0
SINWGS (COLS. 8415- 8420)	069	296	14124	6429.94	3593.32	49	46	0	3997	1251	0	0	0	0
SINWGS (COLS. 8421- 8426)	070	225	12955	6119.82	3476.52	62	56	0	3997	1228	0	0	0	0
SINWGS (COLS. 8427- 8432)	071	42	15069	6077.19	3775.22	109	122	0	3997	1115	0	0	0	0
SINWGS (COLS. 8433- 8438)	072	40	21516	6349.56	4246.50	588	603	0	3997	155	0	0	0	0
SINWGS (COLS. 8439- 8444)	073	44	21366	6784.00	4756.42	623	216	0	3997	507	0	0	0	0
SJTWGS (COLS. 8445- 8450)	069	792	792	792.00	0.0	1	0	0	3997	1345	0	0	0	0
SJTWGS (COLS. 8451- 8456)	070	8423	8423	8423.00	0.0	1	0	0	3997	1345	0	0	0	0
SJTWGS (COLS. 8457- 8462)	071	7415	7415	7415.00	0.0	1	0	0	3997	1345	0	0	0	0
SJTWGS (COLS. 8463- 8468)	072	8309	12736	10480.50	1824.23	4	2	0	3997	1340	0	0	0	0
SJTWGS (COLS. 8469- 8474)	073	5969	11275	8609.00	2653.10	3	5	0	3997	1338	0	0	0	0
HAGES70 (COLS. 8475- 8479)		765	10316	4657.40	2587.98	42	3592	0	1709	0	0	0	0	0
QRTWRK70 (COLS. 8480- 8481)		1	4	2.55	0.86	42	3592	0	1709	0	0	0	0	0
WGSECON (COLS. 8482- 8485)		551	3067	1891.38	707.65	37	3526	0	1709	71	0	0	0	0
WGSART (COLS. 8486- 8489)	001	365	3194	1793.81	784.64	47	3587	0	1709	0	0	0	0	0
WGSART (COLS. 8490- 8493)	002	552	3024	1690.76	662.32	29	3605	0	1709	0	0	0	0	0
WGSART (COLS. 8494- 8497)	003	144	3047	1638.42	850.55	26	3608	0	1709	0	0	0	0	0
WGSART (COLS. 8498- 8501)	004	55	5542	1758.96	1248.83	27	3607	0	1709	0	0	0	0	0
WGSART (COLS. 8502- 8505)	005	240	3269	1440.50	822.54	32	3602	0	1709	0	0	0	0	0
WGSART (COLS. 8506- 8509)	006	3	8041	1810.52	1161.76	821	2813	0	1709	0	0	0	0	0
WGSART (COLS. 8510- 8513)	007	7	5354	1769.78	1106.41	854	2780	0	1709	0	0	0	0	0
WGSART (COLS. 8514- 8517)	008	1	5666	1877.92	1164.98	871	2763	0	1709	0	0	0	0	0
WGSART (COLS. 8518- 8521)	009	2	5886	1837.19	1173.80	894	2740	0	1709	0	0	0	0	0
WGSART (COLS. 8522- 8525)	010	3	8315	2043.49	1487.02	962	2672	0	1709	0	0	0	0	0
WGSART (COLS. 8526- 8529)	011	2	5595	1755.21	1223.25	999	2635	0	1709	0	0	0	0	0



Computer Center A Division of American Management Systems, Inc.

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
WGSART (COLS. 8530- 8533)	012	1	6931	2037.88	1362.10	921	2713	0	1709	0	0	0	0	0	0	0
WGSART (COLS. 8534- 8537)	013	5	5644	1845.39	1220.74	912	2722	0	1709	0	0	0	0	0	0	0
WGSART (COLS. 8538- 8541)	014	10	7615	1978.24	1390.98	710	2924	0	1709	0	0	0	0	0	0	0
WGSART (COLS. 8542- 8545)	015	8	8422	2242.42	1548.51	303	3331	0	1709	0	0	0	0	0	0	0
WGSART (COLS. 8546- 8549)	016	0	0	0.0	0.0	0	0	0	1709	0	0	0	3634	0	0	0
UNEMP (COLS. 8550- 8553)	001	0	0	0.0	0.0	0	0	0	1714	0	0	0	3629	0	0	0
UNEMP (COLS. 8554- 8557)	002	0	0	0.0	0.0	0	0	0	1714	0	0	0	3629	0	0	0
UNEMP (COLS. 8558- 8561)	003	0	0	0.0	0.0	0	0	0	1714	0	0	0	3629	0	0	0
UNEMP (COLS. 8562- 8565)	004	0	0	0.0	0.0	0	0	0	1714	0	0	0	3629	0	0	0
UNEMP (COLS. 8566- 8569)	005	0	0	0.0	0.0	0	0	0	1714	0	0	0	3629	0	0	0
UNEMP (COLS. 8570- 8573)	006	49	156	99.75	43.99	4	3625	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8574- 8577)	007	8	260	114.80	110.27	5	3624	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8578- 8581)	008	32	224	83.57	54.50	14	3615	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8582- 8585)	009	32	325	166.40	83.95	20	3609	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8586- 8589)	010	8	326	136.22	89.42	18	3611	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8590- 8593)	011	40	260	150.63	86.84	16	3613	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8594- 8597)	012	10	325	147.94	100.16	16	3613	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8598- 8601)	013	24	260	130.30	91.36	10	3619	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8602- 8605)	014	31	260	127.70	73.62	10	3619	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8606- 8609)	015	14	200	98.86	77.24	7	3622	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8610- 8613)	016	8	250	135.60	86.71	5	3624	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8614- 8617)	017	130	200	165.50	30.78	4	3625	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8618- 8621)	018	65	326	179.33	92.48	6	3623	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8622- 8625)	019	22	240	164.50	82.64	6	3623	0	1714	0	0	0	0	0	0	0
UNEMP (COLS. 8626- 8629)	020	44	276	156.67	93.05	6	3623	0	1714	0	0	0	0	0	0	0

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NU.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
UNEMP (COLS. 8630- 8633)	021	45	260	143.33	89.65	6	3623	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8634- 8637)	022	44	325	148.17	111.48	6	3623	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8638- 8641)	023	1	325	163.33	115.59	9	3620	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8642- 8645)	024	33	195	99.30	51.92	10	3619	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8646- 8649)	025	38	330	147.25	121.34	8	3621	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8650- 8653)	026	38	248	123.63	74.71	8	3621	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8654- 8657)	027	38	300	126.50	88.51	8	3621	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8658- 8661)	028	11	176	102.00	51.94	8	3621	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8662- 8665)	029	40	288	110.67	82.19	9	3620	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8666- 8669)	030	31	180	84.40	59.55	5	3624	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8670- 8673)	031	4	236	114.50	70.09	10	3619	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8674- 8677)	032	32	250	136.08	79.75	12	3617	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8678- 8681)	033	12	252	144.67	84.58	9	3620	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8682- 8685)	034	29	220	141.45	65.51	11	3618	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8686- 8689)	035	50	275	123.93	63.14	15	3614	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8690- 8693)	036	20	225	105.32	57.86	22	3607	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8694- 8697)	037	27	375	164.70	108.45	30	3599	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8698- 8701)	038	36	300	143.14	78.37	35	3594	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8702- 8705)	039	26	375	164.16	102.17	31	3598	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8706- 8709)	040	21	340	149.74	92.68	27	3602	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8710- 8713)	041	21	375	149.95	102.66	20	3609	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8714- 8717)	042	57	375	161.44	111.04	9	3620	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8718- 8721)	043	57	250	148.50	76.18	6	3623	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8722- 8725)	044	29	68	48.50	27.58	2	3627	0	1714	0	0	0	0	0	0	0	0	0
UNEMP (COLS. 8726- 8729)	045	0	0	0.0	0.0	0	0	0	1714	0	0	0	3629	0	0	0	0	0



Computer Center
A Division of American Management Systems, Inc.

PERSON VARIABLES

VARIABLE DESCRIPTION	MIN VALUE	MAX VALUE	MEAN	STD DEV	FREQ	ZERO	BLNK	NO.	NO.							
*****	*****	*****	*****	*****	*****	*****	*****	9993	9994	9995	9996	9997	9998	9999	*****	*****
UNEMP (COLS. 8730- 8733)	046	0	0	0.0	0.0	0	0	0	1714	0	0	0	3629	0	0	0
UNEMP (COLS. 8734- 8737)	047	0	0	0.0	0.0	0	0	0	1714	0	0	0	3629	0	0	0
UNEMP (COLS. 8738- 8741)	048	0	0	0.0	0.0	0	0	0	1714	0	0	0	3629	0	0	0

2528 VARIABLES PROCESSED

5343 RECORDS READ

0 FAMILIES PROCESSED

5343 PERSUNS PROCESSED

TABS ON KEY ITEMS FROM
GARYFILE FAMILY RECORD

POVLEV
(Pre-experiment poverty
level. Pos. 7)

<u>Code</u>	<u>Frequency</u>
1	455
2	337
3	403
4	487
5	125

Number of families = 1807

TREATLEV
(Experiment treatment level. Pos. 9)

<u>Code</u>	<u>Frequency</u>
0	773
1	314
2	313
3	200
4	207

Number of families = 1807

MODLCITY
(Model City status. Pos. 14)

<u>Code</u>	<u>Frequency</u>
0	1011
1	796

Number of families = 1807

ENRLDATE
(Distribution by experiment month,
with Jan 1971 = month 1. pos. 15-19)

<u>Month</u>	<u>Frequency</u>
1	92
2	452
3	194
4	436
5	114
6	244
7	142
8	7
9	1
10	0
11	65
12	39
13	20
14	1

Number of families = 1807

ATTDAT
(Distribution by experiment month
with Jan 1971 = month 1. Pos. 24-28)

<u>Month</u>	<u>Frequency</u>
1	0
2	1
3	3
4	8
5	11
6	7
7	8
8	7
9	10
10	5
11	2
12	2
13	3
14	13
15	7
16	8
17	0
18	7
19	7
20	4
21	7
22	5
23	2
24	0
25	11
26	1
27	9
28	1
29	12
30	1
31	3
32	2
33	21
34	12
35	9
36	3
37	17
38	2
39	9
40	10
41	3
42	6
43	20
44	1
45	4
46	14

Number of families with
attrition date = 298

DENRLDAT
(Distribution by experiment month,
with Jan 1971 = month 1. Pos. 29-33)

<u>Month</u> 1 - 37	<u>Frequency</u> No disenrollments
38	304
39	193
40	370
41	200
42	121
43	233
44	128

Number of families with
disenrollment date = 1549

NOTE: There are some families which
have been assigned both an attrition
date and a disenrollment date.

MULTFLAG1-48
 (Multiple family code, by month,
 with January 1971 = month 1. Pos. 34-129)

<u>Month</u>			<u>Code</u>		<u>93-97 (NA codes)</u>
	0	1	2	3	
1	92	0	0	0	1715
2	541	0	4	0	1262
3	694	34	8	0	1071
4	1126	34	9	2	636
5	1226	34	12	3	532
6	1379	113	13	3	299
7	1467	163	7	6	164
8	1463	169	1	9	165
9	1463	163	0	10	171
10	1458	157	0	11	181
11	1528	150	0	10	119
12	1568	145	0	10	84
13	1592	140	0	10	65
14	1599	132	0	9	67
15	1589	128	0	10	80
16	1584	126	0	10	87
17	1572	130	0	10	95
18	1578	124	0	10	95
19	1576	118	0	10	103
20	1570	118	0	10	109
21	1567	116	1	10	113
22	1564	112	1	10	120
23	1561	110	1	10	125
24	1559	110	1	10	127
25	1560	109	1	10	127
26	1551	107	1	10	138
27	1550	107	1	10	139
28	1542	105	2	10	148
29	1540	106	2	10	149
30	1532	101	2	11	161
31	1525	107	2	11	162
32	1528	101	2	11	165
33	1526	101	2	11	167
34	1507	99	2	11	188
35	1495	99	2	11	200
36	1487	97	2	12	209
37	1482	99	2	12	212
38	1468	95	3	12	229
39	1162	95	3	12	535
40	966	91	3	12	735
41	602	77	2	11	1115
42	405	72	1	11	1318
43	321	39	0	5	1442
44	110	16	0	2	1679
45-48	0	0	0	0	1807

Number of families = 1807

RELNCOREL-10
 (Relationship code, each noncore.
 maximum 10 noncores. Pos. 1048-1067.)

Code	Noncore person									
	1	2	3	4	5	6	7	8	9	10
0	266	688	1074	1356	1562	1673	1750	1777	1791	1800
.
3	705	437	268	143	63	33	8	2	2	0
4	663	459	263	133	77	27	11	6	4	1
.
6	1	0	0	0	0	0	0	0	0	0
.
9	3	1	0	1	1	0	0	0	0	0
10	8	3	0	0	0	1	0	0	0	0
11	2	0	0	0	0	0	0	0	0	0
.
13	7	4	4	0	0	0	0	0	0	0
14	37	18	6	5	1	1	1	0	0	0
15	15	18	9	6	6	1	0	1	0	0
.
17	1	0	0	0	0	0	0	0	0	0
.
24	1	0	0	0	1	1	0	0	0	0
25	1	0	0	1	0	0	0	0	0	0
26	1	0	0	0	0	0	0	0	0	0
27	1	0	0	0	0	0	0	0	0	0
.
29	9	4	0	0	0	0	0	0	0	0
30	5	6	1	0	0	0	0	0	0	0
.
94	65	169	182	160	96	70	37	21	10	6

Number of families = 1807

FAMTYP1-48
 (Family type code, by month,
 with January 1971 = month 1. Pos. 130-225.)

Month	Codes			94-99 (NA codes)
	1	2	3	
1	54	36	2	1715
2	218	319	8	1262
3	339	388	10	1070
4	466	692	13	636
5	476	784	14	533
6	521	962	23	301
7	577	1039	25	166
8	578	1039	23	167
9	577	1036	22	72
10	571	1032	23	181
11	623	1041	25	118
12	656	1043	25	83
13	668	1049	25	65
14	666	1048	26	67
15	652	1047	27	81
16	647	1044	28	88
17	639	1043	29	96
18	640	1040	31	96
19	629	1040	32	106
20	622	1038	31	116
21	622	1037	31	117
22	621	1031	30	125
23	614	1031	31	131
24	609	1034	31	133
25	609	1031	31	136
26	603	1032	31	141
27	596	1034	33	144
28	591	1031	34	151
29	587	1031	34	155
30	581	1026	34	166
31	580	1024	35	168
32	580	1022	35	170
33	565	1018	35	189
34	544	1025	38	200
35	548	1018	37	204
36	540	1016	39	212
37	532	1019	40	216
38	521	1015	40	231
39	406	832	32	537
40	345	695	28	739
41	215	457	20	1115
42	175	298	16	1318
43	147	202	12	1446
44	71	52	5	1679
45-48	-	-	-	1807

Number of families = 1807

ITEMS FROM
KEY PERSON FILE
GARYFILE RECORP

REL CODE 1-48
(Relationship to filer code. Pos. 251-346.)

Month	Code											
	1	2	3	4	5	6	8	9	10	11	12	
1	92	54	66	62	5	1			2			
2	545	218	292	304	21	3		1	3			
3	737	339	386	405	29	5		1	3	3		
4	1171	466	678	682	47	5	1	1	3	3		1
5	1274	476	740	735	52	5	1	3	4	3		1
6	1506	521	866	851	60	6	1	5	9	3		1
7	1641	577	954	939	67	6	2	5	10	4		1
8	1640	578	960	936	71	6	3	5	10	4		1
9	1635	577	959	937	68	7	3	6	10	4		1
10	1626	571	966	933	64	7	3	7	10	4		2
11	1689	623	1008	994	64	7	3	11	11	4		2
12	1724	656	1037	1009	65	6	3	12	12	4		2
13	1742	668	1047	1026	66	6	3	12	12	4		2
14	1740	666	1037	1023	64	6	3	12	11	4		2
15	1726	652	1018	1006	64	6	3	10	12	4		2
16	1719	647	1003	988	63	6	3	10	12	4		2
17	1711	639	997	971	63	6	3	10	11	4		2
18	1711	640	983	966	63	7	2	12	10	4		2
19	1701	629	959	956	62	7	2	12	10	4		2
20	1691	622	936	946	62	6	2	11	8	3		2
21	1690	622	928	936	61	6	2	11	8	3		2
22	1682	621	916	929	60	6	2	11	9	3		2
23	1676	614	904	915	60	6	2	12	9	3		2
24	1674	609	896	907	61	6	2	11	7	4		2
25	1671	609	887	894	61	5	2	11	8	4		3
26	1666	603	873	885	59	5	2	10	11	4		2
27	1663	596	853	874	60	6	2	11	12	4		2
28	1657	591	836	863	62	6	2	11	11	4		2
29	1654	587	819	866	61	6	2	11	11	4		2
30	1645	581	807	853	59	6	2	11	11	4		2
31	1645	580	799	848	59	6	2	13	11	4		2
32	1646	580	785	842	57	6	3	12	10	4		2
33	1630	565	769	830	53	6	3	11	9	4		2
34	1619	544	748	816	51	6	3	11	10	3		2
35	1617	548	741	811	49	6	3	10	10	3		2
36	1609	540	737	802	50	6	4	10	10	3		2
37	1605	532	728	791	49	6	4	11	10	3		2
38	1590	521	718	780	47	6	4	11	10	3		2
39	1588	518	710	769	48	6	4	10	10	3		2
40	1576	513	708	762	50	5	4	9	10	3		3
41	1570	510	705	752	51	5	4	9	10	3		3
42	1565	511	700	748	52	4	4	9	10	3		3
43	1556	505	695	737	52	4	4	8	10	3		2
44	1536	496	683	722	51	3	4	8	11	3		1
45	1536	496	674	717	50	3	5	8	11	3		1
46	1520	488	661	710	49	3	5	8	11	3		1
47	1517	484	661	701	49	3	5	7	12	3		
48	1517	483	663	699	49	3	5	7	12	3		

(continued)

RELCODE1-48 (cont'd)

Month	Code																		93-99 (NA codes)
	13	14	15	18	19	20	21	22	23	24	25	26	27	28	29	30	'32		
1	1	1	1							1	1							5056	
2	1	13	12	1						7	6	2		1	1	2		3911	
3	2	16	14	2	2					1	9	7	2		1	2	5	3372	
4	9	20	17	5	3		1		1	13	11	3		1	5	7	1	2188	
5	10	20	17	5	3		1		1	13	11	2		1	5	7	1	1952	
6	10	21	20	6	3		1		1	18	13	2		1	7	10	1	1400	
7	10	23	21	6	4	1	1		1	22	20	3		1	10	10	1	1003	
8	8	23	21	6	4	1	1			27	22	3		1	10	10	1	991	
9	8	23	21	6	3	2	1	1		27	26	4		1	10	11	1	991	
10	8	25	22	6	3	2	2	1	1	31	25	3		1	14	13	1	992	
11	11	23	23	6	3	2	4	2		33	30	4		1	15	13	1	756	
12	11	23	23	7	3	1	4	2		38	31	5		1	15	12	1	636	
13	11	21	20	7	4	1	4	2		37	31	6		1	15	12	1	582	
14	11	20	21	6	4	1	5	2		37	28	6		1	15	12	1	605	
15	11	20	21	5	3	1	5	2		37	29	6		1	15	11	1	672	
16	11	20	20	5	3	1	5	2		37	32	7		1	15	10	1	716	
17	11	20	20	5	3		5	3		37	32	8		1	15	10	1	755	
18	11	19	20	5	3		5	2		38	33	8		1	15	10	1	773	
19	11	19	19	4	3		4	2		38	32	8		1	15	10	1	832	
20	11	18	4	3		3	3			37	32	8	1	1	14	9	1	887	
21	11	18	18	4	3		3	5		38	32	6	1	1	14	9	1	910	
22	11	18	18	4	3		3	5		37	34	8	1	1	15	9	1	934	
23	11	18	19	4	3		3	4		37	35	8	1	1	16	10	1	969	
24	11	17	21	4	3		3	4		36	35	8		1	16	10	1	994	
25	11	17	11	3	3		4	5		35	35	8		1	18	10	1	1016	
26	11	18	21	3	3	2	5	4		34	35	8		1	17	10	1	1049	
27	11	19	23	3	3	2	4	3	1	36	32	6		1	17	10		1089	
28	11	19	23	4	3	2	4	4	1	36	31	7		1	17	10		1125	
29	11	19	22	3	3		4	3	1	33	31	6		1	17	10		1156	
30	11	18	21	3	3		4	3	1	32	31	7		1	15	9		1203	
31	11	17	20	3	3		3	3	1	32	30	8		1	15	9		1218	
32	11	17	19	4	3		3	3	1	32	29	6		1	14	9		1244	
33	11	17	18	3	2		3	3	1	32	29	6		1	14	9		1311	
34	11	17	18	3	2		3	4	1	29	29	6		1	13	9		1384	
35	10	17	18	3	2		2	2	1	29	29	6		1	14	9		1401	
36	10	17	17	3	2		2	2	1	29	29	6		1	14	9		1428	
37	10	16	17	3	2		2	2	1	30	29	9		1	14	9		1457	
38	10	16	16	4	3	1	2	2	1	27	28	10		1	14	8		1510	
39	10	16	15	4	3	1	2	2	1	26	29	10		1	14	10		1532	
40	10	16	14	4	3		2	2	1	27	27	10		1	14	10		1559	
41	10	16	14	4	3	1	2	2	1	27	27	10		1	14	10		1559	
42	10	16	14	4	3	1	2	2	1	27	27	10		1	13	10		1579	
43	10	16	14	4	2		1	2	2	2	25	26	10		1	13	10		1629
44	10	16	14	4	2	1	2	2	2	25	25	10		1	13	9		1689	
45	10	16	14	4	1	2	2	2	2	27	25	10		1	13	9		1701	
46	10	14	13	5	1	2	2	2	2	26	25	10		1	13	8		1950	
47	10	13	12	5	1	2	2	2	2	26	25	6		1	13	7		1774	
48	10	13	12	5	1	2	2	2	2	26	25	6		1	13	7		1774	

Number of persons = 5343.

NOTE: Codes for which there were no responses over the 48 months have been omitted from this tab.

GRADE71,73

(Highest grade completed code,
as of school year '71-'72 and '73-'74.
Pos. 367-368 and 375-376.)

SCHTYP71,73

(Type of school code, as of school
year '71-'72 and '73-'74. Pos. 369-370
and 377-378.)

<u>Code</u>	<u>Grade71</u>	<u>Grade73</u>
0	46	4
1	7	7
2	9	7
3	40	31
4	51	35
5	79	50
6	217	61
7	343	96
8	530	320
9	533	432
10	573	468
11	588	494
12	947	790
13	103	76
14	57	46
15	27	14
16	8	7
17	3	2
18	5	1
22		
23		
24	7	6
25		
93-94	1170	2394
<u>(NA codes)</u>		

Number of persons = 5343

SEX

(Sex code. Pos. 351)

<u>Code</u>	<u>Frequency</u>
1	2111
2	3232

Number of persons = 5343

EMPSTAT1-9
 (Employment status at each of 9 periodics.
 Pos. 2612-2629)

<u>Periodic</u>	Codes			
	0	1	2	93-99 (NA codes)
1	448	884	2202	1809
2	426	942	1789	2186
3	299	865	2274	1905
4	328	867	2153	1995
5	312	939	1974	2118
6	257	749	2169	2168
7	202	760	2304	2077
8	212	828	1976	2327
9	174	715	1992	2462

TYPWRKR1-9
 (Type of worker code at each of 9 periodics.
 Pos. 2630-2647.)

<u>Periodic</u>	Codes			
	1	2	3	93-99 (NA codes)
1	860	10	10	4463
2	921	10	11	4401
3	841	11	13	4478
4	843	10	13	4477
5	921	7	13	4402
6	741	8	13	4581
7	748	6	9	4580
8	813	4	13	4513
9	703	4	11	4622

Number of persons = 5343.

WYNOWRK1-9
 (Reason not working code, at each of 9 periodics.
 Pos. 2548-2665.)

Code	Periodic								
	1	2	3	4	5	6	7	8	9
0	725								
1	716	579	416	452	210	231	197	166	97
2	69	381	806	645	479	721	28	36	31
3	370	63	77	76	84	68	827	535	641
4	84	342	361	267	413	397	83	84	87
5	155	94	141	86	28	18	525	521	488
6		177	350	371	380	387	21	31	18
7		81	85	101	70	51	316	289	272
8				26			54	88	76
9				54					
93-99 (NA codes)	3225	3626	3107	3265	3679	3470	3292	3593	3633

Number of persons = 5343

NOTE: The meaning of these codes changed several times across periodics.

DSABLED1-9
 (Extent disabled code, for each of 9 periodics.
 Pos. 2774-2791.)

<u>Periodics</u>	Codes			<u>93-99 (NA codes)</u>
	<u>1</u>	<u>2</u>	<u>3</u>	
1-4	Question not asked in these periodics.			
5	333	84	39	4887
6	343	33	36	4931
7	340	22	21	4960
8	274	19	38	5012
9	283	26	28	5006

DISLMIT1-9
 (Extent disability limits work code, for
 each of 9 periodics. Pos. 2792-2809)

<u>Periodics</u>	Codes				<u>93-99 (NA codes)</u>
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	
1-4	Question not asked in these periodics.				
5		343	112	4888	
6	3	90	323	0	4927
7	2	64	320	0	4957
8	1	43	289	0	5010
9	9	45	288	0	5001

Number of persons = 5343

TYPWRK1-48
(Type of work code, by month. Pos. 2810-2905.)

Month	Codes						0/93-99 (NA codes)	
	1	2	3	4	5	7		
1	793	10			8	56	4	4472
2	805	10			8	56	4	4460
3	818	9			9	58	4	4445
4	825	9			9	58	5	4437
5	825	9			9	58	5	4437
6	915	9			9	58	7	4345
7	932	9			9	58	7	4328
8	857	8		1	9	58	6	4404
9	759	9			9	60	3	4503
10	753	9			9	60	4	4508
11	750	9			9	60	4	4511
12	745	10			9	60	3	4516
13	774	11			9	62	3	4484
14	794	12	3		8	63	7	4456
15	820	9	1	1	9	62	7	4434
16	819	9			8	59	7	4442
17	789	7			8	57	7	4475
18	850	6	5		9	58	10	4405
19	999	7	3		9	48	11	4266
20	1017	8	1	3	9	48	9	4248
21	826	9		1	11	51	8	4437
22	848	12			11	52	11	4409
23	846	11			11	51	9	4415
24	811	13			10	49	8	4452
25	782	12			10	51	7	4481
26	788	10	2	-	11	51	4	4477
27	782	9	4	-	11	50	3	4484
28	787	10	4	-	11	50	4	4477
29	790	11	2	2	11	50	4	4473
30	790	12	1	1	9	45	3	4482
31	931	14	1	1	7	44	4	4337
32	937	12	1	1	6	46	3	4337
33	722	12			8	45	3	4553
34	702	12			8	44	3	4574
35	699	13	1		7	44	3	4576
36	709	12	1		6	44	3	4568
37	708	10		1	6	44	3	4571
38	717	11			8	43	3	4562
39	708	9			5	43	2	4576
40	666	10		1	4	37	1	4624
41	660	12			4	32	1	4634
42	683	12			4	32	1	4611
43	854	10			4	33	1	4441
44	825	10			3	36	1	4468
45	674	10			4	42	1	4612
46	669	10		1	3	44		4616
47	671	11			3	43		4615
48	591	10			2	42		4698

Number of persons = 5343

REASON 1-45
 (Reason employed but not working code,
 by month. Pos. 3290-3385.)

Month	Code				93-99 (NA codes)
	1	2	3	4	
1		2	6	9	5326
2		2	8	9	5324
3	1	2	16	11	5313
4	3	3	13	10	5314
5	3	2	16	10	5312
6	2	11	21	16	5293
7	9	15	31	55	5233
8	15	16	28	144	5140
9	7	14	27	116	5179
10	6	1	24	91	5221
11	7	1	25	83	5227
12	5	3	23	78	5234
13	4	2	22	69	5246
14	3		24	44	5272
15	1	2	24	42	5274
16	17	3	24	34	5265
17	15	2	13	24	5289
18	3	6	11	17	5306
19	0	5	8	13	5317
20	1	3	10	14	5315
21	2	3	8	9	5321
22	1	1	10	11	5320
23	1		10	10	5322
24	1	1	11	6	5324
25		1	16	8	5318
26	1		13	7	5322
27	2	2	11	7	5321
28		3	17	8	5315
29		2	22	4	5315
30	1	3	38	8	5293
31		7	38	13	5285
32	1	5	31	17	5289
33		1	25	15	5302
34		1	27	9	5306
35		2	27	16	5298
36		4	25	26	5288
37		2	26	29	5286
38		1	22	23	5297
39	3	1	16	14	5312
40	3		12	10	5318
41		1	11	4	5327
42	3	3	14	5	5318
43	4	2	19	5	5313
44	3	2	9	11	5318
45	2		6	12	5323
46	1		8	13	5321
47			8	24	5311
48			6	34	5303

Number of persons = 5343

EMPSTA1-48
 (Employment status code, by month.
 Pos. 3770-3865.)

<u>Month</u>	<u>1</u>	<u>2</u>	<u>Code</u> <u>3</u>	<u>93-99 (NA codes)</u>
1	893	2309	331	1810
2	904	2304	327	1808
3	916	2294	326	1807
4	914	2293	328	1808
5	912	2294	329	1808
6	927	2251	356	1809
7	948	2197	390	1808
8	837	2219	480	1807
9	780	2258	498	1807
10	802	2245	488	1808
11	811	2236	489	1807
12	814	2229	494	1806
13	825	2211	501	1806
14	876	2262	500	1705
15	887	2169	444	1843
16	850	2052	391	2050
17	828	2008	367	2140
18	897	2359	431	1656
19	1017	2185	472	1669
20	979	2160	368	1836
21	859	2306	294	1884
22	919	2460	307	1657
23	908	2446	293	1695
24	867	2432	228	1816
25	819	2339	211	1974
26	859	2499	196	1789
27	854	2488	210	1791
28	844	2418	237	1844
29	838	2304	297	1904
30	785	2115	377	2066
31	895	1994	313	2141
32	908	2038	240	2157
33	762	2199	233	2149
34	758	2225	217	2143
35	739	2213	224	2167
36	758	2367	188	2030
37	751	2344	188	2060
38	747	2284	178	2134
39	725	2292	151	2175
40	685	2228	123	2307
41	697	2202	131	2313
42	693	2115	220	2315
43	840	1921	167	2415
44	759	1961	160	2463
45	699	1941	180	2523
46	717	1964	175	2487
47	717	1945	172	2509
48	636	1702	156	2849

Number of persons = 5343. NOTE: There were no responses in code 9, which was omitted from this tab.

OTRATE1-48
 (Overtime wage ratio code for longest job,
 by month. Pos. 5498-5593.)

Month	1	2	3	Codes		0/6-7/93-99 (NA codes)
				4		
1	8	30	1			5304
2	8	29	1			5305
3	8	30	1			5304
4	8	32	1			5302
5	9	32	1			5301
6	12	28	1	2		5300
7	12	28	1	2		5300
8	11	27	1	2		5302
9	9	26			1	5307
10	8	28				5307
11	9	27				5307
12	9	28				5306
13	11	30				5302
14	10	31				5302
15	9	28				5310
16	10	27				5306
17	9	23				5311
18	9	22		1		5311
19	8	25				5310
20	5	21		1		5316
21	6	20		1		5316
22	6	21		1		5315
23	4	23		1		5315
24	4	23		1		5315
25	4	23		1		5315
26	5	20				5318
27	5	21				5317
28	4	25				5314
29	3	29				5311
30	3	39				5301
31	3	48				5292
32	4	48		1		5290
33	6	41		2		5294
34	6	40		2		5295
35	5	34		3		5301
36	5	31		3		5304
37	4	29		2		5308
38	4	29		3		5308
39	3	21		1		5318
40	3	22				5318
41	3	23				5317
42	3	21				5319
43	2	21				5320
44	12	17		2		5312
45	1	13		2		5327
46		11	1	1		5330
47		9	1			5333
48		9	1			5333

Number of persons = 5343. NOTE: There were no responses in code 5, which was omitted from this tab.

SPCLCD0-42
(Special hours code, by month. Pos. 7271-7356.)

Month	Code					0/93-99 (NA codes)
	1	2	3	4	5	
0						5343
1	5	1	1	3		5333
2	7	2	1			5333
3	5	2	4	1		5331
4	12	2	7	8	1	5313
5	21	2	4	2		5314
6	26	5	6	16		5290
7	40	2	16	16		5269
8	76		6	2	1	5258
9	38	1	10	23	2	5269
10	20	4	3	2	2	5312
11	15		1	1		5326
12	13			2	1	5327
13	22			1	2	5318
14	19					5324
15	24					5319
16	27	1				5315
17	22	3	1	1		5316
18	32		4	7		5300
19	49	1	11	11		5271
20	43		1	2		5297
21	28	4	5	7		5299
22	26	1	2	2		5312
23	23	1	4	1	1	5313
24	29	2	4	7		5301
25	32	3	9	13		5286
26	22	5	1	3		5312
27	24	3	2	1	1	5312
28	19		4			5320
29	19		1	3		5320
30	41	3	5	6		5288
31	62		7	4	2	5268
32	32	3	2	1	1	5304
33	22	3	5	4		5309
34	17	5	1	2	1	5317
35	10	5	1	8		5319
36	9	4	2	7		5321
37	16	3	4	7		5313
38	5	2				5336
39	2			1		5340
40	4					5339
41	1					5342
42	1					5342

Number of persons = 5343.

TABS ON KEY ITEMS FROM
GARYFILE PERSON RECORD

RELCODE1-48
(Relationship to filer code. Pos. 251-346.)

Month	Code											
	1	2	3	4	5	6	8	9	10	11	12	
1	92	54	66	62	5	1			2			
2	545	218	292	304	21	3	1	3		3		
3	737	339	386	405	29	5	1	3		3		
4	1171	466	678	682	47	5	1	1	3	3		1
5	1274	476	740	735	52	5	1	3	4	3		1
6	1506	521	866	851	60	6	1	5	9	3		1
7	1641	577	954	939	67	6	2	5	10	4		1
8	1640	578	960	936	71	6	3	5	10	4		-1
9	1635	577	959	937	68	7	3	6	10	4		1
10	1626	571	966	933	64	7	3	7	10	4		2
11	1689	623	1008	994	64	7	3	11	11	4		2
12	1724	656	1037	1009	65	6	3	12	12	4		2
13	1742	668	1047	1026	66	6	3	12	12	4		2
14	1740	666	1037	1023	64	6	3	12	11	4		2
15	1726	652	1018	1006	64	6	3	10	12	4		2
16	1719	647	1003	988	63	6	3	10	12	4		2
17	1711	639	997	971	63	6	3	10	11	4		2
18	1711	640	983	966	63	7	2	12	10	4		2
19	1701	629	959	956	62	7	2	12	10	4		2
20	1691	622	936	946	62	6	2	11	8	3		2
21	1690	622	928	936	61	6	2	11	8	3		2
22	1682	621	916	929	60	6	2	11	9	3		2
23	1676	614	904	915	60	6	2	12	9	3		2
24	1674	609	896	907	61	6	2	11	7	4		2
25	1671	609	887	894	61	5	2	11	8	4		3
26	1666	603	873	885	59	5	2	10	11	4		2
27	1663	596	853	874	60	6	2	11	12	4		2
28	1657	591	836	863	62	6	2	11	11	4		2
29	1654	587	819	866	61	6	2	11	11	4		2
30	1645	581	807	853	59	6	2	11	11	4		2
31	1645	580	799	848	59	6	2	13	11	4		2
32	1646	580	785	842	57	6	3	12	10	4		2
33	1630	565	769	830	53	6	3	11	9	4		2
34	1619	544	748	816	51	6	3	11	10	3		2
35	1617	548	741	811	49	6	3	10	10	3		2
36	1609	540	737	802	50	6	4	10	10	3		2
37	1605	532	728	791	49	6	4	11	10	3		2
38	1590	521	718	780	47	6	4	11	10	3		2
39	1588	518	710	769	48	6	4	10	10	3		2
40	1576	513	708	762	50	5	4	9	10	3		3
41	1570	510	705	752	51	5	4	9	10	3		3
42	1565	511	700	748	52	4	4	9	10	3		3
43	1556	505	695	737	52	4	4	8	10	3		2
44	1536	496	683	722	51	3	4	8	11	3		1
45	1536	496	674	717	50	3	5	8	11	3		1
46	1520	488	661	710	49	3	5	8	11	3		1
47	1517	484	661	701	49	3	5	7	12	3		3
48	1517	483	663	699	49	3	5	7	12	3		

(continued)

RELCODE1-48 (cont'd)

Month	Code																								93-99 (NA codes)		
	13	14	15	18	19	20	21	22	23	24	25	26	27	28	29	30	32										
1	1	1	1								1	1														5056	
2	1	13	12	1							7	6	2			1	1	2	5							3911	
3	2	16	14	2	2						1	9	7	2		1	2	5								3372	
4	9	20	17	5	3				1		1	13	11	3		1	5	7	1							2188	
5	10	20	17	5	3				1		1	13	11	2		1	5	7	1							1952	
6	10	21	20	6	3				1		1	18	13	2		1	7	10	1							1400	
7	10	23	21	6	4	1	1		1		1	22	20	3		1	10	10	1							1003	
8	8	23	21	6	4	1	1				27	22	3			1	10	10	1							991	
9	8	23	21	6	3	2	1	1			27	26	4			1	10	11	1							991	
10	8	25	22	6	3	2	2	1	1		31	25	3			1	14	13	1							992	
11	11	23	23	6	3	2	4	2			33	30	4			1	15	13	1							756	
12	11	23	23	7	3	1	4	2			38	31	5			1	15	12	1							636	
13	11	21	20	7	4	1	4	2			37	31	6			1	15	12	1							582	
14	11	20	21	6	4	1	5	2			37	28	6			1	15	12	1							605	
15	11	20	21	5	3	1	5	2			37	29	6			1	15	11	1							672	
16	11	20	20	5	3	1	5	2			37	32	7			1	15	10	1							716	
17	11	20	20	5	3				5	3		37	32	8			1	15	10	1							755
18	11	19	20	5	3				5	2		38	33	8			1	15	10	1							773
19	11	19	19	4	3				4	2		38	32	8			1	15	10	1							832
20	11	18	4	3		3			3	3		37	32	8		1	14	9	1								887
21	11	18	18	4	3				3	5		38	32	6		1	14	9	1								910
22	11	18	18	4	3				3	5		37	34	8		1	15	9	1								934
23	11	18	19	4	3				3	4		37	35	8		1	16	10	1								969
24	11	17	21	4	3				3	4		36	35	8			1	16	10	1							994
25	11	17	21	3	3				4	5		35	35	8			1	18	10	1							1016
26	11	18	22	3	3	2			5	4		34	35	8			1	17	10	1							1049
27	11	19	23	3	3	2			4	3	1	36	32	6			1	17	10								1089
28	11	19	23	4	3	2			4	4	1	36	31	7			1	17	10								1125
29	11	19	22	3	3	2			4	3	1	33	31	6			1	17	10								1156
30	11	18	21	3	3	2			4	3	1	32	31	7			1	15	9								1203
31	11	17	20	3	3				3	3	1	32	30	8			1	15	9								1218
32	11	17	19	4	3				3	3	1	32	29	6			1	14	9								1244
33	11	17	18	3	2				3	3	1	32	29	6			1	14	9								1311
34	11	17	18	3	2				3	4	1	29	29	6			1	13	9								1384
35	10	17	18	3	2				2	2	1	29	29	6			1	14	9								1401
36	10	17	17	3	2				2	2	1	29	29	6			1	14	9								1428
37	10	16	17	3	2				2	2	1	30	29	9			1	14	9								1457
38	10	16	16	4	3	1			2	2	1	27	28	10			1	14	8								1510
39	10	16	15	4	3	1			2	2	1	26	29	10			1	14	10								1532
40	10	16	14	4	3	1			2	2	1	27	27	10			1	14	10								1559
41	10	16	14	4	3	1			2	2	1	27	27	10			1	14	10								1559
42	10	16	14	4	3	1			2	2	1	27	27	10			1	13	10								1579
43	10	16	14	4	2	1			2	2	2	25	26	10			1	13	10								1629
44	10	16	14	4	2	1			2	2	2	25	25	10			1	13	9								1689
45	10	16	14	4	1	2			2	2	2	27	25	10			1	13	9								1701
46	10	14	13	5	1	2			2	2	2	26	25	10			1	13	8								1950
47	10	13	12	5	1	2			2	2	2	26	25	6			1	13	7								1774
48	10	13	12	5	1	2			2	2	2	26	25	6			1	13	7								1774

Number of persons = 5343.

NOTE: Codes for which there were no responses over the 48 months have been omitted from this tab.

GRADE71,73
(Highest grade completed code,
as of school year '71-'72 and '73-'74.
Pos. 367-368 and 375-376.)

<u>Code</u>	<u>Grade71</u>	<u>Grade73</u>
0	46	4
1	7	7
2	9	7
3	40	31
4	51	35
5	79	50
6	217	61
7	343	96
8	530	320
9	533	432
10	573	468
11	588	494
12	947	790
13	103	76
14	57	46
15	27	14
16	8	7
17	3	2
18	5	1
22		
23		
24	7	6
25		
93-94 (NA codes)	1170	2394

Number of persons = 5343

SCHTYP71,73
(Type of school code, as of school
year '71-'72 and '73-'74. Pos. 369-370
and 377-378.)

<u>Code</u>	<u>Schtyp71</u>	<u>Schtyp73</u>
0	122	24
1	448	56
2	1	2
3	785	728
4	13	12
5	13	9
6	1	
7	77	197
9,93-99 (NA codes)	3880	4309

Number of persons = 5343

SEX
(Sex code. Pos. 351)

<u>Code</u>	<u>Frequency</u>
1	2111
2	3232

Number of persons = 5343

EMPSTAT1-9
 (Employment status at each of 9 periodics..
 Pos. 2612-2629)

<u>Periodic</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>Codes</u> <u>93-99 (NA codes)</u>
1	448	884	2202	1809
2	426	942	1789	2186
3	299	865	2274	1905
4	328	867	2153	1995
5	312	939	1974	2118
6	257	749	2169	2168
7	202	760	2304	2077
8	212	828	1976	2327
9	174	715	1992	2462

TYPWRKR1-9
 (Type of worker code at each of 9 periodics.
 Pos. 2630-2647.)

<u>Periodic</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>Codes</u> <u>93-99 (NA codes)</u>
1	860	10	10	4463
2	921	10	11	4401
3	841	11	13	4478
4	843	10	13	4477
5	921	7	13	4402
6	741	8	13	4581
7	748	6	9	4580
8	813	4	13	4513
9	703	4	11	4622

Number of persons = 5343.

WYNOWRK1-9
(Reason not working code, at each of 9 periodics.
Pos. 2548-2665.)

Code	Periodic								
	1	2	3	4	5	6	7	8	9
0	725								
1	716	579	416	452	210	231	197	166	97
2	69	381	806	645	479	721	28	36	31
3	370	63	77	76	84	68	827	535	641
4	84	342	361	267	413	397	83	84	87
5	155	94	141	86	28	18	525	521	488
6		177	350	371	380	387	21	31	18
7		81	85	101	70	51	316	289	272
8				26			54	88	76
9				54					
93-99 (NA codes)	3225	3626	3107	3265	3679	3470	3292	3593	3633

Number of persons = 5343

NOTE: The meaning of these codes changed several times across periodics.

DSABLED1-9
 (Extent disabled code, for each of 9 periodics.
 Pos. 2774-2791.)

<u>Periodics</u>	<u>1</u>	<u>Codes</u>	<u>2</u>	<u>3</u>	<u>93-99 (NA codes)</u>
1-4		Question not asked in these periodics.			
5	333		84	39	4887
6	343		33	36	4931
7	340		22	21	4960
8	274		19	38	5012
9	283		26	28	5006

DISLMIT1-9
 (Extent disability limits work code, for
 each of 9 periodics. Pos. 2792-2809)

<u>Periodics</u>	<u>1</u>	<u>2</u>	<u>Codes</u>	<u>3</u>	<u>4</u>	<u>93-99 (NA codes)</u>
1-4		Question not asked in these periodics.				
5			343		112	4888
6	3	90	323		0	4927
7	2	64	320		0	4957
8	1	43	289		0	5010
9	9	45	288		0	5001

Number of persons = 5343

TYPWRK1-48
(Type of work code, by month. Pos. 2810-2905.)

Month	Codes							0/93-99 (NA codes)
	1	2	3	4	5	7	8	
1	793	10			8	56	4	4472
2	805	10			8	56	4	4460
3	818	9			9	58	4	4445
4	825	9			9	58	5	4437
5	825	9			9	58	5	4437
6	915	9			9	58	7	4345
7	932	9			9	58	7	4328
8	857	8		1	9	58	6	4404
9	759	9			9	60	3	4503
10	753	9			9	60	4	4508
11	750	9			9	60	4	4511
12	745	10			9	60	3	4516
13	774	11			9	62	3	4484
14	794	12	3		8	63	7	4456
15	820	9	1	1	9	62	7	4434
16	819	9			8	59	7	4442
17	789	7			8	57	7	4475
18	850	6	5		9	58	10	4405
19	999	7	3		9	48	11	4266
20	1017	8	1	3	9	48	9	4248
21	826	9		1	11	51	8	4437
22	848	12			11	52	11	4409
23	846	11			11	51	9	4415
24	811	13			10	49	8	4452
25	782	12			10	51	7	4481
26	788	10	2	-	11	51	4	4477
27	782	9	4	-	11	50	3	4484
28	787	10	4	-	11	50	4	4477
29	790	11	2	2	11	50	4	4473
30	790	12	1	1	9	45	3	4482
31	931	14	1	1	7	44	4	4337
32	937	12	1	1	6	46	3	4337
33	722	12			8	45	3	4553
34	702	12			8	44	3	4574
35	699	13	1		7	44	3	4576
36	709	12	1		6	44	3	4568
37	708	10		1	6	44	3	4571
38	717	11			8	43	3	4562
39	708	9			5	43	2	4576
40	666	10		1	4	37	1	4624
41	660	12			4	32	1	4634
42	683	12			4	32	1	4611
43	854	10			4	33	1	4441
44	825	10			3	36	1	4468
45	674	10			4	42	1	4612
46	669	10		1	3	44		4616
47	671	11			3	43		4615
48	591	10			2	42		4698

Number of persons = 5343

REASON 1-48
 (Reason employed but not working code,
 by month. Pos. 3290-3385.)

Month	1	2	Code 3	4	93-99 (NA codes)
1		2	6	9	5326
2		2	8	9	5324
3	1	2	16	11	5313
4	3	3	13	10	5314
5	3	2	16	10	5312
6	2	11	21	16	5293
7	9	15	31	55	5233
8	15	16	28	144	5140
9	7	14	27	116	5179
10	6	1	24	91	5221
11	7	1	25	83	5227
12	5	3	23	78	5234
13	4	2	22	69	5246
14	3		24	44	5272
15	1	2	24	42	5274
16	17	3	24	34	5265
17	15	2	13	24	5289
18	3	6	11	17	5306
19	0	5	8	13	5317
20	1	3	10	14	5315
21	2	3	8	9	5321
22	1	1	10	11	5320
23	1		10	10	5322
24	1	1	11	6	5324
25		1	16	8	5318
26	1		13	7	5322
27	2	2	11	7	5321
28		3	17	8	5315
29		2	22	4	5315
30	1	3	38	8	5293
31		7	38	13	5285
32	1	5	31	17	5289
33		1	25	15	5302
34		1	27	9	5306
35		2	27	16	5298
36		4	25	26	5288
37		2	26	29	5286
38		1	22	23	5297
39	3	1	16	14	5312
40	3		12	10	5318
41		1	11	4	5327
42	3	3	14	5	5318
43	4	2	19	5	5313
44	3	2	9	11	5318
45	2		6	12	5323
46	1		8	13	5321
47			8	24	5311
48			6	34	5303

Number of persons = 5343

EMPSTA1-48
 (Employment status code, by month.
 Pos. 3770-3865.)

Month	Code			93-99 (NA codes)
	1	2	3	
1	893	2309	331	1810
2	904	2304	327	1808
3	916	2294	326	1807
4	914	2293	328	1808
5	912	2294	329	1808
6	927	2251	356	1809
7	948	2197	390	1808
8	837	2219	480	1807
9	780	2258	498	1807
10	802	2245	488	1808
11	811	2236	489	1807
12	814	2229	494	1806
13	825	2211	501	1806
14	876	2262	500	1705
15	887	2169	444	1843
16	850	2052	391	2050
17	828	2008	367	2140
18	897	2359	431	1656
19	1017	2185	472	1669
20	979	2160	368	1836
21	859	2306	294	1884
22	919	2460	307	1657
23	908	2446	293	1695
24	867	2432	228	1816
25	819	2339	211	1974
26	859	2499	196	1789
27	854	2488	210	1791
28	844	2418	237	1844
29	838	2304	297	1904
30	785	2115	377	2066
31	895	1994	313	2141
32	908	2038	240	2157
33	762	2199	233	2149
34	758	2225	217	2143
35	739	2213	224	2167
36	758	2367	188	2030
37	751	2344	188	2060
38	747	2284	178	2134
39	725	2292	151	2175
40	685	2228	123	2307
41	697	2202	131	2313
42	693	2115	220	2315
43	840	1921	167	2415
44	759	1961	160	2463
45	699	1941	180	2523
46	717	1964	175	2487
47	717	1945	172	2509
48	636	1702	156	2849

Number of persons = 5343. NOTE: There were no responses in code 9, which was omitted from this tab.

OTRATE1-48
 (Overtime wage ratio code for longest job,
 by month. Pos. 5498-5593.)

Month	Codes				0/6-7/93-99 (NA codes)
	1	2	3	4	
1	8	30	1		5304
2	8	29	1		5305
3	8	30	1		5304
4	8	32	1		5302
5	9	32	1		5301
6	12	28	1	2	5300
7	12	28	1	2	5300
8	11	27	1	2	5302
9	9	26		1	5307
10	8	28			5307
11	9	27			5307
12	9	28			5306
13	11	30			5302
14	10	31			5302
15	9	28			5310
16	10	27			5306
17	9	23			5311
18	9	22		1	5311
19	8	25			5310
20	5	21		1	5316
21	6	20		1	5316
22	6	21		1	5315
23	4	23		1	5315
24	4	23		1	5315
25	4	23		1	5315
26	5	20			5318
27	5	21			5317
28	4	25			5314
29	3	29			5311
30	3	39			5301
31	3	48			5292
32	4	48		1	5290
33	6	41		2	5294
34	6	40		2	5295
35	5	34		3	5301
36	5	31		3	5304
37	4	29		2	5308
38	4	29		3	5308
39	3	21		1	5318
40	3	22			5318
41	3	23			5317
42	3	21			5319
43	2	21			5320
44	12	17		2	5312
45	1	13		2	5327
46		11	1	1	5330
47		9	1		5333
48		9	1		5333

Number of persons = 5343. NOTE: There were no responses in code 5, which was omitted from this tab.

SPCLCD0-42
(Special hours code, by month. Pos. 7271-7356.)

Month	1	2	3	Code		0/93-99 (NA codes)
				4	5	
0						5343
1	5	1	1	3		5333
2	7	2	1			5333
3	5	2	4	1		5331
4	12	2	7	8	1	5313
5	21	2	4	2		5314
6	26	5	6	16		5290
7	40	2	16	16		5269
8	76		6	2	1	5258
9	38	1	10	23	2	5269
10	20	4	3	2	2	5312
11	15		1	1		5326
12	13			2	1	5327
13	22			1	2	5318
14	19					5324
15	24					5319
16	27	1				5315
17	22	3	1	1		5316
18	32		4	7		5300
19	49	1	11	11		5271
20	43		1	2		5297
21	28	4	5	7		5299
22	26	1	2	2		5312
23	23	1	4	1	1	5313
24	29	2	4	7		5301
25	32	3	9	13		5286
26	22	5	1	3		5312
27	24	3	2	1	1	5312
28	19		4			5320
29	19		1	3		5320
30	41	3	5	6		5288
31	62		7	4	2	5268
32	32	3	2	1	1	5304
33	22	3	5	4		5309
34	17	5	1	2	1	5317
35	10	5	1	8		5319
36	9	4	2	7		5321
37	16	3	4	7		5313
38	5	2				5336
39	2			1		5340
40	4					5339
41	1					5342
42	1					5342

Number of persons = 5343.