

ONC-305-301

Protocol Synopsis

Simulated randomized, double-blind, controlled Phase III oncology study

Item	Value
Sponsor	Simulated Sponsor Ltd.
Study phase	Phase III (simulated)
Investigational product	ONC-305 + standard of care
Control	Placebo + standard of care
Indication	Advanced/metastatic solid tumours
Document version	2.0
Generation date	2026-05-12
Data source	Fully synthetic patient-level data; no real patient data or clinical evidence

Confidentiality and simulation notice

This portfolio is a professional demonstration of clinical-trial statistics and statistical-programming capability. It is deliberately structured like a small sponsor/CRO submission package, but all data and conclusions are simulated and must not be interpreted as clinical evidence.

1. Study synopsis

Item	Description
Study design	Randomized, double-blind, parallel-group, controlled Phase III study
Planned sample size	Approximately 420 subjects randomized 1:1
Population	Adults with advanced/metastatic solid tumours, ECOG 0-1, measurable disease and PD-L1 category available
Treatment arms	ONC-305 + standard of care versus Placebo + standard of care
Randomization strata	ECOG performance status (0 vs 1), PD-L1 category (<1%, 1-49%, ≥50%) and geographic region
Primary endpoint	Progression-free survival by investigator assessment
Key secondary endpoints	Overall survival, objective response rate, disease control rate, exposure and safety/tolerability
Data standards	ADaM-style ADSL, ADTTE, ADRS, ADAE and ADLB with define-like metadata

2. Objectives

- Primary objective: compare progression-free survival between ONC-305 + SOC and placebo + SOC in the Full Analysis Set.
- Key secondary objectives: compare overall survival and objective response rate, and describe duration of treatment and safety/tolerability.
- Portfolio objective: demonstrate realistic biostatistics workflow from protocol/SAP assumptions to ADaM-style datasets, TLFs, validation checks and a CSR-style report.

3. Endpoint definitions

Endpoint	Definition
PFS	Time from randomization to first documented progression or death from any cause, whichever occurs first
OS	Time from randomization to death from any cause
ORR	Proportion of subjects with best overall response of complete response or partial response
DCR	Proportion of subjects with complete response, partial response or stable disease
TEAE	Any adverse event with onset from first dose through 30 days after last dose, or worsening from baseline during that window

4. Quality and reproducibility features

- Fixed random seed and end-to-end executable pipeline.

- Source datasets, ADaM-style analysis datasets, define-like metadata and reviewer guide.
- TLF index, traceability matrix, analysis population definitions and QC plan.
- Validation report with PASS/WARN/FAIL checks and professional PDF outputs.