JSP를 이용한 스마트 게시글 작성 커뮤니티 페이지



Long ime No See



박성언, 홍성혁, 김현준, 김휘진











Long Time No See

오랫동안 보지 못한 가족들에게, 친구들에게, 그대에게, 커뮤니티 게시판을 제작하는 우리 팀에게 딱 알맞은 인사말

01.	기획	제안 배경	
		실태조사	
		벤치마킹	
02.	요구사항	페이지 흐름도, 페이지 구성도,	
		스토리보드	
03.	개발	개발툴, 역할분담, 타임 스케줄	
04.	다이어그램	Database, Class Diagram	

커뮤니티 사이트는 많다 페이스북, 인스타, 트위터같은 SNS부터 네이버 블로그, 티스토리 같은 포스팅 페이지, 디씨, 에브리타임 같은 순종 커뮤니티 게시판 까지 하지만..

코로나로 인해 집에 있는 시간이 길어지면서

인터넷 사용률은 증가하고,

대인 관계를 갈망하는 이들은 커뮤니티 사이트를 하죠

사람들은 자기 관심분야에 맞는 커뮤니티 사이트를 이용하는데,

요즘 대형 게시판은 UI가 너무 구식입니다


페이스북, 인스타는 광고 천지

블로그나, 티스토리는 구글 검색을 통해서만 들어가봤습니다

이 불편함이 내게만 있는 건가요? 찾아봤습니다.. 논문이 있더군요??


는 스케닝 모델 : 사용자가 1초 내에 웹 페이지와 상호 작용하는 방식








―어떤 게시글이 인기가 많고 좋은 게시글일까?―



네이버 블로그 vs 네이버 포스트



20,000,000





7,000,000



네이버 포스트

익명성

뜨거운 감자, 계륵이라..

N번방 이슈, 익명성에 의한 불건전한 사이트들..

최근 이슈가 된 N번방 사건

그곳은 익명성이 보장된 공간이다

익명성은 자신의 의견을 자유롭게 발언할 수 있는 도구가 될 수 있지만

남을 해하는 자유는 야만일 뿐..

우리는 회원제를 통해, 익명성과 그 사이에 있는 형태를 꿈꾼다

익명성이란 자유는 혐오와, 방종과 타락이라는 오용으로 쓰여졌다..



[뉴스프리즘] n번방·조주빈···대한민국 뒤흔든 디지털 성착추

송고시간 2020-04-12 11:51:38



[뉴스프리즘] n번방·조주빈···대한민국 뒤흔든 디지털 성착취 범죄

피해자들을 '노예'라고 부르며 성착취 사진과 영상을 소셜미디어 비밀 채팅방에 적인 사건, 이른바 n번방 사건입니다.

이런 범죄를 디지털 성착취 범죄라고 하는데, 경찰에 체포된 조주빈은 반성은 커녕 죄의

더 큰 문제는 제2, 제3의 조주빈이 나타나 공권력을 비웃는데도 뾰족한 대책이 없다는 겁니다.



11 일베저장소

에 제비가 없다 더 가장시를 듣고 기자 근되에고 중도에게 기더니다 미급에 드는 이지 전체로 트링크에 태워서 경기 구리시의 창고로 끌고 가 교복을 입힌 채 성폭행하겠다"는

사드' 성체모독 논란...천주교 "엄청난 충격, 묵과 못해"

강종홍 기자

| "여성 역압 종교 다 꺼져라" 주장에 '워마드 폐쇄' 국민청원




워마드에 게시된 성제 훼손 논란 사진 [워마드 캡처]

(서울=연합뉴스) 강종훈 기자 = 일부 여성들의 과격한 '남성혈오' 논란이 확산하는 가운데 종교계까지

남성혐오 인터넷 커뮤니티 '웨마드'에 성제 聖德書 훼손한 사진과 예수를 조롱하는 글이 올리와 파장 이 커지고 있다.

기획

-회원제 & 게스트-



—벤치마킹—

dcinside.com युवा



dcinside


는 아픈 UI..

너무 흔한 게시글 양식

수많은 게시판들 추천과 조회수로 게시글 전체 순위 다양한 카테고리화를 통해, 맞는 관심사 타인과의 소통 가능 불편한 작성 방법

—벤치마킹—





네이버 블로그

한국 블로그 이용률 1위!

손쉬운 포스트 에디터와

거대 포털 네이버의 빵빵한 검색 지원

하지만..

커뮤니티로 발전 시킬 필요성을 느끼질 못하는 걸까

아쉬움이 남는 포스트 조회!


—벤치마킹—



에브리타임

2

에브리타임




게시판 시간표 강의평가 학점계산기 친구 책방 캠퍼스픽

에브리타임



대학생들의 사이버 모임처 추천과 조회수를 통한 인기 게시글 지원 다양한 카테고리 아주 간단하고 심플한 글 작성 하지만.. 익명성이 너무 강해 눈살 찌푸려지는 이야기들이 있기도.. ····· 기획 ·····

—벤치마킹—




기회


Google

*useful 사람을 향합니다. *simple 단순한 것이 더 강력합니다 *fast 천분의 일초까지 헤아립니다 engaging 초심자에게는 경험을 주고 전문가를 매혹시킵니다 *innovative 혁신을 두려워하지 않습니다. 문서 파일 저장 방식? universal 모두를 위한 설계를 합니다 profitable 사업 계획에 도움이 됩니다 *beautiful 주의를 산란시키지 않고 눈을 즐겁게 합니다. trustworthy 사람들에게 확신(신뢰)을 주어야 합니다 personable 인간미를 보탭니다


전체적인 페이지 흐름도를 통해 페이지별 기능들 을 볼 수 있습니다.




회원은 개인정보 동의 약관에 동의시 회원 가입 진행! 아이디, 비밀번호, 이메일 규칙을 만족시 회원 가입!




회원제 사이트로 글 쓰기는 회원 만 가능! 업로드시 파일의 용량제한을 두어 파일의 용량 체크! 제목과 내용을 필수입력 사항!




글 수정의 권한은 게시글 작성자 본인에게 있으며, 보인 외에는 수정이 불가능 합니다. 수정시에도 작성시와 마찬가지로 글 작성 유효성 체크!




글 삭제 또한 본인 의외의 사람은 글 삭제를 할 수 없습니다. 글 삭제시 복원이 안됩니다!




추천 또한 회원만 가능 하며, 별도에 조건없이 하나의 글에 한번씩만 추천 가능!




게시글에 등록 된 댓글 읽기




기존 회원에 한하여, 댓글 등록!




나의 댓글인 댓글만 수정 버튼이 활성화 되며, 수정 가능!



나의 댓글인 댓글만 삭제 버튼이 활성화 되며, 삭제 가능!




부정한 댓글에 관한 신고를 받아 관리자가 판단하에 후속조취!




페이지 구성도

전체적인 페이지 구성도를 통해 페이지별 위치를 볼 수 있습니다.




스토	리	보드


프로젝트 명	JSP를 이용한 스마트 게시 글 작성 커뮤니티 페이지	서비스 명	로그인 화면	버전	1.0.0
작성자	김휘진	화면 코드	LoginMain	일자	2020-10-16
화면경로	./meml	permanage/loginm	nain.jsp	페이지	



프로젝트 명	JSP를 이용한 스마트 게시 글 작성 커뮤니티 페이지	서비스 명	개인정보 화면	버전	1.0.0
작성자	김휘진	화면 코드	Privacy	일자	2020-10-16
화면경로	./men	nbermanage/priva	cy.jsp	페이지	




프로젝트 명	JSP를 이용한 스마트 게시 글 작성 커뮤니티 페이지	서비스 명	회원가입페이지	버전	1.0.0
작성자	김휘진	화면 코드	SignUp	일자	2020-10-16
화면경로	./me	embermanage/sigr	n-up	페이지	




.

프로젝트 명	JSP를 이용한 스마트 게시 글 작성 커뮤니티 페이지	서비스 명	ID 찾기	버전	1.0.0
작성자	김휘진	화면 코드	FindID	일자	2020-10-16
화면경로	./men	nbermanage/find-	id.jsp	페이지	



프로젝트 명	JSP를 이용한 스마트 게시 글 작성 커뮤니티 페이지	서비스 명	Password 찾기	버전	1.0.0
작성자	김휘진	화면 코드	FindPassword	일자	2020-10-16
화면경로	./membe	rmanage/find-pa	ssword.jsp	페이지	




프로젝트 명	JSP를 이용한 스마트 게시물 커뮤니티 페이지	서비스 명	게시물 목록(일반)	버전	1.0.0
작성자	박성언	화면 코드	boardList_standard	일자	2020-10-26
화면경로	•,	/board/board_list.j	sp	페이지	



.

프로젝트 명	JSP를 이용한 스마트 게시물 커뮤니티 페이지	서비스 명	게시물 목록(앨범)	버전	1.0.0
작성자	박성언	화면 코드	boardList_album	일자	2020-10-26
화면경로		/board/board list i	sn	페이지	



프로젝트 명

작성자

스토리보드

JSP를 이용한 스마트 게시물 커뮤니티 페이지	서비스 명	게시물 목록(포스트)	버전	1.0.0	
박성언	화면 코드	boardList post	일자	2020-10-26	

화면경로 ./board/board_list.jsp 페이지 검색 글쓰기 기본형 앨범형 포스트 작성자 게시글 제목 사진 게시글 내용 작성일자 • 조회수 • 추천수 스크롤에 반응하여, 스크롤이 맨 아래 있을시, 데이터 연동을 통한 다음 게시 글들의 목록을 가져와 자동 import 작성자 게시글 제목 사진 게시글 내용 작성일자 • 조회수 • 추천수

스토리보드

프로젝트 명	JSP를 이용한 스마트 게시물 커뮤니티 페이지	서비스 명	카테고리 게시판	버전	1.0.0
작성자	박성언	화면 코드	CATEGORY	일자	2020-10-26
화면경로		./board/board_list	.jsp	페이지	

번호	제목	작성자	작성일	조회	추천		
2	blabla	홍길동	20.10.25	10	5		
3	blabla	이순신	20.10.23	3	1		
1	blabla	아무개	20.10.26	1	1		
< 1 2 3 >							

카테고리별 해당 카테고리 내용 출력

스토리보드

프로젝트 명	JSP를 이용한 스마트 게시물 커뮤니티 페이지	서비스 명	조회수 게시판	버전	1.0.0
작성자	박성언	화면 코드	VIEWCNT	일자	2020-10-26
화면경로		./board/board_list	.jsp	페이지	

	기본형 엘	범형 모스.	<u>E</u>			글쓰기	
	번호	제목	작성자	작성일	조회 🛧	추천	전체
	2	blabla	홍길동	20.10.25	10	5	전처
	3	blabla	이순신	20.10.23	3	1	
	1	blabla	아무개	20.10.26	1	1	
			< 1 2	2 3 >			
L							

전체 게시판에서 조회수를 기준으로 게 시물을 볼 수 있는 페이지 구현


프로젝트 명	JSP를 이용한 스마트 게시물 커뮤니티 페이지	서비스 명	추천수 게시판	버전	1.0.0
작성자	박성언	화면 코드	EMPATHIZE	일자	2020-10-26
화면경로		./board/board_list	.jsp	페이지	

120				J 1		
기본형 앨범	범형 포스.	트			글쓰기	
번호	제목	작성자	작성일	조회	추천 ←	전체 게시판에서 추천수를 기준으로 게 시물을 볼 수 있는 페이지 구현
2	blabla	홍길동	20.10.25	10	5	
1	blabla	아무개	20.10.26	1	1	
3	blabla	이순신	20.10.23	3	1	
		< 1 2	2 3 >			

프로젝트 명	JSP를 이용한 스마트 게시 글 작성 커뮤니티 페이지	서비스 명	메인페이지	버전	1.0.0
작성자	홍성혁	화면 코드	mainpage	일자	2020-10-16
화면경로		./mainpage.jsp		페이지	



프로젝트 명	JSP를 이용한 스마트 게시 글 작성 커뮤니티 페이지	서비스 명	마이페이지	버전	1.0.0
작성자	홍성혁	화면 코드	mypage	일자	2020-10-16
 하면경로	/,	mynage/mynage is	'n	페이지	




프로젝트 명	JSP를 이용한 스마트 게시 글 작성 커뮤니티 페이지	서비스 명	마이페이지	버전	1.0.0
작성자	홍성혁	화면 코드	mypage	일자	2020-10-16
하면경로	/	mynage/mynage is	n	페이지	




.

프로젝트 명	JSP를 이용한 스마트 게시 글 작성 커뮤니티 페이지	서비스 명	글작성	버전	1.0.0
작성자	김현준	화면 코드	write	일자	2020-10-16
화면경로		./post/write.jsp		페이지	




.

프로젝트 명	JSP를 이용한 스마트 게시 글 작성 커뮤니티 페이지	서비스 명	글보기	버전	1.0.0
작성자	김현준	화면 코드	view	일자	2020-10-16
화면경로		./post/view.isp		페이지	



.

프로젝트 명	JSP를 이용한 스마트 게시 글 작성 커뮤니티 페이지	서비스 명	글작성	버전	1.0.0
작성자	김현준	화면 코드	update	일자	2020-10-16
화면경로		./post/update.isp		페이지	




개발 환경













문서 작업 툴









AQUERY TOOL

개발툴







라이브러리



















협업툴





역할 분담



Mainpage, Mypage 담당 홍성혁



Post 담당 김현준



Member Manage 담당 김휘진



List 담당 박성언

타임 스케줄

• • • • • • •

일	월	화	수	목	금	토
				10/22	10/23	24
		페이지	ERD 테이블명세		기획, DB	설계
25	26	전투리보드 27	28	29	30	31
	기획, DI	3 설계			제작	
11/1	2	3	4	5	6	7
			제작			
8	9	10	11	12	13	14
	제각	낙			마무리	
15	16 세팅	17 발표				

DB ER-다이어그램


URL: https://aquerytool.com:443/aquerymain/index/?rurl=a0c380e6-dcb4-4597-9960-8a3093e05c2b&

I UJJVVOTU • TTJTITI	Password	1:44	j4rh
----------------------	----------	------	------

member								
회원								
PK	Al	FK	Null	Logical Name	Name	Туре		
/				회원id	mem_id	VARCHAR2(20)		
				패스워드	password	VARCHAR2(20)		
				닉네임	nickname	VARCHAR2(20)		
				이메일	email	VARCHAR2(100)		
				등급	grade	_GRADE		

	р	post									
	거	게시글									
	PK	Al	FK	Null	Logical Name	Name	Туре				
	/	~			게시글 고유번호	post_id	INT				
					제목	title	VARCHAR2(20)				
					내용	contents	VARCHAR2(20)				
			~		작성자	writer	VARCHAR2(20)				
****					카테고리	category	_CATEGORY				
					작성일	regdate	TIMESTAMP				
					조회수	viewCnt	NUMBER				

comment									
댓글									
PK	ΑI	FK	Null	Logical Name	Name	Туре			
~	~			댓글 고유번호	comment_id	INT			
				내용	contents	VARCHAR2(20)			
				작성자	writer	VARCHAR2(20)			
				작성일	regdate	TIMESTAMP			
		/		게시글 고유번호	post_id	INT			



_GRADE (도메인)							
Num▲	L Name 	P Name 	◊ \$	Comment			
1	관리자	admin		모든 글 삭저			
2	일반회원	member		타입 varcha			

_CATEGORY							
Num 	L Name\$	P Name\$	O -	Comment			
1	공지사항	notice		타입 varcha			
2	영화	moview					
3	독서	book					
4	스포츠	sports					
5	게임	game					

2	일반회원	member		타입 varcha
	a 근 의 권	пешрег		⊣ ⊟ Valcila
_				
ATE	EGORY			
1	L Name 	P Name 	O -	Comment
1	공지사항	notice		타입 varcha
		1101100		
2	영화	moview		
3	독서	book		
4	스포츠	sports		

	er	empathize								
	공	공감 테이블								
	PK	ΑI	FK	Null	Logical Name	Name	Туре			
	~	~			공감고유번호	empath_index	INT			
1			/		게시글 고유번호	post_id	INT			
			~		회원id	mem_id	VARCHAR2(20)			

	t	tot_post_view (뷰)									
	100	총게시글									
	Pk	Al	FKNu	II Logical Name	Name	Туре					
1	•		*	게시글 고유번호	post_id	INT					
				작성일	regdate	TIMESTAMP					
				공감수	empathizeCnt	NUMBER					
				조회수	viewCnt	NUMBER					

_FILEKIND								
Num▲	L Name\$	P Name 	◊ \$	Comment				
1	파일	file		varchar(20				
2	사진	image		.jpg, .png,				

_BOO	LEAN			
Num▲	L Name\$	P Name 	◊ \$	Comment
1	TRUE	TRUE		타입 numb
2	FALSE	FALSE		0

Class Diagram -Member Manage-Controller: Command

<<Java Package>> main.java.com.command <<Java Interface>>

<<Java Package>>

main.java.com.command.membermanage

Command

main.java.com.command

execute(HttpServletRequest, HttpServletResponse):void

<<Java Class>>

main.java.com.command.membermanage

execute(HttpServletRequest, HttpServletResponse):void

<<.lava Class>>

Signup ajax command

main.java.com.command.membermanage

- Signup_ajax_command()
- execute(HttpServletRequest, HttpServletResponse):void

<<Java Class>>

OLogOut_command

main.java.com.command.membermanage

- execute(HttpServletReguest, HttpServletResponse):void

<<Java Class>>

Signup complete command

main.java.com.command.membermanage

Signup complete command()

execute(HttpServletRequest, HttpServletResponse):void

<<Java Class>>

FindOK_command

main.java.com.command.membermanage

FindOK command()

execute(HttpServletRequest, HttpServletResponse):void

<<Java Class>>

GLoginOK_command

main.java.com.command.membermanage

LoginOK command()

execute(HttpServletRequest, HttpServletResponse):void

Class Diagram

-Member ManageController

<<Java Package>>

main.java.com.controller

<<Java Class>>

⊕ DoController

main.java.com.controller

SaFserialVersionUID: long

- doGet(HttpServletRequest, HttpServletResponse):void
- doPost(HttpServletRequest, HttpServletResponse):void
- actionDo(HttpServletRequest, HttpServletResponse):void

<<Java Class>>

AjaxController

main.java.com.controller

- SaF serial Version UID: long
- SAjaxController()
- doGet(HttpServletRequest, HttpServletResponse):void
- doPost(HttpServletRequest, HttpServletResponse):void
- actionAjax(HttpServletRequest,HttpServletResponse):void

Class Diagram -Member ManageModel: DAO, DTO

<<Java Class>>

MemberDAO

main.java.com.view

- △ conn: Connection
- △ psmt: PreparedStatement
- △ stmt: Statement △ rs: ResultSet
- SSQL SELECT USER ID: String
- ^SSQL_LOGIN_CHK: String
- SSQL_ID_INFO_SELECT: String
- § SQL_NIK_INFO_SELECT: String
- SSQL_EMAIL_INFO_SELECT: String
- % SQL_ID_INFO_SELECT_MM_ID: String
- § SQL_SELECT_JOIN: String
- ^S√SQL_INSERT_JOIN: String
- MemberDAO()
- close():void
- member_Select(int):MemberDTO[]
- member_FIND_Select(String):MemberDTO[]
- member_INFO_Select(String):MemberDTO[]
- id_overlap(String):int
- onik overlap(String):int
- email_overlap(String):int
- member_MM_ID_Select(int):MemberDTO[]
- member_MM_NICK_Select(String):MemberDTO[]
- login_member(String,String):int
- select_join(String,String,String):int
- insert_join(String,String,String,String):int
- o createMember(ResultSet):MemberDTO[]

<>Java Package>> **⊞ main.java.com.view**

<<Java Class>>

main.java.com.view

- mm_id: int
- a id: String
- password: String
- nickname: String
- a email: String
- grade: String
- MemberDTO(int, String, String, String, String, String)
- getMm_id():int
- setMm_id(int):void
- getId():String
- setId(String):void
- getPassword():String
- setPassword(String):void
- getNickname():String
- setNickname(String):void
- getEmail():String
- setEmail(String):void
- getGrade():String
- setGrade(String):void

Class Diagram -Member ManageEmail Service

<<Java Package>>

main.java.com.email

<<Java Class>>

MailAuth

main.java.com.email


- △ pa: PasswordAuthentication
- getPasswordAuthentication():PasswordAuthentication

<<Java Class>>

main.java.com.email

- o random: int
- MailSend()
- MailSend(String):void

Class Diagram
-MainPageModel: DTO



Class Diagram -MainPageModel: DAO

<<Java Interface>:

main.java.com.model

DRIVER: String

^{IJ}URL: String

USERID: String
 USERPW: String

<<Java Class>> File DAO

main.java.com.model.mainpage

SELECT POSTFILE BY FILE ID: Stri

4 conn: Connection

4 pstmt: PreparedStatemer

4 stmt: Statement 4 rs: ResultSet

File_DAO()

close():void

mkDTO(ResultSet):DTC

mkDTOs(ResultSet):DTO[

selectBySQL(String):DTO[

selectBySQL(String,int):DTO

selectBySQL(String,String):DTO

selectBySQL(String,String[]):DTO

selectBySQL(String,int[]):DTO

mkDTO(ResultSet,int):DT(

mkDTOs(ResultSet,int):DTO[

withSignal(DTO∏,int):DTC

● colortBySOL withSignal/String int\:DT/

<<Java Interface>:

main.java.com.model

close():void

mkDTO(ResultSet):DTC

mkDTOs(ResultSet):DTO[

selectBySQL(String):DTO[

selectBySQL(String,int):DTO

selectBySQL(String,int[]):DTO

selectBySQL(String,String):DTO

selectBySQL(String,String[]):DTO

mkDTO(ResultSet,int):DT(

mkDTOs(ResultSet,int):DTO[

withSignal(DTO[],int,int):DT(

selectBySQL withSignal(String,int):DT

selectBySQL_withSignal(String,int,int):DT

selectBySQL withSignal(String,int,int[]):DT

selectBySQL withSignal(String,int,String):DT

selectBySQL withSignal(String,int,String[]):DT

insertBySQL withDTO(String,DTO):

insertBySQL_withDTO(String,DTO[]):

4

<<Java Class>>

main.java.com.model.mainpage

∜SELECT MM BY MM ID: Stri

4 conn: Connection

4 pstmt: PreparedStatemer

4 stmt: Statement

<<Java Class>>

G Mainpage DAO

main.java.com.model.mainpage

SELECT 3 POSTS BY EMPATHIZE CNT: St

SELECT 6 POSTS BY VIEWCNT: Stri

⁵
SELECT 5 POSTS BY NEAREST: Stri

SELECT NEXT 3 POSTS BY NEAREST: St

4 conn: Connection

4 pstmt: PreparedStatemer

4 stmt: Statement

4 rs: ResultSet

close():void

mkDTO(ResultSet):DTC

mkDTOs(ResultSet):DTO[

selectBySQL(String):DTOI

selectBySQL(String,String,int):DTC

selectBySQL(String,String[]):DTO

selectBySQL(String,int[]):DTO

Class Diagram

-MainPage
Controller

<<Java Class>>

⊕ DoController

main.java.com.controller

- Sof serial Version UID: long
- DoController()
- doGet(HttpServletRequest, HttpServletResponse):void
- doPost(HttpServletRequest, HttpServletResponse):void
- actionDo(HttpServletRequest,HttpServletResponse):void

<<Java Interface>>

Command

main.java.com.command

execute(HttpServletRequest, HttpServletResponse):void

<<Java Class>>

AjaxController

main.java.com.controller

- SerialVersionUID: long
- AjaxController()
- doGet(HttpServletRequest, HttpServletResponse):void
- doPost(HttpServletRequest, HttpServletResponse):void
- actionAjax(HttpServletRequest, HttpServletResponse):void

<<Java Interface>>

By_AJAX

- main.java.com.command
- responseJSON(HttpServletRequest,HttpServletResponse):void
 responseXML(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

Mainpage_Command

main.java.com.command.mainpage

- execute(HttpServletRequest, HttpServletResponse):void

<<Java Class>>


• Mainpage_Add_NearestBoard_Command_By_AJAX

main.java.com.command.mainpage

- Mainpage_Add_NearestBoard_Command_By_AJAX()
- execute(HttpServletRequest,HttpServletResponse):void
- responseJSON(HttpServletRequest, HttpServletResponse):void
- responseXML(HttpServletRequest,HttpServletResponse):void
- responseJSONbyJackson(HttpServletRequest,HttpServletResponse):void
- responseXMLbyJackson(HttpServletRequest, HttpServletResponse):void



Class Diagram
-MyPageModel: DTO



Class Diagram
-MyPageModel: DAO

<<Java Interface>

main.java.com.model

DRIVER: String

URL: String

USERID: String
USERPW: String

<<Java Interface>

main.java.com.model

- odose():voic
- mkDTO(ResultSet):DTC
- mkDTOs(ResultSet):DTO[
- selectBySQL(String):DTO
- selectBySQL(String,int):DTO
- selectBySQL(String,int[]):DTO
- selectBySQL(String,String[]):DTO
- mkDTO(ResultSet,int):DT(
- mkDTOs(ResultSet,int):DTO[
- withSignal(DTO[],int):DTC
- withSignal(DTO[],int,int):DT(
- selectBySQL withSignal(String,int):DT
- selectBySQL_withSignal(String,int,int):DT
- selectBySQL_withSignal(String,int,int[]):DT
- selectBySQL_withSignal(String,int,String):DT
- selectBySQL_withSignal(String,int,String[]):DT
- insertBySQL_withDTO(String,DTO):
- insertBySQL_withDTO(String,DTO[]):

<<Java Class>>

⊖ Mypage DAO

main.java.com.model.mypage

- √SELECT 6 MY POSTS: Strit
- √SELECT MY POSTS CNT: Stri
- SELECT 6 MY POSTS NTH: Stri
- √SELECT 6 MY COMMENTS: Stri
- SELECT MY COMMENTS CNT: Stri

<<Java Class>> MM DAO

main.java.com.model.membermanage

- √SELECT MM BY MM ID: Stri
- √INSERT MM BY DTO: Strit
- UPDATE PASSWORD: String
- UPDATE NICK: String
- 4 conn: Connection



Class Diagram
-MyPageController

<<Java Class>>

O DoController

main.java.com.controller

FserialVersionUID: long

- ^CDoController()
- doGet(HttpServletRequest, HttpServletResponse):void
- odoPost(HttpServletRequest,HttpServletResponse):void
- actionDo(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

⊕ AjaxController

main.java.com.controller

serialVersionUID: long

- AjaxController()
- doGet(HttpServletRequest, HttpServletResponse):void
- doPost(HttpServletRequest, HttpServletResponse):void
- actionAjax(HttpServletRequest, HttpServletResponse):void



<<Java Interface>>

Command

main.java.com.command

execute(HttpServletRequest, HttpServletResponse):void

<<Java Interface>>

By_AJAX

main.java.com.command

- responseJSON(HttpServletRequest,HttpServletResponse):void
- responseXML(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

⊙ Mypage_command

main.java.com.command.mypage

- Mypage_command()
- execute(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

⊕ MyPagerev_Ok

main.java.com.command.mypage

- MyPagerev_Ok()
- execute(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

Mypage_Add_MyPost_Command_By_AJAX

main.java.com.command.mypage

- Mypage Add MyPost Command By AJAX()
- execute(HttpServletRequest,HttpServletResponse):void
- responseJSON(HttpServletRequest, HttpServletResponse):void
- responseJSONbyJackson(HttpServletRequest, HttpServletResponse):void
- responseXML(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

• Mypage_Add_MyComment_Command_By_AJAX

main.java.com.command.mypage

- Mypage Add MyComment Command By AJAX()
- execute(HttpServletRequest, HttpServletResponse):void
- responseJSON(HttpServletRequest, HttpServletResponse):void
- responseXML(HttpServletRequest,HttpServletResponse):void


<<Java Class>>

• Mypage_Add_MyEmpathize_Command_By_AJAX

main.java.com.command.mypage

- Mypage Add MyEmpathize Command By AJAX()
- execute(HttpServletRequest,HttpServletResponse):void
- responseJSON(HttpServletRequest, HttpServletResponse):void
- responseXML(HttpServletRequest,HttpServletResponse):void

Class Diagram -BoardListController: Command



Class Diagram
-BoardListModel: JSON

...

<<Java Class>>

BoardListAjaxJSON

main.jav a.com.model.board

- count: long
- status: String
- ^CBoardListAjaxJSON()
- getCount():long
- setCount(long):void
- getStatus():String
- setStatus(String):void
- getList():List<BoardListJSON>
- setList(List<BoardListJSON>):void

toString():String

<<Java Class>>

BoardListJ SON

main.jav a.com.model.board

- postld: long
- title: String
- writer: String
- writerNum: long
- nickName: String
- a category: String
- regdate: String
- contentsText: String
- thumbnailPath: String
- empathizeCnt: long
- view cnt: long

- BoardListJSON()
- getPostId():long
- setPostId(long):void
- getTitle():String
- setTitle(String):void
- getWriter():String
- setWriter(String):void
- getWriterNum():long
- setWriterNum(long):void
- getNickName():String
- setNickName(String):void
- getCategory():String
- setCategory(String):void
- getRegdate():String

- setRegdate(String):void
- getContentsText():String
- setContentsText(String):void
- getThumbnailPath():String
- setThumbnailPath(String):void
- getEmpathizeCnt():long
- setEmpathizeCnt(long):void
- getView cnt():long
- setView cnt(long):void
- toString():String

Class Diagram

-BoardList-

Model: DTO

<<Java Class>>

BoardListDTO

main.jav a.com.model.board

- postld: long
- title: String
- w riter: String
- w riterNum: long
- nickName: String
- category: String
- regdate: String
- realFilePath: String
- empathizeCnt: long
- view cnt: long
- dataLength: long

- ^CBoardListDTO()
- getPostId():long
- setPostId(long):void
- getTitle():String
- setTitle(String):void
- getWriter():String
- setWriter(String):void
- getWriterNum():long
- setWriterNum(long):void
- getNickName():String
- setNickName(String):void
- getCategory():String
- setCategory(String):void
- getRegdate():String
- setRegdate(String):void
- getRealFilePath():String
- setRealFilePath(String):void
- getEmpathizeCnt():long
- setEmpathizeCnt(long):void
- getView cnt():long
- setView cnt(long):void
- getDataLength():long
- setDataLength(long):void
- toString():String

Class Diagram -BoardListModel: DAO

<<Java Class>>

BoardListDAO

main.jav a.com.model.board

- △ conn: Connection
- △ psmt: PreparedStatement
- △ stmt: Statement
- △ rs: ResultSet
- BoardListDAO()
- getCategoryAllList(String):ArrayList<BoardListDTO>
- getCategoryList(String,String,int):ArrayList<BoardListDTO>
- getCategorySearchDateAndNicknameAllList(String,String,String,String):ArrayList<BoardListDTO>
- getCategorySearchDateAndNicknameList(String,String,String,String,String,int):ArrayList<BoardListDTO>
- getCategorySearchDateAndTitleAllList(String,String,String):ArrayList<BoardListDTO>
- getCategorySearchDateAndTitleList(String,String,String,String,String,int):ArrayList<BoardListDTO>
- getCategorySearchDateAllList(String,String,String):ArrayList<BoardListDTO>
- getCategorySearchDateList(String,String,String,String,int):ArrayList<BoardListDTO>
- getCategorySearchNickNameAllList(String,String):ArrayList<BoardListDTO>
- getCategorySearchNickNameList(String,String,String,int):ArrayList<BoardListDTO>
- getCategorySearchTitleAllList(String,String):ArrayList<BoardListDTO>
- getCategorySearchTitleList(String,String,String,int):ArrayList<BoardListDTO>

- getView cntAllList():ArrayList<BoardListDTO>
- getView cntList(String,int):ArrayList<BoardListDTO>
- getView cntSearchDateAndNicknameAllList(String,String,String):ArrayList<BoardListDTO>
- getView cntSearchDateAndNicknameList(String, String, String, String, int): ArrayList<BoardListDTO>
- getView cntSearchDateAndTitleAllList(String, String, String):ArrayList<BoardListDTO>
- getView cntSearchDateAndTitleList(String,String,String,String,int):ArrayList<BoardListDTO>
- getView cntSearchDateAllList(String,String):ArrayList<BoardListDTO>
- getView cntSearchDateList(String,String,String,int):ArrayList<BoardListDTO>
- getView cntSearchNickNameAllList(String):ArrayList<BoardListDTO>
- getView cntSearchNickNameList(String,String,int):ArrayList<BoardListDTO>
- @ getView CntSearchTitleAllList(String):ArrayList<BoardListDTO>
- getView cntSearchTitleList(String,String,int):ArrayList<BoardListDTO>
- getEmpathizeAllList():ArrayList<BoardListDTO>
- getEmpathizeList(String,int):ArrayList<BoardListDTO>
- getEmpathizeSearchDateAndNicknameAllList(String,String,String):ArrayList<BoardListDTO>
- getEmpathizeSearchDateAndNicknameList(String,String,String,String,int):ArrayList<BoardListDTO>
- getEmpathizeSearchDateAndTitleAllList(String,String,String):ArrayList<BoardListDTO>
- getEmpathizeSearchDateAndTitleList(String,String,String,int):ArrayList<BoardListDTO>
- getEmpathizeSearchDateAllList(String,String):ArrayList<BoardListDTO>
- getEmpathizeSearchDateList(String,String,String,int):ArrayList<BoardListDTO>

getEmpathizeSearchNickNameAllList(String):ArrayList<BoardListDTO>

- getEmpathizeSearchNickNameList(String,String,int):ArrayList<BoardListDTO>
- getEmpathizeSearchTitleAllList(String):ArrayList<BoardListDTO>
- getEmpathizeSearchTitleList(String,String,int):ArrayList<BoardListDTO>
- getMypageAllList(int):ArrayList<BoardListDTO>
- getMypageList(int,String,int):ArrayList<BoardListDTO>
- getMypageSearchDateAndTitleAllList(int,String,String,String):ArrayList<BoardListDTO>
- getMypageSearchDateAndTitleList(int,String,String,String,int):ArrayList<BoardListDTO>
- getMypageSearchDateAllList(int,String,String):ArrayList<BoardListDTO>
- getMypageSearchDateList(int,String,String,String,int):ArrayList<BoardListDTO>
- getMypageSearchTitleAllList(int,String):ArrayList<BoardListDTO>
- getMypageSearchTitleList(int,String,String,int):ArrayList<BoardListDTO>
- oreateList(ResultSet):ArrayList<BoardListDTO>



Class Diagram -BoardListModel: Query

<<Java Class>>

BoardList

main.jav a.com.model.board


- SFSELECT_POST_BY_CATEGORY_ALL: String
 SFSELECT_POST_BY_CATEGORY_PAGE: String
 SFSELECT_POST_BY_CATEGORY_SEARCH_DATE_WRITER_ALL: String
- Sufficient Post_BY_CATEGORY_SEARCH_DATE_WRITER_PAGE: String
 Sufficient Post_BY_CATEGORY_SEARCH_DATE_TITLE_ALL: String
- SFSELECT_POST_BY_CATEGORY_SEARCH_DATE_TITLE_PAGE: String
- SFSELECT_POST_BY_CATEGORY_SEARCH_DATE_ALL: String
- SELECT_POST_BY_CATEGORY_SEARCH_DATE_PAGE: String
- SFSELECT_POST_BY_CATEGORY_SEARCH_WRITER_ALL: String
- SELECT_POST_BY_CATEGORY_SEARCH_WRITER_PAGE: String
- SELECT_POST_BY_CATEGORY_SEARCH_TITLE_ALL: String
- SELECT_POST_BY_CATEGORY_SEARCH_TITLE_PAGE: String
- SELECT_POST_BY_VIEWCNT_ALL: String
- SELECT_POST_BY_VIEWCNT_PAGE: String
- SFSELECT_POST_BY_VIEWCNT_SEARCH_DATE_WRITER_ALL: String
- SFSELECT_POST_BY_VIEWONT_SEARCH_DATE_WRITER_PAGE: String
- SELECT_POST_BY_VIEWCNT_SEARCH_DATE_TITLE_ALL: String
- SFSELECT_POST_BY_VIEWONT_SEARCH_DATE_TITLE_PAGE: String
- SUPERIOR SELECT_POST_BY_VIEWONT_SEARCH_DATE_ALL: String
- S-F SELECT_POST_BY_VIEWONT_SEARCH_DATE_PAGE: String
- SFSELECT_POST_BY_VIEWCNT_SEARCH_WRITER_ALL: String
 SFSELECT_POST_BY_VIEWCNT_SEARCH_WRITER_PAGE: String
- SELECT_POST_BY_VIEWCNT_SEARCH_TITLE_ALL: String
- SELECT_POST_BY_VIEWONT_SEARCH_TITLE_PAGE: String

- Sufficient Post_BY_EMPATHIZE_ALL: String
- SFSELECT_POST_BY_EMPATHIZE_PAGE: String
- SFSELECT_POST_BY_EMPATHIZET_SEARCH_DATE_WRITER_ALL: String
- SELECT_POST_BY_EMPATHIZE_SEARCH_DATE_WRITER_PAGE: String
- SFSELECT_POST_BY_EMPATHIZET_SEARCH_DATE_TITLE_ALL: String
- SELECT_POST_BY_EMPATHIZE_SEARCH_DATE_TITLE_PAGE: String
- SELECT_POST_BY_EMPATHIZE_SEARCH_DATE_ALL: String
- Select_Post_by_empathize_search_date_page: String
- SELECT_POST_BY_EMPATHIZE_SEARCH_WRITER_ALL: String
- SELECT_POST_BY_EMPATHIZE_SEARCH_WRITER_PAGE: String
- SFSELECT_POST_BY_EMPATHIZE_SEARCH_TITLE_ALL: String
- SELECT_POST_BY_EMPATHIZE_SEARCH_TITLE_PAGE: String
- SFSELECT_POST_BY_MYPAGE_ALL: String
- SELECT_POST_BY_MYPAGE_PAGE: String
- SELECT_POST_BY_MYPAGE_SEARCH_DATE_TITLE_ALL: String
- SELECT_POST_BY_MYPAGE_SEARCH_DATE_TITLE_PAGE: String
- Select_Post_by_mypage_search_date_all: String
- SELECT_POST_BY_MYPAGE_SEARCH_DATE_PAGE: String
- SELECT_POST_BY_MYPAGE_SEARCH_TITLE_ALL: String
- SELECT_POST_BY_MYPAGE_SEARCH_TITLE_PAGE: String
- BoardList()

Class Diagram -Post-Controller <<Java Interface>> **⊕**Command main.java.com.command execute(HttpServletRequest,HttpServletResponse):v <<Java Class>> <<Java Class>> • updateCommend recomendCommend main.java.com.command.post main.java.com.command.post execute(HttpServletRequest,HttpServletResponse):volume execute(HttpServletRequest,HttpServletResponse):vc <<Java Class>> <<Java Class>> <<Java Class>> @report Cmd ViewCommend • updateOkCommend main.java.com.command.post main.java.com.command.post main.java.com.command.post ereport_Cmd(√updateOkCommende execute(HttpServletRequest,HttpServletResponse):vo execute(HttpServletRequest,HttpServletResponse):vo execute(HttpServletRequest,HttpServletResponse):ve <<Java Class>> <<Java Class>> WriteCommend @deleteCommend main.java.com.command.post main.java.com.command.post WriteCommend(deleteCommend(

deleteCom execute(HttpServletRequest,HttpServletResponse):vc execute(HttpServletRequest,HttpServletResponse):vo <<Java Class>> DoController main.java.com.controller FserialVersionUID: Ion ^CDoController(doGet(HttpServletRequest,HttpServletResponse):vc doPost(HttpServletRequest,HttpServletResponse):vi actionDo(HttpServletRequest,HttpServletResponse):v

Class Diagram -Post-View



tot table select(int):TOT Post DTO[] o createTOT(ResultSet):TOT Post DTO[]

- member INFO Select(String):MemberDTO[]

- o createMember(ResultSet):MemberDTO[]

Class Diagram -PostWrite

<<Java Class>>

⊕WriteCommend

main.java.com.command.post

- execute(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

⊕WriteDTO

main.java.com.model.post

- post_id: inttitle: String
- □ writer: int
- category: String
- regdate: String
- post_contents: int
- viewCnt: int
- WriteDTO(int,String,int,String,int,int)
- getPost_id():int
- setPost_id(int):void
- getTitle():String
- setTitle(String):void
- getWriter():int
- setWriter(int):void
- getCategory():String
- setCategory(String):void
- getPost_contents():int
- setPost_contents(int):void
- getViewCnt():int
- setViewCnt(int):void
- getRegDate():String
- setRegDate(String):void
- toString():String

<<Java Class>>

⊕ WriteDAO

main.java.com.model.post

- △ conn: Connection
- △ psmt: PreparedStatement
- △ stmt: Statement △ rs: ResultSet
- & SQL WRITE SEARCH BY UID: String
- SFSQL WRITE UPDATE DATA: String
- SSQL MM TABLE SELECT: String
- % SQL WRITE INSERT: String
- SoFView CNT ADD: String
- § SELETE POST ID: String
- ^CWriteDAO()
- o close():void
- wr_insert(WriteDTO,int):int
- wr insert(String,String,int,int):int
- createArray(ResultSet):WriteDTO[]
- wr_view(int):WriteDTO[]
- post update(int):WriteDTO[]
- post_Update(String,String,int):int

<<Java Class>>

⊕ FileWriteDTO

main.java.com.model.post

- o file id: int
- o filekind: String
- o real_filename: String
- filename: String
- FileWriteDTO()
- FileWriteDTO(int, String, String, String)
- getFile_id():int
- setFile_id(int):void
- getFilekind():String
- setFilekind(String):void
- getReal filename():String
- setReal_filename(String):void
- getFilename():String
- setFilename(String):void
- toString():String


<<Java Class>>

⊙ FileWriteDAO

main.java.com.model.post

- △ conn: Connection
- △ psmt: PreparedStatement
- △ stmt: Statement
- △ rs: ResultSet
- § SQL POST CONTENT VIEW: String
- SQL FILE UPDATE: String
- SI SQL FILE DELETE: String
- FileWriteDAO()
- close():void
- fileInsert(FileWriteDTO):int
- fileInsert(String,String,String):int
- view cotent(int):FileWriteDTO[]
- File_Update(String,String,int):int
- file_delete(int):int
- o createFiles(ResultSet):FileWriteDTO[]

Class Diagram -Post-



<<Java Class>> • updateOkCommend

main.java.com.command.post

execute(HttpServletRequest, HttpServletResponse):void

<<Java Class>> ⊕WriteDTO

main.java.com.model.post

- post id: int title: String
- writer: int
- a category: String
- regdate: String
- post contents: int
- viewCnt: int
- WriteDTO()
- WriteDTO(int,String,int,String,int,int)
- getPost id():int
- setPost id(int):void
- getTitle():String
- setTitle(String):void
- getWriter():int
- setWriter(int):void
- getCategory():String
- setCategory(String):void
- getPost contents():int
- setPost contents(int):void
- getViewCnt():int
- setViewCnt(int):void
- getRegDate():String
- setRegDate(String):void
- toString():String

<<Java Class>>

WriteDAO

main.java.com.model.post

- △ conn: Connection
- △ psmt: PreparedStatement
- △ stmt: Statement
- △ rs: ResultSet
- §FSQL WRITE SEARCH BY UID: String
- SQL WRITE UPDATE DATA: String
- §FSQL MM TABLE SELECT: String
- SFSQL WRITE INSERT: String
- ^S√View CNT ADD: String
- § SELETE POST ID: String
- WriteDAO()
- close():void
- wr insert(WriteDTO,int):int
- wr insert(String,String,int,int):int
- createArray(ResultSet):WriteDTO[]
- wr view(int):WriteDTO[]
- _post_update(int):WriteDTO[]
- post Update(String,String,int):int

<<Java Class>>

⊘FileWriteDTO

main.java.com.model.post

- ø file_id: int
- o filekind: String
- o real filename: String
- filename: String
- FileWriteDTO()
- FileWriteDTO(int,String,String,String)
- getFile id():int
- setFile_id(int):void
- getFilekind():String
- setFilekind(String):void
- getReal filename():String
- setReal filename(String):void
- getFilename():String
- setFilename(String):void
- toString():String

<<Java Class>>

⊕ FileWriteDAO

main.java.com.model.post

- △ conn: Connection
- △ psmt: PreparedStatement
- △ stmt: Statement
- △ rs: ResultSet
- § SQL POST CONTENT VIEW: String
- § SQL FILE UPDATE: String
- SFSQL FILE DELETE: String
- FileWriteDAO()
- close():void
- fileInsert(FileWriteDTO):int
- fileInsert(String,String,String):int
- view cotent(int):FileWriteDTO[]
- File Update(String,String,int):int
- file delete(int):int
- o createFiles(ResultSet):FileWriteDTO[]

Class Diagram
-PostDelete

<<Java Class>>

GeleteCommend

main.java.com.command.post

- ocdeleteCommend()
- execute(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

⊕ FileWriteDTO

main.java.com.model.post

- o file_id: int
- o filekind: String
- o real filename: String
- o filename: String
- FileWriteDTO()
- FileWriteDTO(int,String,String,String)
- getFile id():int
- setFile_id(int):void
- getFilekind():String
- setFilekind(String):void
- getReal filename():String
- setReal_filename(String):void
- getFilename():String
- setFilename(String):void
- toString():String

<<Java Class>>

⊕ FileWriteDAO

main.java.com.model.post

- △ conn: Connection
- △ psmt: PreparedStatement
- △ stmt: Statement
- △ rs: ResultSet
- §FSQL POST CONTENT VIEW: String
- SQL FILE UPDATE: String
- SI SQL FILE DELETE: String
- FileWriteDAO()
- close():void
- fileInsert(FileWriteDTO):int
- fileInsert(String,String,String):int
- view_cotent(int):FileWriteDTO[]
- File_Update(String,String,int):int
- file_delete(int):int
- createFiles(ResultSet):FileWriteDTO[]

Class Diagram
-PostEmpathize

<<Java Class>>

@recomendCommend

main.java.com.command.post

- execute(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

@recomendDAO

main.java.com.view

- △ conn: Connection
- △ psmt: PreparedStatement
- △ stmt: Statement
- △ rs: ResultSet
- ^SSQL INSERT EMPATHIZE: String
- SFSQL DELETE EMPATHIZE: String
- § SQL SELECT EMPATHIZE: String
- close():void
- empathize_select(int,int):int
- empathize_insert(int,int):int
- empathize_delete(int,int):int



Class Diagram -CommentController: Command

<<Java Class>>

⊕ CommentRemoveCommand

main.jav a.com.command.board

- CommentRemoveCommand()
- execute(HttpServletRequest,HttpServletResponse):void
- responseJSON(HttpServletRequest,HttpServletResponse):void
- responseXML(HttpServletRequest,HttpServletResponse):void

<<.lava Class>>

⊕ CommentWriteCommand

main.java.com.command.board

- CommentWriteCommand()
- execute(HttpServletRequest,HttpServletResponse):void
- responseJSON(HttpServletRequest,HttpServletResponse):void
- responseXML(HttpServletRequest,HttpServletResponse):void

<<.lava Class>>

⊕ CommentNextCommand

main.jav a.com.command.board

- execute(HttpServletRequest, HttpServletResponse):void
- responseJSON(HttpServletRequest,HttpServletResponse):void
- responseXML(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

⊕ CommentLoadCommand

main.jav a.com.command.board

- CommentLoadCommand()
- execute(HttpServletRequest,HttpServletResponse):void
- responseJSON(HttpServletRequest,HttpServletResponse):void
- responseXML(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

CommentUpdateCommand

main.jav a.com.command.board

- CommentUpdateCommand()
- execute(HttpServletRequest,HttpServletResponse):void
- responseJSON(HttpServletRequest,HttpServletResponse):void
- responseXML(HttpServletRequest,HttpServletResponse):void

<<Java Class>>

⊕ CommentDeclarationCommand

main.java.com.command.board

- execute(HttpServletRequest,HttpServletResponse):void

Class Diagram -CommentModel: DAO

<<Java Class>>

⊕ CommentDAO

main.jav a.com.model.board

- A conn: Connection
- △ psmt: PreparedStatement
- △ rs: ResultSet
- SAF INSERT_COMMENT: String
- SAFSELECT_COMMENT_BY_CCOMMENTID: String
- SAFSELECT_COMMENT_BY_POSTID_ALL: String
- SAFSELECT_COMMENT_BY_POSTID_PAGE: String
- SAFUPDATE_COMMENT_BY_COMMENTID: String
- SAF DELETE_COMMENT_BY_COMMENTID: String
- CommentDAO()
- createComment(String,int,int):int
- getCommendByld(long):ArrayList<CommentDTO>
- getAllCommentByPostId(int):ArrayList<CommentDTO>
- getPageCommentListByPostId(int,int):ArrayList<CommentDTO>
- updateCommentByCommentId(String,int):int
- deleteCommentByCommentId(int):int
- createArray(ResultSet):ArrayList<CommentDTO>



Class Diagram
-CommentModel: JSON

<<Java Class>>

CommentListAjaxJ SON

main.jav a.com.model.board

- count: long
- status: String
- getCount():long
- setCount(long):void
- getStatus():String
- setStatus(String):void
- getList():List<CommentDTO>
- setList(List<CommentDTO>):void
- toString():String

<<Java Class>>

⊕ CommentDTO

main.jav a.com.model.board

- commented: long
- commentContents: String
- w riterId: long
- w riter: String
- nickName: String
- email: String
- grade: String
- postld: long
- regdate: String
- CommentDTO()
- *CommentDTO(long,String,long,String)
- getCommentId():long
- setCommentId(long):void

- getCommentContents():String
- setCommentContents(String):void
- getWriterId():long
- setWriterId(long):void
- getWriter():String
- setWriter(String):void
- getNickName():String
- setNickName(String):void
- getEmail():String
- setEmail(String):void
- getGrade():String
- setGrade(String):void
- getPostId():long
- setPostId(long):void
- getRegdate():String
- setRegdate(String):void
- toString():String

-list

Class Diagram -CommentModel: JSON

<<Java Class>>

CommentDeclarationJSON

main.jav a.com.model.board

- declarationCommentId: long
- declarationDate: String
- declarationNickname: String
- declarationTitle: String
- declarationContent: String
- CommentDeclarationJSON()
- getDeclarationCommentId():long
- setDeclarationCommentId(long):void
- getDeclarationDate():String
- setDeclarationDate(String):void
- getDeclarationNickname():String
- setDeclarationNickname(String):void
- getDeclarationTitle():String
- setDeclarationTitle(String):void
- getDeclarationContent():String
- setDeclarationContent(String):void
- toString():String



발표를 마치겠습니다 감사합니다