Technical documentation: the plan and the control inventory

> **Two documents in one.** Part A is the district-facing plan, two pages, provided with the agreement package and linkable for the TEC form, and the piece a district privacy officer reads first. It does not replace or revise Stand's website privacy policy. Part B is the control inventory in the matrix format Emily and Phil are working in, with specifics, evidence, status, and owner, provided to a district on request under Appendix A.13. **Draft 0.2, Nov 4, 2026.** Nothing here is a contractual term beyond what Appendix A states.

Part A. CHSS Data Security and Privacy Plan

Center for High School Success, a program of Stand for Children Leadership Center, Inc. Last updated [date]. This plan describes how CHSS protects the student data school districts share with it. Protocols and procedures may change as practices improve; CHSS provides the current version with its district agreement package and at a stable link for the forms that ask for one. Stand for Children's website privacy policy (stand.org/privacy-policy) governs the website and is not changed by this plan. More detailed information about how CHSS handles a particular district's data is specified in the data sharing agreement signed with that district.

What CHSS receives and why

School districts share student records with CHSS so that 9th Grade Success Teams and CHSS coaches can identify students who are off track in 9th grade and act early. The data is limited to what the on-track work needs: enrollment, courses and marks, credits, attendance, and the elements a district elects for evaluation (Exhibit D-1 of the agreement). CHSS does not ask for Social Security numbers, government identifiers, payment information, or health records. Districts remain the owners of their data and decide who may see it.

Where the data lives

CHSS's infrastructure is entirely cloud-based, on industry-leading hosting and data-platform providers [such as Microsoft], with the Navigator application delivered on a commercial customer-relationship platform. Where possible, CHSS uses the providers' managed services rather than stand-alone servers, which lowers the attack surface and keeps patching with the provider. All student data is stored and processed in data centers in the United States.

How data gets to CHSS

Districts never send student data by email. Data moves by a scheduled transfer from the district's student information system or data warehouse to a CHSS SFTP server with key-based authentication, or by a read-only connection from the district's SIS vendor. Files are scanned and validated on receipt, and the district's technical contact receives a validation report after every load. The CHSS Technical and Data Integration Guide describes the files and the process.

Data security

CHSS maintains an information security program aligned with [CIS Controls v8.1, Implementation Group 1], a framework recognized by the National Data Privacy Agreement, and assesses itself against it annually. Measures include:

- Encryption of student data in transit and at rest, including backups and the SFTP landing zone.
- Multi-factor authentication for all CHSS accounts and for privileged access; role-based access with least privilege as the default.
- Access to student data limited to the people who need it for the service: the district's 9th Grade Success Team sees its own school; the CHSS coach assigned to a school sees that school only; a small set of named CHSS technical staff administer the platform and investigate incidents; CHSS program, research, and leadership staff work only with de-identified data.
- Logging of access to student data and of administrative actions, retained at least ninety days and available to a district for an incident investigation.
- Security updates evaluated, validated, and applied according to severity, system risk, and operational impact, with the platform layer patched by the providers.
- Endpoint protection on CHSS-managed devices; staff devices managed centrally.
- A written incident response plan and a disaster recovery plan, tested [annually].
- Daily backups held separately from the production environment, so data remains available in the event of ransomware; backups are restored only for continuity and recovery, and deletion obligations follow any restored data.
- Security training for every employee at onboarding and annually; background checks for staff with access to student data, coaches included.

How CHSS ensures privacy

CHSS never sells student or district data and never uses it for advertising, profiling, or the advocacy, political, or fundraising work of any affiliated organization. CHSS does not share student data with program partners, evaluators, or funders unless the district has approved the recipient in writing.

CHSS restricts internal access to and use of district data. Only the CHSS staff who support a district's schools can see its student-level records, and every such access is logged. Student data is not used for development or testing.

When CHSS studies program outcomes, it uses only de-identified data, created by removing identifiers and replacing the student identifier with a random token under a key that is destroyed with the identifiable data. Before any de-identified data is kept or released, CHSS makes and documents the determination FERPA requires that a student cannot be identified from it, taking into account other reasonably available information.

Artificial intelligence. The Navigator platform uses approved AI and analytics capabilities to support educational analysis, next-step planning, and intervention recommendations for educators, who make all decisions about students. No student-identifiable data is used by CHSS or any provider to train any AI model, including any large language model. [One sentence naming the category of model provider and the tier used, and stating that the provider does not retain or train on customer data.]

Incidents

If CHSS validates and confirms that student data has been accessed, acquired, disclosed, or lost without authorization, it notifies the district's privacy contact within seventy-two hours of that confirmation, handles the incident under its incident response plan, supports the district's notice to families, and bears the costs attributable to its own breach.

Retention and deletion

CHSS keeps a district's student data only for the term of the agreement. On the district's written directive, or within sixty days after the agreement ends, CHSS returns or destroys the district's identifiable student data from every system, including its providers, and certifies the destruction in writing. De-identified data may be retained for program evaluation, with no attempt at re-identification.

Who to contact

Privacy: [CHSS privacy officer, email]. Security: [CHSS security officer, email]. Vulnerability reports: [email]. Stand for Children website privacy policy: stand.org/privacy-policy. This plan: [stable link].

Part B. Control inventory and technical specifications

Provided to a district on request under Appendix A.13, under the district's confidentiality obligations. Not for publication; the public piece is Part A.

Item	Entry
Version and date	[0.2, Nov 2026]
Owner	[Phil Toynton, Director of Infrastructure]

Item	Entry
Relationship to the Agreement	Describes how CHSS implements Appendix A. Not a contractual term beyond what Appendix A states.
Review cycle	Annually with the security assessment, and on any change of Subprocessor category or data flow

Status key. Done: in place today, evidence available. In progress: being built, date given. Planned: not started, date given. Confirm: stated from the platform design, not yet verified against the live tenant.

B.1 Platform overview and data flow

CHSS Navigator is a web application for 9th Grade Success Teams and CHSS coaches, delivered on [Salesforce Experience Cloud]. Behind it, the CHSS data platform [Microsoft Azure and Microsoft Fabric] receives district files, maps them to a common data model, computes on-track indicators, and holds a de-identified warehouse for program analytics [Power BI]. All environments run in United States regions [confirm regions].

1. The district's SIS or data warehouse exports the specified files on a schedule and transfers them by SFTP to the CHSS landing zone, or the SIS vendor delivers them by a read-only connection.
2. Files are virus-scanned and validated on receipt, mapped to the common data model (AI-assisted mapping suggestions reviewed by a CHSS data engineer), checked for quality, and loaded to the data lake and identifiable warehouse with an audit record. A validation report goes to the district's technical contact.
3. Records are matched on the district's student identifier. Probabilistic matching only flags possible duplicates for human review; it never links records automatically.
4. On-track indicators, course-failure flags, attendance measures, and screener results are published to Navigator for the 9th Grade Success Team and the assigned coach.
5. A separate de-identification step produces tokenized datasets (random token, key destroyed with the identifiable data) for the research warehouse, the only data CHSS program, research, and leadership staff use.

B.2 Control inventory

Rows follow the matrix IDs so the two documents read side by side. "Agreement" is the Appendix A clause the row implements.

Agreement structure and data scope

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
G-03	Services and authorized purposes	A.2, A.4	Use limited to the Services; no sale, advertising, profiling, advocacy use, or partner sharing without written approval	Agreement text	Done	CHSS
G-04	Data elements and minimum necessary	A.5, Exhibit D-1	Required and Optional elements listed; no SSNs, government IDs, payment, or health records; IEP/504 and meal status only where elected	Exhibit D-1; integration guide	Done	CHSS
G-05	Data-flow and system inventory	A.6, A.13	B.1 above and the subprocessor table in B.3; diagram maintained in [location]	This document; architecture diagram	[In progress, date]	Phil
G-07	De-identified and aggregate data	A.10	Random token not derived from the student ID; key destroyed with identifiable data; documented § 99.31(b)(1) determination before any release; minimum cell size [10] on published aggregates	Tokenization design; review checklist; suppression setting	[In progress]	Emily

AI and data use

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
G-08	No training on Student Data	A.12	No CHSS-operated model is trained on identifiable Student Data. The model provider is used through [an enterprise tier: name, tier] with no training on customer data and [zero or n-day] retention; provider terms at [URL, date]	Provider terms excerpt; provider attestation	[Confirm]	Phil
G-09	AI-assisted analysis	A.12	AI used for: file-mapping suggestions (reviewed by an engineer before use); data-quality anomaly flags; grouping students with similar screener profiles for an intervention cycle; drafting suggestions shown to educators. Educators decide.	Feature list; screenshot	[Confirm]	Emily
G-29	Which data reaches the	A.13	[Which elements, at which step; whether prompts include names; who at CHSS or the provider can see	Data-flow note	[Confirm]	Phil

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
	model provider		prompts and outputs; logging of model calls]			

Security governance and assurance

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
G-10	Cybersecurity framework	A.7	CIS Controls v8.1, Implementation Group 1, as the internal baseline; named on the TEC NDPA Exhibit F. Mapping to the NIST Cybersecurity Framework for New York districts: [one page, date]	Framework mapping; IG1 self-assessment	[In progress, date]	Phil
G-33	Annual assessment	A.13	Annual self-assessment against CIS v8.1 IG1; summary of findings and corrective actions available to districts on request. First assessment: [date]	Assessment summary	[Planned, date]	Phil
G-11	Third-party audit (where a district requires it)	Exhibit D-5	Hosting and platform providers' SOC 2 Type 2 reports (Microsoft Azure; Salesforce) provided annually under NDA; CHSS does not hold its own SOC 2. Independent assessment of CHSS's own controls: [not planned / scoped if Columbus requires it]	Provider reports	[Confirm]	Phil
G-12	Penetration testing and vulnerability scanning	Technical documentation only	[Platform providers' testing covers the hosting layer; continuous vulnerability scanning on CHSS components: tool; CHSS custom pages: planned or not]		[Confirm]	Phil

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
G-26	Incident response and disaster recovery	A.7, A.8	Written IR plan covering assessment, containment, evidence preservation, notification, recovery, documentation, review; DR plan with [RTO/RPO]; tested [annually, last test date]	Plan table of contents; test record	[Confirm]	Phil
G-27	Breach notification	A.8	District privacy contact notified within seventy-two hours of a validated and confirmed incident; notification template; parent-notice support (affected list, draft notice)	Template; runbook	[In progress]	Emily

Identity, access, and logging

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
G-13	Least privilege and roles	A.7, 5.4	Navigator roles: school user (own school), district user (own district), CHSS coach (assigned schools only), CHSS technical administrator (named set, minimum necessary). CHSS program, research, and leadership staff: de-identified warehouse only	Role matrix; access roster	[Confirm]	Phil
G-14	Authentication	A.7	MFA required for all CHSS accounts and privileged access. District users: username/password with MFA [and SSO via Google or Microsoft where the District elects it: confirm availability and date]	Identity configuration	[Confirm; SSO answer owed on Jonah's 6.8 question]	Phil
G-15	Access removal	A.7	CHSS staff: removed at separation through [HR offboarding checklist], target [same business day]. District users: on the district's roster file or notice under 6.8	Offboarding checklist	[Confirm]	Phil

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
G-16	Logging	A.7	Access and administrative logs on [Salesforce event monitoring / Azure Monitor]; retained [90 days minimum; state actual]; exportable per district for incident investigation	Log retention setting; sample export	[Confirm]	Phil

Security operations and data protection

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
G-17	Vulnerability and patch management	A.7; Exhibit D-5 for Columbus	Severity-based: critical vulnerabilities evaluated and validated on disclosure, applied within [target] where reasonable and applicable; platform layer patched by providers	Patch policy	[Confirm]	Phil
G-18	Network	Technical documentation only	Production segregated from the public internet by [provider network controls]; VPN-only or IP-restricted administrative access; no direct database exposure	Architecture diagram	[Confirm]	Phil
G-19	Endpoint protection	A.7	[Product] on all CHSS-managed devices with access to Student Data; coaches' devices managed by [MDM]	Configuration	[Confirm]	Phil
G-20	Secure development	Technical documentation only	Code review and testing before release; secrets in [vault]; no Student Data in non-production environments [or masked]; input sanitization on uploaded files and UI	Release process	[Confirm]	Phil
G-21	Data transfer	A.7, Exhibit D-2	SFTP with key-based authentication to a per-district landing folder; HTTPS for the SIS vendor connection; email never used	SFTP configuration	[Confirm]	Phil
G-22	Encryption	A.7	In transit TLS 1.2 or higher; at rest provider-managed	Configuration	[Confirm]	Phil

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
			encryption [AES-256] on every store including backups and the landing zone; key management by [provider / CHSS]			

Retention and deletion

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
G-23	Backups	A.10	Daily backups stored separately from production; retention [n days]; restores only for continuity, recovery, or operations; any restored Student Data subject to the same deletion duty	Backup policy	[Confirm]	Phil
G-24	Return or destruction	A.10	Within sixty days of a directive or termination, across every store: Navigator, data lake, identifiable warehouse, analytics copies, backups (by expiry), and Subprocessors. Deletion runbook: B.4	Runbook; certificate template	[In progress, O13]	Emily
G-25	Destruction certification	A.10	Written certificate signed by [officer], listing systems and the backup expiry date	Template	[Planned]	Emily

Workforce

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
G-30, G-31	Background checks, confidentiality, training	A.7	[Background check at hire for all staff with access, coaches included; confidentiality in the employment agreement; privacy and security training before access and annually: course, provider]	HR policy; training records	[Confirm with Demian, O5]	Demian

Data rights and subprocessors

ID	Topic	Agreement	Specifics	Evidence on request	Status	Owner
G-32	Parent requests	A.11	District's technical contact requests a student's record; CHSS returns [export format] within [target]; corrections applied on the next feed or by request	Procedure	[Confirm]	Emily
G-28	Flow-down	A.6	Each Subprocessor under its standard data protection agreement or written terms; see B.3	Terms links	Done	CHSS

B.3 Subprocessors

This is the list Appendix A.6 refers to. It names the providers; the Agreement names only their categories.

Category	Provider and product	Function	Student Data received	Location	Terms
Cloud hosting and data platform	Microsoft Azure; Microsoft Fabric	Landing zone, data lake, identifiable warehouse, API management	All elements in Exhibit D-1	United States [regions]	Microsoft Product Terms and DPA, [URL, date]
Customer-relationship platform	Salesforce Experience Cloud; CRM Analytics	Navigator: user platform, student records, intervention workflows, screener results	Student-level records for participating schools	United States	Salesforce DPA, [URL, date]
Analytics	Microsoft Power BI	Program analytics and reporting	De-identified and aggregate data only	United States	Covered by Microsoft terms
AI model provider	[Provider, product, tier]	Mapping suggestions, data-quality flags, grouping, drafting suggestions	[Elements sent, by step]	United States	[URL, date]; no training on customer data; retention [zero / n days]

Changes within a category are recorded in the version history of this document.

B.4 Deletion runbook (outline)

For each store, who runs the step, how it is executed, how completion is evidenced, and how long it takes. [To be completed, O13.]

Store	Step	Executed by	Evidence	Time
Navigator (Salesforce)	Delete district records and related objects; purge recycle bin	[role]	[report]	[days]
Data lake and warehouse (Fabric)	Drop district partitions; purge; confirm no copies in notebooks or pipelines	[role]	[report]	[days]
Analytics (Power BI)	Remove district datasets; refresh	[role]	[report]	[days]
AI provider	Confirm no retained prompts or files	[role]	Provider statement	[days]
Backups	Record expiry date; certify when passed	[role]	Backup policy; certificate	[n days]
Landing zone (SFTP)	Delete received files and archives	[role]	Listing	[days]

B.5 Version history

Version	Date	Change	By
0.1	Nov 4, 2026	First draft from the matrix and platform diagram	
0.2	Nov 4, 2026	Part A plan added in the SchooLinks shape; integration guide split out	