DEV_COUCH

MAGENTO

MOVING THE CONTACT FORM ON TO A CMS PAGE

BY XML

```
<reference name="content">
        <block
         type=“core/template"
         name="contactForm"
         template=“contacts/form.phtml”
         />
</reference>
```

= no action url

1. Rewrite the contacts controller (urgh, effort)

2. Use a template tag in your page/ static block CMS editor or add page-specific Layout Update XML through Magento admin (nice & easy)

```
{{block
    type="core/template"
    name="contactForm"
    form_action="/contacts/index/post"
    template="contacts/form.phtml"
}}
```

```
▼<form action="/contacts/index/post" id="contactForm" method="post">
  ▶<div class="fieldset">…</div>
  ▶<div class="buttons-set">…</div>
  </form>
```

BY XML

```
<reference name="content">
        <block type=“core/template” ... >
            <action method=“setFormAction">
                <link>/contacts/index/post</link>
            </action>
        </block>
</reference>
```

treehouse™

WHAT IS HTTP2?

https://kinsta.com/learn/what-is-http2/
https://www.smashingmagazine.com/2016/02/getting-ready-for-http2/

HTTP1.1

HTTP2

DEV_COUCH

LOGO TOURNAMENT

£2 ENTRY

WIN BEER / CIDER / CHOCOLATE

SEND ENTRIES TO PAWEL BY

19/05/16

MAGENTO

STATIC BLOCK INJECTOR

(Kinda like repeater field, but not really)

```
<!-- Stores loop -->
<ul class="storelist">
    <?php
    $storenumber = 1;
    while(Mage::getModel('cms/block')->load("store$storenumber")->getIsActive()) { ?>
    <li class="storelist__item">
        <?php echo $this->getLayout()->createBlock('cms/block')->setBlockId("store$storenumber")->toHtml(); ?>
    </li>
    <?php $storenumber++;
    }
    ?>
</ul>
```

$number = 1

Static block called “store + $number” exists and is active?

…
Show content from “store + $number” block
…

Add 1 to $number and loop around

$number = 1

Static block called “store + $number” exists? (Loop continues based on this)

Static block “store + $number” is active? (Contents are shown based on this)

```
<div>...
Show content from “store + $number” block
...</div>
```

Add 1 to $number and loop around