

# *sandbar*

YOUR PERSONAL SURF FORECAST

Luke Cassiano · Sp26 Capstone Project

↓ conditions



# table of contents

1. the problem
2. the insight
3. introducing sandbar
4. how it works
5. personalization
6. prototype
7. what's next

# the problem

*Forecasts describe the ocean. They don't tell you when to paddle out.*

## WHAT SURFLINE SHOWS YOU

SWELL                    2.8 ft @ 12s · W 260°

WIND                    4.5 mph onshore · W 276°

TIDE                    -0.5 ft · rising

PERIOD                12s primary · 8s secondary

WATER                54°F

---

*...now what?*

## 01 Data dump

7+ variables per check — surfers do the math themselves.

## 02 No translation


Offshore buoy ≠ what your sandbar actually does.

## 03 Generic ratings

One "Fair" score for every surfer, every board, every goal.

# what surfers actually complain about

(n = 12) friends, forum threads, Reddit discussions, and App Store reviews



## THE TOP THREE

25%

forecast inaccuracy

17%

hard to interpret raw data

17%

interface friction

---

*"Surfline is helpful but you still have to know your local break. The forecast doesn't tell the whole story."*

— r/surfing

# Forecasts describe the ocean. Surfers need something that describes *their session.*

OFFSHORE BUOY

**4.8 ft @ 12s**

*clean offshore sine wave*

---



YOUR SANDBAR

**2–2.6 ft · Poor-Fair**

*transformed, scored, personalized*

---

sandbar

introducing

# *sandbar.*

An AI surf intelligence system that turns raw ocean data into a clear session read — tuned to how you surf.

BUILT FOR

*Surfers who want a session verdict, not a data dump.*



research

insight

product

prototype

# what sandbar does

*Four things on one screen — a verdict, the reasoning, your fit, and the next window.*



01 · CONDITIONS READ

## 4.8–5.1 ft

**FAIR-GOOD**

*A verdict, not a data dump.*



02 · SESSION REASONING

## + / -

**PLAIN ENGLISH**

*Why conditions score the way they do.*



03 · USER FIT

## Backup 2.7/5

**BELOW YOUR RANGE**

*Scored against your preferences.*



04 · NEXT WINDOW


## Mon • 8 AM

**FAIR**

*When to paddle out next.*

# most forecasts stop at the buoy.

*Sandbar models what the swell actually does at your break.*



THE PAYOFF · THREE READS FROM ONE SWELL

NORTH OB

**3.8–4.8 ft**

FAIR

CENTRAL OB

**2.8–3.6 ft**

POOR-FAIR

SOUTH OB

**1.9–2.5 ft**

POOR



# sandbar learns you.

*Every session you log sharpens the model. More data → better reads.*

## 01 Log your sessions

Rate each one, drop a quick note. That's the whole ask.


## 02 Learn what you actually like

A Bayesian model weighs your ratings against the conditions that produced them.

## 03 Better reads over time

Recommendations tune to your preferences — not a “generic” surfer.

YOUR SESSIONS



*"Your top sessions tend to be on W swells at 11s period."*

Discovered pattern from your logged sessions.

# prototype.

Live at Ocean Beach, San Francisco — refreshed from live buoys.

~ OCEAN BEACH · SAN FRANCISCO

# 2–2.6ft

POOR-FAIR



**2.8ft @ 12s**

W swell

**4.5 mph**

onshore

**-0.5ft**

tide rising

- + Rideable wave size (2–3 ft face)
- + Good swell period (12s)
- Light onshore wind — slight chop

USER FIT

## Backup

3 / 5 confidence

Surf (2–3 ft) is below your preferred range (4–8 ft).


*Session quality: Poor-Fair.*


*Backup at best.*

**NEXT WINDOW** Mon · 4 AM · FAIR

# under the hood

*A five-stage pipeline. Data in — session read out.*





# *what's next?*

## *01* **More breaks**

Expand beyond Ocean Beach — Pacifica, Bolinas, Santa Cruz.

## *02* **Conversational interface**

"Where should I surf tomorrow morning?"

## *03* **Board-aware scoring**

Log vs shortboard vs fish — different reads for different sleds.

## *04* **Crew mode**

Share session reads with your surf group.

*sandbar*

*thank you.*

questions?