Anteater
CI Gate Security
...

The Problem

- Approx 1000 Changesets a month / 70+ projects
- No security controls - projects can pull in binaries, scripts, artefacts from anywhere.
- Platform is then deployed into multiple NEP and Operator networks.



Why Anteater..?

Recent Attacks against CI environments

- Ticketing, bug tracking, and git provided secrets (e.g. crypto keys, seeds, hashes, credentials, and source code) provided hacker access to build systems.
- Wikis revealed administrative workflows, IP's and VPN details
- Stolen Engineering credentials (ssh keys) were used to commit backdoors to version control which were self-approved and later deployed into production

https://medium.com/@chrismcnab/alexseys-ttps-1204d



What we have seen in OPNFV..

- Private keys stored in repos (CVE-2016-1000297).
- WGET script downloads from a developer's laptop.
- Lot’s of hard coded passwords
- Lot’s of binaries
- Uses of ‘eval’ and other functions that can be exploited.
- Clones of git repositories outside opnfv.



What does Anteater do?

Scans git patches for potential malicious strings or binaries.

If a potential malicious object is identified, it is *blocked from merging until reviewed.

* blocked as in -1 gerrit review

How?

Using standard regular expressions to search in scripts / code or any text file:

```
- "-----BEGIN\sRSA\sPRIVATE\sKEY----"
- "curl(.*?)bash"
- "git(.*?)clone"
- "sh(.*?)curl"
- "subprocess(.*?)shell(.*?)=(.*?)True"
```

How?

All binary files are blocked, unless a sha256 checksum of the file is provided.

```
[architecture.jpeg, 407fb352a8b709fa1890f200fee5186455fe815fb6c7808305f210e2f1faf76d]
[architecture.pdf, 90517f282ed8137978c9a5e8da06450371fa1a7a783423ee28ba7a5d61f2d1e6]
```

How does this work in CI Gate?



A patchset file list is provided by JJB

```
/home/jjb/repo/fileone.py
/home/jjb/repo/somebinary
/home/jjb/somescript.sh
```

If the file is a binary, its blocked or has an exception (as below).

```
binary_ignore:
 [somebinaryfile, 407fb352a8b709fa1890f200fee5186455fe815fb6c7808305f210e2f1faf76d]
 [anotherbinaryfile, 90517f282ed8137978c9a5e8da06450371fa1a7a783423ee28ba7a5d61f2d1e6]
```

- *Blocked means -1 at gate*

If a file is not a binary, the contents are checked

```
file_contents:
 - -----BEGIN\sRSA\sPRIVATE\sKEY----
 - "curl(.*?)bash"
 - "git(.*?)clone"
 - "sh(.*?)curl"
 - dual_ec_drbg
 - eval
 - gost
 - md[245]
```

Unless an exception is provided:

```
file_contents:
 - "wget http://repo1\\.maven\\.org"
 - paramiko\.RSAKey\.from_private_key_file\(pkey_file\)
 - "git clone(.*)\\.openstack\\.org"
 - "git clone(.*)gerrit\\.opnfv\\.org"
```

Example One

A project needs to clone the following repo in a script / code file:

https://github.com/john_doe/repo

Developer submits a patch to releng-anteater with the following regex:

```
    file_contents: "git (.*)github\\.com\\john_doe/repo"
```

Example Two

A project has the following in script

```
wget https://trusted.com/somepackage.rpm
```

Developer submits a patch to releng-anteater with the following regex:

```
someproject:
    file_contents: "wget(.*)trusted\\.com/somepackage.rpm"
```

Example Patch One

All My Projects People Documentation

Search term

Changes Drafts Draft Comments Edits Watched Changes Starred Changes Groups

Change 36075 - **Needs Code-Review Label**

Reply...

```
Test binary file

Change-Id: I3dbeca3ebdc514134158d715b5e018d52a5ec599
Signed-off-by: lhinds <lhinds@redhat.com>
```

Owner Luke Hinds
Reviewers Jenkins Ericsson × jenkins-ci ×
Project sandbox
Branch master
Topic binary
Strategy Merge if Necessary
Updated 8 days ago

Cherry Pick | Rebase | Abandon | Follow-Up

Code-Review
Verified

Related Changes (3)
- test patch
- Test binary file
- test anteater

Author	lhinds <lhinds@redhat.com>	Jun 14, 2017 4:08 AM
Committer	lhinds <lhinds@redhat.com>	Jun 14, 2017 4:08 AM
Commit	d1e6cd2438cb198d6c05a06595eb80f15f1d2e04 (gitweb)	
Parent(s)	afd0a0b9f2218531b9de567d9fe8584066b1f10a (gitweb)	
Change-Id	I3dbeca3ebdc514134158d715b5e018d52a5ec599	

Files Open All Diff against: Base Edit

File Path	Comments	Size
Commit Message		
A trojanfile		+59.7 KiB
		+59.7 KiB, -0 B

History Expand All

Luke Hinds	Uploaded patch set 1.	Jun 14 4:10 AM
jenkins-ci	Patch Set 1: Build Started https://build.opnfv.org/ci/job/opnfv-security-audit-verify-master/29/	Jun 14 4:10 AM
Jenkins Ericsson	Patch Set 1: Non Whitelisted Binary file: /home/opnfv/anteater/sandbox/trojanfile Failures registered	Jun 14 4:10 AM ↩
jenkins-ci	Patch Set 1: Build Failed https://build.opnfv.org/ci/job/opnfv-security-audit-verify-master/29/ : FAILURE (skipped)	Jun 14 4:10 AM

Example Patch Two

All My Projects People Documentation

Changes Drafts Draft Comments Edits Watched Changes Starred Changes Groups

Search term

Change 36087 - **Needs Code-Review Label**

Reply...

```
test patch

testing, binaries, keys, passwords

Change-Id: Ief03a1ec561c77917eead8263d1766651e683725
Signed-off-by: lhinds <lhinds@redhat.com>
```

Owner Luke Hinds
Reviewers Jenkins Ericsson × jenkins-ci ×
Project sandbox
Branch master
Topic testpatch
Strategy Merge if Necessary
Updated 8 days ago

Cherry Pick Rebase Abandon Follow-Up

Code-Review
Verified

Related Changes (3)
- test patch
- Test binary file
- test anteater

Author	lhinds <lhinds@redhat.com>	Jun 14, 2017 7:02 AM
Committer	lhinds <lhinds@redhat.com>	Jun 14, 2017 7:02 AM
Commit	4f236338a9997f64e16d54f1c888e47cf6828c63	(gitweb)
Parent(s)	d1e6cd2438cb198d6c05a06595eb80f15f1d2e04	(gitweb)
Change-Id	Ief03a1ec561c77917eead8263d1766651e683725	

Files Open All Diff against: Base Edit

File Path	Comments	Size
Commit Message		
A credentials.txt	2	
A harmless		+59.7 KiB
A id_key	27	
A id_key.pub	1	
	+30, -0	**+59.7 KiB, -0 B**

History Expand All

Luke Hinds	Uploaded patch set 1.	Jun 14 7:03 AM
jenkins-ci	Patch Set 1: Build Started https://build.opnfv.org/ci/job/opnfv-security-audit-verify-master/31/	Jun 14 7:03 AM
Jenkins Ericsson	Patch Set 1: Non Whitelisted Binary file: /home/opnfv/anteater/sandbox/harmless File contains violation: /home/opnfv/anteater/sandbox/id_key Flagged Content: -----BEGIN RSA PRIVATE KEY----- Matched String: -----BEGIN RSA PRIVATE KEY---- Failures registered	Jun 14 7:04 AM ↩
jenkins-ci	Patch Set 1: Build Failed https://build.opnfv.org/ci/job/opnfv-security-audit-verify-master/31/ : FAILURE (skipped)	Jun 14 7:04 AM

How is this being phased in.

- During E release, non voting. Voting for F release.
- Tool will be available on PyPi for developers to test locally.
- Works against patchset, not entire repo (although repo can be scanned / daily cron)
- Tools are planned to support developers write and test waivers

New features planned

ClamAV Scanning of all files

HTML rendered reports

Possible Integration with Black Duck Hub API

Developer tools for generating exception regular expressions

Github integration

More information

Wiki: https://wiki.opnfv.org/pages/viewpage.action?pageId=10294496

Git Mirror: https://github.com/opnfv/releng-anteater