POST-SHIPMENT BILL OF LADING

CUSTOMER NO.
106988
Page 1 of 1

Straight Bill of Lading
ORIGINAL - NOT NEGOTIABLE

INTERSTATE CHEMICAL CO.

PHONE (724) 981-3771 FAX (724) 981-8383

ORDER NUMBER
283013
DATE
11/29/2017

FROM: INTERSTATE CHEMICAL CO., INC.
AT: 646 N. STATES AVENUE
PUEBLO WEST,CO 81007- USA

CARRIER: FEDEX FRT

SHIP TO
TECHNICAL SUPPORT BLDG.
325 S. CASCADE AVE.
SHIP CODE: 150068807
COLORADO SPRINGS , CO 80903-

SOLD TO
NALCO COMPANY
PO BOX 2927
CHESTERTON , IN 46304-
(630) 305-2953

REC HOURS: 8 - 3

DELIVERY WINDOW

PO NUMBER	OPERATOR	SALES AGENT	DELIVERY TYPE	SHIP DATE	FREIGHT
4503407565	SBASILE	009	REGULAR	**11/28/2017**	PREPAID
RELEASE NO.	**WAREHOUSE**		**SHIP VIA**	**DELIVERY DATE**	**FOB REMARK**
	36-36		TRUCK	11/29/2017	DESTINATION

QUANTITY SHIPPED	HM	DESCRIPTION	PACKAGING	WEIGHT WEIGHT (lb)
2		INTERCOOL NFP-P 24180-55P WHS: 36-36 LOT NO: 24180-55P-28117P Line Item Remarks: "NMFC# 044620, Class 65" General Remarks: 8 - 3 ATTN: DAVE MOTT ATTN: PAUL HUFFMAN 719-244-2207 **FED EX FRT - APPLY PALLET RATE**	55.00 Gal DRUM	961
			TOTAL NET WEIGHT:	961

PRODUCT: _____/_____

CHECKED BY: _____/_____
(Print Name) (Sign Name)

PLACARDS AND EMERGENCY RESPONSE INFORMATION OFFERED: _____

THE COMPANY REPRESENTATIVE NAMED ABOVE HAS VERIFIED THE CORRECT PRODUCT AND LINE TO CONNECT TO FOR UNLOADING /LOADING TO BEGIN. THE TANK CAPACITY AND CURRENT PRODUCT LEVEL HAS BEEN VERIFIED. THE QUANTITY OF PRODUCT TO BE UNLOADED/LOADED WILL BE ACCEPTED IN FULL. ALL CONNECTIONS MADE HAVE BEEN RE-CHECKED FOR ACCURACY AND SAFETY.

COD Amt: $

NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding $_____ Per _____

Subject to Section 7 of the conditions, if the shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:
The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. (Signature of Consignor)_____

RECEIVED, Subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property over all or any portion of said route to destination and as to each party at any time interested in all or any said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

This is to certify that the above named materials are properly classified described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

DRIVER:_____ or LOADER:_____

UNIT:_____ DATE:_____

_____
(Authorize to Unload)

RECEIVED ABOVE MERCHANDISE IN GOOD CONDITION.

PER:_____

DATE:_____

****EMERGENCY RESPONSE - CHEMTREC: 800-424-9300 (CCN11509)****

INTERCOOL NFP-P

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/22/2014 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form	:	Mixture
Trade name	:	INTERCOOL NFP-P
CAS-No.	:	Mixture
Product code	:	24180

1.2. Recommended use and restrictions on use

Use of the substance/mixture	:	Heat Transfer Fluid

1.3. Supplier

Interstate Chemical Company, Inc.
2797 Freedland Road
Hermitage, PA 16148-0210 - United States
T 800-422-2436 - F (724) 509-1015
herm-eh&s@interstatechemical.com - www.interstatechemical.com

1.4. Emergency telephone number

Emergency number	:	For 24-Hour Emergency Information Call Chemtrec: +1 (800) 424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
1,2-propanediol	(CAS-No.) 57-55-6	80 - 100	Not classified
CORROSION INHIBITORS AND pH BUFFERS	(CAS-No.) Trade Secret	1 - 10	Not classified
LIQUID DYE	(CAS-No.) Mixture	< 1	Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	:	Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	:	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	:	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	:	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Sources of ignition. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,2-propanediol (57-55-6)
Not applicable

CORROSION INHIBITORS AND pH BUFFERS (Trade Secret)
Not applicable

LIQUID DYE (Mixture)
Not applicable

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Appearance	:	Clear, Pink Liquid.
Color	:	pink
Odor	:	characteristic
Odor threshold	:	No data available
pH	:	6.5 - 7.5 (50 %)
pH solution	:	50 %
Melting point	:	-60 °C
Freezing point	:	No data available
Boiling point	:	188 °C
Critical temperature	:	352 °C
Flash point	:	99 °C
Relative evaporation rate (butyl acetate=1)	:	< 0.1
Flammability (solid, gas)	:	Non flammable.
Vapor pressure	:	0.2 hPa
Vapor pressure at 50 °C	:	3 hPa
Relative vapor density at 20 °C	:	2.6
Relative density	:	1
Relative density of saturated gas/air mixture	:	1
Specific gravity / density	:	1038 kg/m³
Molecular mass	:	76.1 g/mol
Solubility	:	Soluble in water. Soluble in ethanol. Soluble in ether. Soluble in acetone. Soluble in chloroform. Soluble in 1,4-dioxane. Soluble in pine oil. Ethanol: Complete Ether: 12 g/100ml Acetone: Complete
Log Pow	:	-1.41 - -0.30
Auto-ignition temperature	:	371 °C
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	0.058 Pa.s (20 °C)

Explosion limits	:	2.60 - 12.60 vol % 80 - 400 g/m³
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2. Other information

Specific conductivity	:	4.4 µS/m
Saturation concentration	:	0.54 g/m³
VOC content	:	100 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

1,2-propanediol (57-55-6)	
LD50 oral rat	20000 mg/kg (Rat; Experimental value)
LD50 dermal rat	22500 mg/kg (Rat; Experimental value)
LD50 dermal rabbit	20800 mg/kg (Rabbit; Experimental value)
ATE US (oral)	20000 mg/kg body weight
ATE US (dermal)	20800 mg/kg body weight

Skin corrosion/irritation	:	Not classified pH: 6.5 - 7.5 (50 %)
Serious eye damage/irritation	:	Not classified pH: 6.5 - 7.5 (50 %)
Respiratory or skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity – single exposure	:	Not classified
Specific target organ toxicity – repeated exposure	:	Not classified
Aspiration hazard	:	Not classified
Potential Adverse human health effects and symptoms	:	Based on available data, the classification criteria are not met.
Symptoms/effects	:	Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

1,2-propanediol (57-55-6)	
EC50 Daphnia 1	34400 mg/l (EC50; 48 h)
LC50 fish 2	51600 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss)

12.2. Persistence and degradability

INTERCOOL NFP-P (Mixture)	
Persistence and degradability	Not established.

1,2-propanediol (57-55-6)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	0.96 - 1.08 g O_2/g substance
Chemical oxygen demand (COD)	1.63 g O_2/g substance
ThOD	1.69 g O_2/g substance
BOD (% of ThOD)	0.57

12.3. Bioaccumulative potential

INTERCOOL NFP-P (Mixture)	
Log Pow	-1.41 - -0.30
Bioaccumulative potential	Not established.

1,2-propanediol (57-55-6)	
Log Pow	-1.41 - -0.30 (-0.92; Experimental value; -1.07; Experimental value; Equivalent or similar to OECD 107; 20.5 °C)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

1,2-propanediol (57-55-6)	
Surface tension	0.036 N/m (25 °C)

12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

GWPmix comment : No known effects from this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. an approved hazardous waste plant and/or drum reconditioner.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information : No supplementary information available.