

## Sgnup

Method	URL	Params
Post	<a href="http://hockd.co/hockd/public/api/v1/auth/signup">http://hockd.co/hockd/public/api/v1/auth/signup</a>	email', 'password', 'user_type', 'username', 'state', 'city', 'zip', 'address_one', 'address_two', 'interests', 'profile_image

http://hockd.co/hockd/public/api/v1/auth/signup POST [URL params](#)

☒ form-data ☐ x-www-form-urlencoded ☐ raw

email	testaccount1@gmail.com	Text	✕
password	admin	Text	✕
username	testaccount1	Text	✕
user_type	hocker	Text	✕
state	gujrat	Text	✕
city	ahmedabad	Text	✕
zip	313001	Text	✕
address_one	test address	Text	✕
interests	gold	Text	✕
Key	Value	Text	

[Send](#) [Preview](#) [Add to collection](#)

---

**Body** [Headers \(11\)](#) **STATUS** 200 OK **TIME** 885 ms

[Pretty](#) [Raw](#) [Preview](#) [JSON](#) [XML](#)

```
1 {
2   "user_id": 8,
3   "msg_Code": "Successfully signup",
4   "status": true
5 }
```

## Login

Method	URL	params
Post	<a href="http://hockd.co/hockd/public/api/v1/auth/login">http://hockd.co/hockd/public/api/v1/auth/login</a>	username,password

**Normal** Basic Auth Digest Auth OAuth 1.0 No environment 4

<http://hockd.co/hockd/public/api/v1/auth/login> POST [URL params](#) [Headers \(0\)](#)

form-data x-www-form-urlencoded raw

username

testaccount

Text

✕

password

admin

Text

✕

Key

Value

Text

▼

Send

Preview

Add to collection

Reset

**Body** Headers (11) **STATUS** 200 OK **TIME** 880 ms

Pretty Raw Preview JSON XML

```
1 {
2   "token":
3     "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJcsImzcyI6Imh0dHA6XC9cL2hvY2tkLmNvXC9ob2NrZFwvcVibGljXC9hcGlicL3YxXC9hdXRoXC9sb2dpbiIsIm1hdCI6MTQ3ODcwOTg5NSwiZXhwIjoxNDc4NzEzNDk1LCJyYmYiOiJlE0Ng3MDk4OTUsImp0aSI6ImU4ODcwNTEzMzliZTkwZD11NTkzYmQxZjM1M2RmZjI1In0.ngHUUpkey2KyBED_TJVMxg4OfQ6TCJeIv7-rvp-ly0",
4   "user_details": {
5     "id": 7,
6     "username": "testaccount",
7     "user_type": "hocker",
8     "email": "testaccount@gmail.com",
9     "token": null,
10    "profile_image": null,
11    "interests": "gold",
12    "address_one": "test address",
13    "address_two": null,
14    "city": "ahmedabad",
15    "state": "gujrat",
16    "zip": "313001",
17    "created_by": null,
18    "updated_by": null,
19    "created_at": "2016-11-09 16:43:53",
20    "updated_at": "2016-11-09 16:43:53",
21    "deleted_at": null,
22    "random_password": "1"
23  },
24   "msg_code": "Successfully logged in",
25   "status": true
26 }
```

## Forgot password


Method	URL	params
Post	<a href="http://hockd.co/hockd/public/api/v1/auth/forgotpassword">http://hockd.co/hockd/public/api/v1/auth/forgotpassword</a>	username,password

## Update password








Method	URL	params
Post	<a href="http://hockd.co/hockd/public/api/v1/auth/updatepassword">http://hockd.co/hockd/public/api/v1/auth/updatepassword</a>	user_id,old_password,new_password

## Update user profile

Method	URL	params
Post	<a href="http://hockd.co/hockd/public/api/v1/updateuserdetails">http://hockd.co/hockd/public/api/v1/updateuserdetails</a>	id, 'state', 'city', 'zip', 'address_one', 'address_two', 'interests', 'profile_image'

http://hockd.co/hockd/public/api/v1/updateuserdetails POST  URL



**form-data** x-www-form-urlencoded raw

state	gujrat	 Text
city	ahmedabad	 Text
zip	313001	 Text
address_one	test address	 Text
interests	gold	 Text
id	8	 Text
Key	Value	 Text

**Send** Preview Add to collection

---

**Body** Headers (11) **STATUS** 200 OK **TIME** 1800 ms

Pretty Raw Preview   JSON XML

```
1 {
2   "status": true,
3   "response": [],
4   "msg_code": "successfully updated"
5 }
```

## Get userprofile detail

Method	URL	params
get	<a href="http://hockd.co/hockd/public/api/v1/my-profile">http://hockd.co/hockd/public/api/v1/my-profile</a>	User_id'

http://hockd.co/hockd/public/api/v1/my-profile?user\_id=8

GET

Send

Preview

Add to collection

Body

Headers (11)

STATUS

200 OK

TIME

744 ms

Pretty

Raw

Preview

JSON

XML

1

{

2

"status": true,

3

"response": {

4

"id": 8,

5

"username": "testaccount1",

6

"user\_type": "hocker",

7

"email": "testaccount1@gmail.com",

8

"token": null,

9

"profile\_image": null,

10

"interests": "gold",

11

"address\_one": "test address",

12

"address\_two": null,

13

"city": "ahmedabad",

14

"state": "gujrat",

15

"zip": "313001",

16

"created\_by": null,

17

"updated\_by": null,

18

"created\_at": "2016-11-09 16:50:49",

19

"updated\_at": "2016-11-09 16:50:49",

20

"deleted\_at": null,

21

"random\_password": "1"

22

},

23

"msg\_code": "success"

24

}

### My items

Method	URL	params
get	<a href="http://hockd.co/hockd/public/api/v1/my-items">http://hockd.co/hockd/public/api/v1/my-items</a>	user_id

### AddRequest PownLoan By Hocker

Method	URL	params
post	<a href="http://hockd.co/hockd/public/api/v1/add-request-loan">http://hockd.co/hockd/public/api/v1/add-request-loan</a>	'user_id', 'category', 'item_description', 'manufacturer', 'manufacturer_year', 'model_name', 'condition', 'other_comments', 'item_pics', 'loan_desired', 'posted_loan_ammount', 'agreed_loan_ammount', 'item_pics', 'loan_desired'

### Search all item

Method	URL	params
get	<a href="http://hockd.co/hockd/public/api/v1/all-items">http://hockd.co/hockd/public/api/v1/all-items</a>	user_id

### offer-items by investor

Method	URL	params
post	<a href="http://hockd.co/hockd/public/api/v1/offer-items">http://hockd.co/hockd/public/api/v1/offer-items</a>	user_id, hockd_item_id

### offer-other-items

Method	URL	params
post	<a href="http://hockd.co/hockd/public/api/v1/offer-items">http://hockd.co/hockd/public/api/v1/offer-items</a>	user_id, hockd_item_id, posted_loan_ammount

### Item status change by hocker

Method	URL	params
post	<a href="http://hockd.co/hockd/public/api/v1/items-status-by-hockd">http://hockd.co/hockd/public/api/v1/items-status-by-hockd</a>	user_id,hockd_item_id,status

### get Messages

Method	URL	params
get	<a href="http://hockd.co/hockd/public/api/v1/my-message">http://hockd.co/hockd/public/api/v1/my-message</a>	user_id

### Send messages

Method	URL	params
get	<a href="http://hockd.co/hockd/public/api/v1/post-message">http://hockd.co/hockd/public/api/v1/post-message</a>	'user_to_id', 'user_from_id', 'message