

Release runbook

Step 1

Step 1. Freeze the release branch, run `make release VERSION=1`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 2

Step 2. Freeze the release branch, run `make release VERSION=2`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 3

Step 3. Freeze the release branch, run `make release VERSION=3`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 4

Step 4. Freeze the release branch, run `make release VERSION=4`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 5

Step 5. Freeze the release branch, run `make release VERSION=5`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 6

Step 6. Freeze the release branch, run make release VERSION=6, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 7

Step 7. Freeze the release branch, run make release VERSION=7, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 8

Step 8. Freeze the release branch, run make release VERSION=8, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 9

Step 9. Freeze the release branch, run make release VERSION=9, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 10

Step 10. Freeze the release branch, run make release VERSION=10, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 11

Step 11. Freeze the release branch, run `make release VERSION=11`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 12

Step 12. Freeze the release branch, run `make release VERSION=12`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 13

Step 13. Freeze the release branch, run `make release VERSION=13`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 14

Step 14. Freeze the release branch, run `make release VERSION=14`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 15

Step 15. Freeze the release branch, run `make release VERSION=15`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 16

Step 16. Freeze the release branch, run `make release VERSION=16`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 17

Step 17. Freeze the release branch, run `make release VERSION=17`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 18

Step 18. Freeze the release branch, run `make release VERSION=18`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 19

Step 19. Freeze the release branch, run `make release VERSION=19`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 20

Step 20. Freeze the release branch, run `make release VERSION=20`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 21

Step 21. Freeze the release branch, run `make release VERSION=21`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 22

Step 22. Freeze the release branch, run `make release VERSION=22`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 23

Step 23. Freeze the release branch, run `make release VERSION=23`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 24

Step 24. Freeze the release branch, run `make release VERSION=24`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 25

Step 25. Freeze the release branch, run `make release VERSION=25`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 26

Step 26. Freeze the release branch, run `make release VERSION=26`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 27

Step 27. Freeze the release branch, run `make release VERSION=27`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 28

Step 28. Freeze the release branch, run `make release VERSION=28`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 29

Step 29. Freeze the release branch, run `make release VERSION=29`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 30

Step 30. Freeze the release branch, run `make release VERSION=30`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 31

Step 31. Freeze the release branch, run make release VERSION=31, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 32

Step 32. Freeze the release branch, run make release VERSION=32, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 33

Step 33. Freeze the release branch, run make release VERSION=33, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 34

Step 34. Freeze the release branch, run make release VERSION=34, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 35

Step 35. Freeze the release branch, run make release VERSION=35, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 36

Step 36. Freeze the release branch, run `make release VERSION=36`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 37

Step 37. Freeze the release branch, run `make release VERSION=37`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 38

Step 38. Freeze the release branch, run `make release VERSION=38`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 39

Step 39. Freeze the release branch, run `make release VERSION=39`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 40

Step 40. Freeze the release branch, run `make release VERSION=40`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 41

Step 41. Freeze the release branch, run `make release VERSION=41`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 42

Step 42. Freeze the release branch, run `make release VERSION=42`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 43

Step 43. Freeze the release branch, run `make release VERSION=43`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 44

Step 44. Freeze the release branch, run `make release VERSION=44`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 45

Step 45. Freeze the release branch, run `make release VERSION=45`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 46

Step 46. Freeze the release branch, run `make release VERSION=46`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 47

Step 47. Freeze the release branch, run `make release VERSION=47`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 48

Step 48. Freeze the release branch, run `make release VERSION=48`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 49

Step 49. Freeze the release branch, run `make release VERSION=49`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.

Step 50

Step 50. Freeze the release branch, run `make release VERSION=50`, and confirm that every mirror reports the new checksum before you announce the build on [the status page](#).

If a mirror lags by more than an hour, pause the announcement and page the on-call engineer.