



MASTG

File Access APIs in WebViews

MASTG-TEST-0258: References to Keyboard Caching Attributes in UI Elements

MASTG-TEST-0289: Runtime Verification of Sensitive Content Exposure in Screenshots During App Backgrounding

MASTG-TEST-0291: References to Screen Capturing Prevention APIs

MASTG-TEST-0292: `setRece...` Not Used to Prevent Screenshots When Backgrounded

MASTG-TEST-0293: `setSecure` Not Used to Prevent

L2

ANDROID

MASWE-0055

TEST



MASTG-TEST-0291: References to Screen Capturing Prevention APIs

Overview

This test verifies whether an app references Android screen capture prevention APIs. On Android, developers can prevent screenshots and nonsecure display mirroring using `FLAG_SECURE`. When set, Android blocks screenshots and prevents content from appearing on a nonsecure display, including remote screen sharing. Users see a blank screen if they attempt a screenshot or when the app moves to the background.

Developers typically apply the flag with `addFlags()` or `setFlags()`. Common failure modes include not setting `FLAG_SECURE` on all sensitive screens or clearing the flag during transitions e.g., using `clearFlags()` or `setFlags()`.

Steps

- 1. Run a static analysis ([Static Analysis on Android](#)) tool to identify instances of the relevant APIs.

Observation

The output should include a list of locations where the relevant APIs are used.

Evaluation

The test case fails if the relevant APIs are missing or inconsistently applied on any UI component that displays sensitive data, or if code paths clear the protection without an adequate justification.

Best Practices

MASTG-BEST-0014: Preventing Screenshots and Screen Recording

Demos

MASTG-DEMO-0061: Uses of FLAG_SECURE with semgrep