

DINGUS INTEGRATION API SPECIFICATION



Current Version:	2.7
Connection Model Type:	Transactional

Changelog

Version	Date	Comment	Author
1.0	May 2012	- Initial Release	Víctor Carmona
1.1	September 2013	- Added OTA_Read function	Víctor Carmona
1.2	February 2015	- Added PromotionCode + RatePlanCode attributes to OTA_HotelAvailRQ call to allow checking availability for a specific rate plan or promotion.	Víctor Carmona
1.3	September 2016	- Added GetOnlyBAR attribute to OTA_HotelAvailRQ to get only the best available rate.	Víctor Carmona
2.0	October 2016	- Added new ArrivalTransport and DepartureTransport elements to OTA_HotelResRQ call to provide flight details.	Víctor Carmona
2.1	June 2017	- Added new TotalOffersApplied attribute to inform the offer amount that has been applied to the rate.	Víctor Carmona
2.2	October 2018	- Added PMSRoomRef element to the OTA_BookList response to inform the PMS confirmation number.	Víctor Carmona
2.3	May 2019	- Added new AdditionalInfos element to the OTA_HotelResRQ call. This node allows to provide additional booking information that can't be informed at the primary fields. - Added new RoomID attribute to the RoomType element of the OTA_BookList response. This attribute informs the room reference, an internal identifier that allows to distinguish uniquely the different rooms of a booking.	Víctor Carmona
2.4	August 2020	- Added new DocumentInformation element to the OTA_HotelResRQ message in order identity document type and document number can be provided.	Víctor Carmona
2.5	September 2022	- Added new DepositPayments element to the OTA_HotelResRQ message to provide advanced payments info.	Víctor Carmona
2.6	November 2022	- Added the following info to the OTA_Read response: · Remarks · Services element with the additional services included in the reservation. · Customer address	Víctor Carmona
2.7	June 2024	- Added RateTypeCode attribute at the OTA_HotelAvail request to filter by special rates: Package and Seniors.	

0. TABLE OF CONTENTS

1. OVERVIEW	3
2. ACCESS WEB SERVICES	4
3. FEATURES	4
4. FUNCTIONS	5
4.1 HotelInfo (OTA_HotelDescriptiveInfo)	5
4.1.1 Request XML parameters description	5
4.1.2 Response XML parameters description	6
4.1.3 XML Examples	7
4.2 Availability query (OTA_HotelAvail)	10
4.2.1 Request XML parameters description	10
4.2.2 Response XML parameters description	12
4.2.3 XML Examples	14
4.3 Reservation and modification (OTA_HotelRes)	20
4.3.1 Request XML parameters description	20
4.3.2 Response XML parameters description	24
4.3.3 XML Examples	27
4.4 Cancellation (OTA_Cancel)	33
4.4.1 Request XML Parameters description	33
4.4.2 Successful response XML	34
4.4.3 Error response XML	35
4.5 Reservation query (OTA_Read)	36
4.5.1 Request XML Parameters description	36
4.5.2 Successful response XML	36
4.5.3 Error response XML	39
5. NOTES	43

1. OVERVIEW

The purpose of this document is to provide partners the guidelines for successful interaction with the Dingus system. The document assumes programming knowledge and understanding of the underlying technologies used, including XML, HTTPS and SOAP.

In each section, partner will find sample requests, responses, as well as the comments of each node, field and attribute.

This document is confidential. Everyone using this document must agree the below policies:

- All the content contained in this document is asset of Dingus.
- No part of this document may be reproduced or transmitted in any form by any means without the prior written permission of Dingus.

2. ACCESS WEB SERVICES

Test environment

<https://connectivity.dingus-services.com/services/Tazzy/CustomServices/dingus/service.asmx>

WDSL

<https://connectivity.dingus-services.com/services/Tazzy/CustomServices/dingus/service.asmx?wsdl>

Live environment

There isn't an unique live environment. Each hotel chain has its own database and service layer and therefore the URL endpoint may also be different. Partners should be able to call a different endpoint depending on the hotel.

The production URL endpoint and credentials to be set will be provided by Dingus during the set up stage after receiving the connection request from the hotel.

All Dingus web services are IP restricted, so the IP address which requests will come out must be informed in advance in order to be whitelisted.

3. FEATURES

Dingus API allows providers to develop and achieve the following capabilities:

1- Fetch basic hotel info (*OTA_HotelDescriptiveInfo method*)

This method can return the following information:

- Hotel code and name
- Hotel address
- Hotel category
- Minimum and maximum children age
- Hotel short description
- Hotel long description
- Hotel picture
- Room pictures
- Location (latitude and longitude)
- Rooms codes and descriptions
- Meal plan codes and descriptions

Hotel code with its rooms and meal plans will always be returned. The other static information is optional and may not be loaded by the hotel, therefore it won't be returned at the response. Major part of connected providers manage their own contents, so they do not need this static information to be returned.

If the partner agreement with the hotel requires this static information to be returned, hotel will have to load it during the setup.

2- Check availability (*OTA_HotelAvail method*)

This method allows to check availability at the requested properties or destination. Only the available rooms, rates and meal plans will be returned, attending to the requested criteria.

3- End-to-end booking flow.

Página 4 de 45

- New reservations and modifications (*OTA HotelRes method*)
It is not possible at all to pre-book or block a room without confirming the reservation. There is always the risk that the reservation is finally confirmed with a different price that was previously returned at the availability response (for example because the hotel makes a price or availability change in the time lapsed between the availability query and the reservation request)
To minimize this risk it is highly advised to simulate the booking before sending the final confirmation, by sending a first OTA_HotelResRQ with ResStatus=Initiate and afterwards a second OTA_HotelResRQ with ResStatus=Commit if no price or availability discrepancy is observed.
- Cancellations (*OTA Cancel method*)

4- Reservation query (*OTA_Read method*)

This method allows to check the reservations made by the provider attending to different request criteria (by booking reference, arrival or booking date,...)

This method is quite useful to check if a reservation has been finally confirmed at the hotel's system in case any failure occurred while booking the reservation with the OTA_HotelRes method.

4. FUNCTIONS

4.1- HOTEL INFO

OTA_HotelDescriptiveInfo

4.1.1- Request

LEV	ATTRIBUTE	OCURRENCES	TYPE	DESCRIPTION
0	OTA_HotelDescriptiveInfoRQ	1		
	@Version	1	decimal	Version id. Not relevant since only last version is available.
	@PrimaryLang	1	string	Language code in ISO 3166 Alpha-2 coding. en= English, es=Spanish...
1	POS	1		
2	Source	1		
3	RequestorID	1		
	@MessagePassword	1	string	Password allowed and recognised by the system.
	@ID	1	string	User allowed and recognised by the system.
1	HotelDescriptiveInfos	1		

2	HotelDescriptiveInfo	1..n		Request for chain code or hotel city code.
	@HotelCode	0..1	string	Hotel Code. If not submitted, system will return all the establishments allowed to be managed with the provided credentials.
	@HotelCityCode	0..1	string	Hotel city code or destination code. If not submitted, system will return all the establishments allowed to be managed with the provided credentials.

4.1.2- Response

LEV	ATTRIBUTE	OCURRENCES	TYPE	DESCRIPTION
0	OTA_HotelDescriptiveInfoRS	1		
	@Version	1	decimal	
	@PrimaryLang	1	string	Language code in ISO 3166 Alpha-2 coding. en= English, es=Spanish...
1	HotelDescriptiveContents	1		
2	HotelDescriptiveContent	1		The system will return a node for each hotel.
	@HotelCategoryCode	0..1	string	Category code
	@HotelCategoryDescription	0..1	string	Category name
	@HotelAddress	0..1	string	Address where the hotel is located
	@ChainCode	1	string	Chain code
	@HotelCode	1	string	Hotel code
	@HotelName	1	string	Hotel name
	@MinChildAge	1	int	Minimum child age that hotel apply. Lower values are converted to babies by the system.
	@MaxChildAge	1	int	Maximum child age that hotel apply. Higher values are converted to adults by the system.
3	HotelInfo	1		

4	Descriptions	1		
5	MultimediaDescriptions	1		
	@DescriptiveText	0..1	string	Main hotel description.
6	MultimediaDescription	1		
7	TextItem	1		
	@Description	0..1	string	Complete hotel description.
7	ImageItem	1		
	@Description	0..1	string	URL of the hotel main image.
4	Position	1		Coordinates
	@Latitude	0..1	string	Latitude
	@Longitude	0..1	string	Longitude
3	FacilityInfo	1		
4	GuestRooms	1		Room list
5	GuestRoom	1..n		
	@Code	1	string	Room code
	@RoomTypeName	1	string	Room name
6	MultimediaDescriptions	1		
7	MultimediaDescription	1		
8	ImageItem	1		
	@Description	0..1	string	URL of the room main image.
6	DescriptiveText	0..1		Main room description.
4	Services	1		
3	TPA_ExtensionsType	1		
	@Service	0..1	string	
4	MealPlanCodes	1		Meal Plan Codes
5	MealPlanCode	1..n		Meal Plan Code
	@Code	1	string	Meal code
	@Description	1	string	Main description of meal

4.1.3- Examples

Request:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <SOAP-ENV:Body>
    <m:OTA_HotelDescriptiveInfoRQ xmlns:m="http://www.opentravel.org/OTA/2003/05" Version="1.3" PrimaryLangID="es">
      <m:POS>
        <m:Source>
          <m:RequestorID MessagePassword="userpass" ID="userid"/>
        </m:Source>
      </m:POS>
    </m:OTA_HotelDescriptiveInfoRQ>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```

</m:POS>
<m:HotelDescriptiveInfos>
<m:HotelDescriptiveInfo HotelCode="" HotelCityCode="H01"/>
</m:HotelDescriptiveInfos>
</m:OTA_HotelDescriptiveInfoRQ>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Body>
    <OTA_HotelDescriptiveInfoRS PrimaryLangID="es" Version="1.3"
      xmlns="http://www.opentravel.org/OTA/2003/05">
      <Success/>
      <HotelDescriptiveContents>
        <HotelDescriptiveContent HotelCategoryCode="4E" HotelCategoryDescription="4 ESTRELLAS"
          HotelAddress="C/Buenavista 18" ChainCode="DINGUS" HotelCode="H01" HotelName="HOTEL ALFA"
          MinChildAge="2" MaxChildAge="12">
          <HotelInfo>
            <Descriptions>
              <MultimediaDescriptions>
                <MultimediaDescription>
                  <TextItem>
                    <Description>Descripcion larga del hotel</Description>
                  </TextItem>
                  <ImageItem>
                    <Description>http://bookincenter.dingus-
                      services.com/connectivity/UserCtrls/Images.ashx?ImgID=36</Description>
                  </ImageItem>
                </MultimediaDescription>
              </MultimediaDescriptions>
              <DescriptiveText>descripcion corta del hotel</DescriptiveText>
            </Descriptions>
            <Position Latitude="39.3619088356493" Longitude="3.22483062744141"/>
          </HotelInfo>
          <FacilityInfo>
            <GuestRooms>
              <GuestRoom Code="DBECO" RoomTypeName="DOBLE ECONOMY">
                <MultimediaDescriptions>
                  <MultimediaDescription/>
                </MultimediaDescriptions>
                <DescriptiveText/>
              </GuestRoom>
              <GuestRoom Code="DBL" RoomTypeName="DOBLE">
                <MultimediaDescriptions>
                  <MultimediaDescription>
                    <ImageItem>
                      <Description>http://bookincenter.dingus-
                        services.com/connectivity/UserCtrls/Images.ashx?ImgID=37</Description>
                    </ImageItem>
                  </MultimediaDescription>

```



```

</MultimediaDescriptions>
<DescriptiveText/>
</GuestRoom>
<GuestRoom Code="FAM" RoomTypeName="FAMILIAR">
<MultimediaDescriptions>
<MultimediaDescription>
<ImageItem>
<Description>http://bookincenter.dingus-
services.com/connectivity/UserCtrls/Images.ashx?ImgID=38</Description>
</ImageItem>
</MultimediaDescription>
</MultimediaDescriptions>
<DescriptiveText/>
</GuestRoom>
<GuestRoom Code="SGL" RoomTypeName="INDIVIDUAL">
<MultimediaDescriptions>
<MultimediaDescription>
<ImageItem>
<Description>http://bookincenter.dingus-
services.com/connectivity/UserCtrls/Images.ashx?ImgID=39</Description>
</ImageItem>
</MultimediaDescription>
</MultimediaDescriptions>
<DescriptiveText/>
</GuestRoom>
<GuestRoom Code="SUI" RoomTypeName="SUITE">
<MultimediaDescriptions>
<MultimediaDescription>
<ImageItem>
<Description>http://bookincenter.dingus-
services.com/connectivity/UserCtrls/Images.ashx?ImgID=40</Description>
</ImageItem>
</MultimediaDescription>
</MultimediaDescriptions>
<DescriptiveText/>
</GuestRoom>
</GuestRooms>
<Restaurants/>
<Services>
<Service/>
</Services>
</FacilityInfo>
<TPA_ExtensionsType>
<MealPlanCodes xmlns="http://www.opentravel.org/OTA/2003/05">
<MealPlanCode Code="AD" Description="ALOJAMIENTO Y DESAYUNO"/>
<MealPlanCode Code="MP" Description="MEDIA PENSION"/>
<MealPlanCode Code="PC" Description="PENSION COMPLETA"/>
<MealPlanCode Code="SA" Description="SOLO ALOJAMIENTO"/>
<MealPlanCode Code="TI" Description="TODO INCLUIDO"/>
</MealPlanCodes>
</TPA_ExtensionsType>
</HotelDescriptiveContent>
</HotelDescriptiveContents>
</OTA_HotelDescriptiveInfoRS>
</soap:Body>
</soap:Envelope>

```

4.2- AVAILABILITY QUERY

OTA_HotelAvail

4.2.1- Request

LEVEL	ATTRIBUTE	OCURRENCES	TYPE	DESCRIPTION
0	OTA_HotelAvailRQ	1		Root element
	@Version	1	decimal	Version id. Not relevant since only last version is available.
	@PrimaryLang	1	string	Language code in ISO 3166 Alpha-2 coding. en=English, es=Spanish...Other languages can be agreed if the hotel accepts to translate the descriptions within the system.
	@ AvailRatesOnly	1	boolean	Default value: true. If true returns only the available options. If false returns also the not available options and the reason why they are not.
	@GetOnlyBAR	0..1	string	Default value: false If true returns only the best available rate (the cheapest) among all available rates and meal plans.
1	POS	1		Identifies the system which is sending the request
2	Source	1		
3	RequestorID	1		
	@MessagePassword	1	String	Password recognised by the system
	@ID	1	String	User id recognised by the system.
1	AvailRequestSegments	1		
2	AvailRequestSegment	1		
3	StayDateRange			
	@Start	1	datetime	Check in date. Format YYYY-MM-DD
	@End	1	datetime	Check out date. Format YYYY-MM-DD
3	RoomStayCandidates	1		
4	RoomStayCandidate	1..n		

	@RPH	1	int	Request enumerator. Must be different for each provided RoomStayCandidate element.
	@Quantity	1	int	Quantity of rooms available for the requested room and rate combination. Rates with fewer amount of available rooms than requested will be directly missed out from the response. For different room types or occupations, different RoomStayCandidate elements must be submitted.
5	GuestCounts	1		
6	GuestCount	1..n		
	@Count	1	int	Number of persons of the submitted AgeQualifyingCode.
	@AgeQualifyingCode	1	int	Person code identifier 10=adult, 8=child, 7=baby
	@Age	1	int	Passenger's age. For adults it is advisable to submit a default age. For children it is mandatory because the children discount may differ depending on the age. If the submitted age for children is higher than the maximum accepted by the hotel the system will apply the rate for adults.
3	HotelSearchCriteria	1		
4	Criterion	1		
5	HotelRef	1..n		
	@HotelCode	0..n	string	Property code.
	@HotelCityCode	0..1	string	Destination code. It is possible to omit the HotelCode if HotelCityCode is submitted. The accepted city codes must be agreed with Dingus.
	@ChainCode	0..1	string	Chain Code
	@VendorCode	0..1	string	If the hotel has different rate conditions attending to the source of the request (eg different markets or

				contracts) this tag allow to submit the agreed value. The possible values must be agreed with Dingus and the hotel.
	@RatePlanCode	0..1	string	Rate code. If submitted the service will return only the requested RatePlanCode. Often used to request special private rates agreed with the hotel.
	@PromotionCode	0..1	string	Promotion code. If submitted the service will return the special conditions for the provided promotion code, plus the rest of available options. Often used to request special private promotions agreed with the hotel.
	@RateTypeCode	0..1	string	Special rate indicator. Possible values: - Seniors: specific rate for people older than 55 years old. - Package: specific rate for packaged rates, not to be sold as hotel only. - Residentes: specific rate for resident citizens of the Canary Islands due to their special tax policy. The availability of these special rate attribute must be agreed with the hotelier.

4.2.2- Response

LEV	ATTRIBUTE	OCCURRENCES	TYPE	DESCRIPTION
0	OTA_HotelAvailRS	1		
	@Version	1	decimal	
1	RoomStays	1		
2	RoomStay	1..n		
	@RoomStayCandidateRPH	1	int	Request enumerator. The different rates options will have the same RPH id submitted in the request.

3	RoomTypes	1		Room list
4	RoomType	1		
	@RoomTypeCode	1..n	string	Room code
5	RoomDescription	1		
	@Name	1	string	Room name
3	RoomRates	1		
4	RoomRate	1..n		Each room, meal plan and rate combination will have a different RoomRate.
	@MinimumMarkup	1	decimal	If the rate is net this tag shows the minimum mark up to apply.
	@IsPriceNeto	1	boolean	True=Net rate. False= RRP (Recommended Retail Price)
	@RoomTypeCode	1	string	Room code
	@MealPlanCodes	1	string	Meal plan code
	@MealPlanDescription	1	string	Meal plan name
	@RatePlanID	1	int	Id of the rate
	@RatePlanCode	1	string	Rate code
	@PromotionCode	0..n	string	Promotion code (if applicable)
	@PromotionName	0..n	string	Promotion name
	@RateTypeCode	0..n	string	Special rate indicator. Possible values: - Seniors: specific rate for people older than 55 years old. - Package: specific rate for packaged rates, not to be sold as hotel only. - Residentes: specific rate for resident citizens of the Canary Islands due to their special tax policy. The availability of these special rate attribute must be agreed with the hotelier.
	@NumberOfUnits	1	int	Number of available rooms for the selected rate.
	@Commission	1	decimal	Commission amount (If IsPriceNeto=false)
	@AvailabilityStatus	1	boolean	Availability rate indicator.
5	Rates	1		Prices break down.
6	Rate	1..n		
	@ExpireDate	1	datetime	Date of the last night to be charged
	@EffectiveDate	1	datetime	Date of the first night to be charged

7	Base	1		
	@CurrencyCode	1	string	Currency Code
	@AmountBeforeTax	1	decimal	NET daily rate, with the commission amount already taken.
	@AmountAfterTax	1	decimal	RRP daily rate (Gross). If PriceNeto=true then AmountBeforeTax = AmountAfterTax.
	@TotalOffersApplied	0..1	decimal	Daily amount of the offers that have been already applied to the rate.
6	RateDescription	0..1	string	
5	RoomRateDescription	0..1	string	Rate description
5	Total	1		
	@CurrencyCode	1	string	Currency code
	@AmountBeforeTax	1	decimal	Total NET amount of the reservation.
	@AmountAfterTax	1	decimal	Total RRP amount of the reservation.
	@TotalOffersApplied	0..1		Total amount of the offers that have been already applied to the rate.
3	CancelPolicies	0..1		Cancel policies list
4	CancelPenalty	0..n		
	@RatePlanID	1	int	Rate id
	@NonRefundable	1	boolean	Non refundable rate indicator. If true, the reservations confirmed with this rate does not allow any modification at all.
	@Start	1	datetime	Date and time from which cancellation fees apply.
	@AmountPercent	1	decimal	Penalty amount
	@PenaltyDescription	1	string	Penalty description
3	DepositPayments	0..1		Advanced payments requested
	GuaranteePayment	0..n		Advanced payment breakdown
	@RatePlanID	1	int	Rate id
	@PaymentAmount	1	int	Amount of the advanced payment
	@PaymentDate	1	datetime	Limit date to pay the requested advanced payment.
3	BasicPropertyInfo			
	@HotelCode	1	string	Hotel code
	@HotelCategoryCode	1	string	Catetory code

	@HotelCategoryDescription	1	string	Category name
	@ChainCode	1	string	Chain code

4.2.3- Examples

Request

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <SOAP-ENV:Body>
    <m:OTA_HotelAvailRQ xmlns:m="http://www.opentravel.org/OTA/2003/05" Version="1" PrimaryLangID="en" AvailRatesOnly="true" GetOnlyBAR="false">
      <m:POS>
        <m:Source>
          <m:RequestorID MessagePassword="userpass" ID="userid"/>
        </m:Source>
        </m:POS>
        <m:AvailRequestSegments>
          <m:AvailRequestSegment>
            <m:StayDateRange Start="2017-07-15" End="2017-07-20"/>
            <m:RoomStayCandidates>
              <m:RoomStayCandidate RPH="1" Quantity="1">
                <m:GuestCounts>
                  <m:GuestCount Count="2" AgeQualifyingCode="10" Age="30"/>
                </m:GuestCounts>
              </m:RoomStayCandidate>
            </m:RoomStayCandidates>
            <m:HotelSearchCriteria>
              <m:Criterion>
                <m:HotelRef HotelCode="H01" HotelCityCode="" ChainCode="" VendorCode=""/>
              </m:Criterion>
            </m:HotelSearchCriteria>
          </m:AvailRequestSegment>
        </m:AvailRequestSegments>
      </m:OTA_HotelAvailRQ>
    </SOAP-ENV:Body>
  </SOAP-ENV:Envelope>
```

Response

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Body>
    <OTA_HotelAvailRS Version="0" xmlns="http://www.opentravel.org/OTA/2003/05">
      <Success/>
      <RoomStays>
        <RoomStay RoomStayCandidateRPH="1">
          <RoomTypes>
```



```

<RoomType RoomTypeCode="DBL">
<RoomDescription Name="Standard Double Room">
<Image>http://bookincenter.dingus-services.com/connectivity/images?ImgID=37</Image>
</RoomDescription>
</RoomType>
<RoomType RoomTypeCode="FAM">
<RoomDescription Name="Family Room">
<Image>http://bookincenter.dingus-services.com/connectivity/images?ImgID=38</Image>
</RoomDescription>
</RoomType>
<RoomType RoomTypeCode="SUI">
<RoomDescription Name="Suite">
<Image>http://bookincenter.dingus-services.com/connectivity/images?ImgID=40</Image>
</RoomDescription>
</RoomType>
</RoomTypes>
<RoomRates>
<RoomRate MinimumMarkup="0" IsPriceNeto="false" RoomTypeCode="DBL" MealPlanCodes="RO"
MealPlanDescription="Room Only" RatePlanID="1" RatePlanCode="GENERAL" RateTypeCode="Seniors"
PromotionCode="" NumberOfUnits="331" Commission="18.00" AvailabilityStatus="true"
ReasonNotAvailable="Available" PromotionName="">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="EUR" AmountBeforeTax="67.10" TotalOffersApplied="0"
AmountAfterTax="110.00"/>
<RateDescription>BEST AVAILABLE RATE</RateDescription>
</Rate>
</Rates>
<RoomRateDescription>BEST AVAILABLE RATE</RoomRateDescription>
<Total TotalOffersApplied="0" CurrencyCode="EUR" AmountBeforeTax="335.50"
AmountAfterTax="550.00"/>
</RoomRate>
<RoomRate MinimumMarkup="0" IsPriceNeto="false" RoomTypeCode="DBL" MealPlanCodes="RO"
MealPlanDescription="Room Only" RatePlanID="2" RatePlanCode="GENERAL"
PromotionCode="PROMO1" NumberOfUnits="331" Commission="18.00" AvailabilityStatus="true"
ReasonNotAvailable="Available" PromotionName="PROMO TEST 1">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="EUR" AmountBeforeTax="59.05" TotalOffersApplied="-13.20"
AmountAfterTax="96.80"/>
<RateDescription>BEST AVAILABLE RATE</RateDescription>
</Rate>
</Rates>
<RoomRateDescription>Promotion 12% off</RoomRateDescription>
<Total TotalOffersApplied="-66.00" CurrencyCode="EUR" AmountBeforeTax="295.24"
AmountAfterTax="484.00"/>
</RoomRate>
<RoomRate MinimumMarkup="0" IsPriceNeto="true" RoomTypeCode="DBL" MealPlanCodes="RO"
MealPlanDescription="Room Only" RatePlanID="3" RatePlanCode="INTERNACIONAL" PromotionCode=""
NumberOfUnits="331" Commission="0" AvailabilityStatus="true" ReasonNotAvailable="Available"
PromotionName="">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="USD" AmountBeforeTax="100.72" TotalOffersApplied="-22.50"
AmountAfterTax="127.50"/>
<RateDescription>INTERNATIONAL RATE</RateDescription>
</Rate>
</Rates>
<RoomRateDescription>INTERNATIONAL RATE</RoomRateDescription>

```



```

<Total TotalOffersApplied="0" CurrencyCode="USD" AmountBeforeTax="503.62"
AmountAfterTax="637.50"/>
</RoomRate>
<RoomRate MinimumMarkup="0" IsPriceNeto="true" RoomTypeCode="DBL" MealPlanCodes="RO"
MealPlanDescription="Room Only" RatePlanID="4" RatePlanCode="INTERNACIONAL"
PromotionCode="PROMO1" NumberOfUnits="331" Commission="0" AvailabilityStatus="true"
ReasonNotAvailable="Available" PromotionName="PROMO TEST 1">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="USD" AmountBeforeTax="88.64" TotalOffersApplied="-37.80"
AmountAfterTax="112.20"/>
<RateDescription>INTERNATIONAL RATE</RateDescription>
</Rate>
</Rates>
<RoomRateDescription>Promotion 12% off</RoomRateDescription>
<Total TotalOffersApplied="-189.00" CurrencyCode="USD" AmountBeforeTax="443.19"
AmountAfterTax="561.00"/>
</RoomRate>
<RoomRate MinimumMarkup="0" IsPriceNeto="false" RoomTypeCode="DBL" MealPlanCodes="AD"
MealPlanDescription="Bed and Breakfast" RatePlanID="5" RatePlanCode="GENERAL"
RateTypeCode="Seniors" PromotionCode="" NumberOfUnits="331" Commission="18.00"
AvailabilityStatus="true" ReasonNotAvailable="Available" PromotionName="">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="EUR" AmountBeforeTax="79.30" TotalOffersApplied="0"
AmountAfterTax="130.00"/>
<RateDescription>BEST AVAILABLE RATE</RateDescription>
</Rate>
</Rates>
<RoomRateDescription>BEST AVAILABLE RATE</RoomRateDescription>
<Total TotalOffersApplied="0" CurrencyCode="EUR" AmountBeforeTax="396.50"
AmountAfterTax="650.00"/>
</RoomRate>
<RoomRate MinimumMarkup="0" IsPriceNeto="false" RoomTypeCode="DBL" MealPlanCodes="AD"
MealPlanDescription="Bed and Breakfast" RatePlanID="6" RatePlanCode="GENERAL"
PromotionCode="PROMO1" NumberOfUnits="331" Commission="18.00" AvailabilityStatus="true"
ReasonNotAvailable="Available" PromotionName="PROMO TEST 1">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="EUR" AmountBeforeTax="69.78" TotalOffersApplied="-15.60"
AmountAfterTax="114.40"/>
<RateDescription>BEST AVAILABLE RATE</RateDescription>
</Rate>
</Rates>
<RoomRateDescription>Promotion 12% off</RoomRateDescription>
<Total TotalOffersApplied="-78.00" CurrencyCode="EUR" AmountBeforeTax="348.92"
AmountAfterTax="572.00"/>
</RoomRate>
<RoomRate MinimumMarkup="0" IsPriceNeto="true" RoomTypeCode="DBL" MealPlanCodes="AD"
MealPlanDescription="Bed and Breakfast" RatePlanID="11" RatePlanCode="INTERNACIONAL"
PromotionCode="" NumberOfUnits="331" Commission="0" AvailabilityStatus="true"
ReasonNotAvailable="Available" PromotionName="">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="USD" AmountBeforeTax="111.47" TotalOffersApplied="-24.90"
AmountAfterTax="141.10"/>
<RateDescription>INTERNATIONAL RATE</RateDescription>
</Rate>
</Rates>

```

```

<RoomRateDescription>INTERNATIONAL RATE</RoomRateDescription>
<Total TotalOffersApplied="0" CurrencyCode="USD" AmountBeforeTax="557.34"
AmountAfterTax="705.50"/>
</RoomRate>
<RoomRate MinimumMarkup="0" IsPriceNeto="true" RoomTypeCode="DBL" MealPlanCodes="AD"
MealPlanDescription="Bed and Breakfast" RatePlanID="12" RatePlanCode="INTERNACIONAL"
PromotionCode="PROMO1" NumberOfUnits="331" Commission="0" AvailabilityStatus="true"
ReasonNotAvailable="Available" PromotionName="PROMO TEST 1">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="USD" AmountBeforeTax="98.09" TotalOffersApplied="-41.84"
AmountAfterTax="124.16"/>
<RateDescription>INTERNATIONAL RATE</RateDescription>
</Rate>
</Rates>
<RoomRateDescription>Promotion 12% off</RoomRateDescription>
<Total TotalOffersApplied="-209.20" CurrencyCode="USD" AmountBeforeTax="490.43"
AmountAfterTax="620.80"/>
</RoomRate>
<RoomRate MinimumMarkup="0" IsPriceNeto="false" RoomTypeCode="SUI" MealPlanCodes="RO"
MealPlanDescription="Room Only" RatePlanID="17" RatePlanCode="GENERAL" RateTypeCode="Seniors"
PromotionCode="" NumberOfUnits="154" Commission="18.00" AvailabilityStatus="true"
ReasonNotAvailable="Available" PromotionName="">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="EUR" AmountBeforeTax="100.65" TotalOffersApplied="0"
AmountAfterTax="165.00"/>
<RateDescription>BEST AVAILABLE RATE</RateDescription>
</Rate>
</Rates>
<RoomRateDescription>BEST AVAILABLE RATE</RoomRateDescription>
<Total TotalOffersApplied="0" CurrencyCode="EUR" AmountBeforeTax="503.25"
AmountAfterTax="825.00"/>
</RoomRate>
<RoomRate MinimumMarkup="0" IsPriceNeto="false" RoomTypeCode="SUI" MealPlanCodes="RO"
MealPlanDescription="Room Only" RatePlanID="18" RatePlanCode="GENERAL"
PromotionCode="PROMO1" NumberOfUnits="154" Commission="18.00" AvailabilityStatus="true"
ReasonNotAvailable="Available" PromotionName="PROMO TEST 1">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="EUR" AmountBeforeTax="88.57" TotalOffersApplied="-19.80"
AmountAfterTax="145.20"/>
<RateDescription>BEST AVAILABLE RATE</RateDescription>
</Rate>
</Rates>
<RoomRateDescription>Promotion 12% off</RoomRateDescription>
<Total TotalOffersApplied="-99.00" CurrencyCode="EUR" AmountBeforeTax="442.86"
AmountAfterTax="726.00"/>
</RoomRate>
<RoomRate MinimumMarkup="0" IsPriceNeto="false" RoomTypeCode="SUI" MealPlanCodes="AD"
MealPlanDescription="Bed and Breakfast" RatePlanID="25" RatePlanCode="GENERAL"
RateTypeCode="Seniors" PromotionCode="" NumberOfUnits="154" Commission="18.00"
AvailabilityStatus="true" ReasonNotAvailable="Available" PromotionName="">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="EUR" AmountBeforeTax="112.85" TotalOffersApplied="0"
AmountAfterTax="185.00"/>
<RateDescription>BEST AVAILABLE RATE</RateDescription>
</Rate>

```

```

</Rates>
<RoomRateDescription>BEST AVAILABLE RATE</RoomRateDescription>
<Total TotalOffersApplied="0" CurrencyCode="EUR" AmountBeforeTax="564.25"
AmountAfterTax="925.00"/>
</RoomRate>
<RoomRate MinimumMarkup="0" IsPriceNeto="false" RoomTypeCode="SUI" MealPlanCodes="AD"
MealPlanDescription="Bed and Breakfast" RatePlanID="26" RatePlanCode="GENERAL"
PromotionCode="PROMO1" NumberOfUnits="154" Commission="18.00" AvailabilityStatus="true"
ReasonNotAvailable="Available" PromotionName="PROMO TEST 1">
<Rates>
<Rate ExpireDate="2017-07-19" EffectiveDate="2017-07-15">
<Base CurrencyCode="EUR" AmountBeforeTax="99.31" TotalOffersApplied="-22.20"
AmountAfterTax="162.80"/>
<RateDescription>BEST AVAILABLE RATE</RateDescription>
</Rate>
</Rates>
<RoomRateDescription>Promotion 12% off</RoomRateDescription>
<Total TotalOffersApplied="-111.00" CurrencyCode="EUR" AmountBeforeTax="496.54"
AmountAfterTax="814.00"/>
</RoomRate>
</RoomRates>
<CancelPolicies>
<CancelPenalty RatePlanID="1" NonRefundable="false" Start="2017-06-09T11:33:25">
<AmountPercent>110.00</AmountPercent>
<PenaltyDescription>1 night penalty</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="2" NonRefundable="false" Start="2017-06-09T11:33:25">
<AmountPercent>484.00</AmountPercent>
<PenaltyDescription>Non Refundable</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="3" NonRefundable="false" Start="2017-07-12T12:00:00">
<AmountPercent>63.75</AmountPercent>
<PenaltyDescription>10 %</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="4" NonRefundable="false" Start="2017-07-12T12:00:00">
<AmountPercent>56.10</AmountPercent>
<PenaltyDescription>10 %</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="5" NonRefundable="false" Start="2017-06-09T11:33:25">
<AmountPercent>130.00</AmountPercent>
<PenaltyDescription>1 night penalty</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="6" NonRefundable="false" Start="2017-06-09T11:33:25">
<AmountPercent>572.00</AmountPercent>
<PenaltyDescription>Non Refundable</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="11" NonRefundable="false" Start="2017-07-12T12:00:00">
<AmountPercent>70.55</AmountPercent>
<PenaltyDescription>10 %</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="12" NonRefundable="false" Start="2017-07-12T12:00:00">
<AmountPercent>62.08</AmountPercent>
<PenaltyDescription>10 %</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="17" NonRefundable="false" Start="2017-06-09T11:33:25">
<AmountPercent>165.00</AmountPercent>
<PenaltyDescription>1 night penalty</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="18" NonRefundable="false" Start="2017-06-09T11:33:25">

```

```

<AmountPercent>726.00</AmountPercent>
<PenaltyDescription>Non Refundable</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="25" NonRefundable="false" Start="2017-06-09T11:33:25">
<AmountPercent>185.00</AmountPercent>
<PenaltyDescription>1 night penalty</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="26" NonRefundable="false" Start="2017-06-09T11:33:25">
<AmountPercent>814.00</AmountPercent>
<PenaltyDescription>Non Refundable</PenaltyDescription>
</CancelPenalty>
</CancelPolicies>
<BasicPropertyInfo HotelCode="H01" HotelName="HOTEL ALFA" HotelCategoryCode="4E"
HotelCategoryDescription="4 ESTRELLAS" HotelCityCode="MALLORCA" ChainCode="DINGUS"/>
</RoomStay>
</RoomStays>
</OTA_HotelAvailRS>
</soap:Body>
</soap:Envelope>

```

4.3- Reservation and Modification

OTA_HotelRes

4.3.1- Request

LEV	ATTRIBUTE	OCURRENCES	TYPE	DESCRIPTION
0	OTA_HotelResRQ	1		
	@Version	1	decimal	Version id. Not relevant since only last version is available.
	@ResStatus	1	string	Status of reservation: <i>Commit</i> = confirm reservation <i>Initiate</i> = Reservation not committed, just simulated.
	@PrimaryLang	1	string	Language code in ISO 3166 Alpha-2 coding. en=English, es=Spanish...
1	POS	1		
2	Source	1		
3	RequestorID	1		
	@MessagePassword	1	string	Password allowed and recognised by the system.
	@ID	1	string	User allowed and recognised by the system.
1	HotelReservations	1		
2	HotelReservation	1		

	@CreateDateTime	0..1	datetime	Booking date. If not submitted, system will automatically apply the current date.
3	RoomStays	1		
4	RoomStay	1..n		Room list. One RoomStay element per room must be provided.
	@RPH	1	int	Room stay enumerator, must be different for each RoomStay element.
5	GuestCounts	1		
6	GuestCount	1..n		Breakdown of guests' details.
	@Count	1	int	Number of persons of the submitted AgeQualifyingCode.
	@AgeQualifyingCode	1	int	Identifier person code 10=adult, 8=child, 7=baby
	@Age	1	int	Guest's age. For adults it is advisable to submit a default age (e.g 30). For children it is mandatory because the children discount of the hotel may differ depending on the age.
5	TimeSpan	1		Dates of stay
	@Start	1	date	Check in date. Format YYYY-MM-DD
	@End	1	date	Check out date. Format YYYY-MM-DD
5	RoomRates	1		
6	RoomRate	1		Details about the rate and room reserved.
	@RoomTypeCode	1	string	Room code
	@MealPlanCodes	1	string	Meal plan code
	@RatePlanCode	1	string	Rate plan code
	@PromotionCode	0..1	string	Promotion code (if existing)
	@SellChannel	0..1	string	Original channel source of the reservation.
5	BasicPropertyInfo	1		Main information about hotel
	@HotelCode	1	string	Hotel code
	@ChainCode	0..1	string	Chain code
	@VendorCode	0..1	string	If the hotel has different rate conditions depending on the source of the

				request (eg different markets or contracts) this tag allow to submit the required value. The possible values must be agreed with Dingus and the hotel.
5	Remarks	0..1	string	Customer's requests to be considered
5	Guarantee	0..1		
6	GuaranteeAccepted	1		
7	PaymentCard	1		Credit Card details
	@CardType	1	string	Credit card code according to the OTA Payment Card Provider Codes. AX=American Express DN=Diners Club EC=Eurocard MC=Master Card VI=Visa ...
	@CardCode	1	string	CVC security code
	@CardNumber	1	string	16 figures credit card number
	@ExpireDate	1	datetime	Expiration date in format MM/YYYY
	@CardHolderName	1	string	Credit card owner name
7	DepositPayments	0..1		List of payments. Payments should only be submitted once. If the reservation is modified there is no need to submit the same payment again. If a payment is received twice it will be acknowledged as a new payment.
8	GuaranteePayment	1..n		
	@PaymentCode	1	string	unique id of the payment
	@PaymentType	0..1	string	Method of payment
	@PaymentDate	1	string	Date of payment in format YYYY-MM-DD
9	AmountPercent	1		
	@Amount	1	decimal	Amount of the payment
	@Currency	1	string	Currency code
3	ResGuests	1		List of RestGuest
4	ResGuest	1..n		Guests distribution within the different rooms. One

				ResGuest element per person must be provided.
5	Profiles	1		Individual details about each guest.
6	ProfileInfo	1		
7	Profile	1		If only have the dates about first/main guest, please fill the same for all guests.
8	Customer	1		
9	PersonName	1		
	@NamePrefix	0..1	string	Mr. Or Ms.
	@GivenName	1	string	Name of the lead passenger. If only one person name can be provided, can be repeated for all passengers of the reservation.
	@Surname	1	string	Surname of the lead passenger. If only one person name can be provided, can be repeated for all passengers of the reservation.
9	DocumentInformation	0..1		
	@DocType	1	string	Document type. Accepted values are restricted to the following four: 01- DNI (Spanish National Identity Document) 02- Passport 03- NIE (Foreigner's Identity Document) 04- Other *If a different value is provided an error will be returned. * if provided, only will be acknowledged from the first ResGuest element, since this is considered the holder of the reservation.
	@DocID	1	string	Document number
9	Telephone	0..1		
	@PhoneNumber	0..1	string	Phone number
	@Email	0..1	string	Email address
9	Address	0..1		Address
	@AddressLine	0..1	string	Address line
	@CityName	0..1	string	City

	@PostalCode	0..1	string	Postal code
	@StateProv	0..1	string	Region
	@CountryName	0..1	string	Country
5	ArrivalTransport	0..1		Incoming flight details. If provided must be informed at first ResGuest element only.
	@Type	0..1	string	Fixed value = Air
	@ID	0..1	string	Incoming flight number
	@ArrAirportCode	0..1	string	Source airport IATA code of the arrival flight.
	@DepAirportCode	0..1	string	Destination airport IATA code of the arrival flight.
	@Time	0..1	datetime	Date and time of the flight in format YYYY-MM-DDTHH:MM:SS
5	DepartureTransport	0..1		Outgoing flight details. If provided must be informed at first ResGuest element only.
	@Type	0..1	string	Fixed value = Air
	@ID	0..1	string	Outgoing flight number
	@ArrAirportCode	0..1	string	Destination airport IATA code of the departure flight.
	@DepAirportCode	0..1	string	Source airport IATA code of the departure flight.
	@Time	0..1	datetime	Date and time of the flight in format YYYY-MM-DDTHH:MM:SS
3	ResGlobalInfo	1		
4	HotelReservationIDs	1		
5	HotelReservationID	1		
	@ResID_Value	0..1	string	Booking reference. If not submitted, the system will create a random self-generated one. <u>If the provided value already exists in the system the booking will be modified.</u> Although it is not mandatory, it is highly advised to be submitted in order to avoid invoicing issues with the hotels. Only alphanumeric characters are allowed and the size of the provided value must not exceed <u>25 characters</u> .

3	TPA_Extensions	0..1		
4	AdditionalInfos	1		Node to provide additional booking information that can't be provided at the primary fields. E.g agency code, market... whatever the partner considers relevant for the hotelier.
5	AdditionalInfos	1..n		
	@Code	1		Tag of the custom information that is being informed. E.g: AgentCode. Hotel needs to know in advance if any custom information is going to be provided in this node, since additional settings are required.
	@Value	1		Value of the custom tag

4.3.2 Response

LEV	ATTRIBUTE	OCURRENCES	TYPE	DESCRIPTION
0	OTA_HotelResRS	1		
	@Version	1	decimal	
1	HotelReservations	1		
2	HotelReservation	1		Unique node of reservation
	@ResStatus	1	string	Possibles values: <i>Commit</i> = reservation confirmed <i>Pending</i> = reservation simulated, not confirmed.
	@CreateDateTime	1	datetime	Date of reservation
3	RoomStays	1		
4	RoomStay	1..n		One RoomStay for each reserved room.
5	RoomTypes	1		
6	RoomType	1		
	@RoomTypeCode	1	string	Room code
7	RoomDescription	1		

	@Name	1	string	Room name
5	GuestCounts	1		
6	GuestCount	1..n		Guest breakdown
	@Count	1	int	Number of guests of the submitted person type.
	@AgeQualifyingCode	1	int	Identifier person code 10=adult, 8=child, 7=baby
	@Age	0..1	int	Guest's age
5	RoomRates	1		
6	RoomRate	1		
	@MinimumMarkup	1	decimal	In case of net Price this tag will inform about the minimum mark up to be applied.
	@IsPriceNeto	1	boolean	Price type indicator True = Net False = RRP
	@RoomTypeCode	1	string	Room Code
	@MealPlanCodes	1	string	Meal Plan Code
	@MealPlanDescription	1	string	Meal Plan Description
	@RatePlanID	1	int	Rate Id
	@RatePlanCode	1	string	Rate plan code
	@PromotionCode	0..1	string	Promotion code
	@PromotionName	0..1	string	Promotion name
	@NumberOfUnits	1	int	Number of available rooms for each room stay.
	@Commission	1	decimal	Amount of comission. If IsPriceNeto= false, this value will be zero because no commission is given.
	@AvailabilityStatus	1	boolean	Always "true"
7	Rates	1		Breakdown of rates
8	Rate	1..n		
	@ExpireDate	1	datetime	Date of the last night to be charged
	@EffectiveDate	1	datetime	Date of the first night to be charged
	@RateDescription	1	string	Rate name
9	Base	1		
	@AmountBeforeTax	1	decimal	NET daily rate, with the commission amount already taken.
	@AmountAfterTax	1	decimal	RRP daily rate (Gross). If PriceNeto=true, then AmountBeforeTax = AmountAfterTax.

7	Total	1		Total price of reservation
	@CurrencyCode	1	string	Currency code
	@AmountBeforeTax	1	decimal	Total NET amount of the reservation.
	@AmountAfterTax	1	decimal	Total RRP amount of the reservation.
5	CancelPolicies	0..1		Cancel policies list
6	CancelPenalty	0..1		
	@RatePlanID	0..1	int	Id of rate
	@NonRefundable	0..1	boolean	Non refundable rate indicator. If true, the reservations confirmed with this rate does not allow any modification at all.
	@Start	0..1	datetime	Date and time from which the cancellation penalty is applied
	@AmountPercent	0..1	decimal	Penalty amount
	@PenaltyDescription	0..1	string	Description of the applied cancellation policy
5	DepositPayments	0..1		Advanced payments
6	GuaranteePayment	0..1		Details about advanced payment.
	@RatePlanID	0..1	int	Rate ID
	@PaymentAmount	0..1	decimal	Amount of the advanced payment.
	@PaymentDate	0..1	dataetime	Limit date to pay the requested advanced payment.
5	BasicPropertyInfo	1		
	@HotelCode	1	string	Hotel code
	@HotelName	1	string	Hotel name
	@ChainCode	0..1	string	Chain code
3	ResGuests	1		
4	ResGuest	1..n		Total guests distribution within the different rooms.
5	Profiles	1		Individual details about each guest.
6	ProfileInfo	1		
7	Profile	1		
8	Customer	1		
9	PersonName	1		
	@NamePrefix	0..1	string	Mr. or Ms.
	@GivenName	1	string	Name
	@Surname	1	string	Surname

9	Telephone	0..1		
	@PhoneNumber	0..1	string	Phone number
	@Email	0..1	string	Email address
9	Address	0..1		Address
	@AddressLine	0..1	string	Address line
	@CityName	0..1	string	City
	@PostalCode	0..1	string	Postal code
	@StateProv	0..1	string	Region
	@CountryName	0..1	string	Country
5	ArrivalTransport	0..1		Incoming flight details.
	@Type	0..1	string	Fixed value = Air
	@ID	0..1	string	Incoming flight number
	@ArrAirportCode	0..1	string	Source airport IATA code of the arrival flight.
	@DepAirportCode	0..1	string	Destination airport IATA code of the arrival flight.
	@Time	0..1	datetime	Date and time of the flight in format YYYY-MM-DDTHH:MM:SS
5	DepartureTransport	0..1		Outgoing flight details
	@Type	0..1	string	Fixed value = Air
	@ID	0..1	string	Outgoing flight number
	@ArrAirportCode	0..1	string	Destination airport IATA code of the departure flight.
	@DepAirportCode	0..1	string	Source airport IATA code of the departure flight.
	@Time	0..1	datetime	Date and time of the flight in format YYYY-MM-DDTHH:MM:SS
3	ResGlobalInfo	1		
4	HotelReservationIDs	1		
5	HotelReservationID	1		
	@ResID_Value	1	string	Booking reference

4.3.3- Examples31/

Request:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <SOAP-ENV:Body>
    <m:OTA_HotelResRQ xmlns:m="http://www.opentravel.org/OTA/2003/05" Version="2.0"
      ResStatus="Commit" PrimaryLangID="en">
      <m:POS>
        <m:Source>
          <m:RequestorID MessagePassword="pass" ID="userid"/>
        </m:Source>
      </m:POS>
    </m:OTA_HotelResRQ>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```

</m:Source>
</m:POS>
<m:HotelReservations>
<m:HotelReservation CreateDateTime="2021-09-23">
<m:RoomStays>
<m:RoomStay RPH="1">
<m:GuestCounts>
<m:GuestCount Count="2" AgeQualifyingCode="10" Age="20"/>
</m:GuestCounts>
<m:TimeSpan Start="2021-12-18" End="2021-12-21"/>
<m:RoomRates>
<m:RoomRate RoomTypeCode="DBL" MealPlanCodes="SA" RatePlanCode="GENERAL "
PromotionCode="" SellChannel=""/>
</m:RoomRates>
<m:BasicPropertyInfo HotelCode="H01" ChainCode="" VendorCode=""/>
<m:Remarks>please high floor</m:Remarks>
<m:Guarantee>
<m:GuaranteeAccepted>
<m:DepositPayments>
<m:GuaranteePayment PaymentCode="1155200920221" PaymentType="Bank Transfer"
PaymentDate="2021-09-23">
<m:AmountPercent Amount="120.00" Currency="EUR"/>
</m:GuaranteePayment>
</m:DepositPayments>
</m:GuaranteeAccepted>
</m:Guarantee>
</m:RoomStay>
<m:RoomStay RPH="2">
<m:GuestCounts>
<m:GuestCount Count="3" AgeQualifyingCode="10" Age="20"/>
</m:GuestCounts>
<m:TimeSpan Start="2021-12-18" End="2021-12-21"/>
<m:RoomRates>
<m:RoomRate RoomTypeCode="DBL" MealPlanCodes="SA" RatePlanCode="GENERAL "
PromotionCode="" SellChannel=""/>
</m:RoomRates>
<m:BasicPropertyInfo HotelCode="H01" ChainCode="" VendorCode=""/>
</m:RoomStay>
</m:RoomStays>
<m:ResGuests>
<m:ResGuest>
<m:Profiles>
<m:ProfileInfo>
<m:Profile>
<m:Customer>
<m:PersonName>
<m:NamePrefix>MR</m:NamePrefix>
<m:GivenName>NOMBRE</m:GivenName>
<m:Surname>APELLIDO</m:Surname>
</m:PersonName>
<m:DocumentInformation>
<m:DocType>01</m:DocType>
<m:DocID>43157885Q</m:DocID>
</m:DocumentInformation>
<m:Telephone PhoneNumber="971439756"/>
<m:Email>info@mail.com</m:Email>
<m:Address>
<m:AddressLine>STREET NAME</m:AddressLine>
<m:CityName>CITY</m:CityName>

```

```

<m:PostalCode>CP</m:PostalCode>
<m:StateProv>ESP</m:StateProv>
<m:CountryName>SPAIN</m:CountryName>
</m:Address>
</m:Customer>
</m:Profile>
</m:ProfileInfo>
</m:Profiles>
<m:ArrivalTransport Type="Air" ID="AB1234" ArrAirportCode="CUN" DepAirportCode="MAD"
Time="2021-12-18T10:00:00"/>
<m:DepartureTransport Type="Air" ID="AB1235" ArrAirportCode="MAD" DepAirportCode="CUN"
Time="2021-12-21T15:00:00"/>
</m:ResGuest>
<m:ResGuest>
<m:Profiles>
<m:ProfileInfo>
<m:Profile>
<m:Customer>
<m:PersonName>
<m:NamePrefix>MR</m:NamePrefix>
<m:GivenName>NOMBRE</m:GivenName>
<m:Surname>APELLIDO</m:Surname>
</m:PersonName>
<m:Telephone PhoneNumber="123456"/>
<m:Email>ababa@gmail.com</m:Email>
<m:Address>
<m:AddressLine>CALLE</m:AddressLine>
<m:CityName>CITY</m:CityName>
<m:PostalCode>CP</m:PostalCode>
<m:StateProv>ESP</m:StateProv>
<m:CountryName>ES</m:CountryName>
</m:Address>
</m:Customer>
</m:Profile>
</m:ProfileInfo>
</m:Profiles>
</m:ResGuest>
<m:ResGuest>
<m:Profiles>
<m:ProfileInfo>
<m:Profile>
<m:Customer>
<m:PersonName>
<m:NamePrefix>MR</m:NamePrefix>
<m:GivenName>NOMBRE</m:GivenName>
<m:Surname>APELLIDO</m:Surname>
</m:PersonName>
</m:Customer>
</m:Profile>
</m:ProfileInfo>
</m:Profiles>
</m:ResGuest>
<m:ResGuest>
<m:Profiles>
<m:ProfileInfo>
<m:Profile>
<m:Customer>
<m:PersonName>
<m:NamePrefix>MR</m:NamePrefix>

```

```

<m:GivenName>NOMBRE</m:GivenName>
<m:Surname>APELLIDO</m:Surname>
</m:PersonName>
</m:Customer>
</m:Profile>
</m:ProfileInfo>
</m:Profiles>
</m:ResGuest>
<m:ResGuest>
<m:Profiles>
<m:ProfileInfo>
<m:Profile>
</m:Customer>
<m:PersonName>
<m:NamePrefix>MR</m:NamePrefix>
<m:GivenName>NOMBRE</m:GivenName>
<m:Surname>APELLIDO</m:Surname>
</m:PersonName>
</m:Customer>
</m:Profile>
</m:ProfileInfo>
</m:Profiles>
</m:ResGuest>
</m:ResGuests>
<m:ResGlobalInfo>
<m:HotelReservationIDs>
<m:HotelReservationID ResID_Value="RQ12345TS"/>
</m:HotelReservationIDs>
</m:ResGlobalInfo>
<m:TPA_Extensions>
<m:AdditionalInfos>
<m:AdditionalInfo Code="AgentCode" Value="185496"/>
</m:AdditionalInfos>
</m:TPA_Extensions>
</m:HotelReservation>
</m:HotelReservations>
</m:OTA_HotelResRQ>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

Response:

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Body>
    <OTA_HotelResRS Version="0" xmlns="http://www.opentravel.org/OTA/2003/05">
      <Success/>
      <HotelReservations>
        <HotelReservation ResStatus="Commit" CreateDateTime="2021-09-23T14:18:27">
          <RoomStays>
            <RoomStay RoomStayCandidateRPH="1">
              <RoomTypes>
                <RoomType RoomTypeCode="DBL">
                  <RoomDescription Name="Standard Double Room"/>
                </RoomType>
              </RoomTypes>
            </RoomStay>
          </RoomStays>
        </HotelReservation>
      </HotelReservations>
    </OTA_HotelResRS>
  </soap:Body>
</soap:Envelope>

```

```

<GuestCount Count="2" AgeQualifyingCode="10" Age="20"/>
</GuestCounts>
<RoomRates>
<RoomRate MinimumMarkup="0" IsPriceNeto="false" RoomTypeCode="DBL" MealPlanCodes="SA"
MealPlanDescription="Room Only" RatePlanID="1" RatePlanCode="GENERAL" PromotionCode=""
NumberOfUnits="1" Commission="18.00" AvailabilityStatus="true" PromotionName="">
<Rates>
<Rate ExpireDate="2021-12-20" EffectiveDate="2021-12-18">
<Base CurrencyCode="EUR" AmountBeforeTax="82.00" AmountAfterTax="100.00"/>
<RateDescription>GENERAL</RateDescription>
</Rate>
</Rates>
<Total CurrencyCode="EUR" AmountBeforeTax="246.00" AmountAfterTax="300.00"/>
</RoomRate>
</RoomRates>
<CancelPolicies>
<CancelPenalty RatePlanID="1" NonRefundable="false" Start="2021-10-11T14:18:27">
<AmountPercent>100.00</AmountPercent>
<PenaltyDescription>EUR</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="1" NonRefundable="false" Start="2021-12-17T12:00:00">
<AmountPercent>300.00</AmountPercent>
<PenaltyDescription>EUR</PenaltyDescription>
</CancelPenalty>
</CancelPolicies>
<DepositPayments/>
<BasicPropertyInfo HotelCode="H01" HotelName="HOTEL ALFA" ChainCode="CADENA1"/>
</RoomStay>
<RoomStay RoomStayCandidateRPH="2">
<RoomTypes>
<RoomType RoomTypeCode="DBL">
<RoomDescription Name="Standard Double Room"/>
</RoomType>
</RoomTypes>
<GuestCounts>
<GuestCount Count="3" agency Age="20"/>
</GuestCounts>
<RoomRates>
<RoomRate MinimumMarkup="0" IsPriceNeto="false" RoomTypeCode="DBL" MealPlanCodes="SA"
MealPlanDescription="Room Only" RatePlanID="1" RatePlanCode="GENERAL" PromotionCode=""
NumberOfUnits="1" Commission="18.00" AvailabilityStatus="true" PromotionName="">
<Rates>
<Rate ExpireDate="2021-12-20" EffectiveDate="2021-12-18">
<Base CurrencyCode="EUR" AmountBeforeTax="110.70" AmountAfterTax="135.00"/>
<RateDescription>GENERAL</RateDescription>
</Rate>
</Rates>
<Total CurrencyCode="EUR" AmountBeforeTax="332.10" AmountAfterTax="405.00"/>
</RoomRate>
</RoomRates>
<CancelPolicies>
<CancelPenalty RatePlanID="1" NonRefundable="false" Start="2021-10-11T14:18:27">
<AmountPercent>135.00</AmountPercent>
<PenaltyDescription>EUR</PenaltyDescription>
</CancelPenalty>
<CancelPenalty RatePlanID="1" NonRefundable="false" Start="2021-12-17T12:00:00">
<AmountPercent>405.00</AmountPercent>
<PenaltyDescription>EUR</PenaltyDescription>
</CancelPenalty>

```



```

</CancelPolicies>
<DepositPayments/>
<BasicPropertyInfo HotelCode="H01" HotelName="HOTEL ALFA" ChainCode="CADENA1"/>
</RoomStay>
</RoomStays>
<ResGuests>
<ResGuest>
<Profiles>
<ProfileInfo>
<Profile>
<Customer>
<PersonName>
<NamePrefix>MR</NamePrefix>
<GivenName>NOMBRE</GivenName>
<Surname>APELLIDO</Surname>
</PersonName>
<Telephone PhoneNumber="123456"/>
<Email>ababa@gmail.com</Email>
<Address>
<AddressLine>STREET NAME</AddressLine>
<CityName>CITY</CityName>
<PostalCode>CP</PostalCode>
<StateProv>ESP</StateProv>
<CountryName>SPAIN</CountryName>
</Address>
</Customer>
</Profile>
</ProfileInfo>
</Profiles>
<ArrivalTransport Type="Air" ID="AB1234" ArrAirportCode="CUN" DepAirportCode="MAD"
Time="2021-12-18T10:00:00"/>
<DepartureTransport Type="Air" ID="AB1235" ArrAirportCode="MAD" DepAirportCode="CUN"
Time="2021-12-21T15:00:00"/>
</ResGuest>
<ResGuest>
<Profiles>
<ProfileInfo>
<Profile>
<Customer>
<PersonName>
<NamePrefix>MR</NamePrefix>
<GivenName>NOMBRE</GivenName>
<Surname>APELLIDO</Surname>
</PersonName>
</Customer>
</Profile>
</ProfileInfo>
</Profiles>
</ResGuest>
<ResGuest>
<Profiles>
<ProfileInfo>
<Profile>
<Customer>
<PersonName>
<NamePrefix>MR</NamePrefix>
<GivenName>NOMBRE</GivenName>
<Surname>APELLIDO</Surname>
</PersonName>

```

```

</Customer>
</Profile>
</ProfileInfo>
</Profiles>
</ResGuest>
<ResGuest>
<Profiles>
<ProfileInfo>
<Profile>
<Customer>
<PersonName>
<NamePrefix>MR</NamePrefix>
<GivenName>NOMBRE</GivenName>
<Surname>APELLIDO</Surname>
</PersonName>
</Customer>
</Profile>
</ProfileInfo>
</Profiles>
</ResGuest>
<ResGuest>
<Profiles>
<ProfileInfo>
<Profile>
<Customer>
<PersonName>
<NamePrefix>MR</NamePrefix>
<GivenName>NOMBRE</GivenName>
<Surname>APELLIDO</Surname>
</PersonName>
</Customer>
</Profile>
</ProfileInfo>
</Profiles>
</ResGuest>
</ResGuests>
<ResGlobalInfo>
<HotelReservationIDs>
<HotelReservationID ResID_Value="RQ12345TS"/>
</HotelReservationIDs>
</ResGlobalInfo>
</HotelReservation>
</HotelReservations>
</OTA_HotelResRS>
</soap:Body>
</soap:Envelope>

```

4.4- CANCELLATION

OTA_Cancel

4.4.1- Request

LEV	ATTRIBUTE	OCURRENCES	TYPE	DESCRIPTION
0	OTA_CancelRQ	1		
	@Version	1	decimal	Version id. Not relevant since only last version is available.
	@PrimaryLang	1	string	Language code in ISO 3166 Alpha-2 coding. en=English, es=Spanish...
	@ Commit	1	boolean	Confirm cancel request. True – book will be canceled False – book will not be canceled (pending). Book is active but it's a simulation of cancel process to check cancel fees.
1	POS	1		
2	Source	1		
3	RequestorID	1		
	@MessagePassword	1	string	Password allowed and recognised by the system.
	@ID	1	string	User allowed and recognised by the system.
1	BasicPropertyInfo	1		
	@HotelCode	1	string	Hotel Code
	@ChainCode	0..1	string	Chain Code
	@VendorCode	0..1	string	Source market/provider code. Mandatory if submitted at the HotelRes call.
1	UniqueID	1		
	@ID	1	string	Booking reference

4.4.2- Response

LEV	ATTRIBUTE	OCURRENCES	TYPE	DESCRIPTION
0	OTA_CancelRS	1		
	@Version	1	decimal	
	@Status	1	string	Status of the booking: 1) <i>Cancelled</i> : the reservation has been cancelled 2) <i>Pending</i> : the cancellation has been simulated only. The reservation is still active.
	@PrimaryLang	1	string	Language code in ISO 3166 Alpha-2 coding. en=English, es=Spanish...
1	UniqueID	1		
	@ID	1	string	Booking reference
1	CancelInfoRS	1		
2	CancelRules	1		Applied cancellation policy
3	CancelRule	1		
	@CurrencyCode	1	string	Currency Code
	@CancelByDate	1	datetime	Date of cancellation
	@Amount	1	decimal	Amount of penalty

4.4.3- Examples

Request:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <SOAP-ENV:Body>
    <m:OTA_CancelRQ xmlns:m="http://www.opentravel.org/OTA/2003/05" Version="0" PrimaryLangID="es" Commit="false">
      <m:POS>
        <m:Source>
          <m:RequestorID MessagePassword="userpass" ID="userid"/>
        </m:Source>
      </m:POS>
      <m:BasicPropertyInfo HotelCode="EURO12" ChainCode="DINGUS HOTELS" VendorCode=""/>
      <m:UniqueID ID="NT90236UH"/>
    </m:OTA_CancelRQ>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Response

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Body>
    <OTA_CancelRS Version="0" Status="Pending" PrimaryLangID="es"
      xmlns="http://www.opentravel.org/OTA/2003/05">
      <Success/>
      <UniqueID ID="NT90236UH"/>
      <CancelInfoRS>
      <CancelRules>
        <CancelRule CurrencyCode="EUR" CancelByDate="2011-11-23" Amount="165.0000"/>
      </CancelRules>
      </CancelInfoRS>
    </OTA_CancelRS>
  </soap:Body>
</soap:Envelope>
```

4.5- RESERVATION QUERY

OTA_Read

4.5.1- Request

LEV	ATTRIBUTE	OCURRENCES	TYPE	DESCRIPTION
0	OTA_ReadRQ	1		
	@Version	1	decimal	Version id. Not relevant since only last version is available.
	@PrimaryLang	1	string	Language code in ISO 3166 Alpha-2 coding. en=English, es=Spanish...
1	POS	1		
2	Source	1		
3	RequestorID	1		
	@MessagePassword	1	string	Password allowed and recognised by the system.
	@ID	1	string	User allowed and recognised by the system.
1	ResID_Value	0..1	string	Reservation ID
1	HotelCode	1	string	Hotel code
1	VendorCode	0..1	string	Source market/contract code. If the hotel has different rate conditions attending to the

				source of the request (eg different markets or contracts) this tag allow to submit the desired value. The possible values must be agreed between Dingus and the hotel.
1	DateFrom	0..1	datetime	Initial stay date
1	DateTo	0..1	datetime	Final stay date
1	SalesDateFrom	0..1	datetime	Initial booking date
1	SalesDateTo	0..1	datetime	Final booking date

4.5.2- Response

LEV	ATTRIBUTE	OCURRENCE S	TYPE	DESCRIPTION
0	OTA_BookList	1		
1	ResList	0..n		Booking list
	@Version	1	decimal	
2	HotelReservations	1		
3	HotelReservation	1		Unique node of booking
	@ResStatus	1	string	Possible values: Commit : reservation confirmed Pending : reservation simulated Cancel : reservation cancelled.
	@CreateDateTime	1	datetime	Date of reservation
3	RoomStays	1		
4	RoomStay	1..n		One room stay for each room confirmed.
5	PMSRoomRef	0..1		
	@ID			Confirmation ID the hotel PMS may set once the reservation is received from Dingus system.
5	RoomTypes	1		
6	RoomType	1		
	@RoomID	1	string	Internal room reference that uniquely identifies the room within the booking.
	@RoomTypeCode	1	string	Room code
7	RoomDescription	1		
	@Name	1	string	Room name

5	GuestCounts	1		
6	GuestCount	1..n		Guests' breakdown
	@Count	1	int	Number of persons of the submitted AgeQualifyingCode.
	@AgeQualifyingCode	1	string	Identifier person code 10=adult, 8=child, 7=baby
	@Age	1	int	Age of the guest
5	TimeSpan	1		
	@Start	1	date	Check in date. Format YYYY-MM-DD
	@End	1	date	Check out date. Format YYYY-MM-DD
5	RoomRates	1		
6	RoomRate	1..n		
	@MinimumMarkup	1	decimal	Applied minimum mark up
	@IsPriceNeto	1	boolean	Price type indicator True = Net False = RRP
	@RoomTypeCode	1	string	Room Code
	@MealPlanCodes	1	string	Meal Plan Code
	@MealPlanDescription	1	string	Meal Plan Description
	@RatePlanID	1	string	Id of rate
	@RatePlanCode	1	string	Rate plan code
	@PromotionCode	0..1	string	Promotion code
	@NumberOfUnits	1	int	Number of booked rooms. Always 1 unit per RoomStay.
	@Commission	Y	decimal	Amount of comission.
	@AvailabilityStatus	Y	boolean	Always "true"
	@PromotionName	0..1	string	Promotion description
7	Rates	1		
8	Rate	1..n		
	@ExpireDate	1	datetime	Last day of application of the rate.
	@EffectiveDate	1	datetime	First day of application of the rate.
	@RateDescription	1	string	Rate name
9	Base	1		
	@AmountBeforeTax	1	decimal	Daily price for the requested dates, excluding taxes.
	@AmountAfterTax	1	decimal	Daily price for the requested dates, including taxes. Hotels usually load the rates including taxes, so AmountBeforeTax = AmountAfterTax.
7	Total	1		Total price of reservation
	@CurrencyCode	1	string	Currency code
	@AmountBeforeTax	1	decimal	Total amount of the reservation, excluding taxes.

	@AmountAfterTax	1	decimal	Total amount of the reservation, including taxes.
5	CancelPolicies	0..1		Cancel policies list
6	CancelPenalty	1..n		
	@RatePlanID	1	string	Id of rate
	@NonRefundable	1	boolean	Non refundable rate indicator. If true, the reservations confirmed with this rate does not allow any modification at all.
	@Start	1	datetime	Date and time from which the cancellation penalty is applied.
	@AmountPercent	1	decimal	Penalty amount
	@PenaltyDescription	1	string	Details of the applied cancellation policy
5	DepositPayments	0..1		Advanced payments
6	GuaranteePayment	0..1		Details about advanced payment of the rate reserved.
	@RatePlanID	1	string	Id of rate
	@PaymentAmount	1	decimal	Amount of the advanced payment.
	@PaymentDate	1	datetime	Limit date to pay the requested advanced payment.
5	Remarks	0..1	string	Shows, if existing, the reservation customer's requests.
5	Services	0..1		List of additional services included in the reservation (Extras)
6	Service	1..n		
	@ServiceInventoryCode	1	string	Service code
	@Quantity	1	int	Quantity of extras
	@IncludedInRate	1	boolean	Informes if the extra price is included in reservation price. Always set to true.
7	ServiceDetails	1		
8	TimeSpan	1		Application extra dates
	@Start	1	datetime	First date the extra applies
	@End	1	datetime	Last date the extra applies
8	Description	1		
	Text	0..1	string	Additional description of the extra
5	BasicPropertyInfo	1		
	@HotelCode	1	string	Hotel code
	@HotelName	1	string	Hotel name
	@ChainCode	1	string	Chain code
3	ResGuests	1		Total guests distribution within the different rooms.
4	ResGuest	1..n		

5	Profiles	1		Individual details about each guest.
6	ProfileInfo	1		
7	Profile	1		
8	Customer	1		
9	PersonName	1		
	@GivenName	1	string	Name + Surname
9	Telephone	0..1		
	@PhoneNumber	1	string	Phone number
	@Email	0..1	string	Email address
9	Address	0..1		
	@AddressLine	0..1	string	Customer address
	@CityName	0..1	string	Customer city
	@PostalCode	0..1	string	Postal code
	@StateProv	0..1	string	Province or state
	@CountryName	0..1	string	Country
3	ResGlobalInfo	1		
4	HotelReservationIDs	1		
5	HotelReservationID	1		
	@ResID_Value	1	string	Booking reference

4.5.3- Examples

Request

Example of request based in hotel code and dates:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <SOAP-ENV:Body>
    <m:OTA_ReadRQ xmlns:m="http://www.opentravel.org/OTA/2003/05" Version="1" PrimaryLangID="en">
      <m:POS>
        <m:Source>
          <m:RequestorID MessagePassword="userpass" ID="userid"/>
        </m:Source>
      </m:POS>
      <m:ResID_Value/>
      <m:HotelCode>7</m:HotelCode>
      <m:DateFrom>2012-10-01T09:30:47.0Z</m:DateFrom>
      <m:DateTo>2013-10-01T09:30:47.0Z</m:DateTo>
      <m:SalesDateFrom>2012-01-01T09:30:47.0Z</m:SalesDateFrom>
      <m:SalesDateTo>2012-11-10T09:30:47.0Z</m:SalesDateTo>
    </m:OTA_ReadRQ>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Example of request by localizer

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <SOAP-ENV:Body>
    <m:OTA_ReadRQ xmlns:m="http://www.opentravel.org/OTA/2003/05" Version="1" PrimaryLangID="en">
      <m:POS>
        <m:Source>
          <m:RequestorID MessagePassword="userpass" ID="userid"/>
        </m:Source>
        </m:POS>
        <m:ResID_Value/>AB12345FF<m:ResID_Value/>
        <m:HotelCode>7</m:HotelCode>
      </m:OTA_ReadRQ>
    </SOAP-ENV:Body>
  </SOAP-ENV:Envelope>
```

Response

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Body>
    <OTA_BookList xmlns="http://www.opentravel.org/OTA/2003/05">
      <ResList Version="0">
        <Success/>
        <HotelReservations>
          <HotelReservation ResStatus="Commit" CreateDateTime="2012-11-09T10:55:12.8506328+01:00">
            <RoomStays>
              <RoomStay>
                <PMSRoomRef ID="110575419"/>
                <RoomTypes>
                  <RoomType RoomID="727334" RoomTypeCode="DBL">
                    <RoomDescription Name="DOBLE"/>
                  </RoomType>
                </RoomTypes>
                <GuestCounts>
                  <GuestCount Count="2" AgeQualifyingCode="10" Age="0"/>
                </GuestCounts>
                <TimeSpan Start="2012-10-01" End="2012-10-08"/>
                <RoomRates>
                  <RoomRate MinimumMarkup="0.0000" IsPriceNeto="true" RoomTypeCode="DBL" MealPlanCodes="PC"
                    MealPlanDescription="PENSION COMPLETA" RatePlanID="1" RatePlanCode="COMPARTIDA"
                    PromotionCode="" NumberOfUnits="1" Commission="0" AvailabilityStatus="true">
                    <Rates>
                      <Rate ExpireDate="2012-10-07" EffectiveDate="2012-10-01">
                        <Base AmountBeforeTax="224.0000" AmountAfterTax="224.0000"/>
                        <RateDescription>COMPARTIDA</RateDescription>
                      </Rate>
                    </Rates>
                    <Total CurrencyCode="" AmountBeforeTax="1568.0000" AmountAfterTax="1568.0000"/>
                  </RoomRate>
                </RoomRates>
                <CancelPolicies/>
              </RoomStay>
            </HotelReservation>
          </HotelReservations>
        </ResList>
      </OTA_BookList>
    </soap:Body>
  </soap:Envelope>
```

```

<Remarks>High floor</Remarks>
<Services>
<Service ServiceInventoryCode="PARKING" Quantity="1" IncludedInRate="true">
<ServiceDetails>
<TimeSpan Start="2012-10-01" End="2012-10-08"/>
<Description>
<Text/>
</Description>
</ServiceDetails>
</Service>
</Services>
<DepositPayments/>
<BasicPropertyInfo HotelCode="7" HotelName="THE HOTEL DINGUS" ChainCode="DINGUS
HOTELS"/>
</RoomStay>
</RoomStays>
<ResGuests>
<ResGuest>
<Profiles>
<ProfileInfo>
<Profile>
<Customer>
<PersonName>
<GivenName>juana</GivenName>
</PersonName>
<Telephone PhoneNumber=""/>
<Email/>
</Customer>
</Profile>
</ProfileInfo>
</Profiles>
</ResGuest>
<ResGuest>
<Profiles>
<ProfileInfo>
<Profile>
<Customer>
<PersonName>
<GivenName>juana</GivenName>
</PersonName>
</Customer>
</Profile>
</ProfileInfo>
</Profiles>
</ResGuest>
</ResGuests>
<ResGlobalInfo>
<HotelReservationIDs>
<HotelReservationID ResID_Value="SK22519YY"/>
</HotelReservationIDs>
</ResGlobalInfo>
</HotelReservation>
</HotelReservations>
</ResList>
<ResList Version="0">
<Success/>
<HotelReservations>
<HotelReservation ResStatus="Commit" CreateDateTime="2012-11-09T10:55:12.8819012+01:00">
<RoomStays>

```

```

<RoomStay>
<PMSRoomRef ID="110575420"/>
<RoomTypes>
<RoomType RoomID="727335" RoomTypeCode="DBL">
<RoomDescription Name="DOBLE"/>
</RoomType>
</RoomTypes>
<GuestCounts>
<GuestCount Count="2" AgeQualifyingCode="10" Age="0"/>
</GuestCounts>
<TimeSpan Start="2012-10-01" End="2012-10-08"/>
<RoomRates>
<RoomRate MinimumMarkup="0.0000" IsPriceNeto="true" RoomTypeCode="DBL" MealPlanCodes="PC"
MealPlanDescription="PENSION COMPLETA" RatePlanID="1" RatePlanCode="COMPARTIDA"
PromotionCode="" NumberOfUnits="1" Commission="0" AvailabilityStatus="true">
<Rates>
<Rate ExpireDate="2012-10-07" EffectiveDate="2012-10-01">
<Base AmountBeforeTax="224.0000" AmountAfterTax="224.0000"/>
<RateDescription>COMPARTIDA</RateDescription>
</Rate>
</Rates>
<Total CurrencyCode="" AmountBeforeTax="1568.0000" AmountAfterTax="1568.0000"/>
</RoomRate>
</RoomRates>
<CancelPolicies/>
<DepositPayments/>
<BasicPropertyInfo HotelCode="7" HotelName="THE HOTEL DINGUS" ChainCode="DINGUS
HOTELS"/>
</RoomStay>
</RoomStays>
<ResGuests>
<ResGuest>
<Profiles>
<ProfileInfo>
<Profile>
<Customer>
<PersonName>
<GivenName>Name</GivenName>
</PersonName>
<Telephone PhoneNumber=""/>
<Email/>
</Customer>
</Profile>
</ProfileInfo>
</Profiles>
</ResGuest>
<ResGuest>
<Profiles>
<ProfileInfo>
<Profile>
<Customer>
<PersonName>
<GivenName>Name</GivenName>
</PersonName>
</Customer>
</Profile>
</ProfileInfo>
</Profiles>
</ResGuest>

```

```
</ResGuests>  
<ResGlobalInfo>  
<HotelReservationIDs>  
<HotelReservationID ResID_Value="QU64077XW"/>  
</HotelReservationIDs>  
</ResGlobalInfo>  
</HotelReservation>  
</HotelReservations>  
</ResList>  
</OTA_BookList>  
</soap:Body>  
</soap:Envelope>
```

5. NOTES

Dingus reserves the right to revise this publication, make improvements or changes in the product and/or the program described in this documentation at any time without prior notice.

Once the development process is ready the provider has to contact Dingus in order to arrange the certification testing. Dingus reserves the right to schedule this validation process for any convenient date within the next 15 days after receiving the request.