硅基流动

图像系列 › **创建图片生成请求**

图像系列

创建图片生成请求

Creates an image response for the given prompt. The URL for the generated image is valid for one hour. Please make sure to download and store it promptly to avoid any issues due to URL expiration.

POST /images/generations

cURL T2Image

```
curl --request POST \
  --url https://api.siliconflow.cn/v1/images/generations \
  --header 'Authorization: Bearer YOUR-API-KEY' \
  --header 'Content-Type: application/json' \
  --data '{
  "model": "Kwai-Kolors/Kolors",
  "prompt": "an island near sea, with seagulls, moon shining over the sea, light house, boa
  "image_size": "1024x1024",
  "batch_size": 1,
  "num_inference_steps": 20,
  "guidance_scale": 7.5
}'
```

200 400 401 403 404 429 503 504

硅基流动

```
{
  "images": [
    {
      "url": "<string>"
    }
  ],
  "timings": {
    "inference": 123
  },
  "seed": 123
}
```

Authorizations

Authorization string header required

Use the following format for authentication: Bearer

Body

application/json

model string required

Corresponding Model Name. To better enhance service quality, we will make periodic changes to the models provided by this service, including but not limited to model on/offlining and adjustments to model service capabilities. We will notify you of such changes through appropriate means such as announcements or message pushes where feasible. **For a complete list of available models, please check the Models.**

Example: `"Qwen/Qwen-Image-Edit-2509"`

prompt string required

Example: `"an island near sea, with seagulls, moon shining over the sea, light house, boats int he background, fish flying over the sea"`

negative_prompt string

negative prompt

›

---

image_size `string`

Image resolution in "widthxheight" format (Required). To ensure optimal quality, using the recommended values for your model is strongly advised. **Qwen/Qwen-Image-Edit-2509 and Qwen/Qwen-Image-Edit not support this field.**
Recommended Values:

- For Kolor model:
  - "1024×1024" (1:1)
  - "960×1280" (3:4)
  - "768×1024" (3:4)
  - "720×1440" (1:2)
  - "720×1280" (9:16)
- For Qwen-Image model:
  - "1328×1328" (1:1)
  - "1664×928" (16:9)
  - "928×1664" (9:16)
  - "1472×1140" (4:3)
  - "1140×1472" (3:4)
  - "1584×1056" (3:2)
  - "1056×1584" (2:3)

---

batch_size `integer` `default:1`

number of output images. Only applicable to Kwai-Kolors/Kolors.

Required range: `1 <= x <= 4`

---

seed `integer`

Required range: `0 <= x <= 9999999999`

硅基流动

`num_inference_steps` `integer` `default:20`

number of inference steps

Required range: `1 <= x <= 100`

`guidance_scale` `number` `default:7.5`

This value is used to control the degree of match between the generated image and the given prompt. The higher the value, the more the generated image will tend to strictly match the text prompt. The lower the value, the more creative and diverse the generated image will be, potentially containing more unexpected elements. Only applicable to Kwai-Kolors/Kolors.

Required range: `0 <= x <= 20`

`image` `enum<string>`

The image used for uploading an image can be in base64 format or a URL.

Available options: ` XXX` , `img_url`

Example: `"https://inews.gtimg.com/om_bt/Os3eJ8u3SgB3Kd-zrRRhgfR5hUvdwcVPKUTNO6O7sZfUwAA/641"`

`image2` `enum<string>`

The image used for uploading an image can be in base64 format or a URL. This field is only applicable to Qwen/Qwen-Image-Edit-2509.

Available options: ` XXX` , `img_url`

Example: `"https://inews.gtimg.com/om_bt/Os3eJ8u3SgB3Kd-zrRRhgfR5hUvdwcVPKUTNO6O7sZfUwAA/641"`

The image used for uploading an image can be in base64 format or a URL. This field is only applicable to Qwen/Qwen-Image-Edit-2509.

Available options: ` XXX` , `img_url`

Example: `"https://inews.gtimg.com/om_bt/Os3eJ8u3SgB3Kd-zrRRhgfR5hUvdwcVPKUTNO6O7sZfUwAA/641"`

Response

200 application/json

The response from the model. The response header contains the x-siliconcloud-trace-id field, which serves as a unique identifier for tracing requests, facilitating log queries and issue troubleshooting.

images `object[]`

Show child attributes

timings `object`

Show child attributes

seed `integer`

创建重排序请求 上传参考音频

Powered by mintlify