



API Documentation

Version 1.1

SUNNY FOREX, Kenya

Introduction

Purpose

SUNNY FOREX offers a suite of Web Services designed to facilitate seamless integration for Sending Agent Partners. By utilizing our Web Service Methods, Agent Partners can effortlessly connect their systems with the SUNNY FOREX platform, enabling efficient execution of remittance transactions.

Our Web Services provide a robust interface for agents to interact with the SUNNY FOREX system, allowing them to manage and execute remittance operations smoothly. Integration is straightforward, leveraging the provided Web Service Methods to ensure a seamless connection and operational efficiency.

For detailed information on the available Web Service Methods and integration guidelines, please refer to the sections below.

Indented Audience

This document is designed for developers who need to integrate their systems with SUNNY FOREX. It provides comprehensive guidance for implementing and utilizing SUNNY FOREX Web Services to perform various functions, including posting transactions, retrieving exchange rates, processing changes, and accessing additional services.

Developers will also find detailed instructions on how to handle transaction cancellations, ensuring flexibility and control throughout the integration process.

Use this document as a reference during the implementation and integration phases to ensure seamless connectivity and effective use of SUNNY FOREX services.

Acronyms and Abbreviations

Acronyms	Description
AN	Alpha Numeric
N	Numeric
D	Date
F	Float
D	Date and Time
CM	Conditional Mandatory
O	Optional
M	Mandatory
SUNNY FOREX	SUNNY FOREX
PARTNER	The party integrating with SUNNY FOREX

Table of Content

Introduction	1
Purpose	1
Indented Audience	1
Acronyms and Abbreviations	1
Table of Content.....	2
Technical Guide	3
Web Service URL's:	3
Web Service Methods	3
Get Authorization Token.....	3
Get Master Data	4
Get Beneficiary Bank List	7
Get Beneficiary Branch List	8
Get Rate and Charge.....	10
Send Transaction	12
Transaction Enquiry	17
Get Account Balance.....	22
Cancel Transaction	23
Status Codes.....	25
National ID List	26
Contact Us.....	26
Document Control	26

Technical Guide

This document outlines the input & output parameters for each of the SUNNY FOREX API.

Web Service URL's:

- URL For UAT Environment: Will Be Provided by SUNNY FOREX Support Team
- API User Credentials for UAT Environment: Will Be Provided by SUNNY FOREX Support Team
- URL For Live Environment: Will Be Provided by SUNNY FOREX Support Team
- API User Credentials for Live Environment: Will Be Provided by SUNNY FOREX Support Team

Web Service Methods

This section will detail the web service methods used in the integration process detailing the request and Response fields with validations for the fields.

Get Authorization Token

This is a basic token method that need to call before every API call such that you will receive an Alpha numeric token and that need to pass along with the request. The same token cannot be used again in another API request.

Request

Field	Data Type	Max Length	Description	Type
AgentCode	AN	5	Agent code shared by SUNNY FOREX	M
SubAgentCode	AN	10	The Partner code assigned by the Agent	M
Password	AN	50	Password shared by SUNNY FOREX	M
DateStamp	DT	30	Date Time in UTC on which the request is sending	M

Response

Field	Data Type	Max Length	Description	Type
ResponseStatus				
StatusCode	N	1	Response Status Code of Request (1-Success 0-Fail)	M
Message	AN	50	Description message of the request	O

Token	AN	100	The token generated. Token will be valid for 5 minutes.	M
-------	----	-----	---	---

Sample Request and Response

Request:

```
{
  "get_token": {
    "agent_code": "AGX01",
    "sub_agent_code": "",
    "agent_secret": "0EF8062D00C8408B63504340DFF00F45",
    "date_stamp": "2024-09-19T09:05:39.730Z"
  }
}
```

Response:

```
{
  "accumexs": {
    "type": "GetTokenResponse",
    "time_stamp": "2024-12-03T12:58:03.1759989+05:30",
    "response_status": {
      "status_code": 0,
      "message": "Token created successfully",
      "token":
"eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJjb2VudENvZGUiOiJBR1gwMSIsIkFnZW50TmFtZSI6IiRyYW5zRmFzdCIsIkd1aWQiOiI4YmUwYTJkZC01NTNlLTRhYmQtODNmMi1INTk1YjdINDJkNzgiLCJuYmYiOiJlE3MzMzMyMTA4ODMsImV4cCI6MTczMzlxNDQ4MywiaWF0IjoxNzMzMjEwODgzfQ.czM0oGqPefyEVBlmZ0N_xGdfUUYZN9hXt1HVuUtd4s"
    }
  }
}
```

Get Master Data

This method is used to share the default data like purpose of transfer, Source of Income, Relationship of Customer and Beneficiary, active products in that country and currencies against a country. This data can be retrieved by giving the currency code as input parameter.

Request

Field	Data Type	Max Length	Description	Type
-------	-----------	------------	-------------	------

AgentCode	AN	5	Agent code shared by SUNNY FOREX	M
SubAgentCode	AN	10	The Partner code assigned by the Agent	M
AuthorizationCode	AN	100	The Authorization code received during the getToken API Call. To be sent as bearer token	M
CountryCode	AN	2	ISO Country code of the country to which remittance need to conduct. Will get the complete list if we are not passing the Country Code	O

Response

Field	Data Type	Max Length	Description	Type
ResponseStatus				
StatusCode	N	1	Response Status Code of Request (1-Success 0-Fail)	M
Message	AN	50	Description message of the request	O
CurrencyList				
CurrencyCode	AN	3	Currency Code	M
CurrencyName	AN	50	Currency Name	M
CountryCode	AN	2	ISO Country Code	M
ServiceList				
ServiceID	AN	10	Service ID	M
ServiceName	AN	100	Service name available to the country	M
CountryCode	AN	2	ISO Country Code	M
PurposeList				
PurposeCode	AN	10	Purpose of transfer code that needs to pass to the API as response	M
PurposeName	AN	100	Purpose of transfer name	M

SourceOfIncomelist				
SourceCode	AN	10	Source of Income code that needs to pass to the API as response	M
SourceName	AN	100	Source of Income name	M
RemitterRelationList				
RelationCode	AN	10	Remitter Relation code that needs to pass to the API as response	M
RelationName	AN	100	The name of remitter relation	M

Sample Request and Response

Authorization Bearer Token

Request:

```
{
  "master_data": {
    "agent_code": "AGX01",
    "sub_agent_code": "AGX01",
    "country_code": "US"
  }
}
```

Response:

```
{
  "accumexs": {
    "type": "MasterDataResponse",
    "time_stamp": "2024-12-03T14:09:06.1516696+05:30",
    "response_status": {
      "status_code": 0,
      "message": "Master data retrieved successfully",
      "data": {"currency_list":
[{"country_code": "IN","currency_code":"INR","currency_name":"INR"
    }], "service_list": [{
      "service_id": "459",
      "service_name": "CASH PICKUP",
      "country_code": "PK"
    }], "purpose_list": [{
      "purpose_code": "EDU",
```

```

    "purpose_name": "Education"
  }, "source_of_income_list": [{
    "source_code": "SAL",
    "source_name": "Salary"
  }], "remitter_relation_list": [{
    "relation_code": "FAM",
    "relation_name": "Family"
  }]}]}]}

```

Get Beneficiary Bank List

This is the method used to list beneficiary bank against a country and Service mode

Request

Field	Data Type	Max Length	Description	Type
AgentCode	AN	5	Agent code shared by SUNNY FOREX	M
SubAgentCode	AN	10	The Partner code assigned by the Agent	M
AuthorizationCode	AN	100	The Authorization code received during the getToken API Call	M
CountryCode	AN	3	ISO Country code of the country to which remittance need to conduct	M
ServiceID	AN	10	The Service ID received from master data	M

Response

Field	Data Type	Max Length	Description	Type
ResponseStatus				
StatusCode	N	1	Response Status Code of Request (1-Success 0-Fail)	M
Message	AN	50	Description message of the request	O
BankList				
BankCode	AN	10	Bank Code that need to share in the remittance API	M

BankName	AN	100	Bank Name	M
BankAddress	AN	100	Bank Address	O
BankContact	AN	40	Contact Number of Bank	O
IsBranchAvailable	N	1	If Branch available for this bank it will have value 1 else 0. If have value 1 then need to call Get Beneficiary Branch List	M

Sample Request and Response

Authorization Bearer Token

Request:

```
{
  "bank_list": {
    "agent_code": "AGX01",
    "sub_agent_code": "AGX01",
    "country_code": "IN",
    "service_id": 767
  }
}
```

Response:

```
{
  "accumexs": {
    "type": "BankListResponse",
    "time_stamp": "2024-12-03T14:16:26.4738828+05:30",
    "response_status": {
      "status_code": 0,
      "message": "Beneficiary bank list retrieved successfully",
      "data": [{
        "bank_code": "200",
        "bank_name": "A U Small Finance Bank",
        "bank_address": "",
        "bank_contact": "",
        "is_branch_available": 0
      }
    ]
  }
}
```

Get Beneficiary Branch List

This is the method used to list beneficiary branch against Service mode and bank code

Request

Field	Data Type	Max Length	Description	Type
AgentCode	AN	5	Agent code shared by SUNNY FOREX	M
SubAgentCode	AN	10	The Partner code assigned by the Agent	M
AuthorizationCode	AN	100	The Authorization code received during the getToken API Call	M
ServiceID	AN	10	The Service ID received from master data	M
BankCode	AN	10	Bank Code for which branch need to be populated	M
BranchRouteCode	AN	40	Branch Route Code. It can be used to search the branch details against Branch Routing Code.	O

Response

Field	Data Type	Max Length	Description	Type
ResponseStatus				
StatusCode	N	1	Response Status Code of Request (1-Success 0-Fail)	M
Message	AN	50	Description message of the request	O
BranchList				
BankCode	AN	10	Bank Code that was received from the API will be shared in the response.	M
BranchCode	AN	10	Branch Code	M
BranchName	AN	100	Branch Name	M
BranchRouteCode	AN	40	Branch Route Code	M
BranchAddress	AN	100	Address of the Branch	O
BranchContact	AN	100	Contact Number of branches	O

Sample Request and Response

Authorization Bearer Token

Request:

```
{
  "branch_list":{
    "agent_code": "AGX01",
    "sub_agent_code": "SUB001",
    "service_id": 767,
    "bank_code": "ABHY",
    "branch_route_code": "ABHY0065001"
  }
}
```

Response:

```
{
  "accumexs": {
    "type": "BranchListResponse",
    "time_stamp": "2024-12-03T14:56:31.0978618+05:30",
    "response_status": {
      "status_code": 0,
      "message": "Beneficiary branch list retrieved successfully",
      "data": [{
        "branch_code": "065001",
        "branch_name": "RTGS-HO",
        "branch_route_code": "ABHY0065001",
        "branch_address": "ABHYUDAYA BANK BLDG., B.NO.71, NEHRU NAGAR, KURLA (E), MUMBAI-400024",
        "branch_contact": "25260173"
      }
    ]
  }
}
```

Get Rate and Charge

This is the method used to get the rate and charge based on the FC/LC amount received from the API

Request

Field	Data Type	Max Length	Description	Type
AgentCode	AN	5	Agent code shared by SUNNY FOREX	M
SubAgentCode	AN	10	The Partner code assigned by the Agent	M

AuthorizationCode	AN	100	The Authorization code received during the GetToken API Call	M
CurrencyCode	AN	3	Currency code of the country to which remittance need to conduct	M
ServiceCode	AN	10	The Service code received from master data	M
Type	AN	2	FC-Destination Amount LC -Local Amount By Default, FC will Consider	M
Amount	N	14	Either a Destination Amount or a Local Amount is required.	M

Response

Field	Data Type	Max Length	Description	Type
ResponseStatus				
StatusCode	N	1	Response Status Code of Request (1-Success 0-Fail)	M
Message	AN	50	Description message of the request	O
RateAndCharge				
PayoutCurrency	AN	3	The transaction currency corresponding to the Service	M
PayInCurrency	AN	3	The currency in which settlement need to be done	M
RateType	AN	1	The value will be * or /	M
Rate	F	14,8	The transaction rate between Payout currency and Pay In currency	M
Charge	F	14,3	The commercial that will be collected from Partner for the said transaction	O
ChargeCurrency	AN	3	The currency in which the charge will be collected from the partner	O

Sample Request and Response

Authorization Bearer Token

Request:

```
{
  "get_rate_and_charge": {
    "agent_code": "AGX01",
    "sub_agent_code": "",
    "currency_code": "USD",
    "service_id": "767",
    "type": "FC",
    "amount": 1000
  }
}
```

Response:

```
{
  "accumexs": {
    "type": "RateAndChargeResponse",
    "time_stamp": "2024-12-03T14:55:47.8066484+05:30",
    "response_status": {
      "status_code": 0,
      "message": "'Rate and Charge' retrieved successfully",
      "data": {
        "payout_currency": "USD",
        "pay_in_currency": "USD",
        "rate_type": "*",
        "rate": "1.00000000",
        "charge": "10.00",
        "charge_currency": "INR"
      }
    }
  }
}
```

Send Transaction

Request

Field	Data Type	Max Length	Description	Type
-------	-----------	------------	-------------	------

AgentCode	AN	5	Agent code shared by SUNNY FOREX	M
SubAgentCode	AN	10	The Partner code assigned by the Agent	M
AuthorizationCode	AN	100	The Authorization code received during the GetToken API Call	M
CountryCode	AN	3	ISO Country code of the country to which remittance need to conduct	M
SourceCountryCode	AN	3	ISO Country code of the country from which remittance need to conduct	M
ServiceID	AN	10	The Service ID received from master data	M
PartnerReferenceNumber	AN	30	Unique Agent Remittance Ref No	M
CustomerFirstName	AN	50	Sender First Name	M
CustomerMiddleName	AN	50	Sender Middle Name	O
CustomerLastName	AN	50	Sender Last Name	M
CustomerAddress	AN	150	Sender Address	M
CustomerContact	AN	20	Sender Contact Number	M
CustomerIdentity	AN	3	Refer the ID Types Data	M
CustomerIdentityNo	AN	30	Identification Number, Ex. Passport Number	M
CustomerIDExpDate	D		ID Expiry Date (dd-mmm-yyyy) Ex. 01-JUN-2020	M
CustomerNationality	AN	2	Nationality of the Sending Customer (Country Code)	M
BeneficiaryFirstName	AN	50	Receiver First Name	M
BeneficiaryMiddleName	AN	50	Receiver Middle Name	O
BeneficiaryLastName	AN	50	Receiver Last Name	M
BeneficiaryAddress	AN	150	Receiver Address	O
BeneficiaryCountryCode	AN	3	ISO Country code of the country of beneficiary	M
BeneficiaryIdentity	AN	3	Refer the ID Types Data	O

BenfIdentiyNo	AN	30	Identity Document Number	O
BeneficiaryContactNumber	AN	20	Receiver Contact Number	O
ReceivingCurrencyCode	AN	3	Amount beneficiary/customer will receive	M
ReceivingAmount	F	14,3	Amount beneficiary/customer will receive	M
SendingCurrencyCode	AN	3	Currency sent by customer/agent	M
SendingAmount	F	14,3	Amount sent by customer/agent	M
SettlementCurrencyCode	AN	3	The Currency in which settlement is made	M
SettlementAmount	F	14,3	The Settlement amount	M
ConversionRate	F	14,8	The rate in which was used for transaction. The rate should be same as rate received during Rate & Charge call	M
Charge	F	14,3	The charge that is passed in rate and charge call that is the agent will be debited.	M
ChargeCurrency	AN	3	The charge currency confirmed with Agent.	M
AccountNo	AN	50	The Account Number of customer and Mandatory for bank transfer	CM
BeneficiaryBankCode	AN	10	The beneficiary bank code.	CM
BeneficiaryBranchCode	AN	10	The beneficiary branch code. If the Service type have bank and bank have option of isBranchAvailable then this is mandatory	CM
BeneficiaryBranch	AN	10	The beneficiary branch name. If the Service type have bank and bank have	CM

			option of isBranchAvailable then this is mandatory	
BeneficiaryRouteCode	AN	20	RouteCode of Beneficiary	O
BeneficiaryNationalityCode	AN	2	Nationality of the Sending Customer (Country Code)	O
BeneficiaryAddress2	AN	150	Receiver Address	O
PayoutPartner	AN	10	Can keep blank now. For future purpose	O
SourceofRemittance	AN	5	The source of Income selected code	M
Purpose	AN	5	The purpose of transfer selected code	M
RemitterRelation	AN	5	The remitter relation selected code	M
ValueDate	D		The date in which transaction affected	M
Remark	AN	200	Any message to convey to back-office team	O

Response

Field	Data Type	Max Length	Description	Type
ResponseStatus				
StatusCode	N	1	Response Status Code of Request (1-Success 0-Fail)	M
Message	AN	50	Description message of the request	O
TransactionConfirmation				
PartnerReferenceNo	AN	10	The transaction currency corresponding to the Service	M
ReferenceNo	AN	100	The currency in which settlement need to be done	M

Sample Request and Response

AuthorizationBearer Token

Request:

```
{
  "transaction_request": {
    "agent_code": "AGX01",
    "sub_agent_code": "SUB001",
    "country_code": "KE",
    "source_country_code": "US",
    "service_id": 12670,
    "service_name": "MPESA",
    "partner_reference_number": "MPESA0001",

    "customer_first_name": "Akash",
    "customer_middle_name": "Deep",
    "customer_last_name": "Chopra",
    "customer_address": "3/302, Comm Street",
    "customer_contact": "255578",
    "customer_identity": 333,
    "customer_identity_no": "11223344",
    "customer_id_exp_date": "20-12-2026",
    "customer_date_of_birth": "20-12-2000",
    "customer_nationality": "KW",

    "beneficiary_first_name": "Arjun",
    "beneficiary_middle_name": "Prem",
    "beneficiary_last_name": "Kapoor",
    "beneficiary_address": "Nairobi",
    "beneficiary_identity": 444,
    "beneficiary_identity_no": "332255",
    "beneficiary_contact_number": "254700000001",

    "sending_currency_code": "USD",
    "sending_amount": 100.250,

    "Receiving_currency_code": "KES",
    "Receiving_amount": "12950.000",

    "settlement_currency_code": "USD",
    "settlement_amount": 100.250,
    "conversion_rate": 129.15000000,

    "charge": 0,
    "charge_currency": "USD",

    "source_of_remittance": "234",
    "purpose": "44",
    "remitter_relation": "12365",
```

```
"value_date": "25-12-2026",
"remark": "MPESA Transaction"
}
}
```

Response:

```
{
  "accumexs": {
    "type": "TransactionResponse",
    "time_stamp": "2026-05-22T15:35:24.7679824+05:30",
    "response_status": {
      "status_code": 0,
      "message": "Transaction sent successfully",
      "data": {
        "partner_reference_no": "MPESA0001",
        "reference_no": 241111100025
      }
    }
  }
}
```

Request:

```
{
  "transaction_request": {
    "agent_code": "AGX01",
    "sub_agent_code": "SUB001",
    "country_code": "IN",
    "source_country_code": "US",
    "service_id": 12680,
    "service_name": "BranchPayout",
    "partner_reference_number": "CASH0001",

    "customer_first_name": "Akash",
    "customer_middle_name": "Deep",
    "customer_last_name": "Chopra",
    "customer_address": "3/302, Comm Street",
    "customer_contact": "255578",
    "customer_identity": 333,
    "customer_identity_no": "11223344",
```

"customer_id_exp_date": "20-12-2026",
"customer_date_of_birth": "20-12-2000",
"customer_nationality": "KW",

"beneficiary_first_name": "Arjun",
"beneficiary_middle_name": "Prem",
"beneficiary_last_name": "Kapoor",
"beneficiary_address": "3/525, Kapil Street",
"beneficiaryAddress2": "India",
"beneficiaryCountryCode": "IN",
"beneficiary_identity": 444,
"beneficiary_identity_no": "332255",
"beneficiary_contact_number": "256987",
"beneficiary_route_code": "001",
"beneficiaryNationalityCode": "IN",

"sending_currency_code": "USD",
"sending_amount": 100.250,

"Receiving_currency_code": "INR",
"Receiving_amount": "8300.000",

"settlement_currency_code": "USD",
"settlement_amount": 100.250,
"conversion_rate": 82.78000000,

"charge": 0,
"charge_currency": "USD",

"account_no": "11005977",
"beneficiary_bank_code": "BNKCD",
"beneficiary_bank": "HDFC",
"beneficiary_branch_code": "BRCD",
"beneficiary_branch": "Kochi",

"payout_partner": "PAYLD",

"source_of_remittance": "234",

```

    "purpose": "44",
    "remitter_relation": "12365",

    "value_date": "25-12-2026",
    "remark": "Cash Pickup Transaction"
  }
}
Response:
{
  "accumexs": {
    "type": "TransactionResponse",
    "time_stamp": "2026-05-22T15:35:24.7679824+05:30",
    "response_status": {
      "status_code": 0,
      "message": "Transaction sent successfully",
      "data": {
        "partner_reference_no": "CASH0001",
        "reference_no": 241111100026
      }
    }
  }
}

```

Transaction Enquiry

This is the method used to get the status of the transaction based on the reference number

Request

Field	Data Type	Max Length	Description	Type
AgentCode	AN	5	Agent code shared by SUNNY FOREX	M
SubAgentCode	AN	10	The Partner code assigned by the Agent	M
AuthorizationCode	AN	100	The Authorization code received during the GetToken API Call	M
Type	N	1	1 – If the Agent trying to fetch status of transaction	M

			with Agent reference number 2 - If the agent trying to fetch status of transaction with SUNNY FOREX reference number	
ReferenceNumber	AN	30	The reference number to which the status needs to be tracked	M

Response

Field	Data Type	Max Length	Description	Type
ResponseStatus				
StatusCode	N	1	Response Status Code of Request (1-Success 0-Fail)	M
Message	AN	50	Description message of the request	O
EnquiryDetails				
PartnerReferenceNo	AN	30	The reference number of Partner	M
ReferenceNo	AN	30	The internal reference number of SUNNY FOREX	M
StatusCode	AN	2	The status of the transaction. Please refer the status code area	M
Description	AN	100	The detail of the status	O

Sample Request and Response

Authorization Bearer Token

Request:

```
{
  "transaction_enquiry": {
    "agent_code": "AGX01",
    "sub_agent_code": "",
    "type": "2",
    "reference_number": "2411209100001"
  }
}
```

```
}
```

Response:

```
{
  "accumexs": {
    "type": "TransactionEnquiryResponse",
    "time_stamp": "2024-12-03T14:21:11.7725922+05:30",
    "response_status": {
      "status_code": 0,
      "message": "'Transaction Enquiry' retrieved successfully",
      "data": {
        "partner_reference_number": "2411229100133",
        "reference_number": "2411229100133",
        "status_code": "0",
        "description": "Yet to Release"
      }
    }
  }
}
```

Get Account Balance Request

Field	Data Type	Max Length	Description	Type
AgentCode	AN	5	Agent code shared by SUNNY FOREX	M
SubAgentCode	AN	10	The Partner code assigned by the Agent	M
AuthorizationCode	AN	100	The Authorization code received during the GetToken API Call	M

Response

Field	Data Type	Max Length	Description	Type
ResponseStatus				
StatusCode	N	1	Response Status Code of Request (1-Success 0-Fail)	M
Message	AN	50	Description message of the request	O

AccountDetails				
Currency	AN	30	The currency in which Account is maintained	M
Type	N	1	1 – Post Funding 2 – Pre-Funding	M
Amount	F	14,3	The balance/limit used so far	M

Sample Request and Response

Authorization Bearer Token

Request:

```
{
  "account_balance": {
    "agent_code": "AGX01",
    "sub_agent_code": ""
  }
}
```

Response:

```
{
  "accumexs": {
    "type": "AccountBalanceResponse",
    "time_stamp": "2024-12-03T14:45:16.4138329+05:30",
    "response_status": {
      "status_code": 0,
      "message": "Account Balance' retrieved successfully",
      "data": {
        "currency": "USD",
        "type": "Post Funding",
        "amount": 1500
      }
    }
  }
}
```

Cancel Transaction

This is the method used to send a cancellation request to already send transaction. Approval of cancellation will be based on the Approval from the Agent and status of cancellation as well can be tracked from Transaction enquiry API.

Request

Field	Data Type	Max Length	Description	Type
AgentCode	AN	5	Agent code shared by SUNNY FOREX	M
SubAgentCode	AN	10	The Partner code assigned by the Agent	M
AuthorizationCode	AN	100	The Authorization code received during the GetToken API Call	M
AgentReferenceNo	AN	30	The reference number used to send transaction	M
Remark	AN	100	The short message to back-office team	M

Response

Field	Data Type	Max Length	Description	Type
ResponseStatus				
StatusCode	N	1	Response Status Code of Request (1-Success 0-Fail)	M
Message	AN	50	Description message of the request	O
CancelTransactionDetails				
PartnerReferenceNo	AN	30	The reference number of Partner	M
ReferenceNo	AN	30	The internal reference number of SUNNY FOREX	M
StatusCode	AN	2	The status of the transaction. Please refer the status code area	M
Description	AN	100	The detail of the status	O

Sample Request and Response

Authorization Bearer Token

Request:

```
{
  "cancel_transaction": {
    "agent_code": "AGX01",
    "sub_agent_code": "",
```

```

"agent_reference_no": "2411209100001",
"remark": "Cancel Remark"
}
}
Response:
{
  "accumexs": {
    "type": "CancelTransactionResponse",
    "time_stamp": "2024-12-03T14:43:01.1396963+05:30",
    "response_status": {
      "partner_reference_number": "2411229100133",
      "reference_number": "2411229100133",
      "status_code": 0,
      "message": "Transaction cancellation requested successfully"
    }
  }
}

```

Status Codes

The distinct status code available in the system are as follows.

SlNo	Category Type	Response Code	Response Description
1	Success	0	Success
2	In Progress	10	Pending Verification
2	In Progress	11	Transaction In Progress
2	In Progress	12	Transaction Hold
2	In Progress	13	Cancel Requested
4	Cancelled	14	Cancelled
2	In Progress	15	Sent to Bank
1	Success	16	Paid out
3	Error	17	Database Insert Failed
3	Error	18	Error in Connection
3	Error	19	SQL Server Not Accessible
3	Error	20	Database Error
3	Error	21	Query Timed Out
3	Error	22	<Custom Message>
3	Error	23	Invalid IFSC Code
3	Error	24	Bank Code not Valid
3	Error	25	Invalid Receiver Mobile number
3	Error	26	Invalid Transaction PIN number
3	Error	27	IBAN/IFSC Code should not be empty
3	Error	28	FC Amount Limit Exceeded
3	Error	29	Invalid Beneficiary Account Number
3	Error	30	Duplicate Pin Number
0	Pending	NULL	Yet to Release

National ID List

Response Code	Response Description
100	Passport
101	National ID Card
102	Driver's License
103	Social Security Number (SSN)
104	National Insurance Number
105	Tax Identification Number
106	Alien Registration Number
107	Identity Card
108	Voter ID Card
109	Military ID Card
110	Health Insurance Card
111	Permanent Resident Card
112	Citizen Card
113	Foreigner Registration Card
114	Residence Permit
115	Driver's Permit

Contact Us

SUNNY FOREX,

Kenya

Mobile: 0722350400

Email: info@sunnyforex.co.ke

Document Control

DOCUMENT HISTORY

Document Title	SUNNY FOREX – API INTEGRATION V1.1
Project Title	SUNNY FOREX API INTEGRATION
File Name and Path	SUNNY FOREX - API Integration V1.1.pdf
Release date	
Number of pages	25
Customer	

DOCUMENT REVISION HISTORY

Version Control

Sl No	Date	Author	Details
1.0	31-08-2024	Prem Singh K F	Initial Draft Version
1.1	02-12-2024	Prem Singh K F	Document Title Change

DOCUMENT APPROVALS

NAME	DESIGNATION	SIGNATURE AND DATE	STATUS	REMARK