

# Cox PH Models

Landi Luo

12/7/2018

Load packages:

```
if (!require("pacman"))
  install.packages("pacman", repos = "http://cran.us.r-project.org/")
p_load("tidyverse", "survival", "kableExtra")
```

Import data:

```
breast <- readRDS(file = "breast_final.rds")

# delete all survival time = 0
breast <- subset(breast, SRV_TIME_MON != 0)

# convert SEX to dummy: 0=male, 1=female
breast$SEX <- ifelse(breast$SEX == 1, 0, 1)
```

## Cox Model: All Covariates

Using the Breslow method of handling ties, we fit a Cox proportional hazards model to the data including all 13 covariates: race, sex, stage, breast subtype, age dx, age, marital status, benign tumor count, malignant tumor count, primary site, pr status, er status, insurance status.

```
fit <- coxph(Surv(SRV_TIME_MON, delta) ~ factor(SEX) + factor(stage) + factor(RAC_REC_Y) +
  factor(BRST_SUB) + AGE_DX + Age + factor(MAR_STAT) + MALIGCOUNT +
  BENBORDCOUNT + factor(PRIMSITE) + factor(ERSTATUS) + factor(PRSTATUS) +
  factor(INSREC_PUB), data = breast, ties = "breslow")
summary(fit)
```

```
## Call:
## coxph(formula = Surv(SRV_TIME_MON, delta) ~ factor(SEX) + factor(stage) +
##       factor(RAC_REC_Y) + factor(BRST_SUB) + AGE_DX + Age + factor(MAR_STAT) +
##       MALIGCOUNT + BENBORDCOUNT + factor(PRIMSITE) + factor(ERSTATUS) +
##       factor(PRSTATUS) + factor(INSREC_PUB), data = breast, ties = "breslow")
##
##      n= 55333, number of events= 3033
##
##              coef  exp(coef)  se(coef)      z Pr(>|z|)
## factor(SEX)1      -0.234365   0.791073  0.213390 -1.098 0.272077
## factor(stage)1      1.828641   6.225421  0.709709  2.577 0.009977 **
## factor(stage)2      3.106446  22.341492  0.708153  4.387 1.15e-05 ***
## factor(stage)3      4.240722  69.457958  0.708109  5.989 2.11e-09 ***
## factor(stage)4      5.860086 350.754397  0.707926  8.278 < 2e-16 ***
## factor(RAC_REC_Y)2   0.232315   1.261517  0.067114  3.462 0.000537 ***
## factor(RAC_REC_Y)3   0.081242   1.084634  0.197643  0.411 0.681031
## factor(RAC_REC_Y)4  -0.258741   0.772023  0.077398 -3.343 0.000829 ***
## factor(BRST_SUB)2   -0.969818   0.379152  0.152118 -6.375 1.82e-10 ***
## factor(BRST_SUB)3    0.174221   1.190319  0.064187  2.714 0.006642 **
## factor(BRST_SUB)4   -0.150397   0.860366  0.142171 -1.058 0.290118
```

```

## AGE_DX          0.033083    1.033637    0.014080    2.350 0.018794 *
## Age            -0.008105    0.991928    0.014056   -0.577 0.564208
## factor(MAR_STAT)2 -0.373226    0.688509    0.049662   -7.515 5.67e-14 ***
## factor(MAR_STAT)3 -0.140786    0.868675    0.146900   -0.958 0.337870
## factor(MAR_STAT)4 -0.154337    0.856983    0.064872   -2.379 0.017354 *
## factor(MAR_STAT)5  0.075775    1.078719    0.063998    1.184 0.236410
## factor(MAR_STAT)6 -0.121050    0.885989    0.336358   -0.360 0.718933
## MALIGCOUNT      0.253995    1.289166    0.055057    4.613 3.96e-06 ***
## BENBORDCOUNT     0.083414    1.086991    0.232919    0.358 0.720252
## factor(PRIMSITE)1 -0.244291    0.783260    0.255573   -0.956 0.339144
## factor(PRIMSITE)2 -0.164098    0.848658    0.254097   -0.646 0.518402
## factor(PRIMSITE)3 -0.043522    0.957412    0.259180   -0.168 0.866645
## factor(PRIMSITE)4 -0.276886    0.758141    0.247999   -1.116 0.264215
## factor(PRIMSITE)5 -0.306483    0.736031    0.256539   -1.195 0.232210
## factor(PRIMSITE)6 -0.218727    0.803541    0.336821   -0.649 0.516089
## factor(PRIMSITE)7 -0.095879    0.908574    0.248255   -0.386 0.699339
## factor(PRIMSITE)8  0.027267    1.027642    0.248121    0.110 0.912494
## factor(ERSTATUS)1  1.080860    2.947214    0.129059    8.375 < 2e-16 ***
## factor(PRSTATUS)1  0.653819    1.922871    0.053097   12.314 < 2e-16 ***
## factor(INSREC_PUB)1 -0.144237    0.865682    0.128615   -1.121 0.262091
## factor(INSREC_PUB)2 -0.513753    0.598246    0.126632   -4.057 4.97e-05 ***
## factor(INSREC_PUB)3 -0.385176    0.680331    0.132869   -2.899 0.003745 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##               exp(coef) exp(-coef) lower .95 upper .95
## factor(SEX)1      0.7911    1.264106    0.5207    1.2019
## factor(stage)1     6.2254    0.160632    1.5490   25.0192
## factor(stage)2    22.3415    0.044760    5.5761   89.5144
## factor(stage)3    69.4580    0.014397   17.3372  278.2695
## factor(stage)4   350.7544    0.002851   87.5821 1404.7232
## factor(RAC_RECY)2  1.2615    0.792697    1.1060    1.4389
## factor(RAC_RECY)3  1.0846    0.921970    0.7363    1.5978
## factor(RAC_RECY)4  0.7720    1.295298    0.6634    0.8985
## factor(BRST_SUB)2  0.3792    2.637465    0.2814    0.5109
## factor(BRST_SUB)3  1.1903    0.840111    1.0496    1.3499
## factor(BRST_SUB)4  0.8604    1.162296    0.6511    1.1368
## AGE_DX            1.0336    0.967458    1.0055    1.0626
## Age              0.9919    1.008138    0.9650    1.0196
## factor(MAR_STAT)2  0.6885    1.452413    0.6247    0.7589
## factor(MAR_STAT)3  0.8687    1.151178    0.6514    1.1585
## factor(MAR_STAT)4  0.8570    1.166884    0.7547    0.9732
## factor(MAR_STAT)5  1.0787    0.927025    0.9516    1.2229
## factor(MAR_STAT)6  0.8860    1.128682    0.4583    1.7129
## MALIGCOUNT       1.2892    0.775695    1.1573    1.4361
## BENBORDCOUNT     1.0870    0.919971    0.6886    1.7159
## factor(PRIMSITE)1  0.7833    1.276716    0.4746    1.2926
## factor(PRIMSITE)2  0.8487    1.178330    0.5158    1.3964
## factor(PRIMSITE)3  0.9574    1.044483    0.5761    1.5912
## factor(PRIMSITE)4  0.7581    1.319017    0.4663    1.2327
## factor(PRIMSITE)5  0.7360    1.358638    0.4452    1.2169
## factor(PRIMSITE)6  0.8035    1.244492    0.4152    1.5549
## factor(PRIMSITE)7  0.9086    1.100626    0.5585    1.4780
## factor(PRIMSITE)8  1.0276    0.973101    0.6319    1.6713

```

```
## factor(ERSTATUS)1      2.9472  0.339304  2.2885  3.7955
## factor(PRSTATUS)1      1.9229  0.520056  1.7328  2.1338
## factor(INSREC_PUB)1    0.8657  1.155158  0.6728  1.1139
## factor(INSREC_PUB)2    0.5982  1.671553  0.4668  0.7668
## factor(INSREC_PUB)3    0.6803  1.469873  0.5244  0.8827
##
## Concordance= 0.889  (se = 0.006 )
## Rsquare= 0.125  (max possible= 0.679 )
## Likelihood ratio test= 7415  on 33 df,  p=<2e-16
## Wald test              = 7475  on 33 df,  p=<2e-16
## Score (logrank) test = 15283  on 33 df,  p=<2e-16
```

## ANOVA Table: All Covariates

We constructed an Analysis of Variance table to summarize estimates of the risk coefficients and the results of the one degree of freedom tests for each covariate in the model:

```
anova_table <- data.frame(summary(fit)$coefficients)
kable(anova_table, "latex", booktabs = TRUE,
      col.names = c("Coefficient", "Exp. Coeff.", "Std. Error", "Z-Score", "P-Value")) %>%
  kable_styling("striped")
```

|                     | Coefficient | Exp. Coeff. | Std. Error | Z-Score    | P-Value   |
|---------------------|-------------|-------------|------------|------------|-----------|
| factor(SEX)1        | -0.2343650  | 0.7910730   | 0.2133903  | -1.0982930 | 0.2720765 |
| factor(stage)1      | 1.8286411   | 6.2254212   | 0.7097085  | 2.5766087  | 0.0099775 |
| factor(stage)2      | 3.1064456   | 22.3414916  | 0.7081526  | 4.3866896  | 0.0000115 |
| factor(stage)3      | 4.2407216   | 69.4579580  | 0.7081091  | 5.9887970  | 0.0000000 |
| factor(stage)4      | 5.8600863   | 350.7543972 | 0.7079259  | 8.2778240  | 0.0000000 |
| factor(RAC_REC_Y)2  | 0.2323147   | 1.2615166   | 0.0671137  | 3.4615099  | 0.0005372 |
| factor(RAC_REC_Y)3  | 0.0812425   | 1.0846338   | 0.1976429  | 0.4110568  | 0.6810309 |
| factor(RAC_REC_Y)4  | -0.2587411  | 0.7720229   | 0.0773981  | -3.3429909 | 0.0008288 |
| factor(BRST_SUB)2   | -0.9698181  | 0.3791520   | 0.1521181  | -6.3754270 | 0.0000000 |
| factor(BRST_SUB)3   | 0.1742212   | 1.1903188   | 0.0641868  | 2.7142821  | 0.0066420 |
| factor(BRST_SUB)4   | -0.1503972  | 0.8603662   | 0.1421707  | -1.0578634 | 0.2901177 |
| AGE_DX              | 0.0330834   | 1.0336367   | 0.0140805  | 2.3495887  | 0.0187942 |
| Age                 | -0.0081050  | 0.9919278   | 0.0140565  | -0.5766028 | 0.5642078 |
| factor(MAR_STAT)2   | -0.3732264  | 0.6885093   | 0.0496616  | -7.5153933 | 0.0000000 |
| factor(MAR_STAT)3   | -0.1407861  | 0.8686751   | 0.1468997  | -0.9583822 | 0.3378701 |
| factor(MAR_STAT)4   | -0.1543374  | 0.8569829   | 0.0648718  | -2.3791128 | 0.0173544 |
| factor(MAR_STAT)5   | 0.0757746   | 1.0787194   | 0.0639984  | 1.1840084  | 0.2364097 |
| factor(MAR_STAT)6   | -0.1210502  | 0.8859895   | 0.3363584  | -0.3598847 | 0.7189334 |
| MALIGCOUNT          | 0.2539954   | 1.2891659   | 0.0550571  | 4.6133054  | 0.0000040 |
| BENBORDCOUNT        | 0.0834136   | 1.0869913   | 0.2329193  | 0.3581223  | 0.7202518 |
| factor(PRIMSITE)1   | -0.2442908  | 0.7832598   | 0.2555725  | -0.9558572 | 0.3391444 |
| factor(PRIMSITE)2   | -0.1640985  | 0.8486585   | 0.2540967  | -0.6458110 | 0.5184017 |
| factor(PRIMSITE)3   | -0.0435219  | 0.9574116   | 0.2591802  | -0.1679214 | 0.8666451 |
| factor(PRIMSITE)4   | -0.2768864  | 0.7581406   | 0.2479985  | -1.1164840 | 0.2642150 |
| factor(PRIMSITE)5   | -0.3064831  | 0.7360310   | 0.2565386  | -1.1946861 | 0.2322097 |
| factor(PRIMSITE)6   | -0.2187273  | 0.8035408   | 0.3368214  | -0.6493866 | 0.5160885 |
| factor(PRIMSITE)7   | -0.0958792  | 0.9085738   | 0.2482549  | -0.3862127 | 0.6993392 |
| factor(PRIMSITE)8   | 0.0272669   | 1.0276420   | 0.2481207  | 0.1098937  | 0.9124937 |
| factor(ERSTATUS)1   | 1.0808603   | 2.9472139   | 0.1290589  | 8.3749408  | 0.0000000 |
| factor(PRSTATUS)1   | 0.6538192   | 1.9228707   | 0.0530969  | 12.3137000 | 0.0000000 |
| factor(INSREC_PUB)1 | -0.1442372  | 0.8656823   | 0.1286153  | -1.1214622 | 0.2620912 |
| factor(INSREC_PUB)2 | -0.5137528  | 0.5982462   | 0.1266319  | -4.0570570 | 0.0000497 |
| factor(INSREC_PUB)3 | -0.3851760  | 0.6803309   | 0.1328691  | -2.8989135 | 0.0037446 |

## Cox Model: Top 9 Significant Variables

Using variable selection methods (LASSO, SCAD, MCP), we decided the top 9 significant variables were:

- Stage
- ERSTATUS
- PRSTATUS
- MALIGCOUNT
- RAC\_REC\_Y
- PRIMSITE
- BRST\_SUB
- MAR\_STAT
- INSREC\_PUB

We fit a Cox model with these covariates plus sex:

```
fit2 <- coxph(Surv(SRV_TIME_MON, delta) ~ factor(SEX) + factor(stage) + factor(RAC_RECY) +
  factor(BRST_SUB) + factor(MAR_STAT) + MALIGCOUNT + factor(PRIMSITE) +
  factor(ERSTATUS) + factor(PRSTATUS) + factor(INSREC_PUB) ,
  data = breast, ties = "breslow" )
summary(fit2)
```

```
## Call:
## coxph(formula = Surv(SRV_TIME_MON, delta) ~ factor(SEX) + factor(stage) +
##   factor(RAC_RECY) + factor(BRST_SUB) + factor(MAR_STAT) +
##   MALIGCOUNT + factor(PRIMSITE) + factor(ERSTATUS) + factor(PRSTATUS) +
##   factor(INSREC_PUB), data = breast, ties = "breslow")
##
##   n= 55333, number of events= 3033
##
##               coef exp(coef) se(coef)      z Pr(>|z|)
## factor(SEX)1      -0.349810   0.704822  0.213794 -1.636  0.10180
## factor(stage)1      1.856788   6.403136  0.709702  2.616  0.00889 **
## factor(stage)2      3.076275  21.677495  0.708156  4.344 1.40e-05 ***
## factor(stage)3      4.184014  65.628743  0.708103  5.909 3.45e-09 ***
## factor(stage)4      5.831913 341.010252  0.707915  8.238 < 2e-16 ***
## factor(RAC_RECY)2    0.191037   1.210504  0.066904  2.855  0.00430 **
## factor(RAC_RECY)3    0.067350   1.069670  0.197577  0.341  0.73319
## factor(RAC_RECY)4   -0.312395   0.731692  0.077236 -4.045 5.24e-05 ***
## factor(BRST_SUB)2   -0.965328   0.380858  0.152375 -6.335 2.37e-10 ***
## factor(BRST_SUB)3    0.251263   1.285648  0.063903  3.932 8.43e-05 ***
## factor(BRST_SUB)4   -0.103694   0.901502  0.142382 -0.728  0.46644
## factor(MAR_STAT)2   -0.315727   0.729258  0.049500 -6.378 1.79e-10 ***
## factor(MAR_STAT)3   -0.099548   0.905246  0.146908 -0.678  0.49801
## factor(MAR_STAT)4   -0.008995   0.991045  0.064307 -0.140  0.88876
## factor(MAR_STAT)5    0.515853   1.675066  0.057982  8.897 < 2e-16 ***
## factor(MAR_STAT)6   -0.126694   0.881003  0.336125 -0.377  0.70623
## MALIGCOUNT         0.288007   1.333767  0.054876  5.248 1.54e-07 ***
## factor(PRIMSITE)1   -0.245851   0.782039  0.255827 -0.961  0.33655
## factor(PRIMSITE)2   -0.244650   0.782979  0.254533 -0.961  0.33647
## factor(PRIMSITE)3   -0.120621   0.886370  0.259590 -0.465  0.64217
## factor(PRIMSITE)4   -0.363928   0.694941  0.248432 -1.465  0.14295
## factor(PRIMSITE)5   -0.370951   0.690078  0.256980 -1.443  0.14888
## factor(PRIMSITE)6   -0.175356   0.839158  0.336763 -0.521  0.60257
## factor(PRIMSITE)7   -0.185623   0.830586  0.248680 -0.746  0.45541
## factor(PRIMSITE)8   -0.044644   0.956338  0.248489 -0.180  0.85742
## factor(ERSTATUS)1    1.033302   2.810329  0.128667  8.031 9.68e-16 ***
## factor(PRSTATUS)1    0.678659   1.971233  0.053083 12.785 < 2e-16 ***
## factor(INSREC_PUB)1 -0.107959   0.897665  0.128455 -0.840  0.40066
## factor(INSREC_PUB)2 -0.357259   0.699591  0.126129 -2.832  0.00462 **
## factor(INSREC_PUB)3 -0.148713   0.861816  0.131929 -1.127  0.25965
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##               exp(coef) exp(-coef) lower .95 upper .95
## factor(SEX)1          0.7048    1.418799    0.4636    1.0717
## factor(stage)1         6.4031    0.156173    1.5933   25.7331
## factor(stage)2        21.6775    0.046131    5.4104   86.8545
## factor(stage)3        65.6287    0.015237   16.3816  262.9256
## factor(stage)4       341.0103    0.002932   85.1508 1365.6711
```

```

## factor(RAC_RECY)2      1.2105    0.826102    1.0617    1.3801
## factor(RAC_RECY)3      1.0697    0.934868    0.7262    1.5755
## factor(RAC_RECY)4      0.7317    1.366695    0.6289    0.8513
## factor(BRST_SUB)2      0.3809    2.625650    0.2825    0.5134
## factor(BRST_SUB)3      1.2856    0.777818    1.1343    1.4572
## factor(BRST_SUB)4      0.9015    1.109260    0.6820    1.1917
## factor(MAR_STAT)2      0.7293    1.371256    0.6618    0.8036
## factor(MAR_STAT)3      0.9052    1.104672    0.6788    1.2073
## factor(MAR_STAT)4      0.9910    1.009035    0.8737    1.1242
## factor(MAR_STAT)5      1.6751    0.596991    1.4951    1.8767
## factor(MAR_STAT)6      0.8810    1.135070    0.4559    1.7025
## MALIGCOUNT            1.3338    0.749756    1.1978    1.4852
## factor(PRIMSITE)1      0.7820    1.278709    0.4737    1.2912
## factor(PRIMSITE)2      0.7830    1.277174    0.4754    1.2895
## factor(PRIMSITE)3      0.8864    1.128197    0.5329    1.4743
## factor(PRIMSITE)4      0.6949    1.438971    0.4271    1.1309
## factor(PRIMSITE)5      0.6901    1.449112    0.4170    1.1419
## factor(PRIMSITE)6      0.8392    1.191671    0.4337    1.6237
## factor(PRIMSITE)7      0.8306    1.203969    0.5102    1.3523
## factor(PRIMSITE)8      0.9563    1.045655    0.5876    1.5564
## factor(ERSTATUS)1      2.8103    0.355830    2.1839    3.6164
## factor(PRSTATUS)1      1.9712    0.507297    1.7765    2.1874
## factor(INSREC_PUB)1    0.8977    1.114002    0.6979    1.1547
## factor(INSREC_PUB)2    0.6996    1.429407    0.5464    0.8958
## factor(INSREC_PUB)3    0.8618    1.160340    0.6655    1.1161
##
## Concordance= 0.882 (se = 0.006 )
## Rsquare= 0.121 (max possible= 0.679 )
## Likelihood ratio test= 7165 on 30 df, p=<2e-16
## Wald test              = 7211 on 30 df, p=<2e-16
## Score (logrank) test = 15003 on 30 df, p=<2e-16

anova_table2 <- data.frame(summary(fit2)$coefficients)
kable(anova_table2, "latex", booktabs = TRUE,
      col.names = c("Coefficient", "Relative Risk", "Std. Error", "Z-Score", "P-Value")) %>%
  kable_styling(latex_options = "striped")

```

|                     | Coefficient | Relative Risk | Std. Error | Z-Score    | P-Value   |
|---------------------|-------------|---------------|------------|------------|-----------|
| factor(SEX)1        | -0.3498104  | 0.7048217     | 0.2137943  | -1.6362007 | 0.1017976 |
| factor(stage)1      | 1.8567879   | 6.4031362     | 0.7097021  | 2.6162919  | 0.0088891 |
| factor(stage)2      | 3.0762746   | 21.6774947    | 0.7081560  | 4.3440637  | 0.0000140 |
| factor(stage)3      | 4.1840138   | 65.6287428    | 0.7081035  | 5.9087604  | 0.0000000 |
| factor(stage)4      | 5.8319125   | 341.0102520   | 0.7079154  | 8.2381491  | 0.0000000 |
| factor(RAC_RECY)2   | 0.1910369   | 1.2105041     | 0.0669042  | 2.8553800  | 0.0042985 |
| factor(RAC_RECY)3   | 0.0673499   | 1.0696697     | 0.1975770  | 0.3408793  | 0.7331945 |
| factor(RAC_RECY)4   | -0.3123954  | 0.7316922     | 0.0772355  | -4.0447106 | 0.0000524 |
| factor(BRST_SUB)2   | -0.9653283  | 0.3808581     | 0.1523746  | -6.3352323 | 0.0000000 |
| factor(BRST_SUB)3   | 0.2512626   | 1.2856476     | 0.0639033  | 3.9319198  | 0.0000843 |
| factor(BRST_SUB)4   | -0.1036935  | 0.9015015     | 0.1423817  | -0.7282787 | 0.4664430 |
| factor(MAR_STAT)2   | -0.3157273  | 0.7292583     | 0.0494999  | -6.3783367 | 0.0000000 |
| factor(MAR_STAT)3   | -0.0995482  | 0.9052464     | 0.1469079  | -0.6776229 | 0.4980108 |
| factor(MAR_STAT)4   | -0.0089949  | 0.9910455     | 0.0643074  | -0.1398729 | 0.8887604 |
| factor(MAR_STAT)5   | 0.5158527   | 1.6750663     | 0.0579821  | 8.8967507  | 0.0000000 |
| factor(MAR_STAT)6   | -0.1266944  | 0.8810029     | 0.3361255  | -0.3769258 | 0.7062288 |
| MALIGCOUNT          | 0.2880071   | 1.3337668     | 0.0548764  | 5.2482854  | 0.0000002 |
| factor(PRIMSITE)1   | -0.2458512  | 0.7820386     | 0.2558266  | -0.9610074 | 0.3365485 |
| factor(PRIMSITE)2   | -0.2446495  | 0.7829789     | 0.2545332  | -0.9611693 | 0.3364671 |
| factor(PRIMSITE)3   | -0.1206211  | 0.8863697     | 0.2595897  | -0.4646607 | 0.6421744 |
| factor(PRIMSITE)4   | -0.3639285  | 0.6949409     | 0.2484321  | -1.4649012 | 0.1429479 |
| factor(PRIMSITE)5   | -0.3709508  | 0.6900779     | 0.2569803  | -1.4434992 | 0.1488799 |
| factor(PRIMSITE)6   | -0.1753562  | 0.8391580     | 0.3367633  | -0.5207106 | 0.6025684 |
| factor(PRIMSITE)7   | -0.1856234  | 0.8305863     | 0.2486804  | -0.7464339 | 0.4554054 |
| factor(PRIMSITE)8   | -0.0446436  | 0.9563382     | 0.2484893  | -0.1796602 | 0.8574194 |
| factor(ERSTATUS)1   | 1.0333016   | 2.8103290     | 0.1286672  | 8.0308106  | 0.0000000 |
| factor(PRSTATUS)1   | 0.6786592   | 1.9712329     | 0.0530830  | 12.7848714 | 0.0000000 |
| factor(INSREC_PUB)1 | -0.1079585  | 0.8976648     | 0.1284547  | -0.8404406 | 0.4006614 |
| factor(INSREC_PUB)2 | -0.3572593  | 0.6995910     | 0.1261293  | -2.8324858 | 0.0046188 |
| factor(INSREC_PUB)3 | -0.1487134  | 0.8618161     | 0.1319291  | -1.1272218 | 0.2596487 |

## Test PH Assumption for Sex

To test the proportional hazards assumption for Sex (a fixed-time covariate), we can create a time-dependent covariate  $Z_2(t)$ , defined as  $Z_2(t) = Z_1 \times g(t)$ , where  $g(t)$  is a known function of the time  $t$ . In most applications, we take  $g(t) = \ln(t)$ . A test of  $H_0 : \beta_2 = 0$  is a test of the proportional hazards assumption.

```
# convert dataset into a counting process-like dataset
cut.points <- unique(breast$SRV_TIME_MON[breast$delta == 1])
breast2 <- survSplit(data = breast, cut = cut.points, end = "SRV_TIME_MON", start = "t0",
                     event = "delta")
head(breast2)
```

```
##   stage RAC_RECY SEX BRST_SUB AGE_DX Age MAR_STAT MALIGCOUNT BENBORDCOUNT
## 1     1         1   1         3    45  49         2           1             0
## 2     1         1   1         3    45  49         2           1             0
## 3     1         1   1         3    45  49         2           1             0
## 4     1         1   1         3    45  49         2           1             0
## 5     1         1   1         3    45  49         2           1             0
## 6     1         1   1         3    45  49         2           1             0
```

```
## PRIMSITE ERSTATUS PRSTATUS INSREC_PUB t0 SRV_TIME_MON delta
## 1      4      0      0      2 0      1      0
## 2      4      0      0      2 1      2      0
## 3      4      0      0      2 2      3      0
## 4      4      0      0      2 3      4      0
## 5      4      0      0      2 4      5      0
## 6      4      0      0      2 5      6      0
```

```
# create time-dependent covariate
breast2$tdc_sex <- breast2$SEX * log(breast2$SRV_TIME_MON)

coxph(Surv(t0, SRV_TIME_MON, delta) ~ SEX + tdc_sex, data = breast2, ties = "breslow")
```

```
## Call:
## coxph(formula = Surv(t0, SRV_TIME_MON, delta) ~ SEX + tdc_sex,
##       data = breast2, ties = "breslow")
##
##             coef exp(coef) se(coef)      z      p
## SEX          2.777   16.070   1.165   2.38 0.0171
## tdc_sex     -0.976    0.377   0.342  -2.85 0.0044
##
## Likelihood ratio test=12.61 on 2 df, p=0.002
## n= 1742258, number of events= 3033
```

Using  $g(t) = \ln(t)$ , the Wald p-value for the test of  $H_0 : \beta_2 = 0$  is 0.0044, which is significant at  $\alpha = 0.05$ . Thus, there is evidence that SEX covariate has nonproportional hazards. Therefore, we should stratify on Sex.

## Stratify on Sex

Fix Cox model with the top 9 covariates, stratified on SEX.

```
fit3 <- coxph(Surv(SRV_TIME_MON, delta) ~ strata(SEX) + factor(stage) + factor(RAC_REC_Y) +
              factor(BRST_SUB) + factor(MAR_STAT) + MALIGCOUNT + factor(PRIMSITE) +
              factor(ERSTATUS) + factor(PRSTATUS) + factor(INSREC_PUB) ,
              data = breast, ties = "breslow" )
summary(fit3)
```

```
## Call:
## coxph(formula = Surv(SRV_TIME_MON, delta) ~ strata(SEX) + factor(stage) +
##       factor(RAC_REC_Y) + factor(BRST_SUB) + factor(MAR_STAT) +
##       MALIGCOUNT + factor(PRIMSITE) + factor(ERSTATUS) + factor(PRSTATUS) +
##       factor(INSREC_PUB), data = breast, ties = "breslow")
##
## n= 55333, number of events= 3033
##
##             coef exp(coef) se(coef)      z Pr(>|z|)
## factor(stage)1      1.857621   6.408470  0.709702  2.617  0.00886 **
## factor(stage)2      3.077618  21.706631  0.708156  4.346  1.39e-05 ***
## factor(stage)3      4.184598  65.667066  0.708103  5.910  3.43e-09 ***
## factor(stage)4      5.832492 341.208011  0.707915  8.239 < 2e-16 ***
## factor(RAC_REC_Y)2    0.189521   1.208670  0.066937  2.831  0.00464 **
## factor(RAC_REC_Y)3    0.067450   1.069777  0.197574  0.341  0.73281
## factor(RAC_REC_Y)4   -0.311933   0.732030  0.077238 -4.039  5.38e-05 ***
## factor(BRST_SUB)2    -0.965198   0.380908  0.152381 -6.334  2.39e-10 ***
## factor(BRST_SUB)3     0.251216   1.285588  0.063901  3.931  8.45e-05 ***
```



```

## factor(BRST_SUB)4      -0.104480    0.900793    0.142392 -0.734  0.46310
## factor(MAR_STAT)2      -0.314578    0.730097    0.049510 -6.354 2.10e-10 ***
## factor(MAR_STAT)3      -0.099928    0.904903    0.146909 -0.680  0.49638
## factor(MAR_STAT)4      -0.008725    0.991312    0.064331 -0.136  0.89211
## factor(MAR_STAT)5       0.516334    1.675872    0.057990  8.904 < 2e-16 ***
## factor(MAR_STAT)6      -0.125466    0.882086    0.336123 -0.373  0.70895
## MALIGCOUNT           0.288792    1.334814    0.054880  5.262 1.42e-07 ***
## factor(PRIMSITE)1      -0.221547    0.801278    0.256714 -0.863  0.38813
## factor(PRIMSITE)2      -0.218838    0.803452    0.255639 -0.856  0.39197
## factor(PRIMSITE)3      -0.093926    0.910350    0.260677 -0.360  0.71861
## factor(PRIMSITE)4      -0.337854    0.713299    0.249553 -1.354  0.17579
## factor(PRIMSITE)5      -0.345290    0.708015    0.258044 -1.338  0.18086
## factor(PRIMSITE)6      -0.149278    0.861330    0.337596 -0.442  0.65836
## factor(PRIMSITE)7      -0.158763    0.853198    0.249813 -0.636  0.52508
## factor(PRIMSITE)8      -0.019407    0.980780    0.249559 -0.078  0.93801
## factor(ERSTATUS)1       1.033526    2.810961    0.128666  8.033 9.54e-16 ***
## factor(PRSTATUS)1       0.679725    1.973336    0.053092 12.803 < 2e-16 ***
## factor(INSREC_PUB)1    -0.107544    0.898037    0.128449 -0.837  0.40245
## factor(INSREC_PUB)2    -0.357413    0.699484    0.126123 -2.834  0.00460 **
## factor(INSREC_PUB)3    -0.149441    0.861189    0.131925 -1.133  0.25731
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##
##               exp(coef) exp(-coef) lower .95 upper .95
## factor(stage)1         6.4085    0.156043    1.5946   25.7545
## factor(stage)2        21.7066    0.046069    5.4176   86.9713
## factor(stage)3        65.6671    0.015228   16.3911  263.0789
## factor(stage)4       341.2080    0.002931   85.2002 1366.4628
## factor(RAC_RECY)2       1.2087    0.827355    1.0601    1.3781
## factor(RAC_RECY)3       1.0698    0.934774    0.7263    1.5757
## factor(RAC_RECY)4       0.7320    1.366064    0.6292    0.8517
## factor(BRST_SUB)2       0.3809    2.625306    0.2826    0.5135
## factor(BRST_SUB)3       1.2856    0.777854    1.1343    1.4571
## factor(BRST_SUB)4       0.9008    1.110133    0.6814    1.1908
## factor(MAR_STAT)2       0.7301    1.369681    0.6626    0.8045
## factor(MAR_STAT)3       0.9049    1.105091    0.6785    1.2068
## factor(MAR_STAT)4       0.9913    1.008764    0.8739    1.1245
## factor(MAR_STAT)5       1.6759    0.596704    1.4958    1.8776
## factor(MAR_STAT)6       0.8821    1.133676    0.4565    1.7046
## MALIGCOUNT           1.3348    0.749168    1.1987    1.4864
## factor(PRIMSITE)1       0.8013    1.248006    0.4845    1.3253
## factor(PRIMSITE)2       0.8035    1.244630    0.4868    1.3261
## factor(PRIMSITE)3       0.9104    1.098478    0.5462    1.5174
## factor(PRIMSITE)4       0.7133    1.401936    0.4374    1.1633
## factor(PRIMSITE)5       0.7080    1.412399    0.4270    1.1741
## factor(PRIMSITE)6       0.8613    1.160996    0.4444    1.6693
## factor(PRIMSITE)7       0.8532    1.172060    0.5229    1.3922
## factor(PRIMSITE)8       0.9808    1.019597    0.6014    1.5995
## factor(ERSTATUS)1       2.8110    0.355750    2.1844    3.6172
## factor(PRSTATUS)1       1.9733    0.506756    1.7783    2.1897
## factor(INSREC_PUB)1     0.8980    1.113539    0.6982    1.1551
## factor(INSREC_PUB)2     0.6995    1.429626    0.5463    0.8956
## factor(INSREC_PUB)3     0.8612    1.161185    0.6650    1.1153
##

```

```
## Concordance= 0.883 (se = 0.006 )
## Rsquare= 0.121 (max possible= 0.677 )
## Likelihood ratio test= 7163 on 29 df, p=<2e-16
## Wald test = 7208 on 29 df, p=<2e-16
## Score (logrank) test = 14991 on 29 df, p=<2e-16
```

Use LRT to test whether the covariate effects are different between the 2 strata

```
breastSEX0 <- breast[breast$SEX == 0, ]
breastSEX1 <- breast[breast$SEX == 1, ]
fit0 <- coxph(Surv(SRV_TIME_MON, delta) ~ factor(stage) + factor(RAC_REC_Y) +
  factor(BRST_SUB) + factor(MAR_STAT) + MALIGCOUNT + factor(PRIMSITE) +
  factor(ERSTATUS) + factor(PRSTATUS) + factor(INSREC_PUB),
  data = breastSEX0, ties = "breslow")
```

```
## Warning in fitter(X, Y, strats, offset, init, control, weights = weights, :
## Ran out of iterations and did not converge
```

```
fit1 <- coxph(Surv(SRV_TIME_MON, delta) ~ factor(stage) + factor(RAC_REC_Y) +
  factor(BRST_SUB) + factor(MAR_STAT) + MALIGCOUNT + factor(PRIMSITE) +
  factor(ERSTATUS) + factor(PRSTATUS) + factor(INSREC_PUB),
  data = breastSEX1, ties = "breslow")
X2 <- -2*(fit2$loglik[2] - (fit0$loglik[2] + fit1$loglik[2])); X2
```

```
## [1] 174.0883
```

```
1 - pchisq(X2, 9) #9 degrees of freedom for each covariate
```

```
## [1] 0
```

The p-value is  $\ll 0.0001$ , so the assumption of using a stratified model is not met; the covariate effects are not the same between the two strata. So a stratified model is not appropriate.

```
# check ph assumption for all covariates?
```

```
test.ph <- cox.zph(fit2)
test.ph$table
```

| ## |                    | rho           | chisq        | p            |
|----|--------------------|---------------|--------------|--------------|
| ## | factor(SEX)1       | -0.0388974061 | 4.684311e+00 | 3.043928e-02 |
| ## | factor(stage)1     | 0.0223478133  | 1.512495e+00 | 2.187588e-01 |
| ## | factor(stage)2     | 0.0206794504  | 1.295129e+00 | 2.551048e-01 |
| ## | factor(stage)3     | 0.0194346335  | 1.143794e+00 | 2.848520e-01 |
| ## | factor(stage)4     | 0.0127558319  | 4.931393e-01 | 4.825303e-01 |
| ## | factor(RAC_REC_Y)2 | 0.0255096012  | 2.010226e+00 | 1.562420e-01 |
| ## | factor(RAC_REC_Y)3 | 0.0004195743  | 5.317587e-04 | 9.816025e-01 |
| ## | factor(RAC_REC_Y)4 | -0.0193026541 | 1.124223e+00 | 2.890110e-01 |
| ## | factor(BRST_SUB)2  | 0.0354526999  | 3.710423e+00 | 5.407369e-02 |
| ## | factor(BRST_SUB)3  | -0.0229581177 | 1.694065e+00 | 1.930660e-01 |
| ## | factor(BRST_SUB)4  | 0.0194033685  | 1.112461e+00 | 2.915476e-01 |
| ## | factor(MAR_STAT)2  | 0.0090206466  | 2.451301e-01 | 6.205252e-01 |
| ## | factor(MAR_STAT)3  | -0.0013505632 | 5.548827e-03 | 9.406201e-01 |
| ## | factor(MAR_STAT)4  | -0.0120024011 | 4.366946e-01 | 5.087222e-01 |
| ## | factor(MAR_STAT)5  | -0.0569397144 | 9.666059e+00 | 1.877036e-03 |
| ## | factor(MAR_STAT)6  | 0.0037008708  | 4.145386e-02 | 8.386644e-01 |
| ## | MALIGCOUNT         | 0.0429480155  | 5.875959e+00 | 1.534901e-02 |
| ## | factor(PRIMSITE)1  | -0.0058074981 | 1.051136e-01 | 7.457773e-01 |
| ## | factor(PRIMSITE)2  | -0.0099267242 | 3.064839e-01 | 5.798459e-01 |
| ## | factor(PRIMSITE)3  | 0.0024895494  | 1.927140e-02 | 8.895912e-01 |

```

## factor(PRMSITE)4 -0.0079056624 1.947678e-01 6.589777e-01
## factor(PRMSITE)5 0.0027872395 2.419965e-02 8.763780e-01
## factor(PRMSITE)6 -0.0174081386 9.365014e-01 3.331792e-01
## factor(PRMSITE)7 -0.0108012139 3.635855e-01 5.465216e-01
## factor(PRMSITE)8 -0.0169931415 8.985629e-01 3.431673e-01
## factor(ERSTATUS)1 -0.0559378159 9.826392e+00 1.720255e-03
## factor(PRSTATUS)1 -0.0544337799 9.306847e+00 2.282990e-03
## factor(INSREC_PUB)1 0.0252318027 1.977785e+00 1.596239e-01
## factor(INSREC_PUB)2 0.0200394778 1.258547e+00 2.619263e-01
## factor(INSREC_PUB)3 0.0136865502 5.848580e-01 4.444144e-01
## GLOBAL NA 1.863941e+02 1.682704e-24

```