



1

---

---

---

---

---

---

---

---



2

---

---

---

---

---

---

---

---

**Origin of land plants**

- Green algae and land plants share a common ancestor 1 bya
- A single species of freshwater green algae (a charophyte) gave rise to entire terrestrial plant lineage
- Multicellular haploid and diploid stages

STREPTOPHYTES: THE GREEN PLANTS							
Charophytes	Embryophytes: The Land Plants						
	Nonvascular			Vascular			
	Seedless Plants Bryophytes			Seedless Plants		Seed Plants Spermatophytes	
	Liverworts	Hornworts	Mosses	Lycophytes	Monilophytes	Gymnosperms	Angiosperms
				Club Mosses	Whisk Ferns		
				Quillworts	Horsetails		
				Spike Mosses	Ferns		

3

---

---

---

---

---

---

---

---

### Adaptations to terrestrial life (present in some or all plant groups)

**Waxy cuticle:** protects from desiccation

**Development of stomata** for gas exchange

**Tracheids** (in Tracheophytes) or **xylem** and **phloem** to conduct water and food

Shift to **dominant diploid** generation to deal with increased mutation rates caused by UV radiation exposure

4

---

---

---

---


---

---

---

---

### Review: Haplodiplontic life cycle



#### Sporophyte (diploid)

- Multicellular diploid stage
- Produce haploid spores by meiosis in the sporangia
- Diploid mother cells (sporocytes) undergo meiosis to produce haploid spores

#### Gametophyte (haploid)

- Multicellular haploid stage
- Starts with spore
- Produces haploid spores by mitosis
- Gametes fuse to form diploid zygote

5

---

---

---

---


---

---

---

---

### Phylogeny of land plants



6

---

---

---

---

---

---

---

---

## Bryophytes (non-vascular seedless)

- Closest living descendants of first land plants
- Gametophyte: conspicuous/ photosynthetic
- Sporophytes: small and dependent
- Require water for sexual reproduction
- Non-tracheophytes (lack tracheids)
- Mycorrhizal associations enhance water uptake

7

---

---

---

---

---

---

---

---

## Liverworts (Phylum Hepaticophyta)

- **Gametophytes:** flattened with liver like lobes
- Gametangia in umbrella-shaped structures
- Also undergo asexual reproduction



8

---

---

---


---

---

---

---

---



9

---

---

---

---

---

---

---

---



### Mosses (Phylum Bryophyta)

- **Gametophytes:** small, leaf-like structures around a stem-like axis
- **Rhizoids** anchor into substrate (made of water absorbing cells)
- Multicellular gametangia form at the tips of gametophytes
  - + **Archegonia:** female gametangia
  - + **Antheridia:** - male gametangia (flagellated sperm must swim in water)

10

---

---

---

---

---

---

---

---



### Hornworts (Phylum Anthocerotophyta)

- **Sporophyte** is photosynthetic, have stomata
- Sporophyte is embedded in gametophyte tissue
- Live in symbiosis with cyanobacteria

11

---

---

---

---

---

---

---

---

### Understanding check

What is the gametophyte?

What is the sporophyte?

Only the gametophyte is photosynthetic in all seedless non-vascular groups except which one?

12

---

---

---

---

---

---

---

---

### Early tracheophytes (vascular seedless plants)

- **Vascular tissues:** efficient water- and food-conducting systems
- No roots or leaves
- Haplodiplontic life cycle persists
- Gametophyte reduced in size relative to the sporophyte



13

---

---

---

---

---

---

---

---

### Vascular tissues

- **Xylem:** Conducts water and dissolved minerals upward from the roots
- **Phloem:** Conducts sucrose and hormones throughout the plant
- Enhanced height and size in the tracheophytes
- Develops in sporophyte but not gametophyte



14

---

---

---

---

---


---

---

---

### Lycophytes (club mosses)

- Similar to earliest seedless plants
- Worldwide distribution
- Lack seeds
- Resemble true mosses
- **Sporophyte dominant:** have leafy stems



15

---

---

---

---

---

---

---

---

### Euphyllophytes: Whisk ferns



- Found in tropics
- Sporophyte has forking stems, does not have true leaves or roots

16

---

---

---

---


---

---

---

---

### Euphyllophytes: Horsetails



- Single genus, *Equisetum*
- Sporophyte ribbed, jointed photosynthetic stems; arise from branching rhizomes with roots at nodes; has brush-like leaves

17

---

---

---

---




---

---

---

---

### Euphyllophytes: Ferns

- Most abundant group of seedless vascular plants
- Have rhizomes (underground stems)
- **Fronds** (leaves) that bear sori
  - **Sori**: clusters of sporangia
- Conspicuous sporophyte has vascular tissue and well-differentiated roots, stems, and leaves
- Flagellated sperm

18

---

---

---

---

---

---

---

---

### Understanding check

What is the function of xylem and phloem?

What is the relative size of the sporophyte to the gametophyte?

How does this compare to seedless non-vascular plants? Why is this important?

19

---

---

---

---


---

---

---

---

### Part II: Select seedless plant reproductive cycle



20

---

---

---


---

---

---

---

---



### Moss reproduction

21

---

---

---

---


---

---

---

---

## Fern life cycle



22

---

---

---

---

---

---

---

---