



Mailbox 0.1

github.com/lundstrj/mailbox/

- The “problem”
- Possible solution
- Design considerations
- What it looks like
- What I would have/could have/should have done differently
- LIVE demo *(because pain is temporary but glory is forever)*
- Questions

Surprise!

(I am more than OK with you asking questions during the presentation, so please do, you know, if you want to.

There is also a dedicated slide at the end for those not brave enough to interrupt)

The “Problem”

(god forbid I'd get any accidental exercise)

Possible solution


(A possibly pervers abuse of clock cycles)

Design

(MVP, Cut scope, Always shippable master, Iterate)


High level


(You gotta have levels)



Low level

(Hardware)





Medium level?

(Code)

Super simple

- *Init/setup/boot*
 - *Load config*
 - *Check configured pins*
 - *Check configured credentials*
 - *Connect to wifi*
- *Main loop*
 - *Sleep a little*
 - *Sample sensors*
 - *Evaluate the past x samples*
 - *(maybe send request to Ntfy)*
 - *(maybe send request to Home Assistant)*

Do you want to see some code?


~~(Show me yours and I'll show you mine)~~

~~(Feel the force, use the source)~~

(It really isn't much to see but I'll still show you)

 Smart Mailbox

0 Mail in box



Telia

14:31 Wed, Jun 26

60%





 ntfy.sh/mailbox 14:26

Mailbox has been reset

 ntfy.sh/mailbox 14:26

Mail has been delivered

 Secured 13:11

 Notification settings

Clear



 Smart Mailbox

1 Mail in box

Woulda, Coulda, Shoulda

(Also known as learning)

Who doesn't love a live demo?

(What could possibly go wrong)

Questions

(Fire away)