# Synchronous Bidirectional Learning for Multilingual Lip Reading

✓Mingshuang Luo<sup>1,2</sup> mingshuang.luo@vipl.ict.ac.cn -Shuang Yang1 shuang.yang@ict.ac.cn Xilin Chen<sup>1,2</sup> xlchen@ict.ac.cn Zitao Liu<sup>3</sup> diuzitao@100tal.com Shiguang Shan<sup>1,2,4</sup>

- <sup>1</sup> Key Lab of Intelligent Information Processing of Chinese Academy of Sciences(CAS), Inst. of Computing Technology, CAS, Beijing, China
- <sup>2</sup>University of Chinese Academy of Sciences, Beijing, China
- <sup>3</sup> TAL Education Group, Beijing, China
- <sup>4</sup>CAS Center for Excellence in Brain Science and Intelligence Technology, Shanghai, China

#### Abstract

Shiguang Shan by gshan@ict.ac.cn

Lip reading the synergy of in the world, with large-sc and pronuncity to the comm synergized least chronous bid lip reading, setting here, bet letters. Lip reading has received increasing attention in recent years. This paper focuses on the synergy of multilingual lip reading. There are about as many as 7000 languages in the world, which implies that it is impractical to train separate lip reading models with large-scale data for each language. Although each language has its own linguistic and pronunciation rules, the lip movements of all languages share similar patterns due to the common structures of human organs. Based on this idea, we try to explore the synergized learning of multilingual lip reading in this paper, and further propose a synchronous bidirectional learning (SBL) framework for effective synergy of multilingual lip reading. We firstly introduce phonemes as our modeling units for the multilingual setting here. Phonemes are more closely related with the lip movements than the alphabet letters. At the same time, similar phonemes always lead to similar visual patterns no matter which type the target language is. Then, a novel SBL block is proposed to learn the rules for each language in a fill-in-the-blank way. Specifically, the model has to learn to infer the target unit given its bidirectional context, which could represent the composition rules of phonemes for each language. To make the learning process more targeted at each particular language, an extra task of predicting the language identity is introduced in the learning process. Finally, a thorough comparison on LRW (English) and LRW-1000 (Mandarin) is performed, which shows the promising benefits from the synergized learning of different languages and also reports a new state-of-the-art result on both datasets.

#### Introduction 1

Lip reading aims to infer the speech content by using visual information like lip movements, and is robust to the ubiquitous acoustic noises [III] in our life. This special property makes it important for automatic speech recognition in noisy or silent scenarios [4, 13, 21, 21]. With the rapid development of deep learning technologies and the recent emergence of several




Figure 1: Illustration of the modeling units in our work.

Limited by the structure of our vocal organs, the number of distinguishable pronunciations we could make is finite. So the set of distinguishable pronunciations in each language is finite, leading to many common pronunciations shared among different languages. For example, there are as many as 32 phonemes existing in both English and Mandarin words, as shown in Figure 1.(a). Figure 1.(b) provide some example words with their corresponding phoneme-based representations. The same phonemes in different languages would generate the same or similar lip movements even though the speakers are of different languages, as shown by Figure 1.(c). Besides, knowledge sharing and transfer among different languages could further help the unique model shared by different languages learn more easily than learning separately from every single language. These factors make us think it possible to perform a synergize learning of multilingual lip reading.

Each language has its own rule to compose different units (characters or phonemes) into a valid word. If we could make the lip reading model master the composition rules for each language, it should be able to obtain good recognition results when meeting these languages. Based on this idea, we consider the learning process of the composition rule for each language as to learn a fill-in-the-blank problem according to the correct rules. If the model could make correct predictions for any missing units, no matter which language the input is, as long as its previous and later context is given, then the decoder module should be also effective to compose correct phonemes into correct words in the multilingual lip reading setting. Therefore, a novel synchronous bidirectional learning (SBL) block is introduced to construct the decoder module to finish our prediction process for the multilingual lip reading problem.

Overall, the main contributions could be summarized as follows.

- We make a first exploration to the problem of multilingual lip reading. As far as we know, it is the first time to tackle the lip reading problem in a multilingual setting with large-scale lip reading datasets.
- To perform a better multilingual lip reading, we introduce phonemes as the modeling
  units, which acts as the bridge to link different languages. Then, a novel synchronous
  bidirectional learning (SBL) framework is proposed to learn the composition rule for
  each language. Finally, an extra task of judging the language type is introduced to
  make the learning more targeted at each specific language at present.
- With a thorough evaluation and comparison, our method not only shows a clear advan-

tage of multilingual lip reading over monolingual lip reading, but also outperforms the existing state of the art performance by a large margin on the benchmarks of different languages.

#### 2 Related work

## 2.1 Lip Reading

Great strides have been made in lip reading recently [11], [21], [21], [22], [22], [23]. Existing lip reading methods could be generally divided into two categories, decoding based methods and classification based methods.

In the first category, lip reading is considered as a sequence (image sequence) to sequence (text sequence) problem, and seq2seq models based on RNN or Transformer [16] are applied. For example, Chung et al. [19] was the first to use an RNN based encoder-decoder framework to perform lip reading and has achieved an appealing result. Luo et al. [10] proposed to introduce the CER (character error rate) to the RNN based seq2seq model to perform a more direct optimization over the evaluation metric. Zhang et al. [20] introduced a temporal focal block to capture the short-range dependencies based on the Transformer-seq2seq model.

In the second category, the whole input image sequence is taken as a single object belonging to a word class, and the lip reading problem is considered as a video classification problem. In 2017, Stafylakis et al. [ ] proposed an effective pipeline to perform classification based lip reading, which has been used widely in the subsequent lip reading methods [ ], [ ], [ ], [ ], [ ], [ ]. Later, Wang [ ] proposed a multi-grained spatio-temporal model to perform lip reading by collecting information from three different granularities.

#### 2.2 Multilingual Learning

Multilingual learning has been studied for a long time in the field of speech recognition and natural language processing. Dalmia et al. [5] found that an end-to-end multi-lingual training of seq2seq models is beneficial to low resource cross-lingual speech recognition. In 2018, Zhou et al. [23] proposed to use the sub-words as modeling units with the Transformer architecture [113] and achieved good results for multilingual speech recognition. Toshniwal et al. take a union of language-specific grapheme sets and train a grapheme-based sequenceto-sequence model on data combined by different languages for speech recognition. Besides the design of modeling units, some other methods performed multilingual learning by other ways. For example, Tan et al. [ proposed to train separate models for each language at first and then perform knowledge distillation from each language-specific model to the multilingual model for multilingual translation. Wang et al. [12] presented a Grapheme-to-Phoneme (G2P) model which share the same encoder and decoder across multiple languages by utilizing a combination of universal symbol inventories of Latin-like alphabets and crosslinguistically shared feature representations. Inspired by these related methods, we make an exploration to the synergized learning of multilingual lip reading, by introducing phonemes as modeling units, and also a novel synchronous bidirectional learning framework to solve the multilingual lip reading problem, which has not been touched before.

# 3 The Proposed SBL Framework

We build our model based on the Transformer architecture, as shown in Figure 2. The whole model can be divided into two main parts: the visual encoder and the synchronous bidirectional decoder, which are shown as blue and yellow parts respectively in Figure 2.(a). The visual encoder is responsible for encoding the input image sequence to a preliminary




Figure 2: The whole framework of our model. The model takes the lip image sequence  $(X_{1:T})$  as input and outputs a sequence of phonemes  $\hat{\mathbf{y}}_{1:L}$ . During the inference process, the decoder employs the left-to-right (L2R) phoneme context  $\mathbf{c}_{1:i}^{L2R} = [c_1, c_2, \dots, c_i]$  to predict  $\hat{\mathbf{y}}_{i+1}$ , and the right-to-left (R2L) phoneme context  $\mathbf{c}_{1:i}^{R2L} = [c_L, c_{L-1}, \dots, c_{L-i}]$  to predict  $\hat{\mathbf{y}}_{L-i-1}$ .

sequential representation of the sequence. Then the synchronous bidirectional decoder is followed to take the outputs of the encoder as inputs and predicts both the left-to-right and the right-to-left output sequence simultaneously in the training process. By learning from the bidirectional context including both the previous and future time steps, the model could be able to learn the composition rules of each language.

#### 3.1 The Visual Encoder

As shown in Figure 2.(a), the visual encoder mainly consists of two modules, the CNN based front-end and *N* stacked self-attention blocks. The CNN based front-end is used to capture the short-term spatial-temporal patterns in the image sequence, and *N* stacked self-attention blocks are used to weight the patterns at different time steps in the visual sequence to obtain the final representation of the encoder.

Specifically, we denote the input image sequence as  $X = (x_1, x_2, ..., x_T)$ , where T is the number of frames in the sequence. We use H and W to denote the height and width of the frames respectively. The image sequence is input to a 3D-convolutional layer firstly, followed by a max-pooling layer. The spatial dimension is reduced to a quarter of the input size, while the temporal dimension is kept the same as the input. That is, the dimension of the output would be  $T \times H/4 \times W/4$ . Then a ResNet-18 [ $\square$ ] module is introduced to output a 512-d vector at each time step, which would be added with their corresponding positional encodings and then used as the input of the subsequent self-attention blocks. The final output of the last self-attention block is taken as the final representation of the input sequence. We denote the output as  $E_{\theta}(X)$ , where  $\theta$  represents the parameter of the encoder, and  $E_{\theta}(X)$  is composed by T 512-d vectors.

The structure of each self-attention block is the same as  $[\[mathbb{Im}]$ . As shown in Figure 2.(b),

the output of each self-attention block can be obtained as:

$$Q' = QW_{Q}, K' = KW_{K}, V' = VW_{V},$$

$$H(Q, K, V) = softmax \left(\frac{Q'K'^{T}}{\sqrt{d_{k}}}\right)V',$$

$$MH(Q, K, V) = Concat(H_{1}, \dots, H_{h})W_{H}.$$

$$(1)$$

Where H and MH means the output of a single head attention block and a multi-head attention block respectively, Q, K and V equal to each other corresponding to the input of the block. Each head  $H_j(j=1,..,h)$  would have its own learnable parameters  $W_Q, W_K$  and  $W_V$ .  $W_H$  is another learnable parameter to combine all the outputs from all the heads. In this paper, we employ h=8 and N=6 in the encoder. The dimension  $d_k$  of both the query matrix Q and key matrix K, and the dimension  $d_v$  of the value matrix V, are all set to 64.

## 3.2 The Synchronous Bidirectional Decoder

Given the representation  $E_{\theta}(X)$  of each input sequence X, the synchronous bidirectional (SB) decoder is introduced to predict each phoneme  $c_i$  at each output's time step i (i = 1, 2, ..., L). As shown in Figure 2.(a), the decoder part is composed of several stacked synchronous bidirectional learning (SBL) blocks. Each block would combine the context from both the previous and future time steps to generate its output to the next SBL block. We use the context of the left-to-right (L2R) and the right-to-left (R2L) directions in the label sequence to express the previous and future context.

As shown in Figure 2.(a), each SBL block contains two branches: the L2R branch and the R2L branch. Each branch consists of a self-attention block and a vanilla-attention block. The self-attention block would perform a weighted sum of its input at different time steps, where the weights are obtained from the input by itself, as shown in Eq.(1) where Q, K, V are all equal to the input. The vanilla attention block is similar to the self-attention block, and also output a weighted sum of its input ( which is corresponding to the output of the previous self-attention block) at different time steps. But the weights are generated according to the output of the encoder, as shown in Figure 2 where K and V are equal to the output of the encoder and Q is the output of the previous self-attention block.

To effectively unify the L2R and the R2L branches, some differences exist between the first SBL block and the subsequent SBL blocks. Specifically, we assume the ground truth labels of each sequence as  $\mathbf{y} = (y_1, y_2, ..., y_L)$ , where each sequence is padded to the same length L. The architecture can be described as follows.

- For the first SBL block, a sequence of phonemes before the current time step together with their corresponding positional encodings is used as the input. For example, when predicting the target unit at time step i+1 (i=0,...,L-1), the input to the first L2R and R2L branch are  $c_{1:i}^{L2R} = (c_1,c_2,...,c_i)$  and  $c_{1:i}^{R2L} = (c_L,c_{L-1},...,c_{L-i})$  respectively, as shown in Figure 2.(a). Each  $c_i$  (or  $c_{L-i}$ ) is equal to the corresponding prediction result  $\hat{y}_i$  (or  $\hat{y}_{L-i}$ ) in the inference process. For training, we introduce probabilistic teacher forcing, where  $c_i$  (or  $c_{L-i}$ ) is equal to the ground truth unit  $y_i$  (or  $y_{L-i}$ ) with a probability  $\gamma$ , and to the previous prediction result  $\hat{y}_i$  (or  $\hat{y}_{L-i}$ ) with a probability  $1-\gamma$ .
- For the SBL blocks after the first one, the input from the previous output would be reversed at first to generate the R2L branch's input.
- For all the SBL blocks, the output of R2L would be reversed at first to perform an element-wise summation with the output of L2R branch. Then the summation is used as the output of the corresponding SBL block.

Finally, two fully connected layers are introduced to project the output of the two branches of the last SBL block to the unified phoneme space respectively.

To make the learning process more targeted and effective for each specific language, we also introduce an extra task to predict the language type of the input by adding an extra indicator label F to the ground-truth sequence:  $\mathbf{y} \to \{F, \mathbf{y}\}$ . With the prediction task, the model can be guided to learn in a more targeted and effective manner for different languages.

#### 3.3 Learning Process

Given the above pipeline, the model is learned by minimizing the cross-entropy loss at each time step. Specifically, we use  $\hat{y_i}^{(L2R)}$  and  $\hat{y_i}^{(R2L)}$  to denote the prediction results of the L2R and R2L branch at time step *i* respectively. Then the model would be optimized to minimize  $L_{total}$  as follows:

$$L_{L2R} = -\sum_{i=1}^{L} p(\hat{y}_i^{(L2R)}) \log p(\hat{y}_i^{(L2R)}), \qquad L_{R2L} = -\sum_{i=1}^{L} p(\hat{y}_i^{(R2L)}) \log p(\hat{y}_i^{(R2L)})$$
(2)

$$L_{total} = \lambda_1 L_{L2R} + \lambda_2 L_{R2L} \tag{3}$$

where  $p(\hat{y}_i^{(L2R)}) = p(\hat{y}_i^{(L2R)}|c_1,c_2,\ldots,c_{i-1}), \ p(\hat{y}_{L-i}^{(R2L)}) = p(\hat{y}_{L-i}^{(R2L)}|c_L,c_{L-1},\ldots,c_{L-i+1}).$   $\lambda_1$  and  $\lambda_2$  are used to balance the learning of the two branches, and both of them are set to be 0.5 in our experiments.

For the test process, we introduce the entropy of the prediction results of each branch to measure the quality of the corresponding branch. A smaller entropy of the prediction results indicates stronger confidence of the prediction. In the ideal case, the prediction is like a one-hot vector. We define  $H(\hat{y}_i^{(L2R)})$  and  $H(\hat{y}_i^{(R2L)}))$  as the entropy of the prediction distribution of the L2R and R2L branch at time step i respectively. The combination result is denoted as C-Bi, where C means combining. It is achieved by:

$$\mathbf{C}\text{-}\mathbf{Bi}_{i} = \begin{cases} \hat{y}_{i}^{(L2R)} & \text{if } H(\hat{y}_{i}^{(L2R)}) < H(\hat{y}_{i}^{(R2L)}). \\ \hat{y}_{i}^{(R2L)} & \text{if } H(\hat{y}_{i}^{(L2R)}) > H(\hat{y}_{i}^{(R2L)}). \end{cases}$$
(4)

In the setting where an extra language indicator flag F is introduced, the above combination operation is performed only when the predictions of the language identity from both the two branches are the same. If the judgements are different, then we directly adopt the result from the branch which has a smaller entropy over the language identity judgement.

## 4 Experiments

Limited by the existing available large-scale lip reading datasets, we evaluate the proposed SBL framework with two languages, the English dataset LRW, and the Mandarin dataset LRW-1000.

English Lip Reading Dataset: LRW [I], released in 2016, is the first large scale English word-level lip-reading datasets, which includes 500 English words. There are 1000 training samples in each word class. All the videos are collected from BBC TV broadcasts, resulting in various types of speaking conditions in the wild. It has become a popular and influential benchmark for the evaluation of many existing lip reading methods.

Mandarin Lip Reading Dataset: LRW-1000 [13], released in 2019, is a challenging and naturally distributed large scale benchmark for Mandarin word-level lip-reading. There

are 1000 Mandarin words and phrases, and more than 700 thousand samples in total. The length and frequency of the words are all naturally distributed without extra limitations, forcing the model to be easily adaptive to the practical case where some words indeed appear more frequently than others.

In our experiments, the split manner of training and test set is the same as divided by each dataset itself when we train mono-lingual lip reading models. When we train multilingual lip reading models, the training and test data is composed by the union of the training and test set of each language respectively. But the metric value is computed for each language separately to perform a comparison with other methods in a similar setting.

#### 4.1 Implementation Details

We crop the mouth regions of each frame on LRW with a fixed bounding box of 112 by 112. The images in LRW-1000 are already cropped well and we use them directly without other pre-processing. All the images are converted to grayscale, resized to  $112 \times 112$ , and then randomly cropped to  $88 \times 88$ . Each word in both the English dataset LRW and the Mandarin dataset LRW-1000 is converted to a sequence of phonemes, which would be used as the target label sequence. In our paper, we use 40, 48, and 56 phonemes for only English, only Chinese and the union of English and Chinese respectively.

In the training phase, the Adam  $[\mbox{\ensuremath{B}}]$  optimizer is employed with default parameters. The learning rate would be changed automatically in the training process according to the number of training steps. To speed up the training speed and ensure the generalization performance of the model, we set the teacher forcing rate  $\gamma$  as 0.5. The implementation is based on PyTorch. Dropout with probability 0.5 is applied to each layer in our model.

To perform a convenient comparison with other methods, we also adopt the word-level accuracy (Acc.) to measure our performance. For our model, Acc.=1 - WER where WER is computed by comparing the predicted and ground truth phoneme sequence. We denote PER as the phoneme error rate.

## 4.2 Ablation Study of the Proposed SBL Framework

In this section, we try to answer two questions based on our model with a thorough comparison and analysis. (1) Is it possible to perform multilingual lip reading, after all, mono-lingual lip reading itself has already been a very challenging task? (2) Would the proposed SBL framework be effective for the synergy of multilingual lip reading? How much improvement could it bring to the recognition of each specific language?

#### **I. For Question-1:** We answer it from the following comparison.

- I-A. TM (Baseline): For the baseline, we use the visual encoder shown in Figure 2.(a), with the decoder as the traditional Transformer [LG]. Two different models are trained on the English and Mandarin lip reading datasets respectively, which is in the same way as traditional work.
- I-B. TM-ML: Using the same architecture as I-A, but the model is trained with a new mixed data by combining LRW and LRW-1000 together, where ML refers to the introduction of training on different languages simultaneously.
- I-C. TM-ML-Flag: Based on I-B, we add an extra indicator flag to introduce an extra
  task of predicting the language type. Here, we use Flag to denote the introduction of
  this task.

The results, in Table 1, show the recognition performance of the model for both common phonemes and unique phonemes between the two languages, English and Mandarin (LRW and LRW-1000). We could find that the multilingual training can improve the ability of recognizing not only the common phonemes shared between these languages, but also the unique phonemes belonging to each specific language. At the same time, we find that the prediction performance has not much relation with the phoneme's position in the word. The multilingual setting would increase both the quantity and the diversity of each phoneme shared among different languages. At the same time, knowledge sharing and transfer among different languages can also improve the learning ability of the model. So the learning for the multilingual target could bring many benefits to the recognition.

The results are shown in Table 2 and Table 3, which report both the phoneme error rate (*PER*) and the accuracy (*Acc.*=1-*WER*) in different settings, where "EN/CN" and "EN+CN" mean that the corresponding model is trained with a single language or both languages (EN: LRW and CN: LRW-1000). According to Table 2 and Table 3, we could find that there is a significant improvement when using mixed multilingual data for training. This shows that the joint learning of different languages could help improve the model's capacity and performance for phonemes, leading to enhance the model's performance for each individual language. This conclusion is consistent with the results in the related ASR and NLP domain [D. C. D. C.].

As can be seen from Table 2 and Table 3, there is a further improvement when we further introduce an extra language type prediction task to the learning process. It suggests that an explicit introduction of the task to predict language type could help the model learn the rules of different languages more effectively.

Method	Languages	EN_LRW	<i>I</i> ( <b>PER.</b> ↓ )	CN_LRW-1000 ( <i>PER.</i> ↓ )		
		CPs	UPs	CPs	UPs	
TM(Baseline)	EN/CN	16.12%	17.58%	48.03%	48.90%	
TM-ML	EN+CN	13.85%	14.97%	46.81%	47.55%	
TM-ML-Flag	EN+CN	13.76%	14.45%	46.68%	47.03%	
TM-ML-BD	EN+CN	13.05%	13.77%	41.91%	43.52%	
TM-ML-BD-Flag	EN+CN	12.88%	13.50%	41.79%	42.44%	

*Table 1:* Evaluation of the effects of multilingual synergized learning for common and unique phonemes prediction. **CPs**:Common Phonemes, **UPs**:Unique Phonemes. ↓ means that the lower the value is, the better the performance is.

Method	Languages	EN_LRW ( <b>PER.</b> ↓ )			CN_LRW-1000 ( <i>PER</i> . ↓ )		
		L2R	R2L	C-Bi	L2R	R2L	C-Bi
TM(Baseline)	EN/CN	-	-	16.98%	-	-	48.42%
TM-ML	EN+CN	-	-	14.53%	-	_	47.21%
TM-ML-Flag	EN+CN	-	-	14.12%	-	_	46.83%
TM-ML-BD	EN+CN	13.50%	13.66%	13.37%	43.82%	42.71%	42.35%
TM-ML-BD-Flag	EN+CN	13.39%	13.53%	13.19%	43.11%	42.20%	42.03%

*Table 2:* Evaluation of the effects of multilingual synergized learning for phonemes prediction. **TM**:Transformer, **ML**:Multi-lingual, **BD**:Bi-directional,  $\downarrow$  means that the lower the value is, the better the performance is.

**II. For Question-2:** We perform comparison and analysis from two aspects. Firstly, we evaluate our idea that the composition rules of each language can be learned more easily by using bi-directional context and so could provide help for multilingual lip reading. Then we

compare with the proposed SBL framework to verify its effectiveness. For this target, we performed the following comparison at first.

- II-A. TM-ML-BD: Based on the setting of I-B, we introduce an extra decoder module which is targeted to make predictions in a right-to-left direction. We use BD to denote that bi-directional information is used in the learning process.
- II-B. TM-ML-BD-Flag: Based on the model II-A, an extra prediction task of language type as I-C is introduced in this setting.

The results are shown in Table 2 and Table 3. We can see that there is an obvious improvement when the bi-directional context is introduced. The accuracy increased from 81.03% and 44.58% to 84.12% and 52.61% on LRW and LRW-1000 respectively. This improvement verifies the effectiveness of our idea that the rules of each language could be learned by learning to infer the target phoneme given its bidirectional context. When we introduce the extra task of predicting language type, the performance is further improved.

Method	Languages	EN_LRW ( <i>Acc</i> . ↑ )			CN_LRW-1000 ( <i>Acc</i> . ↑ )		
Wiethod	Languages	L2R	R2L	C-Bi	L2R	R2L	C-Bi
TM(Baseline)	EN/CN	-	-	76.22%	-	-	41.83%
TM-ML	EN+CN	-	_	81.03%	-	_	44.58%
TM-ML-Flag	EN+CN	-	_	82.17%	-	_	45.24%
TM-ML-BD	EN+CN	83.56%	82.78%	84.12%	49.33%	51.48%	52.61%
TM-ML-BD-Flag	EN+CN	84.04%	83.26%	84.63%	50.35%	52.67%	53.29%

*Table 3:* Evaluation of the baseline methods for multilingual lip reading.  $\uparrow$  means that the higher the value is, the better the performance is.

Method	Languages	EN_LRW ( <i>Acc</i> . ↑ )			CN_LRW-1000 ( <i>Acc</i> . ↑ )		
		L2R	R2L	C-Bi	L2R	R2L	C-Bi
TM-ML-BD	EN+CN	83.56%	82.78%	84.12%	49.33%	51.48%	52.61%
TM-ML-BD-Flag	EN+CN	84.04%	83.26%	84.63%	50.35%	52.67%	53.29%
SBL-First	EN+CN	84.97%	83.46%	85.26%	51.79%	53.82%	54.35%
SBL-All	EN+CN	86.21%	85.04%	86.78%	52.78%	55.63%	56.12%
SBL-All-Flag	EN+CN	86.88%	85.64%	87.32%	53.41%	56.29%	56.85%

*Table 4:* The SBL results for exploring multilingual lip reading.  $\uparrow$  means that the higher the value is, the better the performance is.

Based on the above evaluation, we make a further comparison of the above bidirectional models with our proposed SBL, which unifies the two-directional context together in a single block, instead of two separate single-directional modules. For this target, we perform the following experiments.

- II-C. SBL-First: In this setting, we only introduce the first SBL module to the decoder, but keep the subsequent blocks in the decoder as the traditional blocks in the vanilla Transformer [14].
- II-D. SBL-All: In this setting, the architecture is totally the same as shown in Figure 2.(a), where each block in the decoder is designed to combine the bidirectional context together.
- II-E. SBL-Flag: This setting is almost the same as II-D, except that an extra task of predicting language type is introduced to the learning process.

The results are shown in Table 4. As we can see, it is much better even we introduce the SBL block only at the first layer. It achieves the performance of 85.26% and 54.35% on LRW and LRW-1000 respectively. This result has already outperformed **TM-ML-BD-Flag** which introduce two separate uni-directional decoder branches and the extra prediction task of language type. When we introduce the SBL block through the whole decoder with the extra language-type prediction task, **SBL-All-Flag** outperforms the others by a large margin on both the two datasets.

#### 4.3 Comparison with the State of the Art

In this part, we perform a comparison with other related state-of-the-art lip reading methods, including both seq2seq based decoding methods and classification based methods, as shown in Table 5. In the table, [17], [17], [17], [17], [17] are based on sequential classification structures. And [17], [17] are based on sequential decoding structures. We can find that our SBL framework outperforms the state-of-the-art performance by a large margin, especially on LRW-1000. One noteworthy result is that [17] achieved an accuracy of 83.7% on the English benchmark LRW after pre-training on two extra large-scale English lip reading datasets, LRS2-BBC and LRS3-TED. But their result is worse than ours which use only an extra Mandarin dataset LRW-1000 which has a smaller scale than LRS2-BBC and LRS3-TED. This result could provide another support to the benefits of multilingual training.

Work	Method	LRW	LRW-1000
[13]-2017	Classifying	83.00%	-
[🛄]-2018	Classifying	82.00%	-
[2019]	Decoding	83.70%	-
[]-2020	Decoding	83.50%	38.70%
[22]-2020	Classifying	84.41%	38.79%
[21]-2020	Classifying	85.02%	45.24%
[ <b>13</b> ]-2020	Classifying	84.13%	41.93%
Ours (SBL-First)	Decoding	85.26%	54.35%
Ours (SBL-All)	Decoding	86.78%	56.12%
Ours (SBL-All-Flag)	Decoding	87.32%	56.85%

*Table 5:* Comparison with other related methods.

# 5 Conclusion

Inspired by the related multilingual study in the field of automatic speech recognition and NLP, we try to explore the possibility of multilingual synergized lip reading with large scale datasets for the first time. The phonemes are introduced as the modeling units to bridge different languages. And a new synchronous bidirectional learning manner is introduced to unify the two-directional context together in each block, to enhance the learning of each language. Both the proposed model and the learning process are not related to some specific properties of some single language, so it can be directly employed to three or more languages. Limited by the available large-scale lip reading datasets, we perform a thorough evaluation and analysis on the English and Mandarin datasets. Our work achieves new state-of-the-art performance on both the two challenging benchmarks, LRW (English) and LRW-1000 (Mandarin).

## 6 Acknowledgments

This work is partially supported by National Key R&D Program of China (No. 2017YFA0700800 and National Natural Science Foundation of China (No. 61702486, 61876171).

#### References

- [1] Triantafyllos Afouras, Joon Son Chung, Andrew Senior, Oriol Vinyals, and Andrew Zisserman. Deep audio-visual speech recognition. *IEEE Transactions on Pattern Analysis and Machine Intelligence (TPAMI)*, pages 1–1, 2018.
- [2] Yannis M. Assael, Brendan Shillingford, Shimon Whiteson, and Nando de Freitas. LipNet: End-to-end sentence-level lipreading. *CoRR*, abs/1611.01599, 2016. URL http://arxiv.org/abs/1611.01599.
- [3] Joon Son Chung and Andrew Zisserman. Lip reading in the wild. In *Asian Conference on Computer Vision (ACCV)*, pages 87–103, 2016.
- [4] Joon Son Chung, Andrew W. Senior, Oriol Vinyals, and Andrew Zisserman. Lip reading sentences in the wild. In *Conference on Computer Vision and Pattern Recognition(CVPR)*, pages 3444–3453, 2017.
- [5] Siddharth Dalmia, Ramon Sanabria, Florian Metze, and Alan W. Black. Sequence-based multi-lingual low resource speech recognition. In *International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 4909–4913, 2018.
- [6] Alex Graves, Santiago Fernández, Faustino J. Gomez, and Jürgen Schmidhuber. Connectionist temporal classification: labelling unsegmented sequence data with recurrent neural networks. In *Machine Learning, Proceedings of the Twenty-Third International Conference (ICML)*, pages 369–376, 2006.
- [7] Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image recognition. In *Conference on Computer Vision and Pattern Recognition* (CVPR), pages 770–778, 2016.
- [8] Diederik P. Kingma and Jimmy Ba. Adam: A method for stochastic optimization. In *International Conference on Learning Representations (ICLR)*, page 13, 2015.
- [9] Xinjian Li, Siddharth Dalmia, David R. Mortensen, Juncheng Li, Alan W. Black, and Florian Metze. Towards zero-shot learning for automatic phonemic transcription. In *Conference on Artificial Intelligence (AAAI)*, 2020.
- [10] Mingshuang Luo, Shuang Yang, Shiguang Shan, and Xilin Chen. Pseudo-convolutional policy gradient for sequence-to-sequence lip-reading. *CoRR*, abs/2003.03983, 2020. URL https://arxiv.org/abs/2003.03983.
- [11] Stavros Petridis, Themos Stafylakis, Pingchuan Ma, Feipeng Cai, Georgios Tz-imiropoulos, and Maja Pantic. End-to-end audiovisual speech recognition. In *International Conference on Acoustics, Speech and Signal Processing(ICASSP)*, pages 6548–6552, 2018.

- [12] Alex Sokolov, Tracy Rohlin, and Ariya Rastrow. Neural machine translation for multilingual grapheme-to-phoneme conversion. In *Conference of the International Speech Communication Association (Interspeech)*, pages 2065–2069, 2019.
- [13] Themos Stafylakis and Georgios Tzimiropoulos. Combining residual networks with LSTMs for lipreading. In *Conference of the International Speech Communication Association (Interspeech)*, pages 3652–3656, 2017.
- [14] Xu Tan, Yi Ren, Di He, Tao Qin, Zhou Zhao, and Tie-Yan Liu. Multilingual neural machine translation with knowledge distillation. In *International Conference on Learning Representations(ICLR)*, 2019.
- [15] Shubham Toshniwal, Tara N. Sainath, Ron J. Weiss, Bo Li, Pedro J. Moreno, Eugene Weinstein, and Kanishka Rao. Multilingual speech recognition with a single end-to-end model. In *International Conference on Acoustics, Speech and Signal Processing(ICASSP)*, pages 4904–4908, 2018.
- [16] Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Lukasz Kaiser, and Illia Polosukhin. Attention is all you need. In *Conference on Neural Information Processing Systems (NIPS)*, pages 5998–6008, 2017.
- [17] Chenhao Wang. Multi-grained spatio-temporal modeling for lip-reading. In *British Machine Vision Conference(BMVC)*, page 276, 2019.
- [18] Jingyun Xiao, Shuang Yang, Yuanhang Zhang, Shiguang Shan, and Xilin Chen. Deformation flow based two-stream network for lip reading. *CoRR*, abs/2003.05709, 2020. URL https://arxiv.org/abs/2003.05709.
- [19] Shuang Yang, Yuanhang Zhang, Dalu Feng, Mingmin Yang, Chenhao Wang, Jingyun Xiao, Keyu Long, Shiguang Shan, and Xilin Chen. LRW-1000: A naturally-distributed large-scale benchmark for lip reading in the wild. In *International Conference on Automatic Face & Gesture Recognition*, (FG), pages 1–8, 2019.
- [20] Xingxuan Zhang, Feng Cheng, and Shilin Wang. Spatio-temporal fusion based convolutional sequence learning for lip reading. In 2019 International Conference on Computer Vision (ICCV), pages 713–722, 2019.
- [21] Yuanhang Zhang, Shuang Yang, Jingyun Xiao, Shiguang Shan, and Xilin Chen. Can we read speech beyond the lips? Rethinking RoI selection for deep visual speech recognition. *CoRR*, abs/2003.03206, 2020. URL https://arxiv.org/abs/2003.03206.
- [22] Xing Zhao, Shuang Yang, Shiguang Shan, and Xilin Chen. Mutual information maximization for effective lip reading. *CoRR*, abs/2003.06439, 2020. URL https://arxiv.org/abs/2003.06439.
- [23] Ya Zhao, Rui Xu, and Mingli Song. A cascade sequence-to-sequence model for Chinese mandarin lip reading. In *ACM Multimedia(MM)*, pages 32:1–32:6. 2019.
- [24] Ya Zhao, Rui Xu, Xinchao Wang, Peng Hou, Haihong Tang, and Mingli Song. Hearing lips: Improving lip reading by distilling speech recognizers. *CoRR*, abs/1911.11502, 2019. URL http://arxiv.org/abs/1911.11502.

[25] Shiyu Zhou, Shuang Xu, and Bo Xu. Multilingual end-to-end speech recognition with A single Transformer on low-resource languages. *CoRR*, abs/1806.05059, 2018. URL http://arxiv.org/abs/1806.05059.