


## BÁO CÁO

Hoạt động 1-2:




The image shows a screenshot of the Visual Studio Code (VS Code) interface. The top part displays the Explorer sidebar on the left, showing a project structure with folders like 'Buoi01' through 'Buoi05', and files like 'doan\_so.py' and 'hoat\_dong\_1\_2.py'. The main editor area shows the code for 'hoat\_dong\_1\_2.py'. The code defines variables for a student's name and scores, calculates an average score, and determines a grade based on the average. It also includes a section for inputting three numbers and determining the largest one.

```
41 ho_ten = "Nguyen Van A"
42 diem_toan, diem_ly, diem_hoa = 8.0, 7.5, 9.0
43
44 dtb = round((diem_toan + diem_ly + diem_hoa) / 3, 2)
45 if dtb >= 8.0:
46     xep_loai = "Gioi"
47 elif dtb >= 6.5:
48     xep_loai = "Kha"
49 elif dtb >= 5.0:
50     xep_loai = "Trung binh"
51 else:
52     xep_loai = "Yeu"
53
54 print(f"{ho_ten} - DTB: {dtb} - Xep loai: {xep_loai}")
55
56 #2.2
57 a = float(input("Nhap so thu nhhat: "))
58 b = float(input("Nhap so thu hai: "))
59 c = float(input("Nhap so thu ba: "))
60 if a >= b and a >= c:
61     lon_nhhat = a
62 elif b >= a and b >= c:
63     lon_nhhat = b
64 else:
65     lon_nhhat = c
66 print("So lon nhhat la:", lon_nhhat)
```

The bottom part of the image shows the Terminal window. It displays the output of the script execution, including the student's name, average score, grade, and the results of the number input exercise.

```
D:\MonTrenLop\Python_DH14C1>D:\MonTrenLop\Python_DH14C1\venv\Scripts\activate.bat
(venv) D:\MonTrenLop\Python_DH14C1>d:\MonTrenLop\Python_DH14C1\venv\Scripts\python.exe d:/MonTrenLop/Python_DH14C1/Buoi05/Scripts/hoat_dong_1_2.py
Da du tuoi truong thanh
Duoc phep dang ky xe may
Xep loai: Kha
Chua du tuoi lai xe
Khong dat
7
Nguyen Van A - DTB: 8.17 - Xep loai: Gioi
Nhap so thu nhhat: 3
Nhap so thu hai: 2
Nhap so thu ba: 5
So lon nhhat la: 5.0
(venv) D:\MonTrenLop\Python_DH14C1>
```




```
File Edit Selection View Go Run Terminal Help Python

Buoi05 > Scripts > hoat_dong_1_2.py > ...

1 #1.1
2 tuoi = 20
3 if tuoi >= 18:
4     print("Đã đủ tuổi trưởng thành")
5 if tuoi >= 18:
6     print("Được phép đăng ký xe máy")
7 else:
8     print("Chưa đủ tuổi")
9
10 #1.2
11 diem = 7.2
12 if diem >= 8.0:
13     print("Xếp loại: Giỏi")
14 elif diem >= 6.5:
15     print("Xếp loại: Khá")
16 elif diem >= 5.0:
17     print("Xếp loại: Trung bình")
18 else:
19     print("Xếp loại: Yếu")
20
21 #1.3
22 tuoi = 17
23 co_giay_phép = False
24 if tuoi >= 18:
25     if co_giay_phép:
26         print("Được phép lái xe")
27     else:
28         print("Đủ tuổi nhưng chưa có giấy phép")
29 else:
30     print("Chưa đủ tuổi lái xe")
31
32 #1.4
33 diem = 4.5
34 ket_qua = "Đạt" if diem >= 5.0 else "Không đạt"
35 print(ket_qua)
36 so = -7
37 tri_tuyệt_doi = so if so >= 0 else -so
38 print(tri_tuyệt_doi)
39
40 #2.1
41 ho_ten = "Nguyễn Văn A"
42 diem_toan, diem_ly, diem_hoa = 8.0, 7.5, 9.0
43
44 dtb = round((diem_toan + diem_ly + diem_hoa) / 3, 2)
45 if dtb >= 8.0:
46     xep_loai = "Giỏi"
47 elif dtb >= 6.5:
48     xep_loai = "Khá"
```


## Hoạt động 3-4:



```
Active code page: 65001
D:\MonTrenLop\Python_DH14C1> D:\MonTrenLop\Python_DH14C1\venv\Scripts\activate.bat

(venv) D:\MonTrenLop\Python_DH14C1> D:\MonTrenLop\Python_DH14C1\Scripts\python.exe d:/MonTrenLop/Python_DH14C1/Buoi05/Scripts/hoat_dong_3_4.py
1
2
3
4
5
Diem: 8.5
Diem: 7.0
Diem: 9.2
Diem: 6.5
3
5
Toan - 8.0
Ly - 7.5
P
y
t
h
o
n
5 x 1 = 5
5 x 2 = 10
5 x 3 = 15
5 x 4 = 20
5 x 5 = 25
5 x 6 = 30
5 x 7 = 35
5 x 8 = 40
5 x 9 = 45
5 x 10 = 50
5! = 120
Tong cac chu so cua 4527 la: 18


(venv) D:\MonTrenLop\Python_DH14C1>
```



The image shows a Visual Studio Code editor window with a Python file named `hoat_dong_3_4.py` open. The Explorer sidebar on the left shows a project structure with folders `Buoi01` through `Buoi05`, and a `Scripts` folder containing several Python files. The active file `hoat_dong_3_4.py` contains the following Python code:


```
1  #3
2  # for voi range()
3  for i in range(1, 6):
4      print(i)
5  # for duyệt list
6  diem_so = [8.5, 7.0, 9.2, 6.5]
7  for diem in diem_so:
8      print("Diem:", diem)
9  # for duyệt tuple
10 toa_do = (3, 5)
11 for gia_tri in toa_do:
12     print(gia_tri)
13 # for duyệt dictionary
14 diem_mon = {"Toan": 8.0, "Ly": 7.5}
15 for mon, diem in diem_mon.items():
16     print(mon, "-", diem)
17 # for duyệt string
18 ten = "Python"
19 for ky_tu in ten:
20     print(ky_tu)
21
22 #Bài tập vận dụng Bảng cửu chương:
23 n = 5
24 for i in range(1, 11):
25     print(f"{n} x {i} = {n * i}")
26
27 #4.1
28 n = 5
29 giai_thua = 1
30 i = 1
31 while i <= n:
32     giai_thua = giai_thua * i
33     i += 1
34
35 print(f"{n}! = {giai_thua}")
36
37 #4.2
38 so = 4527
39 so_tam = so
40 tong_chu_so = 0
41 while so_tam > 0:
42     chu_so = so_tam % 10
43     tong_chu_so += chu_so
44     so_tam = so_tam // 10
45 print(f"Tong cac chu so cua {so} la: {tong_chu_so}")
```

## Hoạt động 5-6:




The screenshot shows the VS Code interface with the Terminal panel active. The terminal output displays the execution of a Python script named `hoat_dong_5_6.py`. The script first activates a virtual environment and then runs a Python command. The output of the script is as follows:

```
D:\WonTrenLop\Python_DH14C1>D:\WonTrenLop\Python_DH14C1\venv\Scripts\activate.bat
(venv) D:\WonTrenLop\Python_DH14C1>d:\WonTrenLop\Python_DH14C1\venv\Scripts\python.exe d:/MonTrenLop/Python_DH14C1/Buoi05/Scripts/hoat_dong_5_6.py
Dat yeu cau
29 co phai so nguyen to khong? True
So nguyen to dau tien lon hon 20 la: 23
Cac so hop le (duong): [5, 8, 12, 7]
**
***
****
*****
*
***
*****
*****
***
*
```



The screenshot shows the VS Code editor with the file `hoat_dong_5_6.py` open. The code is a Python script that generates a pattern of asterisks. The code is as follows:

```
46 n = 5
47 for i in range(1, n + 1):
48     for j in range(i):
49         print("*", end="")
50     print()
51
52 #6.2
53 n = 4
54 # Nua tren cua hinh thoi
55 for i in range(1, n + 1):
56     print(" " * (n - i) + "*" * (2 * i - 1))
57 # Nua duoi cua hinh thoi
58 for i in range(n - 1, 0, -1):
59     print(" " * (n - i) + "*" * (2 * i - 1))
```



```
1 #5.1
2 diem = 6.5
3 if diem >= 8.0:
4     pass # chưa cài dat logic cho truong hop nay, se bo sung sau
5 elif diem >= 5.0:
6     print("Dat yeu cau")
7 else:
8     pass
9
10 #5.2
11 so = 29
12 la_so_nguyen_to = True
13 if so < 2:
14     la_so_nguyen_to = False
15 else:
16     for i in range(2, so):
17         if so % i == 0:
18             la_so_nguyen_to = False
19             break # thoat ngay khi tim thay uoc so, khong can kiem tra tiep
20 print(f"{so} co phai so nguyen to khong? {la_so_nguyen_to}")
21
22 #5.3
23 n = 20
24 so_hien_tai = n + 1
25 while True:
26     la_so_nguyen_to = True
27     for i in range(2, so_hien_tai):
28         if so_hien_tai % i == 0:
29             la_so_nguyen_to = False
30             break
31     if la_so_nguyen_to:
32         break
33     so_hien_tai += 1
34 print(f"So nguyen to dau tien lon hon {n} la: {so_hien_tai}")
35
36 #5.4
37 danh_sach = [5, -3, 8, 0, -1, 12, 7, -9]
38 danh_sach_hop_le = []
39 for so in danh_sach:
40     if so <= 0:
41         continue # bo qua cac so khong duong, khong them vao danh sach ket qua
42     danh_sach_hop_le.append(so)
43 print("Cac so hop le (duong):", danh_sach_hop_le)
44
45 #6.1
46 n = 5
47 for i in range(1, n + 1):
48     for j in range(i):
```

Hoạt động 7: mini project đoán số:

```
File Edit Selection View Go Run Terminal Help
Python_DH14C1

Explorer
Open Editors
doan_so.png U
doan_so.py B... U
Python_DH14C1
  > Buoi01
  > Buoi02
  > Buoi03
  > Buoi04
  > Buoi05
    > AnhBaiTap
    > doan_so
      doan_so.png U
      doan_so.py U
    > hoat_dong_1_2
    > hoat_dong_3_4
    > hoat_dong_5_6
    > Scripts
      doan_so.py U
      hoat_dong_1_2... U
      hoat_dong_3_2... U
      hoat_dong_5_2... U
    > venv
    > .gitignore

Problems Output Terminal Ports Spell Checker 32
Active code page: 65001
D:\MonTrenLop\Python_DH14C1>d:\MonTrenLop\Python_DH14C1\venv\Scripts\activate.bat

(venv) D:\MonTrenLop\Python_DH14C1>d:\MonTrenLop\Python_DH14C1\venv\Scripts\python.exe d:/MonTrenLop/Python_DH14C1/Buoi05/Scripts/doan_so.py
Luot 1/7 - Nhap so ban doan(1-100): 36
Goi y: so can doan LON HON so ban vua nhap
Luot 2/7 - Nhap so ban doan(1-100): 47
Goi y: so can doan LON HON so ban vua nhap
Luot 3/7 - Nhap so ban doan(1-100): 48
Goi y: so can doan LON HON so ban vua nhap
Luot 4/7 - Nhap so ban doan(1-100): 63
Goi y: so can doan NHO HON so ban vua nhap
Luot 5/7 - Nhap so ban doan(1-100): 72
Goi y: so can doan NHO HON so ban vua nhap
Luot 6/7 - Nhap so ban doan(1-100): 90
Goi y: so can doan NHO HON so ban vua nhap
Luot 7/7 - Nhap so ban doan(1-100): 95
Goi y: so can doan NHO HON so ban vua nhap
Ban da het luot doan. So can tim la: 58

(venv) D:\MonTrenLop\Python_DH14C1>
```

```
File Edit Selection View Go Run Terminal Help
Python_DH14C1

Explorer
Open Editors
doan_so.py B... U
Python_DH14C1
  > Buoi01
  > Buoi02
  > Buoi03
  > Buoi04
  > Buoi05
    > AnhBaiTap
    > doan_so
      doan_so.png U
      doan_so.py U
    > hoat_dong_1_2
    > hoat_dong_3_4
    > hoat_dong_5_6
    > Scripts
      doan_so.py U
      hoat_dong_1_2... U
      hoat_dong_3_2... U
      hoat_dong_5_2... U
    > venv
    > .gitignore

doan_so.py X
Buoi05 > Scripts > doan_so.py > ...
1 import random
2 so_can_doan = random.randint(1, 100)
3 so_luot_toi_da = 7
4 luot_hien_tai = 0
5 while luot_hien_tai < so_luot_toi_da:
6     luot_hien_tai += 1
7     so_doan = int(input(f"Luot {luot_hien_tai}/{so_luot_toi_da} - Nhap so ban doan(1-100): "))
8     if so_doan == so_can_doan:
9         print(f"Chinh xac! Ban da doan dung sau {luot_hien_tai} luot.")
10        break
11    elif so_doan < so_can_doan:
12        print("Goi y: so can doan LON HON so ban vua nhap")
13    else:
14        print("Goi y: so can doan NHO HON so ban vua nhap")
15 else:
16    print(f"Ban da het luot doan. So can tim la: {so_can_doan}")
```