luposlip's Emacs/Clojure cheatsheet

Assumes: emacs24 + ergoemacs + clojure-mode + cider + paredit + projectile

```
Help:
C-h
m mode
f function
k key
C-c Cider/Projectile
<prefix> C-h
Show all bindings
starting with prefix
```

```
Cider: cider-jack-in
C-c
    Eval fn at point
C-c
     (also CM-x)
M-n Change nRepl ns
C-k Fval buffer
C-z nRepl <> ns buffer
C-b Interrupt
C-q Exit
C-d d
          Documentation
C-d r
          Grimoire
M-. Find var
M-, Pop back
C-up nRepl last cmd
Test: C-c C-t
    Namespace
n
    Test at point
```

General:

C-g Cancel command
M-s Next window
M-2 Close window
M-3 Close other wins
M-4 split horizontally
C-4 split vertically
Menu-m C-c C-c

Markdown:

C-c C-c p Preview

Clojure:

C-c

C-h Clojure Cheatsheet
 (init.el define-key)

ParEdit:

C-) Barf back

C-} Slurp forward

ParEdit:

C-) Barf back

C- Slurp forward

Buffers:

Save buffer Menu-s C-n New buffer C-o Open file Close buffer C-w C-s Regexp buffer Switch buffer Menu-t C-PqUp Prev. buffer C-PqDn Next buffer

Projectile:

C-c p s s Search via ag* p Change project f Find file

Editing:

M-g Cut line from point

M-f Delete char

C-c Copy

C-x Cut

C-v Paste

C-z Undo

M-i up

M-l right

M-k down

M-j left

M-h Line start MS-h Line end

My Emacs packages:

```
clojure-mode
clojure-mode-extra-font-locking
clj-refactor
aggressive-indent
paredit
paredit-menu
company
ido-ubiquitous
flx-ido
rainbow-delimiters
monokai-theme
smex
cider
projectile
better-defaults
magit
ergoemacs-mode
```

My Emacs init.el can be found here:

https://gist.github.com/luposlip/b2527a99fd175b53aadfecc07a06c16e