luposlip's Emacs/Clojure cheatsheet - v0.7

Assumes: `emacs25 + ergoemacs + clojure-mode + cider + paredit + projectile`

Help:
```
C-h
m     mode
f     function
k     key
C-c   Cider/Projectile

<prefix> C-h
Show all bindings
starting with prefix
```

ParEdit:
```
M-(  Wrap round (etc.)
M-g  Kill sexp

CS
}     Barf forward
{     Barf backward

CM
l     Slurp forward
J     Slurp backward
f     Paren forward
b     Paren backward
d     Down List (in)
u     Up list (out)
```

Markdown:
```
C-c C-c p       Preview
```

Clojure:
```
C-c
C-h  Clojure Cheatsheet
       (init.el define-key)
```

Cider:
```
C-c
M-j  cider-jack-in
C-c  Eval fn at point
       (also CM-x)
M-nn Change nRepl ns
C-k  Eval buffer
C-z  nRepl <> ns buffer
C-b  Interrupt
C-x  Reload modif. ns'es
C-q  Exit

C-d d       Documentation
C-d r       Grimoire

M-.  Find var
M-,  Pop back
C-up nRepl last cmd

Test: C-c C-t
n     Namespace
C-t  Test at point (g)
```

General:
```
C-g  Cancel command

M-s  Next window
M-2  Close window
M-3  Close other wins

M-4  split horizontally
MS-4 split vertically

Menu-m     C-c C-c

Replace     M-%
```

Buffers:
```
Menu-s     Save buffer

C-n        New buffer
C-o        Open file
C-w        Close buffer
C-s        Regexp buffer
Menu-t     Switch buffer
C-PgUp     Prev. buffer
C-PgDn     Next buffer
              (C-x o)
M-p        Center point
```

Editing:
```
M-g  Cut line from point
M-f  Delete char
C-c  Copy
C-x  Cut
C-v  Paste
C-z  Undo

M
i,l,k,j:
up/right/down/left

o,u:
Forw/Backward word

M-h  Line start
MS-h Line end
C-l  Goto Line

M-\  Remove whitespace
       at point

CM-Spc     Mark sexp
```

Projectile:
```
C-c p
s s  Search via ag*
p     Change project
f     Find file
t     Impl/Test same
4 t  Impl/Test other
4 f  Files w/same name
       but other suffix
i     Clear cache
```

My Emacs packages:

```
org
dash
clojure-mode
clojure-mode-extra-font-locking
clj-refactor
aggressive-indent
paredit
paredit-menu
company
ido-completing-read+
flx-ido
rainbow-delimiters
monokai-theme
smex
cider
projectile
better-defaults
magit
ergoemacs-mode
magit
ag
```

My Emacs `init.el` can be found here:
https://gist.github.com/luposlip/b2527a99fd175b53aadfecc07a06c16e