

# luposlip's Emacs/Clojure cheatsheet

Assumes: emacs24 + ergoemacs + clojure-mode + cider + paredit + projectile

## Help:

C-h  
m mode  
f function  
k key  
C-c Cider/Projectile

<prefix> C-h  
Show all bindings  
starting with prefix

## Cider: cider-jack-in

C-c  
C-c Eval fn at point  
(also CM-x)  
M-n Change nRepl ns  
C-k Eval buffer  
C-z nRepl <> ns buffer  
C-b Interrupt  
C-q Exit

C-d d Documentation  
C-d r Grimoire

M-. Find var  
M-, Pop back  
C-up nRepl last cmd

Test: C-c C-t  
n Namespace  
g Test at point

## General:

C-g Cancel command

M-s Next window  
M-2 Close window  
M-3 Close other wins

M-4 split horizontally  
MS-4 split vertically

Menu-m C-c C-c

## Markdown:

C-c C-c p Preview

## Clojure:

C-c  
C-h Clojure Cheatsheet  
(init.el define-key)

## ParEdit:

C-) Slurp forward  
C-( Slurp backward  
C-} Barf forward  
C-{ Barf backward

## Buffers:

Menu-s Save buffer

C-n New buffer  
C-o Open file  
C-w Close buffer  
C-s Regexp buffer  
Menu-t Switch buffer  
C-PgUp Prev. buffer  
C-PgDn Next buffer  
(C-x o)

## Projectile:

C-c p  
s s Search via ag\*  
p Change project  
f Find file  
t Impl/Test same  
4 t Impl/Test other  
4 f Files w/same name  
but other suffix  
  
i Clear cache

## Editing:

M-g Cut line from point  
M-f Delete char  
C-c Copy  
C-x Cut  
C-v Paste  
C-z Undo

M-i up  
M-l right  
M-k down  
M-j left

M-h Line start  
MS-h Line end

My Emacs packages:

- clojure-mode
- clojure-mode-extra-font-locking
- clj-refactor
- aggressive-indent
- paredit
- paredit-menu
- company
- ido-ubiquitous
- flx-ido
- rainbow-delimiters
- monokai-theme
- smex
- cider
- projectile
- better-defaults
- magit
- ergoemacs-mode
- ag

My Emacs `init.el` can be found here:

<https://gist.github.com/luposlip/b2527a99fd175b53aadfecc07a06c16e>