



**PRICE: 157,900 PKR**

## TECHNICAL SPECIFICATIONS

Engine	4-Stroke OHC Air Cooled
Displacement	72 cm <sup>3</sup>
Bore & Stroke	47.0 x 41.4 mm
Compression Ratio	9.3:1
Clutch	Multiplate Wet Clutch
Transmission	4 Speed Constant Mesh
Starting	Kick Start
Frame	Backbone Type
Dimension (LxWxH)	1897 x 751 x 1014 mm
Ground Clearance	136 mm
Petrol Capacity	8.5 Liters (Reserve: 1.0 Liter)
Tire at Front	2.25 – 17 (4 PR)
Tire at Back	2.50 – 17 (4 PR)
Dry Weight	82kg

**\*Physical product & graphics will be delivered in green color (As per Chief Minister's Youth Initiative Scheme & guideline)**



**PRICE: 168,900 PKR**

## TECHNICAL SPECIFICATIONS

Engine	4-Stroke OHC Air-Cooled
Displacement	72 cm <sup>3</sup>
Bore & Stroke	47.0 x 41.4 mm
Compression Ratio	9.3:1
Clutch	Multiplate Wet Clutch
Transmission	4 Speed Constant Mesh
Starting	Kick Start
Frame	Backbone Type
Dimension(LxWxH)	1899 x 751 x 1014 mm
Ground Clearance	136 mm
Petrol Capacity	8.6 Liters (Reserve: 1.0 Liter)
Tire at Front	2.25 – 17 (4 PR)
Tire at Back	2.50 – 17 (4 PR)
Dry Weight	82kg

\*Physical product & graphics will be delivered in green color (As per Chief Minister's Youth Initiative Scheme & guideline)



*Pridor*



**PRICE: 208,900 PKR**

## TECHNICAL SPECIFICATIONS

Engine	4-Stroke OHC Air-Cooled
Displacement	97.1 cm <sup>3</sup>
Bore & Stroke	50.0 x 49.5 mm
Transmission	4-Speed Constant Mesh
Starting	Kick Starter
Final Drive	Roller Chain
Dimensions(LxWxH)	1986 x 718 x 1050 mm
Seat Height	798 mm
Ground Clearance	156 mm
Fuel Tank Capacity	9.7 Liters (Reserve 1.5 Liters)
Wheel Base	1226 mm
Tire at Front	2.75 – 18 (4 PR)
Tire at Back	2.75 – 18 (6 PR)
Suspension at Front	Telescopic Fork 94 mm Travel
Suspension at Back	Swing Arm 84 mm Travel
Dry Weight	96kg

**\*Physical product & graphics will be delivered in green color (As per Chief Minister's Youth Initiative Scheme & guideline)**





**PRICE: 234,900 PKR**

## TECHNICAL SPECIFICATIONS

Engine	4-Stroke OHV Air Cooled
Bore & Stroke	56.5 x 49.5 mm
Starting	Kick Start
Final Drive	Roller Chain
Transmission	4 Speed Constant Mesh
Dimension(LxWxH)	1912 x 735 x 1026 mm
Seat Height	764 mm
Ground Clearance	132 mm
Petrol Capacity	9.2 Liters (Reserve: 2 Liters)
Wheel Base	1204 mm
Tire at Front	2.50 – 18 (4 PR)
Tire at Back	3.00 – 17 (6 PR)
Suspension Front	Telescopic Fork 103 mm Travel
Suspension Back	Swing Arm 68 mm Travel
Dry Weight	100kg

**\*Physical product & graphics will be delivered in green color (As per Chief Minister's Youth Initiative Scheme & guideline)**



**PRICE: 282,900 PKR**

## TECHNICAL SPECIFICATIONS

Engine	4 Stroke 125cc OHV Air Cooled
Displacement	124.1 cm <sup>3</sup>
Bore & Stroke	56.5 x 49.5 mm
Compression Ratio	9.0:1
Transmission	5 Speed Constant Mesh
Starter	Self-Start/Kick Start
Final Drive	Roller Chain
Dimension (LxWxH)	1912 x 727 x 1029 mm
Seat Height	765 mm
Ground Clearance	133 mm
Petrol Capacity	9.2 Liters (Reserve: 2 Liters)
Wheel Base	1212 mm
Tire at Front	2.50 – 18 (38P)
Tire at Back	3.00 – 17 (50P)
Suspension at Front	Telescopic Fork 103mm Travel
Suspension at Back	Swing Arm 70 mm Travel
Dry Weight	108kg

**\*Physical product & graphics will be delivered in green color (As per Chief Minister's Youth Initiative Scheme & guideline)**





**PRICE: 390,900 PKR**

## TECHNICAL SPECIFICATIONS

Engine	4 Stroke 125cc OHV Air Cooled
Displacement	124.1 cm <sup>3</sup>
Bore & Stroke	56.5 x 49.5 mm
Compression Ratio	9.0:1
Transmission	5 Speed Constant Mesh
Starter	Self-Start/Kick Start
Final Drive	Roller Chain
Dimension(LxWxH)	2043 x 742 x 1095 mm
Seat Height	789 mm
Ground Clearance	120 mm
Petrol Capacity	12.3 Liters (Reserve: 2.7 Liters)
Wheel Base	1294 mm
Tire at Front	2.75 – 18M/C (42P)
Tire at Back	90/90 – 18M/C (51S)
Suspension at Front	119mm Telescopic Fork
Suspension at Back	76 mm Swing Arm
Dry Weight	122kg

**\*Physical product & graphics will be delivered in green color (As per Chief Minister's Youth Initiative Scheme & guideline)**





**PRICE: 493,900 PKR**

## TECHNICAL SPECIFICATIONS

Engine	4 Stroke SOHC Air Cooled 150cc Engine with Balancer
Displacement	149.2 cm <sup>3</sup>
Bore & Stroke	57.3 x 57.8 mm
Compression Ratio	9.1:1
Transmission	5 Speed Constant Mesh
Starter	Self-Start/Kick Start
Final Drive	Roller Chain
Dimension(LxWxH)	2051 x 760 x 1085 mm
Seat Height	766 mm
Ground Clearance	168 mm
Petrol Capacity	13.0 Liters (Reserve: 1.4 Liters)
Wheel Base	1311 mm
Tire at Front	80/100 – 18M/C (47P)
Tire at Back	90/90 – 18M/C (51P)
Suspension at Front	107 mm Telescopic Fork
Suspension at Back	91 mm Swing Arm
Dry Weight	124kg

**\*Physical product & graphics will be delivered in green color (As per Chief Minister's Youth Initiative Scheme & guideline)**