

PREMIUM CARE

Brand Identity Manual

Parts 01–12 — The Complete Visual Identity

*Version 1.0 · Confidential Governed by the Brand Bible v1.0 and the Editorial Design System v1.0 Vector
Master: PC_Logo-MASTER_AllLockups_v1-0.ai*

PART 01 — THE BRAND

01.01 Brand Story

Denmark has one of the world's most admired care traditions. It is built on a simple conviction: that how a society treats its elderly and its vulnerable is the truest measure of its character.

Premium Care exists to raise that standard further.

We were founded on the belief that care in the home should never feel like a compromise — that the person receiving care in their own living room deserves the same excellence, discretion and attention to detail found in Denmark's finest institutions. Not care that is merely delivered, but care that is *composed*: planned with clinical rigour, performed with human warmth, and carried out with the quiet confidence of true professionals.

Our name is a promise, not a boast. *Premium* describes the standard we hold ourselves to. *Care* describes everything we do. And our strapline — **Omsorg • Tryghed • Hver Dag** — describes how it feels to be one of our clients: cared for, safe, every single day.

The shield in our mark carries the Dannebrog, the world's oldest national flag, because our standard is a national one. The two figures within it — one supporting the other — are the entire company in a single image. The crown above signals not royalty, but the sovereign dignity of every person in our care.

The story in one sentence: *Premium Care brings Denmark's highest standard of care into the place people most want to receive it — their own home.*

01.02 Mission, Vision, Purpose

Purpose (*why we exist*) To ensure that growing older, living with illness or needing support never costs a person their dignity, their safety or the comfort of home.

Mission (*what we do*) We deliver home care, nursing, rehabilitation and specialist care of uncompromising quality — combining clinical excellence with genuine human warmth, for private clients and municipalities across Denmark.

Vision (*where we are going*) To be Denmark's most trusted premium home care provider — the name families recommend without hesitation and municipalities engage without reservation.

A note on hierarchy: Purpose is permanent. Mission may evolve with services. Vision is reviewed every five years. None may be altered without executive approval under the governance procedure in Part 12.

01.03 Values

Our values are expressed first in Danish, because they are lived in Danish — in homes, in conversations, in care plans. The English definitions exist so that every partner, agency and supplier understands precisely what each value demands.

1. Værdighed — Dignity The client is a person first and a patient second. We knock before we enter. We ask before we act. We speak *with*, never *about*. Every process, product and photograph must pass one test: does it honour the dignity of the person in our care?

2. Tryghed — Security Trust is built through predictability. The same faces, the agreed times, the promised standard. Tryghed is the feeling our brand must produce in every touchpoint — from the reassurance of a uniform to the clarity of an invoice.

3. Nærvær — Presence Care cannot be rushed and remain care. We are fully present in every visit: attentive, unhurried in manner, generous with eye contact and listening. In brand terms: we never shout, we never clutter, we give every element room.

4. Faglighed — Professional Excellence Warmth without competence is sentiment; competence without warmth is service. We insist on both. Our people are rigorously qualified, continuously trained and clinically current. Our communications are precise, correct and never careless.

5. Ordentlighed — Decency A deeply Danish word with no perfect translation: doing things properly, honestly and thoroughly — especially when no one is watching. In practice: transparent pricing, honest reporting to municipalities, promises kept, mistakes owned.

Behavioural rule: every value must be demonstrable. If a page of the manual, a photograph or a campaign cannot be traced back to at least one value, it does not belong in the brand.

01.04 Brand Personality

If Premium Care were a person, they would be a senior Danish nurse with the composure of a diplomat: calm, immaculately prepared, quietly warm, incapable of condescension.

Dimension	We are	We are never
Warmth	Warm, human, attentive	Sentimental, gushing, pitying
Authority	Assured, expert, precise	Arrogant, clinical-cold, bureaucratic
Style	Elegant, restrained, timeless	Trendy, decorative, ostentatious
Voice	Clear, calm, confident	Verbose, salesy, jargon-laden
Spirit	Danish, proud, understated	Nationalistic, folksy, generic-Nordic

The governing temperament: *quiet premium*. Premium Care does not perform luxury; it embodies standards. Restraint is our loudest signal.

01.05 Tone of Voice

The principle: warm precision. Every sentence should feel like it was written by someone who is both highly competent and genuinely kind.

Five rules of the Premium Care voice:

1. **Write to one person.** Not “clients receive”, but “you receive”. Not “relatives can”, but “your family can”.
2. **Short sentences carry trust.** If a sentence needs a second breath, it needs an edit.
3. **Plain words for hard subjects.** We say *dementia, palliative care, end of life* — clearly, gently and without euphemism. Euphemism signals discomfort; clarity signals experience.
4. **Never sell fear.** We do not market anxiety about ageing. We speak to the solution, never dramatise the problem.
5. **Danish dignity in every language.** British English for international and corporate materials; Danish for clients, care documentation and municipal work. The strapline remains in Danish everywhere, without exception.

Voice in three registers:

- *To families:* “We will be there at eight, as always. And we will stay as long as your mother needs us.”
- *To municipalities:* “Our documentation is complete, our compliance record is public, and our pricing contains no surprises.”
- *To colleagues:* “You represent the highest standard in Danish care. Dress, speak and document accordingly.”

Forbidden vocabulary: *world-class, solutions, passion/passionate, journey (metaphorical), loved ones (use “your family” / “the people close to you”), state-of-the-art, care packages (use “care plans”), users (use “clients” or names).*

01.06 Target Audiences

Primary — The Adult Daughter or Son (45–65). The true decision-maker in most private engagements. Time-poor, quality-conscious, carrying quiet guilt about not doing more themselves. They are buying certainty and peace of mind. Message: *you have chosen the best; you can rest now.*

Secondary — The Client (70+). Often sceptical of “help”, protective of independence and home. Message: *this is your home, your routine, your life — we fit around you, with respect.*

Tertiary — Municipal Procurement & Visitation Teams. Rational buyers governed by frit valg (free choice) frameworks, compliance and documentation. Message: *premium standards, procurement-grade transparency.*

Quaternary — Care Professionals (recruitment). Nurses, SOSU assistants and therapists choosing between employers. Message: *work where the standard matches your pride in your profession.*

Strategic note: the identity must perform simultaneously in a family living room and a municipal tender portal. This dual audience is the central design constraint of the entire programme — and the reason for the *quiet premium* doctrine in §01.04.

01.07 Positioning & Brand Promise

Category: Premium private home care and healthcare, Denmark.

Positioning statement: *For families and municipalities who will not compromise on care, Premium Care is the Danish home care provider that combines clinical excellence with genuine human warmth — delivered to the highest standard in the country, every day.*

Competitive frame:

- Versus **municipal providers**: we match their legitimacy and exceed their consistency, choice and attentiveness.
- Versus **large private groups (Aleris, Falck ecosystems)**: we exceed their intimacy, continuity of carers, and premium finish.
- Versus **small local providers**: we exceed their professionalism, documentation and reliability at scale.

The brand promise:

Omsorg • Tryghed • Hver Dag Care. Security. Every day.

This is a contract, not a slogan. *Omsorg* is the warmth, *Tryghed* is the reliability, *Hver Dag* is the consistency. Every chapter of the manual, and every service visit, is measured against these three words.

01.08 Brand Architecture

Strategy: a monolithic master brand (branded house).

All services live under the single Premium Care identity. Service lines are descriptors, never sub-brands:

- Premium Care ·Hjemmepleje (Home Care)
- Premium Care ·Sygepleje (Nursing)
- Premium Care ·Demensomsorg (Dementia Care)
- Premium Care ·Fysioterapi (Physiotherapy)
- Premium Care ·Ergoterapi (Occupational Therapy)
- Premium Care ·Rehabilitering (Rehabilitation)
- Premium Care ·Palliativ Omsorg (Palliative Care)
- Premium Care ·Praktisk Hjælp (Practical Support)

Rules:

1. No service line receives its own logo, colour or typeface. Differentiation is achieved through the icon suite (Part 05) only.
2. The naming pattern is fixed: *Premium Care* ·[Service], set in the brand typography with the gold interpunct.
3. Future ventures (e.g. private clinics, senior residences) must be approved through governance (Part 12) and default to the same master-brand pattern.

Rationale: trust in care is not divisible. Every visit, vehicle and invoice must deposit equity into a single account.

01.09 Messaging Principles

1. **Lead with reassurance, prove with rigour.** Every message opens with the human benefit and closes with the professional evidence.
2. **One idea per communication.** A page, advertisement or post carries a single message. Density is the enemy of trust.
3. **The strapline is a signature, not a headline.** *Omsorg • Tryghed • Hver Dag* appears in lockup with the logo or as a closing line — never as body copy, never rearranged, never translated.
4. **Names over numbers in human contexts; numbers over adjectives in municipal contexts.**

5. **We never disparage competitors or the public system.** Premium Care positions *above*, never *against*. Denmark’s public care system is a partner and a client, not a foil.

01.10 Master Messages

Approved formulations (use exactly, or adapt within the spirit of the voice rules):

- *Denmark’s highest standard of care, at home.*
- *The same faces. The agreed times. The promised standard.*
- *Care planned like medicine. Delivered like family.* (private audiences only)
- *Premium standards. Procurement-grade transparency.* (municipal audiences only)
- *Omsorg • Tryghed • Hver Dag.* (signature, not headline)
- *Dignity first. Always.* (values communication)
- *Your home. Your routine. Your life. We fit around you.* (client-facing)
- *Work where the standard matches your pride.* (recruitment)

Prohibited formulations:

- Any use of forbidden vocabulary (see §01.05)
 - Superlatives without evidence (“best in Denmark” without qualification)
 - Fear-based messaging (“Don’t let your parents suffer alone”)
 - Price-led messaging (“Affordable care” — we are not competing on price)
 - Generic wellness language (“holistic”, “wellness journey”, “empowerment”)
-

PART 02 — THE LOGO

02.01 Logo Philosophy

The approved Premium Care mark is a heraldic composition of four elements, each with fixed meaning:

The Shield. Protection — the fundamental promise of care. It frames everything we do.

The Dannebrog Cross. The Danish standard, in both senses: our nationality and our benchmark. It anchors the brand in Danish care tradition and signals legitimacy to municipal partners.

The Two Figures. One person steadying another — support given at eye level, between equals. Never carer above client. This is the brand’s entire ethic in silhouette, and the reason the mark must never be redrawn casually.

The Crown. The sovereign dignity of the person in care, and the standard of craftsmanship we borrow from the finest Danish houses. It is an emblem of standards, not status.

The Wordmark and Strapline. A refined serif wordmark with the Danish strapline beneath, separated by gold interpuncts — an editorial signature that completes the mark.

02.02 The Four Elements

The Shield

The shield is a modified heater shield with a barely perceptible entasis (swell) on the side walls. This 1.5° outward curve prevents the shield from reading as pinched or mechanical when reproduced at small sizes. The bottom curve is asymmetric — the point sits 2% below geometric centre, following heraldic convention. Centring it reads as drooping.

The Dannebrog Cross

The cross divides the shield into four quadrants. It is NOT geometrically centred — it sits 2% above true centre. This is a deliberate optical correction: a centred cross appears to sink. The vertical and horizontal bars are of equal width, creating the distinctive Danish flag proportion within the shield.

The Two Figures

Figure A (left, with cane) and Figure B (right, receiving support) are the brand's entire ethic in silhouette. They are at eye level, between equals. The support gesture is a gentle curve, not a straight line — the hand position is implied, not drawn. The cane is a simple vertical stroke with a rounded terminal, never detailed.

Critical rule: The figures must never be redrawn to show the carer above the client, or to show the client as frail or dependent. The relationship is one of steadying, not saving.

The Crown

The crown sits centred on the shield's top edge, overhanging by its base width. The centre jewel overhangs the band by 0.1X (where X = crown height). The star finial is optically, not mathematically, centred — it sits very slightly left of geometric centre to balance the visual weight of the shield's right side.

02.03 Primary Logo — Vertical Lockup (VT)

The Vertical Lockup is the reference mark. It is the default for stationery, tender covers, presentations, signage face, and any context where height permits the full composition.

Composition: Crowned shield above wordmark above strapline, vertically stacked and centred.

Bounding box: Width = wordmark width + 2X · Height = 8.65X (where X = crown height)

Clear space: X on all four sides, measured from the outermost element in each direction.

Minimum size: Print 30 mm (with strapline) / 25 mm (without strapline) · Digital 110 px (with strapline) / 90 px (without strapline) · Embroidery 80 mm (with strapline) / 60 mm (without strapline)

Colourways: FC (default), NV, WH, BK, GD, 1C

02.04 Secondary Logo — Horizontal Lockup (HZ)

The Horizontal Lockup is co-primary with the Vertical. It is the default for wide formats: website headers, vehicle sides, email signatures, banners, lanyards.

Composition: Shield left, wordmark + strapline right, vertically centred on the shield's optical middle (54% of shield height, not 50%).

Bounding box: Width = shield width + gap + wordmark width + 2X · Height = shield height + 2X

Clear space: X on all four sides.

Minimum size: Print 40 mm ·Digital 120 px ·Embroidery 100 mm

Colourways: FC (default), NV, WH, BK, GD, 1C

02.05 Shield Only (SH)

Composition: Crowned shield with cross and figures, no wordmark, no strapline.

Use: Supporting mark only. Appears where the full logo is already established in context: social avatars, app icons, wayfinding, wall supergraphics, embroidery on small garments, favicon at larger sizes.

Clear space: X on all four sides.

Minimum size: Print 8 mm ·Digital 24 px ·Embroidery 25 mm

Colourways: FC, NV, WH, BK, GD, 1C

02.06 Wordmark Only (WM)

Composition: “PREMIUM CARE” + strapline, no shield, no crown.

Use: Restricted. Extremely narrow formats where the shield cannot fit: document spines, pen barrels, very small labels. Each use requires Custodian approval.

Clear space: X = 0.6× wordmark cap height on all sides.

Minimum size: Print 15 mm ·Digital 60 px

Colourways: FC, NV, WH, BK, GD (rarely — GD requires navy ground)

02.07 Monogram (MG)

Composition: Interlocked “P” and “C” beneath a reduced crown. The letterforms are custom-drawn, not typed and converted. The “P” and “C” share a vertical stem — the bowl of the “P” and the “C” nest, creating a single vertical mass.

Use: Premium accents: certificates (foil corner), watermarks, small luxury items, cufflink-scale branding.

Clear space: 0.8X on all sides.

Minimum size: Print 6 mm ·Digital 20 px ·Foil 12 mm

Colourways: FC, GD (most common), NV, WH

02.08 Crown Icon (CR)

Composition: Crown silhouette only, no shield, no type.

Use: Micro-format mark: favicon, embroidery accents 15–25 mm, foil details 5 mm, small app icons.

Clear space: 0.5X on all sides.

Minimum size: Print 5 mm ·Digital 16 px ·Embroidery 15 mm

Colourways: FC, NV, WH, BK, GD

02.09 Favicon (FV)

Composition: Pixel-fitted crown (CR) at 16×16, 32×32, and 48×48 px. This is a dedicated micro-master — the print vector may NOT be scaled down to 16 px.

At 16 px: The crown is simplified to 5 points (not 7), the jewel is a single pixel, the band is 2 px high.
At 32 px: The crown retains 7 points, jewel is 2×2 px. **At 48 px:** Full crown detail, 3 px jewel.

Colour: Navy ground (#041E42), Gold crown (#B9A26A). White-on-navy variant for dark mode.

Format: ICO (multi-resolution container 16/32/48) + PNG transparent

02.10 App Icon (AP)

Composition: Shield Only (SH) on navy tile. Gold shield, navy ground, 12% internal safe margin (the shield stays within the central 76% of the tile).


Sizes: 180×180 px (iOS), 192×192 px and 512×512 px (Android), plus maskable 512 px (Android adaptive icon — shield within 80% safe circle).

Format: PNG

02.11 Construction System & Unit X

The construction unit is **X = the height of the crown** in the lockup in use. All proportions, clear space and placement are expressed in X. This keeps every rule scale-independent and verifiable with a ruler.

VT Reference Proportions:



HZ Proportions:

- Shield height = 3.4X
- Type block centred on shield optical middle = 54% of shield height
- Horizontal gap between shield and type = 1.2X

02.12 Geometry & Optical Corrections

The master honours the original artwork’s optical judgements. Production artists must not “correct” them to pure geometry:

- **Shield entasis:** 1.5° outward swell on side walls. Flattening them makes the shield look pinched.
- **Cross position:** 2% above geometric centre. Centring it reads as drooping.
- **Crown jewel:** Overhangs the band by 0.1X. The star finial is optically centred.

- **Wordmark letterspacing:** Optically kerned in the master. Type may never be re-set from font metrics.
- **HZ optical centre:** Type block aligns at 54% of shield height, not 50%. The crown lifts the visual centre.

02.13 Clear Space & Minimum Sizes

Clear space (all marks): X = height of the crown of the mark in use, applied to all four sides. On transparent substrates (glass, vehicle windows), 2X.

Global minimum-size table:

Mark	Print min	Digital min	Embroidery min	Notes
VT with strapline	30 mm	110 px	80 mm	Below this, strapline drops automatically
VT without strapline	25 mm	90 px	60 mm	
HZ	40 mm	120 px	100 mm	
SH	8 mm	24 px	25 mm	
CR	5 mm	16 px	15 mm	
MG	6 mm	20 px	12 mm (foil)	

02.14 Scaling Rules

1. **Proportional scaling only.** Any non-uniform scaling, rotation, skew or perspective is prohibited.
2. **Vector masters scale infinitely upward.** Downward, the minimums above are hard floors.
3. **At 16–48 px, only the pixel-fitted micro masters may be used.** Scaling print vectors to favicon sizes produces mush; mush violates Faglighed.
4. **Large-format (> 2 m):** Scale from vector, then review the 1.5° entasis and stroke weights at full size on proof plot before fabrication.

02.15 Colourways

FC — Full Colour (default)

- Shield: Red (Pantone 186 C)
- Cross: Porcelain
- Crown: Gold (Pantone 871 C)
- Figures: Gold (Pantone 871 C)
- Wordmark: Navy (Pantone 282 C)
- Strapline: Gold (Pantone 871 C)
- **Permitted grounds:** Porcelain, White, Light photography
- **Prohibited grounds:** Navy (red/gold conflict fails the calm test)

NV — Navy

- All elements: Navy (Pantone 282 C)
- **Permitted grounds:** White, Porcelain only
- **Use:** Single-colour workhorse — fax-grade documents, forms, mono print, high-visibility garments

WH — White

- All elements: Porcelain/White
- **Permitted grounds:** Navy, Dark photography (contrast-verified)
- **Use:** Navy covers, dark digital surfaces, signage on dark backgrounds

BK — Black

- All elements: 100 K
- **Permitted grounds:** White only
- **Use:** Newsprint, legal, photocopy-critical municipal reproduction, fax

GD — Gold

- All elements: Champagne Gold (Pantone 871 C / #B9A26A)
- **Permitted grounds:** Navy only
- **Use:** Premium contexts — covers, foil, vehicles, embroidery on navy, signage
- **Prohibited grounds:** White, Porcelain (insufficient contrast — 2.9:1, fails WCAG AA)

1C — Single Colour (variable)

- All elements: One approved ink
- **Permitted grounds:** Per approval
- **Use:** Co-branded municipal documents, engraving, etching, single-colour print
- **Default ink:** Navy (Pantone 282 C) or Black (100 K)

02.16 Incorrect Use — 12 Prohibitions

The following are prohibited without exception. Each misuse is a brand violation requiring correction and, if published, withdrawal.

1. **FC on Navy.** The red/gold conflict fails the calm test. The shield becomes invisible against dark grounds.
2. **GD on White.** Insufficient contrast (2.9:1). Gold is never used for text or primary marks on light grounds.
3. **Stretched or distorted proportions.** Non-uniform scaling destroys the optical corrections.
4. **Rotated or tilted.** The logo is always level. Never angled, never on a slope.
5. **Strapline removed from VT without approval.** The strapline is integral to the primary logo. Its removal requires Custodian sign-off.
6. **Shield recoloured independently.** The shield's red, cross white, and crown gold are fixed relationships. Never recolour the shield to "match" a background.
7. **Wordmark replaced with different font.** The wordmark is custom-spaced Berlingske Serif. No substitution permitted.
8. **Crown separated from shield.** The crown and shield are one unit. Never use the crown alone where the shield would fit.
9. **Used inside another shape.** Never place the logo inside a circle, square, or other container. The shield IS the container.
10. **Drop shadow, glow, or effect applied.** No shadows, no glows, no bevels, no gradients, no 3D effects. Ever.

11. **Placed on busy photography without contrast zone.** The logo must always sit in a verified 4.5:1 contrast zone.
12. **Below minimum size.** The mark loses integrity below minimum. The strapline drops automatically; below absolute minimum, the mark is not used.

02.17 Logo on Photography

When placing the logo on photography, a minimum 4.5:1 local contrast must be verified, not judged by eye.

Procedure:

1. Identify the logo's bounding box on the photograph.
2. Sample the lightest and darkest pixels within that box.
3. Calculate contrast ratio using WCAG formula.
4. If below 4.5:1, adjust: lighten/darken the image locally, add a semi-transparent overlay, or relocate the logo.

Preferred placement: Bottom right or bottom left, in an area of consistent tone (sky, wall, floor, uniform). Never over faces, hands, or complex patterns.

On dark photography: Use WH (White) colourway. On light photography: use FC or NV.

On mixed photography: Consider a subtle gradient overlay (Porcelain to transparent, or Navy to transparent) to create a consistent contrast zone. The overlay must be subtle — no visible gradient banding.

02.18 Logo on Dark Grounds

On dark grounds (Navy, dark photography, night scenes), the WH (White) colourway is mandatory.

Exception: The GD (Gold) colourway may be used on Navy grounds for premium contexts (covers, signage, vehicles). GD is never used on dark photography — the contrast is insufficient and the gold disappears into warm tones.

On very dark grounds (near-black): WH is preferred. The GD colourway requires a Navy ground specifically — not any dark ground.

02.19 Logo on Municipal Documents

Municipal tender documents, compliance reports, and procurement submissions carry special requirements:

Mandatory:

- Full formal lockup (VT or HZ) on the cover page
- NV or BK colourway for body pages (photocopy-compatible)
- Minimum size respected on all pages
- Clear space maintained even in dense document layouts
- No decorative effects

Preferred:

- VT on the cover (establishes authority)
- HZ on continuation pages (saves vertical space)
- SH in the page header (subtle, repeated presence)
- CR in the footer (discreet)

Prohibited:

- FC on dark municipal document templates
- GD on white paper (fails accessibility)
- Any modification to the logo for “template fitting”

02.20 Co-branding Rules

When Premium Care appears alongside a municipal partner, healthcare provider, or other organisation:

Hierarchy: Premium Care is always the primary or equal partner. We never appear as a subordinate mark. **Spacing:** Minimum clear space between logos = 2X (twice the Premium Care crown height). **Size:** Premium Care logo must be equal to or larger than the partner logo. **Colour:** Premium Care logo in FC, NV, or WH as appropriate. Partner logo in their approved colours. **Arrangement:** Horizontal alignment preferred. Premium Care on the left (or top, for vertical arrangements). **Prohibited:**

- Logos locked together (no shared bounding box)
- Premium Care logo modified to “match” partner colours
- Partner logo inside the Premium Care shield or clear space
- Any arrangement that suggests Premium Care is a sub-brand of the partner

Municipal co-branding: On documents jointly produced with a municipality, the municipal coat of arms or logo may appear alongside the Premium Care logo. The municipal logo is treated as a partner logo, with equal status. The Premium Care logo is never smaller than the municipal logo.

PART 03 — COLOUR

03.01 Colour Philosophy

The palette is Danish dusk: deep navy, candle-gold, flag red, and daylight neutrals. It evokes the feeling of a Danish evening — the sky darkening to navy, the warm glow of candlelight, the red of the Dannebrog still visible, and the porcelain-white interior of a well-ordered home.

The four primaries:

- **Premium Navy:** The ground. Authority, calm, night-watch reliability.
- **Champagne Gold:** The light. Craft, warmth, quality. Always an accent, never a field.
- **Dannebrog Red:** The heritage. Reserved almost exclusively for the shield itself.
- **Porcelain White:** The air. Space, clarity, clinical cleanliness.

The proportion doctrine — **60 / 30 / 8 / 2**: Porcelain 60 ·Navy 30 ·Gold 8 ·Red 2. Red is precious: it lives in the shield and is not a general accent colour. Gold is seasoning, not sauce. Any layout that inverts these proportions reads as costume, not confidence.

03.02 Primary Palette

Colour	Role	Pantone (coated)	Pantone (uncoated)	CMYK	RGB	HEX	RAL
Premium Navy	Ground, authority	282 C	282 U	C100 M85 Y35 K60	R4 G30 B66	#041E42	5011 Steel Blue
Champagne Gold	Accent, craft	871 C (metallic) / 4515 C (litho)	4515 U	C25 M30 Y65 K10	R185 G162 B106	#B9A26A	1036 Peach Gold
Dannebrog Red	Heritage, shield	186 C	186 U	C0 M100 Y80 K5	R200 G16 B46	#C8102E	3027 Raspberry Red
Porcelain White	Air, clarity	—	—	C0 M0 Y2 K0	R250 G250 B247	#FAFAF7	9016 Traffic White

03.03 Secondary Palette

A warm grey scale for documentation, a muted sage for wellbeing contexts, a soft sky for digital information states.

Colour	Role	CMYK	RGB	HEX	Usage
Warm Grey 1	Subtle backgrounds	C0 M2 Y4 K8	R232 G228 R222	#E8E4DE	Page tints, dividers
Warm Grey 2	Mid-tone documentation	C0 M3 Y6 K15	R217 G211 R203	#D9D3CB	Tables, forms
Warm Grey 3	Darker documentation	C0 M4 Y8 K25	R191 G184 R174	#BFB8AE	Captions, metadata
Muted Sage	Wellbeing contexts	C15 M0 Y20 K10	R204 G217 R196	#CCD9C4	Wellness materials, gentle accents
Soft Sky	Digital information	C20 M5 Y0 K5	R196 G220 R235	#C4DCEB	Information panels, digital highlights
Navy 70%	Secondary text	C70 M60 Y25 K42	R60 G75 R95	#3C4B5F	Captions, furniture, metadata
Navy 40%	Tertiary text	C40 M34 Y14 K24	R130 G140 R155	#828C9B	Watermarks, ghost elements
Navy 15%	Subtle backgrounds	C15 M13 Y5 K9	R210 G213 R218	#D2D5DA	Alternating table rows, hover states

Table 4 – continued

Colour	Role	CMYK	RGB	HEX	Usage
Navy 8%	Ultra-subtle	C8 M7 Y3 K5	R230 G232 R235	#E6E8EB	Total rows, highlights
Gold 70%	Muted gold	—	R196 G181 R148	#C4B594	Secondary gold accents
Gold 40%	Ghost gold	—	R217 G208 R191	#D9D0BF	Watermarks, subtle patterns

03.04 The Proportion Doctrine

Every composition must observe the 60/30/8/2 proportion. This is not a suggestion — it is a rule.

Porcelain 60%: The ground of every page, screen, and surface. White space is not absence; it is the brand’s breath. A page that feels slightly empty is correct. A page that feels full has failed.

Navy 30%: The content layer. Text, headings, primary UI elements, photography. Navy carries the information. It is the workhorse colour.

Gold 8%: The accent. Keylines, interpuncts, highlights, one data point per chart, the logo crown. Gold is never a field, never a background, never a large shape. It is the signature, not the painting.

Red 2%: The heritage. The shield only. Red appears nowhere else in the brand system except the shield itself. It is precious because it is scarce.

Enforcement:

- In print: measure the area of each colour on the page. Navy + Red should not exceed 32% of total area. Gold should not exceed 10%.
- In digital: use the colour picker to verify proportions on mockups.
- In photography: the proportion applies to the page layout, not the photograph itself. A photograph may contain any colours; the page around it observes the doctrine.

03.05 Accessibility & Contrast Matrix

All text/background pairings must meet WCAG 2.2 AA minimum. Our target is AAA where possible.

Foreground	Background	Ratio	WCAG	Status
Navy #041E42	Porcelain #FAFAF7	14.9:1	AAA	Approved for all text
Porcelain #FAFAF7	Navy #041E42	14.9:1	AAA	Approved for all text
Gold #B9A26A	Navy #041E42	5.4:1	AA	Large text & rules only
Navy #041E42	Warm Grey 1 #E8E4DE	11.2:1	AAA	Approved for all text
Navy 70% #3C4B5F	Porcelain #FAFAF7	7.1:1	AAA	Approved for body text

Table 5 – continued

Foreground	Background	Ratio	WCAG	Status
Gold #B9A26A	Porcelain #FAFAF7	2.9:1	Fail	PROHIBITED for text
Red #C8102E	Porcelain #FAFAF7	6.8:1	AA	Large text only (shield)
Red #C8102E	Navy #041E42	2.1:1	Fail	PROHIBITED (shield on navy only in GD)

Gold on white is prohibited. This is the most common accessibility violation in luxury branding. Gold (#B9A26A) on Porcelain (#FAFAF7) produces a contrast ratio of 2.9:1, failing WCAG AA for any text size. Gold may only be used on Navy grounds (5.4:1, AA for large text) or as non-text elements (keylines, interpuncts, icons) on any ground.

03.06 Print Colours

CMYK builds:

- Navy: C100 M85 Y35 K60 (rich, deep, never substitutes for black)
- Gold: C25 M30 Y65 K10 (litho substitute for metallic 871)
- Red: C0 M100 Y80 K5 (vivid, stable)
- Porcelain: C0 M0 Y2 K0 (warm white, not pure white)

Total ink limit: 300%. Never exceed. Rich black is prohibited — Navy is our black.

Spot colours:

- Pantone 282 C (Navy) — use for all navy-critical pages: covers, dividers, logo pages, any page where navy must be exact
- Pantone 871 C (Gold, metallic) — use for foil stamping, premium covers, certificates
- Pantone 4515 C (Gold, litho) — use for four-colour + spot jobs where metallic is not feasible
- Pantone 186 C (Red) — use for shield-critical pages

Spot + CMYK hybrid: The manual itself uses 282 spot + CMYK imagery. This ensures the navy is exact while allowing full-colour photography.

Proofing: Fogra-certified contract proofs required for any first print of a colourway with a new supplier. Uncoated stocks use U references with drawdown approval.

03.07 Digital Colours

RGB values (sRGB):

- Navy: R4 G30 B66
- Gold: R185 G162 B106
- Red: R200 G16 B46

- Porcelain: R250 G250 B247

HEX values:

- Navy: #041E42
- Gold: #B9A26A
- Red: #C8102E
- Porcelain: #FAFAF7

Web usage:

- CSS variables: --pc-navy: #041E42; --pc-gold: #B9A26A; --pc-red: #C8102E; --pc-porcelain: #FAFAF7;
- Never use RGB values directly in CSS — always use the variables
- Dark mode: Navy is the dark background, Porcelain is the light text. No separate dark mode palette — the brand IS the dark mode.

03.08 Material Colours

RAL (paint, powder coat, signage):

- Navy: RAL 5011 Steel Blue (closest match to Pantone 282)
- Gold: RAL 1036 Pearl Gold (closest match to Pantone 871)
- Red: RAL 3027 Raspberry Red (closest match to Pantone 186)
- White: RAL 9016 Traffic White

Vinyl (cast grade, 3M 2080 / Avery SWF):

- Navy: Match RAL 5011; gloss for vehicles, matt for interiors
- Gold: Metallic gold cast vinyl matched to 871 under daylight AND sodium light
- Red: Match 186 C — shield print/wrap only
- White: Gloss white

Embroidery thread (polyester, Madeira Polyneon or equal):

- Navy: Lab-dip to Pantone 282 C
- Gold: **Non-metallic** antique gold lab-dipped to 871. Metallic thread is prohibited: it abrades skin and fails 85°C infection-control laundering.
- Red: Lab-dip to Pantone 186 C
- White: Optical white

Foil:

- Navy: Navy pigment foil, matt
- Gold: Kurz Luxor/Alufin antique gold matched to 871 — physical sample approval mandatory
- Red: Not foiled

03.09 Colour in Application

Main cover: Full Premium Navy field; logo in gold (foil in print); Porcelain title; single gold keyline. Nothing else.

Section divider: Navy field; oversized gold section numeral (Serif Light, 160 pt, 12% opacity as ghost + solid small numeral); Display title in Porcelain; Cross Grid pattern at 4% opacity permitted.

Body pages: Porcelain ground; navy text; gold only as keylines, interpuncts, folio dashes and one highlight per spread.

Tables: Navy header band; Porcelain/Warm Grey 4% alternating rows; gold rules top and bottom only.

Diagrams: Navy line-work on Porcelain; gold marks the single most important node or value; red never appears in diagrams.

Infographics: Navy tonal scale (100 / 70 / 40 / 15%) + one gold accent. Maximum five tones per graphic.

Photography pages: Colour lives in the image; the page around it stays Porcelain with navy furniture. Never place gold panels beside colour photography.

Callout boxes: Two types only: *Note* (Porcelain box, 0.5 pt gold keyline border) and *Doctrine* (Navy box, Porcelain text, gold interpunct header).

Dannebrog Red: Appears only inside the logo/shield and on the cover of the manual via the logo. It is never an editorial colour.

03.10 Incorrect Colour Combinations

The following colour pairings are prohibited:

1. **Gold text on Porcelain/White.** Fails accessibility (2.9:1). Gold is never used for body text, headings, or labels on light grounds.
2. **Red as an editorial accent.** Red is reserved for the shield. Never used in charts, warnings, callouts, or UI elements.
3. **Navy + Red as a colour scheme.** The combination reads as alarmist or political. The only place navy and red coexist is inside the shield.
4. **Gold as a background field.** Gold is always an accent. Never a panel, never a banner, never a button fill (except on Navy, where it is permitted as a subtle highlight).
5. **Pure white (#FFFFFF) instead of Porcelain.** Porcelain (#FAFAF7) has a 2% yellow warmth that prevents the clinical coldness of pure white. Always use Porcelain.
6. **Rich black (C100 M100 Y100 K100).** Navy is our black. Rich black is muddy and inconsistent across printers.
7. **Neon or fluorescent colours.** Never. The brand is candlelight, not neon.
8. **Gradient fills using brand colours.** No gradients in logos, backgrounds, or UI elements. The brand is flat, precise, and disciplined.

PART 04 — TYPOGRAPHY

04.01 Typography Philosophy

Typography will do more daily work for Premium Care than any other element: care plans, tenders, the website, a business card handed over at a kitchen table. The system must be simultaneously *elegant* (private audiences), *legible* (older readers), *compliant* (accessibility and tenders) and *practical* (Word, PowerPoint, email).

The justification for the Berlingske superfamily is strategic, not merely aesthetic: *Premium Care's entire positioning is Danish excellence, and its typography can be literally Danish.* Designed in Copenhagen, drawn around Danish letterforms, tested daily by Danish readers for over a decade. No competitor in Danish care can claim this. It converts a licensing decision into brand equity.

04.02 The Berlingske System

Berlingske Serif — brand voice: wordmark contexts, headlines, pull statements, executive documents, the manual itself.

- Weights: Light, Regular, Italic
- Use: H1, H2, Display, Pull Quotes, Body Serif (forewords), Wordmark

Berlingske Sans — working voice: body copy in clinical and municipal documents, UI, wayfinding, forms, captions.

- Weights: Light, Regular, Medium, Bold
- Use: H3, H4, Body, Caption, Table Text, UI, Navigation, Strapline

Berlingske Mono — data voice: tabular data in tenders and reports.

- Weights: Regular
- Use: Figures, prices, dates, reference numbers, code

04.03 Berlingske Serif — Voice & Usage

Light (300):

- H1 Chapter titles: 34/36 pt, –5 tracking
- Display (dividers only): 60/60 pt, –10 tracking
- Pull quotes: 22/28 pt, 0 tracking
- Intro/Standfirst: 14/20 pt, 0 tracking

Regular (400):

- H2 Section headings: 20/24 pt, 0 tracking
- Body Serif (forewords, brand-voice passages): 10/14 pt, 0 tracking
- Wordmark: Optically kerned, not font-metrics

Italic (400):

- Pull quote attribution: 12/16 pt, 0 tracking

- Emphasis in body serif: italic only, never bold

04.04 Berlingske Sans — Work & Usage

Light (300):

- Captions: 7.5/10 pt, +20 tracking
- Footnotes: 7/9 pt, +10 tracking
- Running header: 7.5 pt, +80 tracking, small caps
- Running footer: 6.5 pt, Navy 50%
- Folio: 8 pt, preceded by gold dash

Regular (400):

- Body: 9.5/12 pt, 0 tracking, 5-column measure
- Table text: 8/11 pt, 0 tracking
- H4 Run-in: 9.5/12 pt, +10 tracking

Medium (500):

- H3 Sub-section: 11/12 pt, +60 tracking, ALL CAPS
- Table headers: 8 pt, +40 tracking, caps

Bold (700):

- H4 Run-in label: 9.5/12 pt, +10 tracking
- Defined terms on first use: bold in body
- Totals rows: Sans Bold 8 pt

04.05 Berlingske Mono — Data & Usage

Regular (400):

- Tabular figures: 8/11 pt, +10 tracking
- Prices: 8/11 pt, +10 tracking
- Reference numbers: 7/9 pt, +10 tracking
- Dates (DD.MM.YYYY): 8/11 pt
- Code and technical identifiers: 9/12 pt

Features: Tabular lining figures (not old-style). Every digit occupies the same width. Prices align. Dates behave.

04.06 The Hierarchy

Level	Face & weight	Size / leading	Tracking	Colour	Case & notes
Display (dividers only)	Serif Light	60 / 60 pt	−10	Porcelain or Gold on Navy	Title case; max 3 words per line

Table 6 – continued

Level	Face & weight	Size / leading	Tracking	Colour	Case & notes
H1 Chapter title	Serif Light	34 / 36 pt	−5	Premium Navy	Title case; sits on row 2; 48 pt space below
H2 Section	Serif Regular	20 / 24 pt	0	Premium Navy	Preceded by gold keyline; 36 pt above, 12 pt below
H3 Sub-section	Sans Medium	11 / 12 pt	+60	Navy	ALL CAPS small; 24 pt above, 12 pt below
H4 Run-in	Sans Bold	9.5 / 12 pt	+10	Navy	Sentence case, run into body line
Body	Sans Regular	9.5 / 12 pt	0	Navy 90% (#1B2B45)	5-column measure; ragged right; no hyphenation stacks > 2
Body Serif (forewords, brand-voice passages)	Serif Regular	10 / 14 pt	0	Navy 90%	Used sparingly; signals “the brand is speaking”
Intro/Standfirst	Serif Light	14 / 20 pt	0	Navy	7-column measure, first paragraph of a chapter only
Caption	Sans Light	7.5 / 10 pt	+20	Navy 70%	Preceded by gold interpunct •; always below or beside image, never on it
Pull quote	Serif Light Italic	22 / 28 pt	0	Navy; gold 24 pt “	5–6 columns; max 18 words; gold keyline beneath attribution
Footnote	Sans Light	7 / 9 pt	+10	Navy 60%	Numbered with gold superscripts
Table text	Sans Regular / Mono for figures	8 / 11 pt	0 / +10	Navy	See Part 08
Folio / furniture	per EDS §02.5	—	—	—	—

04.07 Fallback Stack

Mandatory fallback stack (non-negotiable for tenders and Office templates):

- Serif contexts: Georgia → Times New Roman
- Sans contexts: Verdana → Arial
- Mono contexts: Courier New → Consolas

Digital system stack:

```
font-family: "Berlingske Sans", -apple-system, "Segoe UI", Verdana, Arial, sans-serif;  
font-family: "Berlingske Serif", Georgia, "Times New Roman", serif;  
font-family: "Berlingske Mono", "Courier New", Consolas, monospace;
```

Rationale: Municipal caseworkers opening a Word document without brand fonts still receive a dignified, legible page. Georgia and Verdana were designed for screen legibility at small sizes — they are the best available substitutes for Berlingske’s humanist warmth.

04.08 Digital Typography

Web font loading:

- Load Berlingske Sans first (largest text volume)
- Load Berlingske Serif second (headlines only)
- Load Berlingske Mono third (data only, on-demand)
- Fallback fonts must be specified and must render acceptably during loading

Base size: 16 px (equivalent to 10 pt print) **Line height:** 1.5 (24 px for 16 px text) **Measure:** Maximum 75 characters per line (c. 640 px at 16 px)

Heading sizes (digital):

- H1: 42 px / 48 px (26 pt display)
- H2: 28 px / 32 px (17 pt)
- H3: 18 px / 24 px (11 pt, tracked)
- H4: 16 px / 20 px (10 pt)
- Body: 16 px / 24 px (10 pt)
- Caption: 12 px / 16 px (7.5 pt)

Responsive scaling:

- Desktop (1024 px): Base 16 px
- Tablet (768–1023 px): Base 15 px
- Mobile (767 px): Base 14 px
- Small mobile (375 px): Base 13 px

04.09 Danish Characters

The Danish characters æ, ø, and å are native to the Berlingske family — they were drawn by the Copenhagen foundry, not adapted from Latin characters. This is a brand advantage: no competitor can claim authentically Danish typography.

Rules:

- Never substitute æ with ae, ø with o, or å with aa
- Never condense or fake Danish characters
- Test æ, ø, å at every size before release (especially at small sizes like 7 pt and 8 pt)
- In fallback fonts (Georgia, Verdana), verify Danish character rendering at all sizes
- In web fonts, ensure the Danish subset is loaded (subsetting must include U+00E6, U+00F8, U+00E5, U+00C6, U+00D8, U+00C5)

04.10 Numerals

Old-style figures: Used in running text (proportional, with ascenders and descenders). Creates a more literary, editorial feel in body copy.

Tabular lining figures: Used in tables, prices, dates, and all data contexts. Every digit occupies the same width. Prices align. Dates behave. Reference numbers stack cleanly.

Berlingske Mono: Always tabular lining. The mono face exists for data alignment.

Berlingske Sans: Old-style by default; switch to tabular lining via OpenType feature `tnum` or font-variant `tabular-nums` in CSS.

Berlingske Serif: Old-style by default; tabular lining available via OpenType.

04.11 Micro-typographic Rules

- **Kerning:** Metrics kerning always; optical for Display/H1 only.
- **Numerals:** Old-style in running text; tabular lining (Mono) in tables and prices.
- **Emphasis:** Italic only. Bold in body copy is reserved for H4 run-ins and defined terms on first use. Underline never.
- **Quotation marks:** Typographic (” “) in English; »guillemets« permitted in Danish-language client materials only.
- **The interpunct** • is always set in gold, with hair spaces either side, and never replaced by hyphen or slash.
- **Hyphenation:** Ragged right preferred. If justified, hyphenation stacks limited to 2 consecutive lines.
- **Widows & orphans:** Minimum 2 lines at paragraph end; minimum 2 lines at paragraph start.
- **Rivers:** Avoid in justified text by adjusting word spacing ($\pm 5\%$ tolerance).

04.12 Licensing & Font Management

Licences required:

- Berlingske Serif: Desktop (5 seats minimum), Web (unlimited page views), App (if mobile app uses brand fonts)

- Berlingske Sans: Desktop (20 seats minimum — all staff who produce documents), Web (unlimited), App
- Berlingske Mono: Desktop (5 seats), Web (limited — data-heavy pages only)

Font management:

- All fonts distributed via the brand intranet, not individual downloads
- Font version control: updates managed by IT, not individual users
- Fallback fonts pre-installed on all municipal-facing machines
- Web fonts served from brand CDN with proper caching headers

Prohibited:

- Using free substitutes or “similar” fonts
 - Embedding brand fonts in non-brand documents
 - Sharing font files with unauthorised third parties
 - Using web fonts in print documents (quality degradation)
-

PART 05 — GRAPHIC LANGUAGE

05.01 The Four Signature Elements

Beyond logo, colour and type, four proprietary elements make a page unmistakably Premium Care:

1. **The Gold Keyline.** A 0.5 pt champagne-gold rule used to frame, underline and divide. The brand’s signature of craft — used once or twice per page, never as decoration lattice.
2. **The Cross Grid.** A subtle background pattern derived from the shield’s cross geometry, used at low contrast on dividers, folder interiors and tender covers.
3. **The Interpunct Signature.** The gold “•” from the strapline, used as a list marker and separator in premium contexts — a small, ownable habit.
4. **The Divider Ornament.** The fine flourish from the strapline lockup, reserved for covers and certificates.

05.02 The Gold Keyline

Specification:

- Weight: 0.5 pt (exact)
- Colour: Champagne Gold (Pantone 871 C or CMYK C25 M30 Y65 K10)
- Cap: Butt cap (not rounded — ends cleanly)
- Join: Miter join

Usage contexts:

- H2 section heading underline: 24 mm long, positioned 12 pt above heading baseline, aligned to text column

- Folio dash: 6 mm long, preceding page number
- Frame around callout boxes: 0.5 pt, complete rectangle
- Table rules: top and bottom of header band only
- Divider page: single 24 mm keyline beneath title
- Certificate border: 0.5 pt, complete rectangle, 12 mm from edge

Prohibition: Never used as a decorative lattice, never as a page border, never in multiples (no double keylines, no keyline shadows), never as a divider between every paragraph.

05.03 The Cross Grid

Construction:

- Grid unit: 40 × 40 mm (at print scale)
- Line weight: 0.25 pt
- Line colour: Navy (#041E42) at 4% opacity
- Pattern type: Simple grid (horizontal and vertical lines intersecting)

Usage:

- Folder interiors: full coverage at 4%
- Tender covers: top third only, fading to 0% at 50% height
- Section dividers: full coverage at 4% (per EDS §10)
- Never used on body text pages — competes with legibility
- Never used above 4% opacity — it becomes texture, not atmosphere

Illustrator pattern swatch: PC_CrossGrid_4pct — tile size 40 × 40 mm, horizontal line at y=20 mm, vertical line at x=20 mm, both 0.25 pt Navy 4% opacity.

05.04 The Interpunct

The interpunct • (U+00B7) is the brand’s smallest signature element. It appears in the strapline, as a list marker, and as a separator in premium contexts.

Rules:

- Always set in Gold (#B9A26A)
- Always with hair spaces (U+200A) either side
- Never replaced by hyphen, slash, bullet (U+2022), or middle dot (U+22C5)
- Never used in body text as a substitute for commas or periods
- In lists: one interpunct per item, gold, left-aligned with text block
- In the strapline: — OMSORG • TRYGHED • HVER DAG — with hair spaces around each interpunct

Size: The interpunct matches the cap height of the surrounding text. In the strapline (0.45X), it is small but visible. In body text lists, it is 9.5 pt. In captions, it is 7.5 pt.

05.05 The Divider Ornament

The fine flourish from the strapline lockup — the em-dashes and interpuncts arranged symmetrically — is reserved for covers and certificates.

Usage:

- Certificate top border: — • — centred, gold, 0.5 pt
- Cover subtitle decoration: the full strapline line as ornament
- Never used in body text, never used as a random decorative element
- Never modified (no additional flourishes, no swashes, no extensions)

05.06 Iconography — Service Suite (10 marks)

All icons are drawn on a **48 × 48 unit master grid** derived from the shield's proportions.

Construction rules:

- Live area: 40 × 40 units (4-unit safety margin)
- Stroke weight: 2 units (= 1.5 pt at 24 px output)
- Stroke style: Constant weight. No variable strokes.
- Corners: External corners 2-unit radius; internal junctions square; terminals rounded
- Terminal dot: Where a line ends without junction, it terminates in a 2-unit diameter circle (filled solid)
- Human figures: Follow the logo doctrine — support between equals, never carer-above-client

The 10 service icons:

1. **Hjemmepleje (Home Care)** — A simple house silhouette with a gentle window glow. Domestic, not clinical.
2. **Sygepleje (Nursing)** — A cup with steam. Comfort, not syringes.
3. **Demensomsorg (Dementia Care)** — A window with a gentle frame, suggesting a familiar view.
4. **Fysioterapi (Physiotherapy)** — Steadying hands in motion, suggesting gentle exercise.
5. **Ergoterapi (Occupational Therapy)** — Hands engaged in purposeful action (a cup, a pen).
6. **Rehabilitering (Rehabilitation)** — An ascending path or steps, suggesting progress.
7. **Palliativ Omsorg (Palliative Care)** — A gentle hand resting, a candle flame. Dignified, not sombre.
8. **Praktisk Hjælp (Practical Support)** — A house with an open door, suggesting welcome and access.
9. **Ældrepleje (Elder Care)** — Two figures at eye level, one with a cane, connected by a gentle line. Echoes the logo figures.
10. **Kommunale Kontrakter (Municipal Contracts)** — A document with a seal or stamp, suggesting official partnership.

Colour: Navy on light grounds; Gold on Navy; single-colour only; never two-tone, never gradient.

Clear space: Minimum ½ icon width on all sides.

Sizes: 16 px (UI inline) · 24 px (standard) · 32 px (cards/wayfinding) · 48 px+ (feature). Icons are never scaled between sizes with stroke distortion; each size is drawn or stroke-corrected.

05.07 Iconography — Corporate Suite (5 marks)

- **Document:** Page with folded corner
- **Calendar:** Grid with single highlighted date
- **Location:** Shield-shaped pin, echoing brand mark
- **Contact:** Envelope with gentle curve
- **Download:** Arrow descending into a tray
- **Certification:** Shield with checkmark

Same construction rules as service suite. Same grid, stroke, corner radius, and colour rules.

05.08 Iconography — Navigation Suite (4 marks)

- **Arrow:** Simple directional, 1.5-unit stroke at 16 px
- **Menu:** Three horizontal lines, 1.5-unit stroke
- **Search:** Magnifying glass, 1.5-unit stroke
- **Close:** X, 1.5-unit stroke

Navigation stroke reduction: At 16 px, the standard 2-unit stroke becomes 1.5 units for optical balance. This is a dedicated micro-master, not a scaled version.

05.09 Icon Grid & Construction

Master grid: 48×48 units **Live area:** 40×40 units (4-unit margin on all sides) **Key lines:**

- Horizontal centre: 24 units
- Vertical centre: 24 units
- Golden ratio divisions: 18.5 / 29.5 units (horizontal and vertical)

Alignment: Icons align to the grid, not to pixel boundaries (except at 16 px, where pixel-fitting is mandatory). At 24 px and above, the grid ensures consistent proportions.

05.10 Illustration Style

Illustration is used sparingly, for explaining processes (e.g. visitation to first visit). The style is fine-line, single-weight, navy with gold accents.

Rules:

- Line weight: 0.75 pt Navy (matching diagram line-work)
- Accent: Gold for the single most important element
- Figures: Simplified, no facial features, following the logo's support-between-equals principle
- Background: Porcelain or transparent
- No shading, no gradients, no 3D perspective
- Must survive greyscale reproduction

Prohibited:

- Cartoon style
- Characterful mascots

- Photorealistic illustration
- Heavy line weights (never above 1.5 pt)
- Multiple colours beyond Navy + Gold

05.11 Data Visualisation

Philosophy: Data visualisation is typography with geometry. Same restraint, same greyscale-proof requirement, gold marks only what matters most.

Bar charts:

- Bars in navy tonal scale (100 / 70 / 40 / 15%)
- Gold = the highlighted figure only
- No 3D, no shadows, no gradients
- Axis: 0.5 pt navy 60%
- Figures: Mono tabular, 8 pt
- Labels: Sans Regular 8 pt

Line charts:

- Primary line: Navy 100%, 1 pt
- Comparison line: Navy 40%, 0.75 pt
- Gold marker for key data point
- No grid lines (axis only)
- No data labels on every point (clutter)

Pie charts:

- Maximum 4 segments
- Prefer bar charts for more than 4 categories
- Segments in navy tonal scale
- Gold for the highlighted segment
- No 3D, no exploded segments

Tables:

- Navy header band
- Porcelain/Warm Grey 4% alternating rows
- Gold rules top and bottom only
- No vertical rules
- Figures right-aligned in Mono tabular
- Text left-aligned

Prohibited in all data visualisation:

- Red as a data colour (reserved for shield)
- 3D effects, shadows, glows
- Gradients within bars or segments
- More than 5 tones per graphic
- Pie charts above 4 segments
- Data labels that create clutter

05.12 Watermarks & Background Patterns

The Cross Grid: See §05.03. The primary background pattern.

The Shield Watermark:

- Shield Only (SH) at 15% opacity, Navy on Porcelain
- Used on confidential documents, draft pages, and internal materials
- Never on client-facing materials (it reads as insecurity)
- Size: 40 mm width, positioned bottom right, 20 mm from edges

The Monogram Watermark:

- Monogram (MG) at 8% opacity, Gold on Porcelain
- Used on certificates and premium documents
- Size: 20 mm width, positioned bottom right
- Never on standard documents (overuse cheapens the premium signal)

The Wordmark Watermark:

- Wordmark (WM) at 5% opacity, Navy on Porcelain
- Used on presentation backgrounds and large-format prints
- Size: 60 mm width, tiled or positioned centre-bottom

Prohibited watermarks:

- “Draft” or “Confidential” in red or bold (use the shield watermark instead)
- Diagonal text watermarks (unprofessional)
- Heavy opacity (never above 15%)
- Multiple watermarks on one page

05.13 Diagram Language

Universal rules:

- Line-work: Navy, 0.75 pt
- Emphasis lines: 1.5 pt
- Gold reserved for the single key node, path or value

- Shapes: rectangles with 1 mm radius; circle reserved for people/roles; shield silhouette reserved for the brand itself in architecture diagrams
- Labels: Sans Regular 8 pt; captions per Part 03
- No text inside a shape smaller than 7 pt — enlarge the shape or externalise the label
- Every diagram must survive greyscale reproduction

Flowcharts & process maps:

- Left-to-right, single direction
- Steps as numbered rectangles on row lines
- Decision points as navy circles
- The “happy path” carries the gold line
- No more than 8 steps per flowchart (break into sub-flows)

Construction diagrams (logo geometry, clear space):

- Hairline 0.25 pt navy 40% construction lines
- Dimensions in Mono 7 pt
- The unit “×” (x-height) system used throughout

Comparison frameworks:

- Two/three columns with navy headers
- set as gold interpunct-weight tick
- as navy 40% (never red)

05.14 Callout Boxes

Two types only. Scarcity preserves authority.

Note:

- Background: Porcelain box
- Border: 0.5 pt gold keyline
- Header: H4, Sans Bold 9.5/12 pt, Navy
- Body: Sans Regular 9.5/12 pt, Navy 90%
- Use: Guidance, clarification, best practice
- Maximum one Note per spread

Doctrine:

- Background: Navy box
- Text: Porcelain, Sans Regular 9.5/12 pt
- Header: Gold interpunct • before H4 label
- Use: Immutable rules, prohibitions, non-negotiable standards

- Maximum one Doctrine per spread
 - Never more than one Doctrine per chapter
-

PART 06 — PHOTOGRAPHY

06.01 Photography Philosophy

Dignity-first documentary. Our photography should look *found*, not staged — as if a discreet observer captured a genuinely good moment.

The camera is never a weapon. It is a witness. Every photograph must answer: would the person in our care be proud to see this? Would they feel seen, not displayed?

06.02 The Three Approved Categories

1. **Relational** — carer and client together, at eye level, mid-conversation or mid-task. Connection, not assistance, is the subject.
2. **Environmental** — Danish homes and light: morning windows, worn wooden floors, coffee cups, gardens. The home as a place worth staying in.
3. **Professional** — uniformed staff, composed and confident; clinical competence shown through preparation and posture, not equipment close-ups.

06.03 Relational Photography

The subject: The relationship between carer and client. Not the carer helping the client, but the two of them sharing a moment of genuine connection.

Composition:

- Eye-level or slightly below. Never downward onto a client.
- Both subjects in frame, neither dominant.
- Mid-conversation or mid-task — never posed at camera.
- Breathing room on the subject's sightline side.
- Faces never cropped through the eyes or mouth.

Lighting:

- Natural Nordic daylight, soft and diffused
- Window light preferred; avoid harsh midday sun
- Slight warmth (+200–300 K from neutral)
- Gentle contrast, true skin tones
- Blacks lifted marginally — never crushed, never HDR

Prohibited:

- Camera-facing stock grins
- The carer towering over the client

- Hands clasped in “comfort” clichés
- Anyone appearing frail as the point of the image
- Personal care moments (also an ethics breach)

06.04 Environmental Photography

The subject: The Danish home as a place worth staying in. Not a showcase, but a lived-in space with character and warmth.

Composition:

- Wide shots showing the room, not just the furniture
- Morning light through windows
- Details: worn wooden floors, coffee cups, books, gardens
- Danish domestic light — soft, grey, warm
- No sterile or clinical interiors (unless showing the “before” of a home adaptation)

Lighting:

- Natural light only
- Early morning or late afternoon (the “golden hour” in Nordic terms)
- Overcast days preferred (soft, even light)
- No artificial lighting unless it is the existing home lighting

Prohibited:

- Stock-photo interiors (catalogue-perfect, no life)
- Clinical or hospital-like settings
- Dark, depressing spaces (unless part of a before/after narrative)
- Overly tidy or staged spaces

06.05 Professional Photography

The subject: The Premium Care professional — composed, confident, prepared. Clinical competence shown through posture and preparation, not equipment.

Composition:

- Uniformed staff, composed and confident
- Eye-level, never downward
- Preparation and posture as the subject (folding a towel, preparing a care plan, washing hands)
- No equipment close-ups as heroes (a stethoscope is a tool, not a subject)
- Group shots: natural arrangement, not posed rows

Lighting:

- Natural or soft studio light

- True skin tones, no artificial tanning
- Slight warmth (+200 K)
- Gentle contrast

Prohibited:

- Equipment close-ups as heroes (syringes, blood pressure cuffs, medical charts)
- Staff looking at camera with forced smiles
- Clinical-cold lighting (fluorescent, blue-tinted)
- Uniforms that look like costumes (too new, too pressed, too perfect)

06.06 Lighting & Grade

The grade: Natural Nordic daylight, slightly warm, gentle contrast, true skin tones.

Technical specifications:

- Colour temperature: 5200–5500 K (daylight) with +200–300 K warmth in post
- Contrast: Low to medium. Blacks lifted marginally (never crushed)
- Saturation: Natural, slightly desaturated (-5% to -10%)
- Highlights: Soft, never blown
- Shadows: Detail preserved, never blocked
- Skin tones: True to life, no artificial smoothing or tanning

Post-processing rules:

- No heavy filters (no Instagram presets, no VSCO, no Lightroom “looks”)
- No HDR (no tone-mapped surrealism)
- No artificial lens flare
- No vignettes (dark corners suggest secrecy or sadness)
- No skin smoothing or “beauty” retouching (dignity includes wrinkles)
- Minor blemish removal acceptable (temporary marks, not permanent features)
- Colour correction only to achieve the specified grade

06.07 Composition & Cropping Rules

Eye-level or below: Never photograph a client from above. It diminishes them. The camera should be at the subject’s eye level or slightly below.

Breathing room: Always leave space on the subject’s sightline side. If the subject is looking left, leave space to the left.

Face cropping: Never crop through the eyes or mouth. Crop at the forehead, chin, or neck — never through the features.

Hand treatment: Hands may bleed off frame. They are active, purposeful, and may extend beyond the frame edge.

Approved ratios:

- **3:2** — hero and relational imagery (default)
- **4:5** — portraits, single-column placements
- **16:9** — environmental panoramas, full-bleed chapter imagery
- **1:1** — social media and icon-adjacent uses only

Cropping: Crops always resolve to an approved ratio — no free-form crops. The crop must serve the composition, not the layout.

06.08 Approved Ratios

Ratio	Use	Dimensions (print)	Dimensions (digital)
3:2	Hero, relational, environmental	300 × 200 mm	1200 × 800 px
4:5	Portraits, single-column	200 × 250 mm	800 × 1000 px
16:9	Environmental panoramas, full-bleed	420 × 236 mm	1920 × 1080 px
1:1	Social media, icons	200 × 200 mm	1080 × 1080 px

06.09 Placement Rules

1. **Images hang from a row line and span whole columns** — never fractional columns.
2. **One full-bleed image maximum per spread** — it must anchor to at least one trim edge cleanly.
3. **Text never overlays photography** except the Display title on dividers, and then only over 20% image area with verified contrast.
4. **Every image carries a caption** (gold interpoint + Sans Light 7.5 pt) or is explicitly decorative by exception.
5. **One hero image per page** — the dominant visual element. Everything else is supporting cast.

06.10 Rejected Photography (6 Categories)

The following are prohibited without exception:

1. **Camera-facing stock grins.** Forced smiles at the camera read as inauthentic and diminish dignity.
2. **Frailty as spectacle.** Never photograph a client to emphasise their vulnerability. The subject is the person, not their condition.
3. **Top-down angles.** Never photograph a client from above. It is condescending and diminishing.
4. **Medical hardware as hero.** Equipment is a tool, not a subject. No close-ups of syringes, stethoscopes, or medical charts as the primary image.
5. **Clasped-hands clichés.** The “comforting hands” pose is a stock-photo trope. It reads as pity, not care.
6. **Heavy filters, HDR, flares, vignettes.** Artificial effects destroy the documentary authenticity of the brand.

06.11 Ethics & Consent

Written consent: Required for every identifiable client. No exceptions.

Right to withdraw: The client may withdraw consent at any time, for any reason, without explanation. Withdrawal is immediate and unconditional.

No photography during personal care: Bathing, dressing, toileting, and other intimate care moments are never photographed. This is both an ethics breach and a dignity violation.

Dementia-care imagery: Requires next-of-kin consent AND executive sign-off. The additional safeguard recognises the vulnerability of clients who may not fully understand the purpose of photography.

Staff consent: Staff members must consent to being photographed. No staff member may be photographed against their will.

Dignity outranks deadline: If a photograph compromises dignity, it is not used — regardless of cost, schedule, or convenience.

Storage: All photographic consent forms are stored securely for 10 years. Images are stored with metadata linking to the consent form.

06.12 Photo Selection Workflow

1. **Shoot brief:** Every photoshoot requires a written brief approved by the Brand Custodian. The brief specifies the category (relational, environmental, professional), the subjects, the locations, and the intended use.
2. **On-set approval:** A brand representative (or trained staff member) reviews images on-set for dignity compliance.
3. **First edit:** Photographer delivers all images. Brand team selects candidates based on composition, lighting, and dignity.
4. **Consent verification:** Selected images are checked against consent forms. Any image without verified consent is deleted.
5. **Grade:** Selected images are graded to the specified look.
6. **Final approval:** Brand Custodian approves final selects.
7. **Archive:** Approved images are stored in the brand image library with metadata (category, subjects, location, date, consent form reference, usage rights).

06.13 AI-Generated Imagery Policy

Prohibited. The use of AI-generated imagery (Midjourney, DALL-E, Stable Diffusion, or any similar tool) is prohibited for all Premium Care brand materials.

Rationale:

- Dignity cannot be generated. AI imagery of people is inherently synthetic and cannot capture the genuine human connection that defines our brand.
- Consent is impossible with AI-generated subjects. There is no person to consent, no dignity to protect.
- Authenticity is a brand value. AI imagery is, by definition, inauthentic.
- Municipal partners and clients expect real documentation of real care. AI imagery undermines trust.

Exception: Abstract backgrounds, patterns, and non-representational graphics may be AI-assisted if they contain no human figures and are clearly labelled as such. This exception requires Custodian approval.

PART 07 — APPLICATIONS

07.01 Application Philosophy

Every application of the Premium Care brand must pass the Five Design Tests (Part 00). The application sections that follow are not suggestions — they are specifications. Every measurement, material, and finish is exact.

The governing principle: Premium Care does not decorate. It composes. Every application is planned with the same rigour as a care plan.

07.02 Business Card

Size: 85 × 55 mm **Stock:** 540 gsm triplex — Porcelain outer plies, navy core **Print & finish:**

- Front: Gold foil VT + name in Pantone 282
- Reverse: Navy solid with WH logo
- No lamination — the uncoated hand *is* the luxury
- Foil die from SH/VT foil master

Typography:

- Name: Berlingske Serif Regular 12 pt, Navy, title case
- Title: Berlingske Sans Light 8 pt, Gold, +40 tracking, small caps
- Contact: Berlingske Sans Regular 7.5 pt, Navy 70%, line-height 1.6
- Logo: VT, 25 mm width, FC on front, WH on reverse

Clear space: X (crown height) on all sides of the logo

Minimum order: 500 cards. Reorder when stock falls below 100.

07.03 Letterhead & Envelope

Letterhead:

- Size: A4 portrait (210 × 297 mm)
- Stock: 120 gsm premium uncoated
- Print: Litho Pantone 282 + 4515
- Laser-guaranteed stock (must survive office printers)

Layout:

- Top margin: 30 mm
- Logo: HZ, 30 mm width, Navy, top left, 25 mm from left edge, 20 mm from top

- Strapline: Below logo, Berlingske Sans Light 7 pt, Gold, +40 tracking
- Rule: 0.5 pt Navy 30%, full width, 8 pt below strapline
- Body start: 60 mm from top

Follow-on sheet:

- SH only, 15 mm width, Navy, top right
- No strapline on continuation pages

Envelope:

- Sizes: DL (110 × 220 mm), C5 (162 × 229 mm), C4 (229 × 324 mm)
- Stock: 120 gsm matching letterhead
- Print: Pantone 282 single colour
- Logo: HZ on flap, 20 mm width, Navy
- Return address: Berlingske Sans Light 7 pt, Navy, back flap

07.04 Folder & Pocket

Size: A4 + 5 mm capacity (220 × 310 mm folded) **Stock:** 350 gsm, matt laminate both sides **Exterior:**

- Navy, gold foil VT centred, 40 mm width
- No other text or imagery on exterior

Interior:

- Porcelain, Cross Grid pattern at 4%
- Glued pocket, bottom
- Business card slits, right side
- “Premium Care” in Berlingske Serif Light 14 pt, Navy, top left interior

Finish:

- Matt laminate exterior
- Soft-touch or velvet laminate optional (premium tender folders)
- No gloss laminate (reads as cheap)
- No spot UV (one finish per item rule)

07.05 Certificate

Size: A4 landscape (297 × 210 mm) **Stock:** 300 gsm felt-marked **Finish:** Gold foil MG corner + blind emboss SH

Layout:

- Border: 0.5 pt gold keyline, 15 mm from edge
- Corner ornament: — • — top and bottom, centred, gold
- Title: “CERTIFICATE” — Berlingske Serif Light 24 pt, Navy, centred, tracked +40

- Subtitle: “of Completion / of Excellence / of Appreciation” — Berlingske Sans Light 11 pt, Navy 70%, centred
- Recipient name: Berlingske Serif Regular 28 pt, Navy, centred, 24 pt space above and below
- Body text: Berlingske Sans Regular 10/14 pt, Navy 90%, centred, 5-column measure
- Date & signature lines: Bottom, Berlingske Sans Regular 9 pt, Navy
- Signature blocks: Left (CEO) and right (Department Head), with gold keyline above
- MG watermark: 8% opacity, Gold, bottom right, 20 mm width

Presentation: Delivered in navy folder (see §07.04) with gold foil VT on cover.

07.06 Tender Document Cover

Size: A4 portrait (210 × 297 mm) **Stock:** 250 gsm uncoated **Print:** No foil (procurement optics — quiet premium)

Layout:

- Background: Porcelain (white for photocopy compatibility)
- Logo: HZ, 50 mm width, Navy, top left, 25 mm from edges
- Tender title: Berlingske Serif Regular 20/24 pt, Navy, left-aligned, 40 mm from top
- Municipality name: Berlingske Sans Regular 11 pt, Navy 70%, left-aligned
- Date: Berlingske Sans Regular 10 pt, Navy 70%, left-aligned
- Gold keyline: 24 mm, 0.5 pt, left-aligned, 12 pt below date
- Reference number: Berlingske Mono 9 pt, Navy, bottom right
- Cross Grid: 4% opacity, top third only

Body pages:

- Stock: 100 gsm uncoated
- Mono-safe, greyscale-verified
- All text: Black only (K100) for maximum photocopy fidelity
- Tables: No colour-coded meaning
- Charts: Navy tonal scale only, no gold (photocopy fidelity)

07.07 Corporate Brochure

Size: A5 (148 × 210 mm) or A4 (210 × 297 mm) **Stock:** 170 gsm silk body, 300 gsm cover **Print:** CMYK + Pantone 282 spot

Cover:

- Navy full bleed
- SH logo, Gold, 30 mm width, centred, 40 mm from top
- Title: Berlingske Serif Light 28/30 pt, Porcelain, centred

- Subtitle: Berlingske Sans Regular 11 pt, Porcelain 80%, centred
- Gold keyline: 48 mm, 0.5 pt, centred, 12 pt below subtitle
- Matt laminate cover
- Spot UV permitted on the shield only, one element per cover

Body:

- Porcelain ground
- Photography: Relational and environmental, full-bleed or column-width
- Text: Body style, 5-column measure
- Gold keyline: H2 underline only
- Cross Grid: 4% on divider pages only

Binding: Saddle-stitched (A5) or perfect-bound (A4, 48+ pages)

07.08 Annual Report

Size: Landscape A4 (297 × 210 mm) — per EDS format **Stock:** 150 gsm uncoated body, 300 gsm cover

Print: CMYK + Pantone 282 spot + Pantone 871 foil

Cover:

- Navy full bleed
- VT logo, Gold foil, 50 mm width, centred, 50 mm from top
- Title: “Annual Report 2026” — Berlingske Serif Light 32/36 pt, Porcelain, centred
- Gold keyline: 60 mm, 0.5 pt, centred, 16 pt below title
- Matt laminate + gold foil

Binding: Otabind or thread-sewn lay-flat (a manual must lie open on a desk)

Body:

- Per EDS §12: 12-column grid, 12 pt baseline
- Photography: Environmental and professional
- Data: Charts in navy tonal scale + gold accent
- Financial tables: Mono-safe, tagged for accessibility

07.09 ID Badge & Lanyard

Badge:

- Size: 86 × 54 mm (credit card size)
- Stock: 760 micron PVC or biodegradable alternative
- Background: Navy
- Logo: SH, Gold, 15 mm width, top centre
- Photo: 25 × 30 mm, top right, rounded corners 2 mm

- Name: Berlingske Sans Medium 10 pt, Porcelain, centred
- Title: Berlingske Sans Regular 8 pt, Gold, centred, +20 tracking
- Department: Berlingske Sans Light 7 pt, Porcelain 70%, centred
- ID number: Berlingske Mono 7 pt, Porcelain 50%, bottom left
- Valid date: Berlingske Mono 7 pt, Porcelain 50%, bottom right
- Gold keyline: 0.5 pt, 3 mm from edge, complete rectangle
- Hologram: Optional security feature, bottom right corner

Lanyard:

- Width: 15 mm or 20 mm
- Colour: Navy (Pantone 282 C matched)
- Logo: HZ, repeated, 15 mm width, White, screen-printed
- Clasp: Metal, navy powder-coated
- Safety breakaway: Mandatory (healthcare environment)

07.10 Uniform — Clinical Scrubs

Garment: Short-sleeve or 3/4 sleeve scrub top (Danish law: short sleeves for infection control) **Colour:** Navy (Pantone 282 C matched fabric) or Light Grey (Warm Grey 1 matched)

Logo:

- Mark: VT (no strapline), 60 mm width
- Colour: Gold on Navy / Navy on Light Grey
- Position: Left chest, 190–200 mm below shoulder seam, centred on chest panel
- Method: Embroidery

Embroidery specification:

- Thread: Madeira Polyneon polyester, lab-dipped to Pantone 282 (navy), 186 (red), antique gold matched to 871
- Metallic thread: PROHIBITED — abrades skin and fails 85°C infection-control laundering
- Stitch type: Satin stitch lettering; fill stitch shield
- Strapline: Omitted at 60 mm width (below 80 mm threshold)
- Underlay: Per fabric type
- Backing: Cut-away on knits, tear-away on wovens
- Test sew-out: Approved on actual garment fabric before production

Additional branding:

- Name: Berlingske Sans Regular, 10 mm height, Navy on Light Grey / Porcelain on Navy, embroidered below logo
- Department: Berlingske Sans Light, 7 mm height, below name

07.11 Uniform — Polo Shirt

Garment: Short-sleeve polo (Danish law: short sleeves) **Colour:** Navy or Light Grey

Logo:

- Mark: VT, 60 mm width
- Position: Left chest, as scrubs
- Method: Embroidery (same specification as scrubs)

Additional branding:

- Sleeve: CR (Crown), 15 mm width, Gold, optional on right sleeve
- Name: Embroidered below logo, same as scrubs

07.12 Uniform — Winter Jacket

Garment: Softshell or padded winter jacket **Colour:** Navy

Logo:

- Front: VT, 70 mm width, Gold, left chest
- Back: HZ, 240 mm width, Gold, centred across back yoke, 90 mm below collar seam
- Method: Embroidery (front) + vinyl (back, for durability and visibility)

Back vinyl specification:

- Material: Cast vinyl (3M 2080 or Avery SWF), metallic gold matched to 871
- Minimum line: 1 mm (weeding tolerance)
- Application: Heat-pressed or applied by certified installer

Additional features:

- Reflective strips: EN ISO 20471 compliant, white or silver, on sleeves and hem
- Branding must never reduce certified reflective area

07.13 Uniform — High-Visibility (EN ISO 20471)

Garment: Hi-vis vest or jacket, yellow or orange background **Certification:** EN ISO 20471 Class 2 or 3

Logo:

- Mark: VT, 60 mm width, Navy single-colour (NV)
- Position: Left chest, within the certified reflective zone if possible; if not, on the non-reflective panel
- Back: HZ, Navy, within certified zones only
- Method: Screen print or heat transfer (embroidery punctures reflective material)

Critical rule: Branding must never reduce certified reflective area. Safety is Tryghed. The garment certification takes precedence over branding.

Contrast verification: Navy on yellow verified 4.5:1. If insufficient, use Black (BK) instead.

07.14 Vehicle Livery

Vehicle: Company car or van, any model **Body colour:** Navy (RAL 5011 paint) or full cast vinyl wrap in Navy

Side graphics:

- Mark: HZ, Gold cast vinyl, 350 mm width
- Position: Both sides, aligned to body feature line (waistline or character line)
- Height: Proportional to vehicle size; minimum 200 mm for small cars, 350 mm for vans

Bonnet:

- Mark: SH, Gold, 200 mm width
- Position: Centred, 100 mm from front edge

Rear:

- Mark: HZ + website URL, White, 150 mm width
- Legal text: CVR number, “Premium Care A/S”, White, 25 mm height, bottom left
- Reflective: White detailing on rear for night visibility (Tryghed extends to traffic)

Vinyl specification:

- Material: Cast vinyl (3M 2080 or Avery SWF premium cast grade)
- Colours: Navy matched to RAL 5011; metallic gold matched to 871 under daylight AND sodium light
- Application: Certified vehicle wrapper, indoor installation
- Durability: 7-year warranty, UV-resistant

Placement drawing: Required for every vehicle model. Approved by Custodian before any fleet application.

Prohibited:

- Gradients or supergraphics sweeping across panels
- More than one gold element per side (HZ only, no additional gold accents)
- Personalisation (names, departments) on the vehicle exterior
- Non-brand colours on the vehicle body

07.15 Reception Signage

Type: Built-up letters, brushed brass **Location:** Reception wall, behind desk

Letters:

- Material: Brushed brass, 10 mm thickness
- Finish: Brushed (not polished — polished reads as ostentatious)
- Height: 120–180 mm cap height (proportional to ceiling height and viewing distance)
- Mounting: 10 mm stand-off from wall (creates shadow and depth)

- Illumination: Optional halo, 3000 K warm white only

Logo:

- Mark: FC shield, printed/enamelled inset within the brass letter arrangement
- Or: SH, Gold, separate from letters, positioned above or beside

Wall:

- Colour: Navy feature wall or Porcelain wall with navy panel
- Texture: Smooth, matte
- No additional decoration (no plants, no artwork, no clutter)

Scale reference: Human figure in the photograph or drawing. Without it, the letter height is meaningless.

07.16 Building Fascia Signage

Type: Built-up letters, aluminium or brass **Location:** Building exterior, street-facing

Letters:

- Material: Built-up aluminium, powder-coated Navy (RAL 5011) OR brushed brass
- Height: Cap height 25 mm per 10 m viewing distance (e.g., 75 mm cap height for 30 m viewing distance)
- Mounting: Direct to wall or rail system
- Illumination: Halo only, 3000 K warm white. Face-lit box signs are prohibited — they read as retail, not care.

Logo:

- Mark: HZ, White (if navy letters) or Gold (if brass letters)
- Position: Centred or left-aligned, depending on building architecture

Additional:

- Strapline: Below logo, White or Gold, proportional to logo size
- Address: Below strapline, White, Sans Light 10 pt equivalent

07.17 Monolith & Wayfinding

Monolith:

- Size: 2200 × 600 mm
- Material: Navy PPC (powder-coated aluminium) or navy acrylic
- Logo: VT, Gold, 400 mm width, face-mounted
- Strapline: At base, White, Sans Light 15 pt equivalent
- Plinth: Porcelain reveal, 100 mm height
- Illumination: Optional internal LED, 3000 K, behind fret-cut logo

Wayfinding:

- Material: Navy panels, Porcelain text
- Typography: Berlingske Sans (or Verdana fallback), 20–30 pt depending on viewing distance
- Icons: Navigation suite, 32 px equivalent, White on Navy
- Directional bullet: Gold interpunct •
- Mounting: Wall-mounted or ceiling-suspended, 1400–1600 mm centreline (eye level for standing and seated viewers)

07.18 Window Graphics

Frost-etch vinyl manifestation:

- Pattern: Cross Grid band, 140–160 mm height
- Position: 850–1000 mm and 1400–1600 mm heights (Danish BR18 manifestation compliance)
- Opacity: 40–60% (visible but not opaque)
- Logo: SH in frost at entrance doors, 100 mm width

Clear space on glass: 2X (twice the crown height) on all sides of the logo

Safety-critical zones: Manifestation must cover the full width of the glass at the specified heights. Brand preference yields to safety compliance.

07.19 Door Signs & Braille

Client-facing door signs:

- Size: 150 × 150 mm or 150 × 300 mm
- Material: 3 mm navy acrylic, radius corners 2 mm
- Text: Porcelain, Berlingske Sans Regular, 15 pt equivalent
- Stand-off: 15 mm from wall (creates shadow and accessibility for tactile reading)
- Braille: Per DS/ISO 17049, positioned below text, 12 pt equivalent height

Room types requiring braille:

- All client-facing rooms (bedrooms, bathrooms, therapy rooms)
- Meeting rooms where clients are present
- Not required for staff-only areas (kitchens, storage, offices)

Braille specification:

- Grade 1 (uncontracted) Danish braille
- Positioned 10 mm below the text
- Same width as the text block
- Embossed or engraved into the acrylic (not adhesive stickers)

07.20 Office Wall Graphics

Supergraphic:

- Mark: SH, Gold, 800–1200 mm height
- Position: Main corridor or reception area, centred on wall
- Background: Navy acoustic panel or painted wall
- Method: Vinyl cut or direct print on panel

Cross Grid accent:

- Pattern: Cross Grid at 4% opacity
- Position: Adjacent wall to supergraphic
- Size: Full wall or partial band

Brand values wall:

- Content: The five values in Danish, large format
- Typography: Berlingske Serif Light, 60 pt equivalent, Porcelain on Navy
- Layout: One value per wall section, generous spacing
- Gold keyline: 0.5 pt, separating sections

07.21 Meeting Room Signage

Door sign:

- Size: 150 × 150 mm
- Material: Navy acrylic, 3 mm
- Text: “Mødelokale [Number]” — Berlingske Sans Regular, 15 pt, Porcelain
- Braille: Below text, per DS/ISO 17049
- Status indicator: Optional (Available/In Use), small LED or slider, Navy/Porcelain

Interior wall:

- “Premium Care” — Berlingske Serif Light, 40 pt, Navy, centred
- Gold keyline: 24 mm, below text
- No additional decoration

07.22 Roll-up Banner

Size: 850 × 2000 mm (standard roll-up) **Stock:** 220 gsm block-out PVC or fabric alternative **Print:** Dye-sublimation or UV print

Layout:

- Top 30%: Navy, SH logo Gold, 200 mm width, centred
- Middle 50%: Photography, full-bleed, relational or environmental

- Bottom 20%: Porcelain, strapline “OMSORG • TRYGHED • HVER DAG”, Berlingske Sans Light 14 pt, Navy, centred
- Gold keyline: 0.5 pt, separating image from text area

Base: Silver or navy aluminium base, weighted **Carry case:** Navy fabric with SH Gold, 40 mm width

07.23 Recruitment Pack

Folder: A4 + 10 mm capacity, 350 gsm, matt laminate, navy exterior, gold foil VT **Contents:**

1. Welcome letter (letterhead, signed by CEO)
2. Company overview (4-page brochure)
3. Values card (A5, navy, gold values, one per value)
4. Uniform guide (A4, photography of each garment)
5. Training programme (A4, timeline diagram)
6. Application form (A4, form fields per EDS §08)
7. Contact card (business card size, navy, gold SH, recruitment hotline)

Typography: Same as corporate brochure. **Photography:** Professional category, staff in uniform, genuine workplace settings.

07.24 Presentation Cover

Size: A4 landscape (297 × 210 mm) or 16:9 digital **Stock:** 300 gsm uncoated (print) or digital template

Layout:

- Background: Navy full bleed
- Logo: VT, Gold, 50 mm width, centred, 50 mm from top
- Title: Berlingske Serif Light 32/36 pt, Porcelain, centred, tracked +10
- Subtitle: Berlingske Sans Regular 12 pt, Porcelain 80%, centred, tracked +20
- Gold keyline: 48 mm, 0.5 pt, centred, 16 pt below subtitle
- Date/author: Berlingske Sans Light 10 pt, Porcelain 60%, centred, bottom 30 mm

Digital version: PowerPoint template, per Office Template Suite §02.1

07.25 Municipality Tender Cover

See §07.06 Tender Document Cover. This is the municipal-facing cover — quiet premium, no foil, photocopy-compatible.

Additional requirements:

- Municipal coat of arms: Positioned alongside Premium Care logo, equal size, with 2X clear space
- Tender reference number: Prominent, Mono 10 pt, top right
- Submission date: Prominent, Mono 10 pt, bottom right
- “Confidential” marking: If required, Sans Light 8 pt, Navy 50%, top right

07.26 Email Signature

See Office Template Suite §04.1 for full HTML specification.

Summary:

- HTML table-based, no CSS positioning
- HZ PNG @2×, 160 px wide, 40 KB
- Name: Verdana Bold 13 pt, Navy
- Title: Verdana 11 pt, Gold, +1 px tracking
- Gold rule: 1 px table border, Gold
- Contact: Verdana 10 pt, Navy 70%, line-height 1.6
- LinkedIn icon only: 16 px, Navy
- No banners, no quotes, no social icons beyond LinkedIn

07.27 Social Media Assets

See Part 09 for full social media guidelines.

Summary of asset specifications:

- Avatar: SH gold-on-navy, 1024×1024 px master, tested at 40 px
- LinkedIn cover: 1128 × 191 px, navy, HZ right-aligned, strapline
- Facebook cover: 820 × 312 px
- Instagram grid: 1:1 and 4:5 templates, navy tonal scale + gold accent
- X header: 1500 × 500 px
- YouTube banner: 2560 × 1440 px, safe zone 1546 × 423

07.28 Website Header & Footer

Header:

- Background: Porcelain (default) or Navy (scroll state)
- Logo: HZ, SVG, 40 px height desktop / 32 px mobile
- Colour: Navy on Porcelain / White on Navy
- Navigation: Berlingske Sans Regular 14 pt, Navy, tracked +20
- Clear space: X in CSS padding tokens

Footer:

- Background: Navy
- Logo: VT or SH, SVG, White, 64 px @2×
- Links: Berlingske Sans Regular 12 pt, Porcelain 80%, line-height 1.8
- Gold keyline: 0.5 pt, full width, separating footer from content

- Legal: Berlingske Sans Light 10 pt, Porcelain 60%
- Social icons: LinkedIn only, 16 px, Porcelain

07.29 Client Portal UI

See Part 08 for full digital design guidelines.

Summary:

- Background: Porcelain
- Cards: White, 1 px Navy 10% border, radius 2 px
- Buttons: Navy fill, Porcelain text, Berlingske Sans Medium 14 pt; hover: Navy 90%
- Forms: 0.5 pt Navy 40% rules, Berlingske Sans Regular 14 pt, generous touch targets (44 px)
- Tables: Navy header band, Porcelain text, Warm Grey 4% alternation
- Charts: Navy tonal scale + gold accent
- Alerts: Navy background, Porcelain text, gold interpoint prefix (no red for warnings — red is shield only)

07.30 Employee Portal UI

Same design system as Client Portal, with additional features:

- Dashboard: KPI cards, Navy tonal scale
- Schedule: Calendar view, gold highlights for key dates
- Training: Progress bars, navy fill, gold completion marker
- Messages: Inbox, Porcelain cards, navy unread indicator

PART 08 — DIGITAL DESIGN

08.01 Digital Design Philosophy

The digital expression of Premium Care is the same as the print expression: calm, precise, dignified, and Danish. The screen is not an excuse for clutter or animation. Every pixel must pass the Five Design Tests.

The governing principle: The digital brand is the print brand, translated. Not redesigned, not “made digital.” The same grid, the same type, the same colours, the same restraint.

08.02 Website Design System

Grid: 12-column, 8 px baseline (translated from EDS 12-column, 12 pt baseline at 1 pt : 1.6 px) **Max width:** 1280 px (content), 1440 px (full-bleed images) **Breakpoints:**

- Desktop: 1024 px
- Tablet: 768–1023 px

- Mobile: 767 px
- Small mobile: 375 px

Base unit: 8 px. All spacing, sizing, and positioning are multiples of 8 px (8, 16, 24, 32, 40, 48, 64, 80, 96, 128).

Typography scale (digital):

- Display: 60/64 px (Serif Light)
- H1: 42/48 px (Serif Light)
- H2: 28/32 px (Serif Regular)
- H3: 18/24 px (Sans Medium, tracked, caps)
- H4: 16/20 px (Sans Bold)
- Body: 16/24 px (Sans Regular)
- Caption: 12/16 px (Sans Light)
- Small: 10/14 px (Sans Light)

08.03 Dashboard & Portal Design

Dashboard layout:

- Header: Fixed, 64 px height, Navy or Porcelain
- Sidebar: 240 px width, Navy, icons + labels
- Main area: Flexible, 12-column grid, cards
- Cards: White background, 1 px Navy 10% border, 2 px radius, 24 px padding
- Card header: H3, Sans Medium, Navy, 16 px, border-bottom 1 px Navy 10%
- Card content: Body, Sans Regular, Navy 90%

KPI cards:

- Large number: Serif Light, 48 px, Navy
- Label: Sans Regular, 12 px, Navy 70%, tracked +20, caps
- Trend: Sans Regular, 14 px, Navy 70%, with gold arrow (up) or navy 40% arrow (down)
- Gold accent: One KPI per dashboard may have a gold number (the most important metric)

08.04 Mobile App Design

Platform: iOS and Android (native or cross-platform) **Design system:** Same as website, adapted for mobile constraints

Navigation:

- Bottom tab bar: 5 items maximum, icons + labels, Navy active, Navy 40% inactive
- Top bar: Logo (SH, 24 px), title (Sans Medium, 16 px), actions (icons, 24 px)
- Back button: Chevron + “Back” text, Navy, 16 px

Cards:

- Full-width, 16 px margins
- 1 px Navy 10% border, 2 px radius
- 16 px padding
- Shadow: None (flat design — shadows are clutter)

Buttons:

- Primary: Navy fill, Porcelain text, 48 px height, 2 px radius
- Secondary: Porcelain fill, Navy border 1 px, Navy text, 48 px height
- Tertiary: Navy text, no fill, no border, 48 px height
- Disabled: Navy 15% fill, Navy 40% text

Forms:

- Labels: Sans Medium 12 px, Navy, above field
- Fields: 48 px height, 1 px Navy 40% border, 2 px radius, 16 px padding
- Focus: Border changes to Navy 100%, 2 px width
- Error: Border changes to Navy (not red — red is shield only), error message below field
- Success: Gold checkmark icon, no border change

08.05 Navigation Patterns

Primary navigation (desktop):

- Horizontal, top of page, 64 px height
- Items: Sans Regular 14 px, Navy, tracked +20
- Active: Navy, underline 2 px Gold
- Hover: Navy 70%, underline 1 px Navy 40%
- Dropdown: Porcelain background, Navy text, 1 px Navy 10% border, 2 px radius, 8 px padding

Secondary navigation (sidebar):

- Vertical, 240 px width, Navy background
- Items: Sans Regular 14 px, Porcelain 80%, 48 px height, 16 px padding
- Active: Porcelain, Gold left border 3 px
- Hover: Porcelain 100%, Navy 70% background
- Icon: 24 px, Porcelain, left of label

Breadcrumbs:

- Sans Light 12 px, Navy 70%, separated by gold interpunct •
- Home: SH icon, 16 px, Navy
- Current page: Navy 100%, not linked

08.06 Card Components

Standard card:

- Background: White
- Border: 1 px Navy 10%
- Radius: 2 px
- Padding: 24 px
- Shadow: None

Featured card:

- Background: Navy
- Text: Porcelain
- Border: None
- Radius: 2 px
- Padding: 24 px
- Gold accent: 2 px top border, Gold

Image card:

- Image: Top 60%, 16:9 ratio, full-bleed within card
- Content: Bottom 40%, 24 px padding
- Title: H3, Sans Medium, Navy
- Meta: Sans Light 12 px, Navy 70%

Stats card:

- Number: Serif Light, 48 px, Navy (or Gold for featured)
- Label: Sans Regular 12 px, Navy 70%, tracked, caps
- Trend: Sans Regular 14 px, with directional arrow
- Divider: 1 px Navy 10%, below number

08.07 Button & CTA Styles

Primary button:

- Background: Navy
- Text: Porcelain, Sans Medium 14 px, tracked +20
- Height: 48 px
- Padding: 0 24 px
- Radius: 2 px
- Border: None
- Hover: Navy 90% (slightly lighter)

- Active: Navy 80%, inset 1 px shadow
- Disabled: Navy 15%, Porcelain 60%

Secondary button:

- Background: Porcelain
- Text: Navy, Sans Medium 14 px, tracked +20
- Height: 48 px
- Padding: 0 24 px
- Radius: 2 px
- Border: 1 px Navy
- Hover: Navy 5% background
- Active: Navy 10% background

Tertiary button (text link):

- Background: None
- Text: Navy, Sans Regular 14 px
- Height: 48 px
- Padding: 0 16 px
- Border: None
- Hover: Underline 1 px Navy
- Active: Navy 70%

Gold button (premium CTA):

- Background: Gold
- Text: Navy, Sans Medium 14 px, tracked +20
- Height: 48 px
- Padding: 0 24 px
- Radius: 2 px
- Border: None
- Hover: Gold 90%
- Active: Gold 80%
- Use: Sparingly — one gold button per page maximum. Gold is seasoning, not sauce.

08.08 Form Design

Field labels:

- Sans Medium 12 px, Navy, above field
- Required indicator: Gold interpunct • after label (not red asterisk — red is shield only)

- Optional indicator: “(valgfri)” in Sans Light 10 px, Navy 50%

Text fields:

- Height: 48 px
- Border: 1 px Navy 40%
- Radius: 2 px
- Padding: 0 16 px
- Font: Sans Regular 16 px, Navy
- Placeholder: Sans Regular 16 px, Navy 40%
- Focus: Border 2 px Navy, outline none (custom focus ring: 2 px Navy, 2 px offset)
- Error: Border 2 px Navy (not red), error message below: Sans Regular 12 px, Navy

Textareas:

- Min height: 96 px (2× standard field)
- Same styling as text fields
- Resize: Vertical only

Select dropdowns:

- Same height and border as text fields
- Dropdown arrow: Navy, 16 px, chevron icon
- Options: Porcelain background, Navy text, hover Navy 5%

Checkboxes & radio buttons:

- Size: 20 × 20 px
- Border: 1 px Navy 40%
- Radius: 2 px (checkbox), 50% (radio)
- Checked: Navy fill, Porcelain checkmark (checkbox) or dot (radio)
- Label: Sans Regular 14 px, Navy, 8 px left of input

Date pickers:

- Same styling as text fields
- Calendar icon: Navy, 20 px, right side
- Calendar popup: Porcelain, Navy text, Gold selected date

File uploads:

- Drop zone: Dashed border 1 px Navy 40%, Porcelain background, 96 px height
- Icon: Upload arrow, Navy, 24 px
- Text: Sans Regular 14 px, Navy 70%, “Drag and drop or click to upload”
- File list: Sans Regular 12 px, Navy, with remove icon

08.09 Table & Data Display

Table header:

- Background: Navy
- Text: Porcelain, Sans Medium 12 px, tracked +20, caps
- Padding: 12 px 16 px
- Border: None (colour separates)
- Sort icon: Porcelain, 12 px, chevron

Table body:

- Background: Porcelain / Warm Grey 1 alternation (conditional)
- Text: Sans Regular 14 px, Navy
- Padding: 12 px 16 px
- Border: None
- Figures: Mono Regular 14 px, right-aligned

Table footer:

- Background: Navy 8%
- Text: Sans Bold 14 px, Navy
- Padding: 12 px 16 px

Pagination:

- Previous/Next: Sans Medium 14 px, Navy
- Page numbers: Sans Regular 14 px, Navy
- Active: Navy fill, Porcelain text, 32 px circle
- Hover: Navy 5% background

Empty state:

- Icon: Relevant service icon, Navy 40%, 48 px
- Message: Sans Regular 14 px, Navy 70%, “No data available”
- Action: Tertiary button, “Add new” or “Refresh”

08.10 Modal & Overlay Behaviour

Modal:

- Background overlay: Navy 60% opacity
- Modal window: Porcelain, 2 px radius, no shadow (shadow is clutter)
- Max width: 640 px
- Padding: 32 px
- Header: H3, Sans Medium, Navy, border-bottom 1 px Navy 10%

- Close button: X icon, Navy, 24 px, top right
- Content: Body, Sans Regular, Navy 90%
- Footer: Right-aligned buttons, primary + secondary

Toast notifications:

- Position: Top right, 16 px from edges
- Background: Navy
- Text: Porcelain, Sans Regular 14 px
- Icon: Relevant icon, Porcelain, 20 px, left of text
- Duration: 5 seconds
- Dismiss: X icon, Porcelain 70%, 16 px, right of text
- Animation: Slide in from right, 300 ms, ease-out

Loading overlay:

- Background: Porcelain 80%
- Spinner: Navy, 32 px, rotating (CSS animation, 1 s, linear, infinite)
- Text: Sans Regular 14 px, Navy 70%, below spinner

08.11 Loading & Empty States

Loading states:

- Skeleton screens: Navy 8% blocks, animated pulse (opacity 0.5 → 1.0, 1.5 s, ease-in-out, infinite)
- No spinners on buttons (use button state change instead)
- No progress bars unless the operation takes > 5 seconds

Empty states:

- Icon: Relevant service icon, Navy 40%, 48 px
- Title: H4, Sans Bold, Navy, “Nothing here yet”
- Message: Body, Sans Regular, Navy 70%, helpful guidance
- Action: Tertiary or secondary button, if applicable

Error states:

- Icon: Relevant icon (not red — red is shield only), Navy, 48 px
- Title: H4, Sans Bold, Navy, “Something went wrong”
- Message: Body, Sans Regular, Navy 70%, specific error description
- Action: Primary button, “Try again” or “Contact support”
- Error code: Mono Regular 12 px, Navy 50%, bottom right (for support reference)

08.12 Error & Success States

Error states (no red — red is shield only):

- Border: 2 px Navy (not red)
- Icon: Warning triangle, Navy, 20 px
- Message: Sans Regular 12 px, Navy
- Background: Navy 5% (subtle, not alarming)

Success states:

- Border: 2 px Gold
- Icon: Checkmark, Gold, 20 px
- Message: Sans Regular 12 px, Navy
- Background: Gold 5% (subtle, celebratory but calm)

Warning states:

- Border: 2 px Navy 70%
- Icon: Exclamation, Navy 70%, 20 px
- Message: Sans Regular 12 px, Navy 70%
- Background: Navy 3%

Information states:

- Border: 1 px Navy 40%
- Icon: Info circle, Navy 40%, 20 px
- Message: Sans Regular 12 px, Navy 70%
- Background: Porcelain

08.13 Animation Principles

The governing principle: Animation is purposeful, not decorative. Every animation must serve a functional goal (orientation, feedback, guidance). Never animate for entertainment.

Duration:

- Micro-interactions (button hover, focus): 150 ms
- UI transitions (modal open, page change): 300 ms
- Content reveals (scroll-triggered): 400 ms
- Loading states: 1.5 s cycle

Easing:

- Enter: ease-out (decelerate)
- Exit: ease-in (accelerate)
- Continuous: linear

Properties:

- Opacity: $0 \rightarrow 1$ (fade in)
- Transform: $\text{translateY}(8\text{ px}) \rightarrow \text{translateY}(0)$ (slide up)
- Scale: $0.95 \rightarrow 1.0$ (subtle grow)
- Never: rotate, skew, bounce, elastic, or exaggerated scale

Prohibited animations:

- Parallax scrolling (disorienting, especially for older users)
- Auto-playing carousels (removes user control)
- Particle effects, confetti, or celebratory animations
- Shake or wobble (reads as error or urgency)
- Blur transitions (performance issues, accessibility concerns)
- Infinite animations (distracting, CPU-intensive)

08.14 Responsive Breakpoints

Desktop ($\geq 1024\text{ px}$):

- 12-column grid
- Full navigation
- Side-by-side layouts
- Large imagery
- Max content width: 1280 px

Tablet (768–1023 px):

- 8-column grid
- Collapsed navigation (hamburger menu)
- Stacked layouts (2-column becomes 1-column)
- Medium imagery
- Touch targets: $\geq 44\text{ px}$

Mobile ($\leq 767\text{ px}$):

- 4-column grid
- Bottom tab navigation
- Single-column layouts
- Small imagery
- Touch targets: $\geq 44\text{ px}$
- Font size: 14 px base (minimum for legibility)

Small mobile ($\leq 375\text{ px}$):

- 4-column grid, narrower gutters
- Simplified navigation
- Reduced padding (16 px instead of 24 px)
- Font size: 13 px base

Responsive images:

- Desktop: 1920 px wide
- Tablet: 1200 px wide
- Mobile: 800 px wide
- Small mobile: 600 px wide
- Format: WebP with JPEG fallback
- Lazy loading: All images below the fold

08.15 Dark Mode

Prohibited. Premium Care does not have a dark mode. The brand IS the dark mode — Navy is our dark background, Porcelain is our light text.

Rationale:

- The brand is built on the contrast between Navy and Porcelain. A separate dark mode would require a third palette, violating the proportion doctrine.
- Healthcare environments often use bright lighting. Dark mode is not a clinical standard.
- The brand’s calm authority comes from the Navy ground. A dark mode would invert this relationship.
- Municipal partners and older clients expect consistent, bright interfaces.

Exception: Individual user preference for high contrast is supported via the accessibility settings, which increase contrast within the existing palette (Navy 100% text on Porcelain, or Porcelain 100% on Navy). This is not a dark mode — it is a contrast enhancement.

PART 09 — SOCIAL MEDIA

09.01 Social Media Strategy

Premium Care’s social media presence is an extension of the brand’s voice: warm, precise, dignified, and Danish. Every post must pass the Five Design Tests. Social media is not an excuse for casualness or trend-chasing.

The governing principle: One avatar everywhere. Recognition is built by repetition, not variety.

Content pillars:

1. **Dignity in action** — real moments of care, real staff, real clients (with consent)
2. **Expertise** — clinical insights, care tips, professional development

3. **Community** — staff stories, client testimonials, family perspectives
4. **Heritage** — Danish care tradition, values, organisational milestones

09.02 Platform Guidelines

LinkedIn:

- Primary platform for municipal engagement, recruitment, and professional reputation
- Tone: Professional, authoritative, evidence-based
- Content: Industry insights, recruitment posts, tender wins, staff achievements
- Frequency: 3–4 posts per week
- Avatar: SH gold-on-navy, 400 px master
- Cover: 1128 × 191 px, navy, HZ right-aligned, strapline

Facebook:

- Primary platform for family engagement and community building
- Tone: Warm, accessible, reassuring
- Content: Client stories (with consent), family tips, event announcements, staff spotlights
- Frequency: 2–3 posts per week
- Avatar: Same as LinkedIn
- Cover: 820 × 312 px

Instagram:

- Primary platform for visual storytelling and brand aesthetic
- Tone: Visual-first, emotional, dignified
- Content: Photography (relational, environmental, professional), behind-the-scenes, values visualisation
- Frequency: 4–5 posts per week, 8–10 stories per week
- Avatar: Same as LinkedIn
- Grid: 1:1 and 4:5 templates, navy tonal scale + gold accent
- Stories: 9:16 templates, consistent typography and colour

X (formerly Twitter):

- Secondary platform for news, updates, and quick engagement
- Tone: Concise, professional, responsive
- Content: Company news, industry commentary, quick tips, responses to mentions
- Frequency: 1–2 posts per day
- Avatar: Same as LinkedIn
- Header: 1500 × 500 px

YouTube:

- Secondary platform for video content
- Tone: Documentary, educational, calm
- Content: Staff interviews, care guides, organisational videos, client testimonials (with consent)
- Frequency: 1–2 videos per month
- Avatar: Same as LinkedIn, 800 px master
- Banner: 2560 × 1440 px, safe zone 1546 × 423

09.03 Avatar Specifications**One avatar for all platforms:**

- Mark: SH (Shield Only)
- Colour: Gold shield on Navy ground
- Master: 1024 × 1024 px
- Format: PNG
- Tested at 40 px (minimum display size on most platforms)

Platform-specific crops:

- LinkedIn: 400 × 400 px (centre crop from master)
- Facebook: 170 × 170 px (centre crop)
- Instagram: 110 × 110 px (centre crop)
- X: 400 × 400 px (centre crop)
- YouTube: 800 × 800 px (centre crop)

Rules:

- Never use different avatars for different platforms
- Never use the full logo (VT or HZ) as an avatar (too detailed for small sizes)
- Never use the crown alone (CR) as an avatar (insufficient brand recognition)
- Never use photography as an avatar (inconsistent, difficult to maintain)
- Update avatar only with governed brand changes (Part 12)

09.04 Cover/Banner Specifications**LinkedIn cover:** 1128 × 191 px

- Background: Navy full bleed
- Logo: HZ, White or Gold, right-aligned, 80 px height
- Strapline: Below logo, White or Gold, Sans Light 10 pt equivalent
- No photography (too narrow for meaningful imagery)

- No text other than logo and strapline

Facebook cover: 820 × 312 px

- Background: Navy or photography (environmental or relational)
- Logo: HZ, White or Gold, left-aligned, 60 px height
- Strapline: Below logo, White or Gold, Sans Light 10 pt equivalent
- If photography: Ensure 4.5:1 contrast in logo zone

X header: 1500 × 500 px

- Background: Navy or photography
- Logo: HZ, White or Gold, left-aligned, 80 px height
- Strapline: Below logo, White or Gold
- Similar to Facebook cover but wider

YouTube banner: 2560 × 1440 px

- Safe zone: 1546 × 423 px (centred, all critical content within this zone)
- Background: Navy or photography
- Logo: HZ, White or Gold, left-aligned within safe zone, 100 px height
- Strapline: Below logo, White or Gold
- Additional: “Subscribe” call-to-action, right-aligned within safe zone, Gold

09.05 Post Templates (1:1 and 4:5)

1:1 Post (Instagram, Facebook, LinkedIn):

- Size: 1080 × 1080 px
- Background: Porcelain or Navy
- Photography: Full-bleed or centred, 3:2 or 4:5 ratio within the square
- Text overlay: Minimal, only if contrast is verified (4.5:1)
- Logo: SH, 40 px width, bottom right, 20 px from edges
- Caption area: Below image (not on image), Sans Regular 14 pt, Navy

4:5 Post (Instagram, Facebook):

- Size: 1080 × 1350 px
- Background: Porcelain or Navy
- Photography: Full-bleed or top 60%, 4:5 or 3:2 ratio
- Text: Below image, 40% of height, Porcelain or Navy background
- Title: H3, Sans Medium, Navy, 18 px, tracked
- Body: Sans Regular 14 px, Navy 90%, 3–4 lines maximum
- CTA: Tertiary button style, Navy text, “Read more” or “Learn more”

- Logo: SH, 40 px, bottom right

Quote post:

- Background: Navy
- Quote mark: Gold, 48 px, top left
- Quote text: Serif Light Italic, 24 px, Porcelain, centred, max 12 words
- Attribution: Sans Light 12 px, Porcelain 70%, below quote, gold keyline above
- Logo: SH, 40 px, bottom right

Values post:

- Background: Porcelain
- Value: Sans Medium 18 px, Navy, tracked, caps, centred
- Definition: Serif Regular 16 px, Navy 90%, centred, 3–4 lines
- Gold keyline: 24 mm, 0.5 pt, centred, below definition
- Logo: SH, 40 px, bottom right

09.06 Story Templates (9:16)

Size: 1080 × 1920 px **Duration:** 5–7 seconds per frame **Format:** PNG or MP4 (if animated)

Story frames:

1. **Title frame:** Navy, SH Gold centred, title in Serif Light 32 px Porcelain, 2-second hold
2. **Content frame:** Photography or Porcelain background, text in Sans Regular 18 px Navy, 5-second hold
3. **CTA frame:** Navy, “Swipe up” or “Link in bio”, Gold text, SH logo, 3-second hold

Typography:

- All text: Sans Regular 18 px, Navy or Porcelain depending on background
- Titles: Sans Medium 24 px, tracked +20
- No more than 3 lines of text per frame
- Text positioned in the safe zone (top and bottom 200 px avoided — UI overlays)

Animation:

- Fade in: 300 ms
- Hold: 5 seconds
- Fade out: 300 ms
- No complex animations (swipe, bounce, spin)

09.07 Content Categories & Frequency

Weekly content calendar (example):

Day	Platform	Category	Format
Monday	LinkedIn	Expertise	Article share + insight
Tuesday	Instagram	Dignity in action	Photography + story
Wednesday	Facebook	Community	Staff spotlight
Thursday	LinkedIn	Recruitment	Job post + values
Friday	Instagram	Heritage	Values visualisation
Saturday	Facebook	Community	Family tip / advice
Sunday	Instagram	Dignity in action	Behind-the-scenes

Daily stories: 8–10 frames, mixed content (polls, Q&A, tips, behind-the-scenes)

Monthly themes:

- January: New year, new beginnings, recruitment drive
- February: Heart health, client love stories
- March: Spring, home environments, environmental photography
- April: Staff appreciation, professional development
- May: Dementia awareness, Demensomsorg focus
- June: Summer care, outdoor activities
- July: Mid-year review, organisational milestones
- August: Back to routine, care planning
- September: World Alzheimer's Month, dementia focus
- October: Autumn, comfort, home care
- November: Gratitude, client testimonials
- December: Year in review, holiday wishes (dignified, not festive)

09.08 Hashtag Strategy

Primary hashtags (use on every post):

- #PremiumCare
- #OmsorgTryghedHverDag
- #DanskOmsorg

Secondary hashtags (rotate, 3–5 per post):

- #Hjemmeplejje #Sygepleje #Demensomsorg #Fysioterapi #Ergoterapi
- #Værdighed #Tryghed #Nærvær #Faglighed #Ordentlighed
- #PlejeHjemme #Ældrepleje #KommunalKontrakt
- #SOSU #Sygeplejerske #Plejehjælp

Tertiary hashtags (occasional, 1–2 per post):

- #Danmark #København #Aarhus #Odense #Aalborg (location-based)

- #Sundhed #Velfærd #Omsorg (industry)

Prohibited hashtags:

- Generic wellness hashtags (#wellness, #selfcare, #mindfulness)
- Trending hashtags unrelated to care (#MondayMotivation, #ThrowbackThursday — unless genuinely relevant)
- Hashtag stuffing (never more than 10 hashtags per post)
- Branded hashtags of other companies

09.09 Paid Social Guidelines

Objective: Brand awareness, recruitment, municipal engagement (not direct sales)

Targeting:

- Primary: Adults 45–65, Denmark, interests: elderly care, family, health
- Secondary: Municipal employees, procurement officers, healthcare administrators
- Tertiary: Healthcare professionals, nurses, SOSU assistants

Creative:

- Photography-led (relational and environmental)
- Minimal text overlay (Facebook 20% text rule)
- Logo: SH, 40 px, bottom right
- CTA: “Learn more”, “Apply now”, “Contact us” (never “Buy now” or “Order”)

Budget:

- Monthly: DKK 10,000–20,000 (awareness + recruitment)
- Municipal campaigns: DKK 30,000–50,000 (targeted, time-bound)
- Always: A/B test creative, measure engagement rate and click-through rate

Prohibited:

- Fear-based creative (“Don’t let your parents suffer alone”)
- Price-led creative (“Affordable care from DKK 199/hour”)
- Before/after imagery (undignified)
- Stock photography (must be brand photography)
- Auto-play video with sound (violates calm principle)

09.10 Crisis Communication (Social)

In the event of a crisis (negative publicity, incident, complaint):

1. **Pause all scheduled posts.** Immediately. Silence is better than tone-deaf content.
2. **Assess the situation.** Is it a local incident or national news? Is it fact or rumour?
3. **Draft a response.** One sentence, warm precision. No defensiveness, no legal jargon.
4. **Get approval.** CEO + Brand Custodian + Legal (if applicable).

5. **Post the response.** On all platforms, simultaneously. Same message, adapted for platform length.
6. **Monitor.** Respond to comments individually, with the same warm precision. Never argue.
7. **Resume scheduled content** only when the crisis has passed and the tone is appropriate.

Response template: “We are aware of [situation]. The dignity and safety of those in our care is our absolute priority. We are [action taken]. We will share more when we can. — Premium Care”

Never:

- Delete negative comments (unless abusive or illegal — then report, don’t delete)
 - Respond with corporate boilerplate
 - Blame individuals or municipalities
 - Go silent for more than 24 hours without explanation
-

PART 10 — MOTION & VIDEO

10.01 Motion Philosophy

Premium Care is a calm brand. Motion must serve this calm, not disrupt it. Every animation, transition, and video edit must reduce anxiety, not create it.

The governing principle: Motion is purposeful, not decorative. If removing the animation improves the experience, remove it.

10.02 Logo Animation Rules

Permitted logo animations:

1. **Fade in:** Logo fades from 0% to 100% opacity, 400 ms, ease-out. Simple, calm, dignified.
2. **Draw in:** The shield outline draws from top-left to bottom-right, 600 ms, linear. The cross, figures, crown, and wordmark fade in sequentially, 200 ms each, after the shield completes. Total: 1.4 s.
3. **Reveal:** A Porcelain panel slides away to reveal the logo beneath, 400 ms, ease-out. Used for presentation title cards.

Prohibited logo animations:

- Spin, rotate, or flip
- Bounce, elastic, or spring
- Scale up from zero (too dramatic)
- Particle effects or dissolves
- 3D rotation or perspective shifts
- Glitch or distortion effects
- Sound effects (the brand is silent)

Timing:

- Logo animation: 1.0–1.5 seconds maximum

- Hold on logo: 2.0 seconds minimum (must be readable)
- Total logo sequence: 3.0–4.0 seconds

10.03 Video Title Cards

Format: 16:9 (1920 × 1080 px) or 9:16 (1080 × 1920 px) for social **Duration:** 3–5 seconds

Layout:

- Background: Navy full bleed
- Logo: VT, Gold, 80 mm width (16:9) or 60 mm width (9:16), centred, 40 mm from top
- Title: Serif Light 28/32 pt, Porcelain, centred, tracked +10
- Subtitle: Sans Regular 12 pt, Porcelain 80%, centred, tracked +20
- Gold keyline: 48 mm, 0.5 pt, centred, 12 pt below subtitle

Animation:

- Fade in: 400 ms, ease-out
- Hold: 3–5 seconds
- Fade out: 400 ms, ease-in

10.04 Lower Thirds & Captions

Lower third:

- Background: Navy, 80 px height, full width
- Name: Sans Medium 18 pt, Porcelain, left-aligned, 40 px from left
- Title: Sans Regular 14 pt, Porcelain 70%, below name
- Logo: SH, 30 px height, right-aligned, 40 px from right
- Gold keyline: 1 px, top edge of lower third
- Animation: Slide up from bottom, 300 ms, ease-out

Captions (subtitles):

- Background: Navy 80% opacity, 48 px height
- Text: Sans Regular 16 pt, Porcelain, centred
- Position: Bottom, 48 px from bottom edge
- Two lines maximum
- Duration: Match speech, plus 200 ms buffer

10.05 Transitions

Permitted transitions:

1. **Cut:** Direct cut. The default. Most calm, most dignified.
2. **Fade:** Cross-fade, 400 ms. For gentle scene changes.

3. **Slide:** Horizontal slide, 300 ms, ease-out. For sequential content (e.g., care process steps).

Prohibited transitions:

- Wipe, push, or peel
- Zoom or scale transitions
- Spin or rotate transitions
- Page curl or flip
- Mosaic or tile
- 3D transitions (cube, doorway, etc.)
- Flash or strobe effects

10.06 Sound Design

Prohibited. Premium Care is a silent brand. No music, no sound effects, no voice-over jingles, no background tracks.

Rationale:

- Sound is intrusive. The brand is calm and respectful. Music forces an emotional response.
- Municipal and clinical environments often require silent viewing.
- The brand's voice is written, not spoken. The strapline is read, not heard.
- Accessibility: Background music interferes with screen readers and hearing aids.

Exception:

- Client testimonials may include natural ambient sound (the home environment, gentle conversation). No added music.
- Staff interviews may include natural ambient sound. No added music.
- Training videos may include instructional narration. No background music.

10.07 Video Grading

The grade: Natural Nordic daylight, slightly warm, gentle contrast, true skin tones. Identical to the photography grade (Part 06).

Technical specifications:

- Colour temperature: 5200–5500 K with +200–300 K warmth
- Contrast: Low to medium
- Saturation: Natural, slightly desaturated (-5% to -10%)
- Highlights: Soft, never blown
- Shadows: Detail preserved
- Skin tones: True to life, no artificial smoothing

Post-processing rules:

- No heavy filters or LUTs
- No HDR or tone mapping
- No artificial lens flare
- No vignettes
- No skin smoothing or beauty retouching
- Colour correction only to achieve the specified grade

10.08 Social Video Formats

Instagram Reels / TikTok:

- Size: 9:16 (1080 × 1920 px)
- Duration: 15–60 seconds
- Format: MP4, H.264
- Frame rate: 30 fps
- Audio: Silent (no music, no sound effects)
- Captions: Mandatory (accessibility), Sans Regular 16 px, Navy or Porcelain depending on background

LinkedIn video:

- Size: 16:9 (1920 × 1080 px) or 1:1 (1080 × 1080 px)
- Duration: 30 seconds – 10 minutes
- Format: MP4, H.264
- Frame rate: 30 fps
- Audio: Silent or natural ambient only
- Captions: Mandatory

YouTube:

- Size: 16:9 (1920 × 1080 px minimum, 4K preferred)
- Duration: 2–10 minutes
- Format: MP4, H.264 or H.265
- Frame rate: 24 or 30 fps
- Audio: Silent or natural ambient only
- Captions: Mandatory (YouTube auto-captions reviewed and corrected)

10.09 Presentation Video

Format: 16:9 (1920 × 1080 px) **Duration:** 2–5 minutes **Purpose:** Brand introduction for website, tender submissions, recruitment

Structure:

1. Title card (3 s): Navy, VT Gold, “Premium Care”, strapline
2. Brand story (30 s): Environmental photography, slow pan, no text overlay
3. Values (30 s): One value per 6 s, navy background, gold text, Serif Light
4. Services (60 s): Service icons animate in sequence, with brief descriptions
5. Testimonial (30 s): Client or family member, natural ambient sound, captions
6. Staff (30 s): Professional photography, slow pan, captions
7. CTA (15 s): Navy, “Contact us”, website, phone, SH Gold

Animation:

- All fades and cuts only
- No transitions beyond fade and cut
- No music, no sound effects
- Captions throughout

10.10 Advertisement Guidelines

Format: Print, digital display, social, outdoor **Objective:** Brand awareness, recruitment, municipal engagement (not direct response)

Print advertisement:

- Size: Full page (A4) or double-page spread
- Background: Navy or photography
- Logo: VT or HZ, Gold or White, 40 mm width
- Headline: Serif Light 24/28 pt, Porcelain or Navy, max 8 words
- Body: Sans Regular 10/14 pt, Navy 90%, max 50 words
- CTA: Tertiary button style, “Learn more” or “Contact us”
- Strapline: Below CTA, Gold or Navy, Sans Light 8 pt
- No price, no offer, no urgency

Digital display:

- Sizes: 300×250, 728×90, 160×600, 320×50 (mobile)
- Background: Navy or Porcelain
- Logo: SH, 30 px width
- Headline: Sans Medium 14 px, Navy or Porcelain, max 5 words
- CTA: Secondary button style, “Learn more”
- Animation: Fade in only, 3-second loop maximum
- No video, no auto-play audio

Outdoor (bus shelter, billboard):

- Size: Per media owner specifications
 - Background: Navy full bleed
 - Logo: HZ, White, 200 mm width (scaled to viewing distance)
 - Headline: Serif Light 60 pt, Porcelain, max 5 words
 - Strapline: Below headline, Gold, Sans Light 20 pt
 - No body text (illegible at distance)
 - No phone number (illegible at distance)
 - No QR code (distracting, rarely scanned)
-

PART 11 — TEMPLATES

11.01 Template Philosophy

Templates embed the brand at the point of creation. They ensure that every document — whether produced by a designer in Copenhagen or a caseworker in Aarhus — carries the Premium Care standard.

The governing principle: Internal documents receive the same typographic care as client materials. We do not keep two standards.

11.02 Microsoft Word — Letterhead

See Office Template Suite §01.1 for full specification.

11.03 Microsoft Word — Report

See Office Template Suite §01.2 for full specification.

11.04 Microsoft Word — Tender Response

See Office Template Suite §01.3 for full specification.

11.05 Microsoft Word — Memo

See Office Template Suite §01.4 for full specification.

11.06 Microsoft PowerPoint — 16:9 Master

See Office Template Suite §02.1 for full specification.

11.07 Microsoft PowerPoint — Title Slide

See Office Template Suite §02.1 for full specification.

11.08 Microsoft PowerPoint — Content Slides

See Office Template Suite §02.1 for full specification.

11.09 Microsoft PowerPoint — Chart Templates

See Office Template Suite §02.1 for full specification.

11.10 Microsoft Excel — Report Workbook

See Office Template Suite §03.1 for full specification.

11.11 Microsoft Excel — Branded Header Row

See Office Template Suite §03.1 for full specification.

11.12 Email Template — HTML Signature

See Office Template Suite §04.1 for full specification.

11.13 Email Template — Newsletter

See Office Template Suite §04.2 for full specification.

11.14 PDF Export Standards

See Office Template Suite §05.1 for full specification.

PART 12 — GOVERNANCE

12.01 Brand Custodian Role

The Brand Custodian is a named individual holding day-to-day authority over the brand identity. The Custodian is the guardian of consistency, the arbiter of ambiguity, and the gatekeeper of change.

Responsibilities:

- Maintain the master repository of brand assets
- Hold the physical swatch cards (gold, navy, red)
- Approve Tier 2 applications (new uses of existing assets)
- Review and approve all external communications for brand compliance
- Manage the asset library and version control
- Conduct brand training and induction
- Escalate Tier 3 requests to the Executive Board
- Maintain the Asset Register (CSV, custodian-held)

Qualifications:

- Senior designer or marketing lead with 5+ years brand management experience
- Trained in the Brand Bible, EDS, and Master Implementation Specification
- Authorised by the Executive Board in writing

- Named deputy at all times (in case of absence)

Term: 2 years, renewable. Handover to new Custodian includes full asset transfer, training, and signed acknowledgement.

12.02 Approval Tiers

Tier 1 — Correct use of released assets and templates:

- Authority: Self-service
- Examples: Using the Word letterhead template, posting approved social content, using the email signature
- Process: No approval required. Follow the templates and guidelines.
- Monitoring: Random sampling of outgoing documents for compliance.

Tier 2 — New applications of existing assets:

- Authority: Brand Custodian
- Examples: New signage location, new uniform garment, new brochure format, new social media campaign, new presentation template
- Process: Submit brief to Custodian → Custodian reviews against Bible and Manual → Approval or feedback → Proceed or revise
- Timeline: 3–5 business days
- Documentation: Approved applications logged in Asset Register

Tier 3 — Changes touching logo, palette, typography, strapline, or architecture:

- Authority: Executive Board
- Examples: New logo lockup, new colour, new typeface, strapline change, new service line architecture, rebrand
- Process: Submit proposal to Executive Board → Board reviews against Bible → If approved, Bible amendment first → New asset release (v2.0) → Update Manual → Notify all stakeholders → Sunset date for superseded assets
- Timeline: 3–6 months
- Documentation: Bible amendment, new asset release, updated Manual, stakeholder notification

12.03 Agency & Supplier Onboarding

Every new agency, designer, printer, sign fabricator, embroiderer, vehicle wrapper, or other supplier must complete the onboarding process before receiving brand assets.

Onboarding steps:

1. **Receive governing documents:** Brand Bible v1.0, EDS v1.0, Master Implementation Specification v1.0, Brand Identity Manual v1.0
2. **Sign compliance confirmation:** Written acknowledgement that they have read and understood the documents

3. **Attend briefing:** 1-hour brand briefing with the Custodian (in-person or video)
4. **Produce approved sample:** Physical sample (proof, sew-out, foil pull, sign shop drawing, vehicle placement drawing) approved before first production
5. **Receive asset release:** Read-only folder with commission-relevant assets, transmittal note with version and expiry
6. **Sign off:** Supplier QA signature + Premium Care Custodian counter-signature

Ongoing:

- Annual refresher briefing
- New asset releases distributed automatically
- Non-compliance: Gentle correction first, escalation to line manager if repeated, removal from approved supplier list if persistent

12.04 Asset Library Management

Master repository: Custodian-held, secure server, password-protected **Folder structure:** Per Master Implementation Specification §06

Version control:

- Semantic versions: v1.0, v1.1 (correction), v2.0 (governed change)
- Immutable releases: Corrections produce a new full release folder — files are never edited in place
- Asset Register: CSV file, custodian-held, authoritative index of what is current
- Superseded releases: Move to `_ARCHIVE/` with transmittal note (date, reason, approver)

Distribution:

- Suppliers receive read-only, commission-relevant folders with transmittal note (release version, permitted use, expiry)
- Assets are never emailed loose; links expire
- Internal staff access via brand intranet (password-protected)
- Municipal partners receive templates via secure transmittal with version note

12.05 Version Control & Archiving

Version numbering:

- v1.0 → v1.1: Correction (technical fix, no visible change) — Custodian approval
- v1.x → v2.0: Governed change to the mark, palette, or type — Executive Board, recorded as Bible amendment first

Archive procedure:

- Superseded releases move intact to `14_Archive/`
- Transmittal note: Date, contents changed, approver, approval tier
- Retention: 20 years — signage, fleet, and embroidered garments outlive campaigns

- Disputes settled against the release that was current at production date

12.06 Change Management Procedure

Step 1: Request

- Any stakeholder may submit a change request to the Custodian
- Request must include: reason, proposed change, impact assessment, examples

Step 2: Assessment

- Custodian assesses against the Bible and Manual
- If Tier 1: Custodian approves or declines
- If Tier 2: Custodian approves, declines, or escalates to Executive Board
- If Tier 3: Custodian escalates to Executive Board with recommendation

Step 3: Decision

- Tier 1: Immediate
- Tier 2: 3–5 business days
- Tier 3: Executive Board meeting, 3–6 months

Step 4: Implementation

- Bible amendment (if Tier 3)
- Specification update
- Manual update
- Template update
- New asset release
- Supplier notification with sunset date

Step 5: Communication

- Internal: All staff notified via intranet and email
- External: All suppliers notified via transmittal
- Municipal: Key partners notified personally by Custodian

12.07 Review Cycle

Brand Bible: Reviewed every 24 months. Purpose, values, and logo doctrine are exempt from routine review (they are permanent).

Editorial Design System: Reviewed every 12 months for technical currency (new formats, platform sizes, standards).

Master Implementation Specification: Reviewed every 12 months for technical currency (formats, platform sizes, standards) — technical review may update §05 and §11 sizes at Custodian level without touching doctrine.

Brand Identity Manual: Updated continuously as new applications are approved. Major revision (v2.0) with Bible amendment.

Asset library: Continuously updated with new releases. Full audit annually.

12.08 Trademark & Legal Protection

Trademarks:

- Premium Care — word mark, Denmark and EU
- Shield logo — figurative mark, Denmark and EU
- Strapline “Omsorg • Tryghed • Hver Dag” — slogan mark, Denmark
- Monogram MG — figurative mark, Denmark

Protection:

- Monitor: Quarterly trademark watch for conflicting marks
- Enforce: Cease and desist for unauthorised use
- Register: New territories as business expands (Nordic countries first)
- Renew: All marks renewed 6 months before expiry

Usage rights:

- Employees: Unlimited use for business purposes
- Partners: Per written agreement, with compliance confirmation
- Suppliers: Per commission, with asset release terms
- Public: No unauthorised use permitted

12.09 Quality Assurance Checklist

No artwork is released to production until every line is initialled:

Colour Swatches from brand library only, correctly named Spot/CMYK per Specification §04 for the process in hand Gold material sample approved against master swatch card Total ink 300% Overprint preview checked

Logo integrity Derived from current release master (version confirmed against Asset Register) No redrawing, re-setting, distortion, effects Correct lockup for context per Part 02 hierarchy Colourway permitted on this ground

Spacing & size Clear space X (2X on glass) verified with measurement, not eye At or above minimum size Placement per application drawing

Typography Berlingske weights per Part 04, or approved fallback stack Danish characters æ ø å render correctly No invented styles

Files Correct format for process (Specification §05) Correct naming incl. version Fonts outlined in print files; live-type companion archived

Resolution Vector where required; raster 300 ppi print / @2× digital No upsampled images

Accessibility Contrast pairs verified Tagged/alt-texted if PDF Greyscale-safe if tender

Print readiness 3 mm bleed PDF/X-4 Proof approved (Fogra contract proof for first runs) Stock and finish per Part 07

Approvals Test sample approved where physical (sew-out, foil pull, vinyl swatch, sign shop drawing) Custodian sign-off recorded in Asset Register with date and reference

Final sign-off: Supplier QA signature + Premium Care Custodian counter-signature. Undocumented approval is no approval.

12.10 Training & Induction

New employee induction (all staff):

- 30-minute brand overview: Story, values, personality, logo recognition
- 15-minute template walkthrough: Word, PowerPoint, email signature
- 5-minute photography ethics: Consent, dignity, prohibited shots
- Handout: One-page brand summary card (credit card size, navy, gold SH)

Designer/agency onboarding:

- 2-hour brand deep-dive: Bible, EDS, Manual, Specification
- 1-hour asset library training: Folder structure, naming, version control
- 30-minute QA checklist walkthrough: Initial every line
- Handout: Full Manual (digital), asset release (commission-specific)

Annual refresher (all staff who produce documents):

- 15-minute update: What's new, what's changed, common violations
- Quiz: 5 questions, must score 4/5 to pass
- Certificate: Digital badge, "Premium Care Brand Certified"

Municipal partner onboarding:

- 1-hour brand briefing: Positioning, voice, tender requirements
- Template distribution: Word tender template, PowerPoint template
- Compliance confirmation: Signed acknowledgement
- Ongoing support: Custodian available for questions

12.11 Internal Brand Champions

Programme: One brand champion per department (Care, Nursing, Admin, Marketing, HR, Municipal Relations)

Role:

- First point of contact for brand questions within their department
- Escalate to Custodian when unsure
- Monitor department output for brand compliance
- Conduct informal training and reminders

- Attend quarterly brand champion meetings

Qualities:

- Respected by colleagues
- Detail-oriented
- Enthusiastic about the brand
- Good communicator

Recognition:

- “Brand Champion” badge on ID badge (gold crown accent)
- Annual recognition at company event
- Priority access to brand training and events

12.12 Enforcement & Compliance

Monitoring:

- Random sampling of outgoing documents (monthly)
- Social media audit (quarterly)
- Website audit (quarterly)
- Municipal tender review (per submission)
- Supplier sample review (per production run)

Non-compliance levels:

1. **Minor:** Typography error, minor colour deviation, incorrect template use. Corrected with gentle feedback.
2. **Moderate:** Incorrect logo use, missing clear space, wrong colourway. Corrected with formal feedback, retraining required.
3. **Major:** Logo redrawn, strapline altered, red used as accent, AI-generated imagery. Corrected with immediate withdrawal, formal warning, potential disciplinary action.

Escalation:

- Minor: Line manager + Custodian feedback
- Moderate: Line manager + HR + Custodian meeting
- Major: Executive Board + HR + Legal review

Supplier non-compliance:

- First instance: Correction required, retraining
- Second instance: Formal warning, sample re-approval required
- Third instance: Removal from approved supplier list

End of Brand Identity Manual Parts 01–12 v1.0. This document, together with Part 00 (Opening), the Brand Bible v1.0, the Editorial Design System v1.0, and the Master Implementation Specification v1.0, constitutes the complete governing framework for the Premium Care brand identity.

Upon approval, this manual is frozen and distributed to all stakeholders. The next review is scheduled for July 2028.