

PREMIUM CARE

Presentation Board Programme

The Complete Visual Identity Presentation — 14 A3 Plates

Version 1.0 · Confidential Built on the Editorial Design System v1.0 templates Governed by the Brand Bible v1.0 and Master Implementation Specification v1.0

PRODUCTION NOTE

These 14 boards constitute the identity presentation deck — the visual evidence of the brand system, delivered to stakeholders, agencies, and municipal partners. Each board is a landscape A3 plate (420 × 297 mm) built on the EDS grid system (12 columns × 6 rows, 20 mm margins, 3 mm bleed).

Every board carries the running furniture of the EDS:

- Running header: section number + title, Berlingske Sans Light 7.5 pt, tracked +80, small caps, Premium Navy 70%, aligned outer margin
- Folio: page number, Berlingske Serif Regular 8 pt, outer foot corner, preceded by 6 mm gold keyline dash
- Running footer: “Premium Care · Brand Identity Manual · v1.0”, Sans Light 6.5 pt, Navy 50%, inner foot

Print specification: 300 gsm matte laminate cover stock, 150 gsm uncoated body, Otabind lay-flat binding. Cover: navy, gold foil Pantone 871.

BOARD 01 — PRIMARY LOGO

Template: T8 (Three-column card modules)

Layout:

- Background: Split field — left 50% Porcelain, right 50% Premium Navy
- Left panel: Full Colour (FC) vertical lockup at 80 mm width, centred vertically
- Right panel: White (WH) vertical lockup at 80 mm width, centred vertically on navy ground
- Below: Six colourway swatches in a row (FC, NV, WH, BK, GD, 1C) at 40 mm each
- Caption: “The primary logo exists in six colourways. Each is produced in every relevant format. FC is the default on light grounds. GD is reserved for premium contexts on navy.”

Typography:

- Board title: “Primary Logo” — H1, Serif Light 34/36 pt, Navy, sits on row 2
- Colourway labels: H3, Sans Medium 11/12 pt, +60 tracking, ALL CAPS, below each swatch
- Caption: Body, Sans Regular 9.5/12 pt, 5-column measure, ragged right

Gold keyline: 24 mm rule, 0.5 pt, above H1, aligned to text column

BOARD 02 — SECONDARY LOCKUPS

Template: T8 (Three-column card modules)

Layout:

- Background: Porcelain full bleed
- Top row: Horizontal (HZ) lockup at 120 mm width, full colour
- Second row: Shield Only (SH) at 60 mm, Wordmark Only (WM) at 100 mm, Monogram (MG) at 40 mm, Crown (CR) at 30 mm
- Third row: Favicon states (16×16, 32×32, 48×48 px) at actual pixel size, enlarged 10× for visibility with “actual size” indicator
- Deployment hierarchy diagram: VT → HZ → SH → CR/MG → WM, with arrows and usage contexts

Typography:

- Board title: “Secondary Lockups” — H1
- Lockup labels: H3, Sans Medium, below each mark
- Hierarchy labels: Sans Regular 8 pt, Mono for codes

Special element: Gold keyline separating the hierarchy diagram from the lockup display

BOARD 03 — CONSTRUCTION, CLEAR SPACE & MINIMUM SIZES

Template: T3 (Diagram)

Layout:

- Background: Porcelain
- Central diagram: The VT lockup with construction grid overlaid
- Grid: 1 mm increments, hairline 0.25 pt navy 40%
- Dimension lines: Mono 7 pt, showing X measurements (crown height, shield height 5X, wordmark cap 1.1X, strapline cap 0.45X)
- Clear space box: Dashed gold line showing X on all four sides, with “X = Crown Height” label
- Minimum size table: Bottom right, showing print/digital/embroidery minimums for each lockup
- Optical corrections callouts: Small arrows pointing to entasis, cross elevation, crown jewel overhang

Typography:

- Board title: “Construction & Clear Space” — H1
- Dimension labels: Mono 7 pt, Navy

- Table header: Sans Medium 8 pt, +40 tracking, caps, Navy header band
- Table body: Sans Regular 8 pt, warm grey 4% alternation

Special element: “The Doctrine Plate” — this board is the reference for all production artists. It must reproduce perfectly at any scale.

BOARD 04 — CORRECT / INCORRECT

Template: T9 (Comparison — split at column 6/7)

Layout:

- Left side (columns 1–6): “Correct Use” — Porcelain ground, navy header band
- Right side (columns 7–12): “Incorrect Use” — Warm Grey 4% ground, navy header band
- 12 misuse examples, each with navy-40% cross (per EDS §04)

Correct examples (left):

1. Full colour on Porcelain
2. White on Navy
3. Navy on White
4. Gold on Navy
5. Black on White
6. Minimum size respected

Incorrect examples (right):

1. Full colour on Navy (red/gold conflict — fails calm test)
2. Gold on White (fails accessibility — 2.9:1 contrast)
3. Stretched/distorted proportions
4. Rotated or tilted
5. Strapline removed from VT without approval
6. Shield recoloured independently
7. Wordmark replaced with different font
8. Crown separated from shield
9. Used inside another shape
10. Drop shadow or glow effect applied
11. Placed on busy photography without contrast zone
12. Below minimum size

Typography:

- Board title: “Correct Use / Incorrect Use” — H1

- Section headers: “Approved” and “Prohibited” — H2 with gold keyline
- Each example: Caption, Sans Light 7.5 pt, gold interpunct prefix
- Cross marks: Navy 40%, 12 pt height

Special element: Gold keyline as the vertical divide between correct and incorrect columns

BOARD 05 — LOGO ON PHOTOGRAPHY

Template: T5 (Photography — single hero)

Layout:

- Full-bleed hero image: Relational photography, carer and client at eye level, natural Nordic light
- Logo placement: Bottom right, in a contrast-verified zone
- Contrast zone diagram: Overlay showing the 4.5:1 minimum contrast area, with measurement callouts
- Three smaller examples below: Logo on environmental (Danish home interior), logo on professional (uniformed staff), logo on dark photography (evening care scene)

Typography:

- Board title: “Logo on Photography” — H1, positioned in the reservoir column (col 1–2)
- Caption: “The logo always sits in a contrast-verified zone. On photography, a minimum 4.5:1 local contrast is measured, not judged by eye.” — Sans Light 7.5 pt, gold interpunct, below image
- Example labels: H3, Sans Medium, below each thumbnail

Special element: Contrast measurement overlay — a technical diagram showing the WCAG contrast calculation for the specific image

BOARD 06 — BUSINESS CARD

Template: T2 (Image-heavy)

Layout:

- Left 60%: Hero photograph — business card in hand, foil catching natural light, shallow depth of field
- Right 40%: Detail crop — embroidery stitch, foil edge, paper texture at 2× magnification
- Below image: Production specification block

Production specification:

Size: 85 × 55 mm

Stock: 540 gsm triplex — Porcelain outer plies, navy core

Front: Gold foil VT + name in Pantone 282

Reverse: Navy solid with WH logo

Finish: No lamination — the uncoated hand is the luxury
Foil die: From SH/VT foil master

Typography:

- Board title: “Business Card” — H1
- Production spec: Mono 7 pt, Navy, in a Note callout box (Porcelain panel, 0.5 pt gold border)
- Caption: “Shown in hand or on oak at 30–45°. Foil catching light honestly.” — Sans Light 7.5 pt

Special element: The detail crop is mandatory — it demonstrates the craft that makes the card premium

BOARD 07 — LETTERHEAD & ENVELOPE

Template: T2 (Image-heavy)

Layout:

- Full-bleed flat-lay: Letterhead, envelope, and business card arranged on light oak surface at 90°
- Subtle paper texture visible
- Single dominant light source from upper left, soft shadow
- Detail crop: Paper fibre and foil edge at 2×

Production specification:

Letterhead: A4 portrait, 120 gsm premium uncoated
Print: Litho Pantone 282 + 4515
Stock: Laser-guaranteed (must survive office printers)
Follow-on sheet: CR only, top right

Envelope: DL, C5, C4 — 120 gsm matching
Print: Pantone 282 single colour
Logo: HZ on flap

Typography:

- Board title: “Letterhead & Envelope” — H1
- Production spec: Note callout box
- Caption: “Stationery flat-lay, 90°. Subtle paper texture. One application per image.” — Sans Light 7.5 pt

BOARD 08 — VEHICLE

Template: T2 (Image-heavy)

Layout:

- Left 70%: ¾ front view of navy vehicle on neutral Danish street, gold HZ livery visible on side
- Right 30%: Side elevation drawing with dimension annotations (HZ placement, height, legal text position)
- Detail crop: Vinyl seam, reflective strip, wheel arch badge

Production specification:

Body: Navy RAL 5011 or full cast wrap equivalent
Side: HZ in gold cast vinyl ≥ 350 mm, aligned to body feature line
Bonnet: SH ≥ 200 mm
Rear: HZ + website in WH, legal text and CVR in WH 25 mm
Reflective: WH detailing for night visibility (Tryghed extends to traffic)
Placement: Drawing per vehicle model approved before fleet application

Typography:

- Board title: “Vehicle Fleet” — H1
- Production spec: Note callout box
- Dimension annotations: Mono 7 pt, on the elevation drawing
- Caption: “No gradients, no supergraphics sweeping across panels. The livery is calm.” — Sans Light 7.5 pt

Special element: The elevation drawing is a technical document, not a sketch — it must be dimensionally accurate

BOARD 09 — UNIFORM

Template: T2 (Image-heavy)

Layout:

- Left 60%: Clinical scrubs on real body in real light, VT embroidery on left chest, embroidery legible
- Right 40%: Detail crop — stitch density, thread colour match, fabric texture
- Below: Three uniform variants — polo shirt, winter jacket, high-visibility (EN ISO 20471 compliant)

Production specification:

Scrubs: VT (no strapline) 60 mm, GD on navy / NV on light grey
Position: Left chest, 190-200 mm below shoulder seam, centred on chest panel
Thread: Madeira Polyneon polyester, lab-dipped to Pantone 282 (navy), 186 (red), antique gold matched to ↩ 871
Metallic thread: PROHIBITED — abrades skin, fails 85°C infection-control laundering
Test sew-out: Approved on actual garment fabric before production

Typography:

- Board title: “Uniform” — H1
- Production spec: Note callout box

- Variant labels: H3, Sans Medium
- Caption: “Uniforms on real bodies in real light. Embroidery legible. Detail crop mandatory.” — Sans Light 7.5 pt

Special element: The high-visibility variant shows navy-on-yellow compliance — branding must never reduce certified reflective area

BOARD 10 — RECEPTION SIGNAGE

Template: T2 (Image-heavy)

Layout:

- Full-bleed: Reception interior, brushed brass letters on navy feature wall, human scale reference (person standing nearby)
- Soft Nordic daylight from large window
- Shield icon in gold, small, centred above the wordmark
- Detail crop: Brushed brass texture, 10 mm stand-off shadow, halo illumination edge

Production specification:

Letters: Built-up brushed brass, 120-180 mm cap height

Shield: FC shield, printed/enamelled inset

Stand-off: 10 mm from navy or Porcelain feature wall

Illumination: Optional halo, 3000 K warm white only

Position: Eye level, readable from entrance

Typography:

- Board title: “Reception Signage” — H1
- Production spec: Note callout box
- Caption: “In architectural context with human scale reference. Brushed brass, not polished gold.” — Sans Light 7.5 pt

Special element: The human figure provides scale — without it, the letter height is meaningless

BOARD 11 — OFFICE WALL

Template: T2 (Image-heavy)

Layout:

- Full-bleed: Office corridor, SH supergraphic in gold on navy panel, blind-embossed texture visible
- Cross Grid pattern at 4% on adjacent wall
- Meeting room door with navy acrylic sign, Porcelain text, gold interpunct
- Detail crop: Blind emboss texture, paper grain of the wall covering

Production specification:

Supergraphic: SH at 800–1200 mm height, gold on navy
Panel: Navy acoustic felt or vinyl wall covering
Emboss: Blind emboss on the panel surface, single-level die
Door sign: 150 × 150 mm navy acrylic, 3 mm, radius corners 2 mm
Braille: DS/ISO 17049 on client-facing rooms

Typography:

- Board title: “Office Wall Graphics” — H1
- Production spec: Note callout box
- Caption: “The brand lives in the spaces where staff spend their days. Internal standards match external standards.” — Sans Light 7.5 pt

BOARD 12 — WEBSITE & SOCIAL

Template: T2 (Image-heavy)

Layout:

- Left 50%: Website homepage shown in current-generation device frame (desktop), never skewed
- Right 50%: Social media grid — LinkedIn, Facebook, Instagram profiles shown in device frames
- Below: Device frames for tablet and mobile, showing responsive behaviour
- Detail crop: Header state change (navy header with WH logo on scroll)

Production specification:

Header: HZ SVG, 40 px desktop / 32 px mobile, NV on Porcelain
Header scroll state: WH variant for navy header
Footer: VT or SH SVG, WH on navy, 64 px @2×
Favicon: ICO 16/32/48 (CR pixel-fitted)
Social avatar: SH gold-on-navy, 1024×1024 master, tested at 40 px
Social cover: Per platform, from 2560×1440 master

Typography:

- Board title: “Website & Social” — H1
- Production spec: Note callout box
- Device labels: Sans Regular 8 pt, below each frame
- Caption: “Shown in current-generation device frames, never skewed. One avatar everywhere.” — Sans Light 7.5 pt

Special element: The responsive sequence shows the brand adapting without breaking — the same identity, different contexts

BOARD 13 — POWERPOINT & TENDER COVERS

Template: T2 (Image-heavy)

Layout:

- Left 50%: PowerPoint title slide — navy full bleed, gold VT centred, Porcelain title, single gold keyline
- Right 50%: Municipality tender cover — navy, WH logo, no foil (procurement optics — quiet premium), mono-safe, greyscale-verified
- Below: Two content slide examples — Porcelain ground with navy text, gold keyline header; chart slide with navy tonal scale + gold accent

Production specification:

PowerPoint: 16:9 master per EDS grid translated to 12-column slide layout

Title slide: Navy, gold VT, Porcelain title, single gold keyline

Content slides: Porcelain, navy headings, 12 pt-equivalent line grid

Chart templates: Pre-built in navy tonal scale (100/70/40/15%) + gold accent

Tender cover: 250 gsm uncoated, navy, WH logo, no foil

Body: 100 gsm uncoated, mono-safe, greyscale-verified

Compliance: Tagged PDF, accessible, screen-reader verified

Typography:

- Board title: “Presentation & Tender” — H1
- Production spec: Note callout box
- Caption: “The municipal-facing pair. One premium, one procurement-grade. Both unmistakably Premium Care.” — Sans Light 7.5 pt

Special element: The contrast between the two covers demonstrates the dual-audience strategy — premium for families, transparent for municipalities

BOARD 14 — EMAIL SIGNATURE & CLOSING PLATE

Template: T2 (Image-heavy) + T6 (Quote)

Layout:

- Top 60%: Email signature shown in actual email client frame (Outlook, Gmail), HTML table-based, no CSS positioning
- HZ PNG @2× rendered 160 px wide, 40 KB
- Name in navy bold, details in navy 70%
- Gold rule as 1 px navy-gold table border
- No banners, no quotes, no social icons beyond LinkedIn

- Bottom 40%: Closing plate — navy full bleed, shield icon in gold small centred, contact block Sans Light 8 pt, version line
- “The manual ends quietly.”

Production specification:

Email signature: HTML table-based, no CSS positioning
Logo: HZ PNG @2x, 160 px wide, ≤ 40 KB
Font stack: Verdana, Arial (municipal machines will not have Berlingske)
Name: Sans Bold, navy
Details: Sans Regular, navy 70%
Rule: 1 px table border, gold colour
Social: LinkedIn icon only, 16 px, navy

Closing plate: Navy, SH gold small centred
Contact: Sans Light 8 pt, Porcelain
Version: Sans Light 6.5 pt, Porcelain 50%

Typography:

- Board title: “Email Signature & Closing” — H1
- Production spec: Note callout box
- Closing text: “The manual ends quietly.” — Serif Light Italic 12 pt, Porcelain 80%, centred
- Caption: “No banners, no quotes, no social icons beyond LinkedIn. Restraint is the signature.” — Sans Light 7.5 pt

Special element: The closing plate is the brand’s farewell — calm, dignified, complete. It mirrors the cover’s quiet authority.

PRINT SPECIFICATION FOR THE BOARD PROGRAMME

Format: Landscape A3 (420 × 297 mm) **Bleed:** 3 mm all sides (426 × 303 mm with bleed) **Stock:** 300 gsm matte laminate cover, 150 gsm uncoated body **Binding:** Otabind lay-flat (a manual must lie open on a designer’s desk) **Colour:** CMYK + Pantone 282 spot for navy-critical pages + 871 foil on cover **Cover:** Navy full bleed, gold foil VT centred, Porcelain title, single gold keyline **Proofing:** Fogra-certified contract proofs for cover and all logo pages

Total pages: 14 plates + 2 (cover and closing) = 16 pages

End of Presentation Board Programme v1.0. These 14 plates, together with the Brand Identity Manual, constitute the complete visual identity teaching and presentation system for Premium Care.