

Innovation that's

out of your imagination



HDSAFE[®] SAFE HIGH-TECH GLASS FITTINGS

DESIGN MANUAL ©2013 SAFE



SAFE GLASS FITTING
& DOOR CONTACT SERIES
赛夫玻璃连接件系列
赛夫玻璃门控系列

佛山市华的金属制品有限公司(原佛山市顺德区国华五金厂) 地址: 佛山市三水区白坭镇三水大道南96号

Foshan Huadi Metal Produce Co.,Ltd (Old name:Foshan Guohua Metal Produce Co.,Ltd)

Add:No.96 South of Sanshui Avenue, Baini Town, Sanshui District Foshan City

E-mail:hdexport@vip.163.com chenrui.sh@163.net Http://www.hdhandle.com

规格说明及产品供应可能略有更改,恕不另行通知.赛夫为佛山市华的金属制品有限公司的注册商标.佛山市华的金属制品有限公司不负责印刷及摄影上的错误.广告图文中所示规格配备仅为部分选择,如欲了解产品细节,请联系本厂或由佛山市华的金属制品有限公司授权的服务机构.2013佛山市华的金属制品有限公司版权所有,并拥有与此有关的所有权利.此型录内容解释权归佛山市华的金属制品有限公司所有.

Specification and products may be modified without further notice.Safe is registered trade mark of Foshan Huadi Metal Prduce Co.,Ltd . Foshan Huadi Metal Produce Co.,Ltd will not be responsible for printing or photography errors, the specifications in the diagram of the advertisement are only for parts of the products,if you need more detailed information about our products,please contact with a service agent authorized by Foshan Huadi Metal Produce Co.,Ltd.Copyright 2013 Foshan Huadi Metal Prduce Co.,Ltd,all rights reserved . Foshan Huadi Metal Prduce Co.,Ltd owns the rights to interpret the description of these products.

Safe Glass fittings & door contact
CATALOGUE 2016



INNOVATION THAT'S OUT OF YOUR IMAGINATION

Uniform matching fascinates you with elegance and particularity



ABOUT US

Uniform matching fascinates you
with elegance and particularity

佛山市華的金屬制品有限公司(原名佛山順德區國華五金廠)是業內知名的，集設計、生產和銷售不銹鋼配件、大門拉手和扶手配件等產品于一體的專業生產廠家。公司成立于1992年，經過二十年的發展，成功創立了“賽夫”和“華的”兩個主要品牌。

華的不但擁有完善的生產設備，還有一支專業的研發團隊。我們在堅持品質至上這一理念的基礎上，根據市場導向，不斷致力于研發符合市場需求的產品。

現有的“賽夫”、“華的”系列產品，在歐美，中東，澳洲等許多重要五金國際品牌提供貼牌產品。另外，2010年我們還在德國注冊SAFE商標，將進一步提供SAFE品牌高質量產品。

而大門拉手和樓梯立柱產品在國內非常受歡迎，以設計新穎，質量穩定聞名于建築領域，成為各酒店工程的首選。因業務不斷擴大，我司已于上海，成都等到設立了門市，并在全國各地設有代理經銷商。

華的本着品質至上，誠信待客的經營理念，不斷提高對客戶(包括接OEM和定制產品)全方位的服務。我們期待與國內外商客建立長期穩定的貿易關係，共創雙贏局面。

Foshan Huadi Metal Produce Co.,Ltd (Old name: Foshan Guohua Metal Produce Co.,Ltd) is the industry's well-known, and with design, production and sales of stainless steel parts, door handles and handrails accessories and other products in one of the professional manufacturers. The company was founded in 1992, after twenty years of development, the successful creation of the "Safe" and "Huadi" the two major brands.

Huadi not only has a perfect production equipment, but also have a professional R & D team. We insist on quality first based on this philosophy, according to market-oriented, and constantly committed to research and development in line with market demand products.

The existing " Safe", " Huadi" series of products, in Europe and the United States, Middle East, Australia and many other important hardware of international brands to provide OEM products. In addition, in 2010 we still in Germany SAFE registered trademark, will further provide the SAFE brand of high-quality products.

While the door handle and staircase products very popular in the country, with novel design, stable quality is famous in the field of construction, become the hotel engineering preferred. Due to business expansion, I was the Secretary for Shanghai, Chengdu wait to set up a store, and agents throughout the country distributors.

The spirit of quality first, integrity hospitality "business philosophy, and constantly improve the customer (including OEM and customized products) a full range of services. We look forward to working with domestic and foreign customers to establish long-term stable trade relations, create a win-win situation.



QUALITY BUILT ON PASSION



Uniform matching fascinates you with elegance and particularity

CONTENT+

SAFE GLASS MODERN OFFICE EXPERT

- a. Swing Door System001-018
- b. Sliding Door System019-072
- c. Washroom Partition Fittings Series ... 073-082
- d. Glass Connector Series083-094
- e. Moving Gate Series095-170
- f. Glass Door Lock Series171-208
- g. Handle Lock Series209-228
- h. Patch Fiting Series229-242
- i. Gating Controlling Series243-248
- j. Shower Hinge & Glass Clip Series249-289
- k. Glass Wall Spider Fitting Series290-299



No.	Page	No.	Page	No.	Page	No.	Page	No.	Page	No.	Page	No.	Page	No.	Page
SA200-1A	295	SA8200B-3	221	SA8300C-4	008	SA8500A-1	251	SA8500L-9	269	SA8500L-7	269	SA8700A-24	201		
SA200-1B	295	SA8200B-4	220	SA8300C-5	007	SA8500A-2	252	SA8500L-10	270	SA8500L-8	269	SA8700A-25	206		
SA200-2A	295	SA8200B-5	223	SA8300C-6	008	SA8500A-3	252	SA8500L-11	270	SA8600C-4	113	SA8700A-26	206		
SA200-2B	295	SA8200B-5A	222	SA8300C-7	012	SA8500A-4	252	SA8500L-12	270	SA8600D-1	121	SA8700A-27	182		
SA200-3	296	SA8200B-5A	227	SA8300C-8	008	SA8500A-5A/B/C	257	SA8500L-13	270	SA8600D-2	121	SA8700A-27	183		
SA200-4	296	SA8200B-5B	227	SA8300C-9	008	SA8500A-6A/B/C	257	SA8500L-14	271	SA8600D-3	121	SA8700A-28	182		
SA200K-1A	291	SA8200B-7	212	SA8300C-11	007	SA8500A-7A/B/C	257	SA8500L-15	271	SA8600E-1	125	SA8700A-29	183		
SA200K-1B	293	SA8200B-8	212	SA8300C-12	054	SA8500A-8A	257	SA8500L-16A	271	SA8600E-2	125	SA8700A-29	185		
SA200K-2A	292	SA8200C-1	228	SA8300C-13	053	SA8500A-8B	258	SA8500L-16B	271	SA8600E-3L-3R	125	SA8700A-29	187		
SA200K-2B	294	SA8200D-1	213	SA8300C-14	053	SA8500A-8C	258	SA8500L-17	272	SA8600E-4	125	SA8700A-30	184		
SA200-T-01	296	SA8200D-1A	215	SA8300D-1	007	SA8500A-9	253	SA8500L-18	272	SA8600E-5	126	SA8700A-30	183		
SA200-T-01A	296	SA8200D-2	214	SA8300D-2	018	SA8500A-10L	254	SA8500L-19	272	SA8600E-6	126	SA8700A-31	183		
SA200-T-02	298	SA8200D-3	213	SA8300D-3	018	SA8500A-10R	254	SA8500L-20	272	SA8600F-1	131	SA8700A-32	184		
SA200-T-03	298	SA8200D-4	214	SA8300D-4	018	SA8500A-11	254	SA8500L-21	273	SA8600F-1B	131	SA8700A-33	190		
SA200-T-04	298	SA8200D-5	225	SA8300D-5	018	SA8500A-12	254	SA8500L-22	273	SA8600F-2	131	SA8700A-33	190		
SA200-T-05	298	SA8200D-5A	225	SA8300D-6	235	SA8500A-13	255	SA8500L-23	273	SA8600F-3	131	SA8700A-34	190		
SA200-T-06	299	SA8200D-5A	227	SA8300D-7	235	SA8500A-14	255	SA8500L-24	273	SA8600H-1L/R	141	SA8700A-35	190		
SA200-T-07	299	SA8200D-5B	227	SA8300D-8	235	SA8500A-14B	256	SA8500L-25	275	SA8600H-2	141	SA8700A-36	191		
SA200-T-08	299	SA8200D-5C	228	SA8300D-9	062	SA8500B-1	252	SA8500L-26	275	SA8600H-3	141	SA8700A-36	191		
SA200-T-09	299	SA8200D-5D	225	SA8300D-10	062	SA8500B-3	253	SA8500L-27	275	SA8600H-4	141	SA8700A-37	191		
SA6000-1	289	SA8200D-6	226	SA8300D-11A	061	SA8500B-4	253	SA8500L-28	275	SA8600H-5A	142	SA8700A-38	191		
SA6000-2	289	SA8200D-6A	226	SA8300D-11B	061	SA8500E-1	276	SA8500L-29	276	SA8600H-5B	142	SA8700A-39	192		
SA6000-3	289	SA8200D-6A	228	SA8300D-12A	061	SA8500E-2	276	SA8500T-01	282	SA8600H-6	142	SA8700A-40	192		
SA6000-4	289	SA8200D-6B	228	SA8300D-12B	061	SA8500E-3	277	SA8500T-02	283	SA8600H-7	142	SA8700A-41	194		
SA7010	241	SA8200D-6D	226	SA8300D-13-L	051	SA8500E-3A	277	SA8500T-03	283	SA8600H-8	143	SA8700A-42	194		
SA7020	241	SA8200D-7	211	SA8300D-13-R	051	SA8500E-4	277	SA8500T-04	283	SA8600H-9	143	SA8700A-43	194		
SA7030	241	SA8300A-1	047	SA8300D-14	062	SA8500E-5	277	SA8500T-05	283	SA8600H-10	143	SA8700A-44	194		
SA7040	241	SA8300A-1B	047	SA8300D-15	062	SA8500E-6	278	SA8500T-06	284	SA8600J-1A	161	SA8700A-45A	185		
SA7050	242	SA8300A-1C	048	SA8300E-1	094	SA8500E-7	278	SA8500T-07	284	SA8600J-1B	161	SA8700A-45A	186		
SA7060	234	SA8300A-1D	050	SA8300E-2	094	SA8500E-8	278	SA8500T-08	284	SA8600J-1C	161	SA8700A-45B	187		
SA7060-B	234	SA8300A-1E	048	SA8300E-3	094	SA8500E-9	278	SA8500T-09	284	SA8600J-1D	161	SA8700A-45B	188		
SA7061	234	SA8300A-1F	048	SA8300E-4	090	SA8500E-10	279	SA8600A-1	107	SA8600J-2A	162	SA8700A-46B	188		
SA7061-B	234	SA8300A-1H	047	SA8300E-5	090	SA8500E-11	279	SA8600A-2	108	SA8600J-2B	162	SA8700A-46A	186		
SA7101	236	SA8300A-1K	047	SA8300E-6	090	SA8500E-12	279	SA8600A-3	115	SA8600J-2C	162	SA8700A-47A	185		
SA7102	236	SA8300A-2	057	SA8300E-6	092	SA8500E-13	279	SA8600A-4	115	SA8600J-2D	162	SA8700A-47B	187		
SA7103	236	SA8300A-3	057	SA8300E-7	092	SA8500E-14	280	SA8600A-5	115	SA8600J-3A	163	SA8700A-50	205		
SA7104	236	SA8300A-3A	057	SA8300E-8	092	SA8500E-15	280	SA8600A-5B	115	SA8600J-3B	163	SA8700A-50	205		
SA7105	237	SA8300A-4A-L	051	SA8300F-1	017	SA8500E-16	281	SA8600A-6A	115	SA8600J-3C	163	SA8700A-51	204		
SA7106	237	SA8300A-4A-R	051	SA8300F-2	017	SA8500E-17	280	SA8600A-6B	116	SA8600J-3D	163	SA8700A-51	204		
SA7107	237	SA8300A-4-L	052	SA8300F-3	017	SA8500E-18	281	SA8600A-6C	116	SA8600J-4A	164	SA8700A-52	204		
SA7108-A	237	SA8300A-4-R	052	SA8300F-4	017	SA8500E-19	281	SA8600A-7	168	SA8600J-4B-L/R	164	SA8800A-1	285		
SA7108-B	238	SA8300A-5	052	SA8300G-1	049	SA8500E-20	281	SA8600A-8	168	SA8600J-4C	164	SA8800A-2	285		
SA7109	238	SA8300A-5A	052	SA8300G-1B	046	SA8500E-21	282	SA8600A-8A	168	SA8600J-4D	164	SA8800A-4	285		
SA7110	238	SA8300A-6	060	SA8300G-2	049	SA8500E-22	282	SA8600A-9	169	SA8600J-5A-L/R	165	SA8800A-6	285		
SA7111	239	SA8300A-7	054	SA8300G-3	046	SA8500E-23	282	SA8600A-9S	169	SA8600J-5C/L/R	165	SA8800A-18	286		
SA7112	239	SA8300A-8	055	SA8300G-8	046	SA8500F-1	259	SA8600A-10	169	SA8600J-5D	165	SA8800A-18A	286		
SA7113	239	SA8300A-8A	055	SA8300G-9	046	SA8500F-2	259	SA8600A-10S	169</td						



Swing Door System
Modern Office Expert

Swing Door System
INNOVATION THAT'S OUT OF YOUR IMAGINATION

Swing Door System



INNOVATION THAT'S OUT OF YOUR IMAGINATION






Swing Door System
Modern Office Expert


Swing Door System
INNOVATION THAT'S OUT OF YOUR IMAGINATION




Expressive design for all




Installation A | 安装示例A




Installation B | 安装示例B




Installation C | 安装示例C




Installation D | 安装示例D







Installation E | 安装示例E





Installation F | 安装示例F





Item Number	Dimensions in mm/Specification
<p>PRODUCT MODEL SA8300C-2</p> <p>上轴 Top pivot pole short</p> <p>玻璃开孔尺寸 hole dimension of glass</p>  <p>SA8300C-2</p>	
<p>PRODUCT MODEL SA8300C-3B</p> <p>下轴 Bottom Pivot Pole Short</p> <p>玻璃开孔尺寸 hole dimension of glass</p>  <p>SA8300C-3B</p>	








Swing Door System
Modern Office Expert

Swing Door System
INNOVATION THAT'S OUT OF YOUR IMAGINATION




Swing Door Series


INNOVATION THAT'S OUT OF YOUR IMAGINATION




Installation A | 安装示例A



Installation B | 安装示例B



Installation C | 安装示例C



Installation D | 安装示例D





Sliding Door System
Modern Office Expert

Sliding Door System
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Sliding Door System

INNOVATION THAT'S OUT OF YOUR IMAGINATION



Sliding Door System
Modern Office Expert

Sliding Door System
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Innovation that's
out of your imagination
Sliding Door System





SA8300B-1

INNOVATION THAT'S OUT OF YOUR IMAGINATION



SA8300A-1

INNOVATION THAT'S OUT OF YOUR IMAGINATION



DAYLIGHT OPENING 门移动长度	ENTRY WIDTH 入口宽	DOOR WIDTH 门宽	TUBE LENGTH 管长
910-1010mm	800-900mm	960-1060mm	2038mm
1010-1110mm	900-1000mm	1060-1160mm	2238mm
1110-1210mm	1000-1100mm	1160-1260mm	2438mm
1210-1310mm	1100-1200mm	1260-1360mm	2638mm

注意

管夹的安装位置：

80KG以下：按门实际宽度的1/2位置；

80KG-120KG：按门实际宽度的1/3位置；

120KG-150KG：按门实际宽度的1/4位置。

Attentions

The distance for clamp fixing for track,wall distance:

1. Weight 80kg:max-distance between the clamps=1/2 the width of the door;


2. Weight 80kg-120kg:max-distance between the clamps=1/3 the width of the door;

3. Weight 120kg-150kg:max-distance between the clamps=1/4 the width of the door.











Sliding Door System
Modern Office Expert



SA8300A-1B

INNOVATION THAT'S OUT OF YOUR IMAGINATION

INSTALLATION
安装示例



Sliding Door System
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Sliding Door System
Modern Office Expert

Sliding Door System
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Sliding Door Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION




SA8300A-1F INSTALLATION
组成 配件



SA8300A-1F 4PCS



SA8300A-27 2PCS



13.5 / 10mm
11.5 / 12mm



SA8300A-26 4PCS



SA8300A-5A 2PCS


根据门实际宽度
确定尺寸，尺寸≥110mm
As required by
installation, size ≥110mm



SA8300A-22 2PCS



SA8300A-3 9PCS




OW = overpanel width
SW = sidelight width
DW = door width




SA8300A-8 2PCS






SA8300A-1E

INNOVATION THAT'S OUT OF YOUR IMAGINATION



INSTALLATION
組成配件



DAYLIGHT OPENING 门移动长度	ENTRY WIDTH 入口宽	DOOR WIDTH 门宽	TUBE LENGTH 管长
910-1010mm	800-900mm	960-1060mm	2038mm
1010-1110mm	900-1000mm	1060-1160mm	2238mm
1110-1210mm	1000-1100mm	1160-1260mm	2438mm
1210-1310mm	1100-1200mm	1260-1360mm	2638mm

注意

管夹的安装位置:

80KG以下: 按门实际宽度的1/2位置;
80KG-120KG: 按门实际宽度的1/3位置;
120KG-150KG: 按门实际宽度的1/4位置。

Attentions

The distance for clamp fixing for track,wall distance:


1.Weight 80kg:max-distance between the clamps=1/2 the fixing of the door;
2.Weight 80kg-120kg:max-distance between the clamps=1/3 the width of the door;
3.Weight 120kg-150kg:max-distance between the clamps=1/4 the width of the door.



Sliding Door System
Modern Office Expert



Sliding Door System
INNOVATION THAT'S OUT OF YOUR IMAGINATION



SA8300G-2

INNOVATION THAT'S OUT OF YOUR IMAGINATION




SA8320A-1

INNOVATION THAT'S OUT OF YOUR IMAGINATION



Sliding Door System
Modern Office Expert

Sliding Door System
INNOVATION THAT'S OUT OF YOUR IMAGINATION




SA8300A-1C
SHOWER ENCLOSURE
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Sliding Door System
Modern Office Expert

Sliding Door System
INNOVATION THAT'S OUT OF YOUR IMAGINATION



SA8300A-1D
SHOWER ENCLOSURE
INNOVATION THAT'S OUT OF YOUR IMAGINATION



SA8300G-1

INNOVATION THAT'S OUT OF YOUR IMAGINATION



PRODUCT MODEL
SA8300G-1B

移门吊轮
Sliding door hanger
(最大承重200kg)
The maximum weight 200kg



PRODUCT MODEL
SA8300G-3

移门吊轮
Sliding door hanger
(最大承重150kg)
The maximum weight 150kg




PRODUCT MODEL
SA8300G-8

下导块
Lower guide block



PRODUCT MODEL
SA8300G-9


止动器
Stopper



A

B

C







D

E




F

G











Item Number	Dimensions in mm/Specification
	 PRODUCT MODEL SA8300A-1H 玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg
	 PRODUCT MODEL SA8300A-1K 玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg
	 PRODUCT MODEL SA8300A-1 玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg
	 PRODUCT MODEL SA8300A-1B 玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg







	 PRODUCT MODEL SA8300A-1C 玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg
	 PRODUCT MODEL SA8300A-1E 玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg
	 PRODUCT MODEL SA8300A-1F 玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg





Item Number	Dimensions in mm/Specification	Image
SA8300B-1 玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg	 	
SA8300G-1 玻璃吊轮 Sliding door hanger (最大玻璃承重300kg) The glass maximum weight 300kg	 	
SA8300G-2 玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg	 	
SA8310A-1 玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg	 	

















Item Number	Dimensions in mm/Specification
 PRODUCT MODEL SA8300A-26 止动器 Sliding door stop	
 PRODUCT MODEL SA8300A-27 联动滑轮 Sliding door cable roller	
 PRODUCT MODEL SA8300D-13-L SA8300D-13-R 止动器 Sliding door stop floor fixed	
 PRODUCT MODEL SA8300A-4A-L SA8300A-4A-R 止动器 Sliding door stop tube short	


Item Number	Dimensions in mm/Specification
 PRODUCT MODEL SA8300A-4-L SA8300A-4-R 止动器 Sliding door stop tube short	
 PRODUCT MODEL SA8300B-2 止动器 Sliding door stop tube long	
 PRODUCT MODEL SA8300A-5 止摆器 Sliding door guide (plastic)	
 PRODUCT MODEL SA8300A-5A 止摆器 Sliding door guide (stainless steel)	




Item Number	Dimensions in mm/Specification
 PRODUCT MODEL SA8300C-13 止动器 Door stop	 
 PRODUCT MODEL SA8300C-14 止动器 Door stop	 
 PRODUCT MODEL SA8300C-12 止动器 Door stop	 
 PRODUCT MODEL SA8300A-22 止动器 Sliding door stop door mounted	 
 PRODUCT MODEL SA8300A-7 管与墙体固定件 Wall to tube connector long	 
 PRODUCT MODEL SA8300A-19 管与墙体固定件 Wall to tube connector short	 





PRODUCT MODEL
SA8300A-8A
管口封闭件
Tube end cap cover





PRODUCT MODEL
SA8300A-8
管口封闭件
Tube end cap insert





PRODUCT MODEL
SA8300A-15
管夹/夹玻璃
Top 90 deg glass/tube connector





PRODUCT MODEL
SA8300A-16
管夹/夹玻璃
Top Tee glass/tube connector





PRODUCT MODEL
SA8300A-12
管夹(与玻璃连接)
Glass to tube support bracket insert STD

















PRODUCT MODEL
SA8300A-13
管夹(与墙体连接)
Wall to tube support bracket insert







Item Number	Dimensions in mm/Specification	Image
SA8300A-18A 止动器 Rail door stop for SA8320A-1D	 	
SA8300A-20 管夹(与玻璃连接) Glass to tube support bracket insert STD	 	
SA8300A-20A 管夹(与玻璃连接) Glass to tube support bracket insert STD	 	
SA8300A-23 可调式单管夹 Single tube to ceiling clamp	 	

Item Number	Dimensions in mm/Specification	Image
SA8300A-21 管转角连接头 Tube corner insert	 	
SA8300A-21S 管转角连接头 Tube corner insert	 	
SA8300A-14 直型固定件(圆形) Horizontal glass connector (round)	 	
SA8300A-6 直型固定件(方形) horizontal glass connector (flat)	 	




Item Number	Dimensions in mm/Specification	
PRODUCT MODEL SA8300D-11A 转角连接件90°（直口） Variable glass to glass corner connector STD	 	
PRODUCT MODEL SA8300D-11B 转角连接件90°（斜口） Variable glass to glass corner connector CS	 	
PRODUCT MODEL SA8300D-12A 玻璃与墙体连接固定件（直口） Wall to glass 90 deg connector STD	 	
PRODUCT MODEL SA8300D-12B 玻璃与墙体连接固定件（斜口） Wall to glass 90 deg connector CS	 	

Item Number	Dimensions in mm/Specification	
PRODUCT MODEL SA8300D-9 转角连接件90° Glass to glass 90 deg connector CS	 	
PRODUCT MODEL SA8300D-10 玻璃与墙体连接固定件 Floor or ceiling 90 deg connector CS	 	
PRODUCT MODEL SA8300D-14 玻璃与墙体连接固定件 Frame or wall mounted hinge CS	 	
PRODUCT MODEL SA8300D-15 玻璃与玻璃连接 Glass to glass mounted hinge CS	 	



Sliding Door Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION





PRODUCT MODEL SA8320A-1	玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg



PRODUCT MODEL SA8320A-1B	玻璃吊轮 Sliding door hanger (最大玻璃承重150kg) The glass maximum weight 150kg



PRODUCT MODEL SA8320A-1C	玻璃吊轮 Glass to rail clamp (最大玻璃承重100kg) The glass maximum weight 100kg



Item Number

Dimensions in mm/Specification





PRODUCT MODEL
SA8320A-1D

玻璃吊轮
Door wheel
(最大玻璃承重100kg)
The glass maximum weight 100kg





PRODUCT MODEL
SA8320A-1G

玻璃吊轮
Door wheel
(最大玻璃承重60kg)
The glass maximum weight 60kg





PRODUCT MODEL
SA8320A-1H

玻璃吊轮
Door wheel
(最大玻璃承重60kg)
The glass maximum weight 60kg




















PRODUCT MODEL
SA8320A-2








导轨固定件(与墙体连接)
Wall to rail bracket


























 PRODUCT MODEL SA8320A-3 导轨固定件(与玻璃连接) Glass to rail bracket	Item Number Dimensions in mm/Specification  	 PRODUCT MODEL SA8320A-5 管夹 Rail under clamp (与玻璃连接) The connection with glass	Item Number Dimensions in mm/Specification  
 PRODUCT MODEL SA8320A-3B 导轨固定件(与玻璃连接) Glass to rail bracket	 	 PRODUCT MODEL SA8320A-6 限位器 Anit jump pin for SA8320A-1D	 
 PRODUCT MODEL SA8320A-4L/R 止动器 Rail door stop	 	 PRODUCT MODEL SA8320A-7 导轨 rail spacer	 
 PRODUCT MODEL SA8320A-4A 止动器 Rail door stop	 	 PRODUCT MODEL SA8320A-8 止动器 Rail door stop for SA8320A-1D	 



Item Number	Dimensions in mm/Specification
PRODUCT MODEL SA8320A-10 导轨与墙体固定件 Single wall to track connector	 
PRODUCT MODEL SA8320A-11A 止动器 Rail door stop	 
PRODUCT MODE SA8320A-12 导轨固定件 Track to glass connector	 
PRODUCT MODEL SA8330A-1A 玻璃与墙体固定件 Single point fixing star domed STD (可调节) Adjustable	 

Item Number	Dimensions in mm/Specification
PRODUCT MODEL SA8330A-1B 玻璃与墙体固定件 Single point fixing star CS (可调节) Adjustable	 
PRODUCT MODEL SA8330A-2A 玻璃与墙体固定件 Single point fixing star domed STD (不可调节) Not adjustable	 
PRODUCT MODEL SA8330A-2B 玻璃与墙体固定件 Single point fixing star CS (不可调节) Not adjustable	 
PRODUCT MODEL SA8330A-3 玻璃与墙体固定件 Single point fixing STD (不可调节) Not adjustable	 



Item Number	Dimensions in mm/Specification			
	 PRODUCT MODEL SA8330A-4A 玻璃与墙体固定件 Single point fixing star domed STD (不可调节) Not adjustable		 SA8300A-9A 玻璃与墙体固定件 Adjustable single point fixing CS (不可调节,高度6mm) Not adjustable, 6mm	
	 PRODUCT MODEL SA8330A-4B 玻璃与墙体固定件 Single point fixing star flat STD (不可调节) Not adjustable		 SA8300A-9C 玻璃与墙体固定件 Adjustable single point fixing CS (可调节,调节位10.5 ~ 12.5mm) Adjustable, adjusted 10.5mm-12.5mm	
	 PRODUCT MODEL SA8330A-5 玻璃与墙体固定件 Single point fixing star flat STD (不可调节) Not adjustable		 SA8300A-9E 玻璃与墙体固定件 Adjustable single point fixing CS (可调节,调节位14 ~ 18mm) Adjustable, adjusted 14mm-18mm	
	 PRODUCT MODEL SA8330A-6 玻璃与墙体固定件 Single point fixing star flat STD (不可调节) Not adjustable		 SA8300A-9G 玻璃与墙体固定件 Adjustable single point fixing CS (可调节,调节位22 ~ 26mm) Adjustable, adjusted 22mm-26mm	
				
				
				


C.

Washroom Partition fittings Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION









Washroom Partition Fittings
INNOVATION THAT'S OUT OF YOUR IMAGINATION



INSTALLATION
組成配件





C.

WASHROOM PARTITION FITTINGS



Washroom Partition Fittings
INNOVATION THAT'S OUT OF YOUR IMAGINATION


Item Number

Dimensions in mm/Specification




PRODUCT MODEL
SA9000A-6

可调式固定座
Wall to panel connector




PRODUCT MODEL
SA9000A-7

指示门锁\内外摆动
Double swing door indicator lock & Keep




PRODUCT MODEL
SA9000A-7B


指示门锁\向内开
Single swing door indicator lock and keep inwards opening




PRODUCT MODEL
SA9000A-7C

指示门锁\向外开
Single swing door indicator lock and keep outwards opening






Item Number	Dimensions in mm/Specification
PRODUCT MODEL SA9000A-8 可调式固定底座 Panel leg support	Dimensions: 102 (width), 141 (height), 35 (depth).
PRODUCT MODEL SA9000A-9 玻璃夹 Top panel tube connector	Dimensions: 25X25 (inner), 35X35 (outer), 80 (height), 15 (depth).
PRODUCT MODEL SA9000A-10 90° 连接件 90deg tube connector	Dimensions: 56 (width), 35 (depth), 25X25 (inner).
PRODUCT MODEL SA9000A-11 T型连接件 Tee tube connector	Dimensions: 66 (width), 35 (depth), 25X25 (inner).




PRODUCT MODEL
SA9000A-12

固定件
Wall to tube connector




PRODUCT MODEL
SA9000A-13-L/R


铰链
Door hinge over lapping



SA9000A-13-L




SA9000A-13-R




PRODUCT MODEL
SA9000A-13B-L/R


铰链
Door hinge over lapping



SA9000A-13B-L



SA9000A-13B-R




PRODUCT MODEL
SA9000A-14

指示门锁
door indicator and stop



Glass Connector Series
Modern Office Expert

Glass Connector Series
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Glass Connector Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION



Item Number	Dimensions in mm/Specification
PRODUCT MODEL SA8000A-1 单杆固定件 Glass to glass connector CS (玻璃与玻璃连接, 双头可调角度) Connection for connecting glass and glass, both sides can be adjusted	
PRODUCT MODEL SA8000A-2 单杆固定件 Glass to Wall connector CS (墙体与玻璃连接, 双头可调角度) Connection for connecting wall and glass, both sides can be adjusted	
PRODUCT MODEL SA8000A-3 单杆固定件 Ceiling to glass connector CS (墙体与玻璃连接, 单头可调角度) Connection for connecting wall and glass, just one sides can be adjusted	
PRODUCT MODEL SA8000A-4 双杆固定件 Double glass to fin connector CS (墙体与玻璃连接, 四头可调角度) Connection for connecting wall and glass, four directions sides can be adjustable	



Item Number	Dimensions in mm/Specification
PRODUCT MODEL SA8000A-5 单杆固定件 Ceiling to glass fixed point connector CS (墙体与玻璃连接, 不可调角度) Connection for connecting wall and glass, can't be adjustable	
PRODUCT MODEL SA8000A-6 180° 单杆固定件 180 deg fixed point double connector CS (墙体与玻璃连接, 双头可调角度) Connection for connecting wall and glass, both sides can be adjustable	




GLASS PREPARATION:

For glass/glass corner connectors for 10mm or 12mm tempered glass.

玻璃的安装和处理:

璃/玻璃边角对接装置，用于厚度为10毫米与12毫米的钢化玻璃。

平面图(俯视图)
Planview




8000A-1、8000A-2、8000A-4连接杆尺寸与角度: (表中所述的直径尺寸单位为毫米, 此处以10厚度为毫米的玻璃为例, 对于其他厚度的玻璃, 请依此类推。)
8000A-1、8000A-2、8000A-4 Connecting rod size and angle:(Dim.In mm for glass. For other glass thickness please adapt accordingly.)

角度 Angle	连接杆尺寸 (单位毫米) Length of connecting rod and in mm			
	52.5	60	82	103
90°	75. 6	A/B	A/B	A/B
95°	60. 2	65. 3	80. 5	94. 5
100°	56. 7	61. 6	75. 9	89. 5
105°	53. 4	58. 2	72. 1	85. 3
110°	50. 5	55. 1	68. 5	81. 3
115°	47. 8	51. 8	65. 3	77. 7
120°	45. 3	49. 5	62. 3	74. 4
125°	42. 8	47. 1	59. 5	71. 4
130°	40. 7	44. 9	57	68. 6
135°	38. 7	42. 8	54. 7	66
180°	24. 7	28. 5	39. 5	50




PRODUCT MODEL
SA8000A


连接杆
Connecting rod




连接帽
Two kinds connecting for glass hole



用途: 分别有两种连接玻璃的连接帽可供顾客选择, 主要是用于玻璃连接。
Use:two kinds options of glasses connection, mainly for clamping glasses.



结构部件与组装示例图:
Components and assembly of the wall fixing



For glass/glass corner connectors for 10mm and 12mm thick toughened glass.

SA8300-T

玻璃连接件系统专用工具
Adjustable pig noise spanner




用途: 用于安装或拆除玻璃连接件的专业工具
Use:the tool for installation and backout glass connection

以上的配件用于进行挠性连接(活动连接), 包括对玻璃之间的互相连接, 和与天花板, 墙壁、地板等方面挠性连接(活动连接), 以及可以应用于其他任何需要活动连接的地方。建筑偏差可以通过各种段进行补偿。

The above fittings are used for flexibility connection, including the connection between different glasses, and the flexibility connecting for ceiling wall, floor and so on also the above fittings can be used for any flexibility connecting necessarily. Construction tolerance can be compensated by many ways.







Item Number

Dimensions in mm/Specification





PRODUCT MODEL
SA8300E-4

单杆固定件/连接墙体
Wall to glass connector STD





PRODUCT MODEL
SA8300E-5

吊索固定件/与玻璃连接
Front cantilever glass bracket STD




PRODUCT MODEL
SA8300E-6

悬臂支架/连接墙体
Rear cantilever wall bracket STD





Glass Connector Series
Modern Office Expert





Item Number

Dimensions in mm/Specification




PRODUCT MODEL
SA8300E-6

悬臂支架/连接墙体
Rear cantilever wall bracket STD





PRODUCT MODEL
SA8300E-7

单杆固定件/连接墙体
Wall to glass connector CS



PRODUCT MODEL
SA8300E-8

吊索固定件/与玻璃连接
Front cantilever glass bracket CS




Glass Connector Series
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Glass Connector Series

Modern Office Expert



Glass Connector Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION


Item Number

Dimensions in mm/Specification




PRODUCT MODEL
SA8300E-1

单杆固定件/连接墙体
Wall to glass connector STD
(cable connection)




PRODUCT MODEL
SA8300E-2

吊索固定件/与玻璃连接
Front cantilever glass bracket STD
(cable connection)



PRODUCT MODEL
SA8300E-3

悬臂支架/连接墙体
Rear cantilever wall bracket STD
(cable connection)





Moving Gate Series
Modern Office Expert

Moving Gate Series
INNOVATION THAT'S OUT OF YOUR IMAGINATION




Moving Gate Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION



INSTALLATION PLAN 安装示意图





单开门结构示意图 Single door structure

SA8300H-1

玻璃开孔尺寸
hole dimension of glass

根据门实际宽度确定尺寸, 尺寸 $\geq 110\text{mm}$
as required by installation, size $\geq 110\text{mm}$



OW=overpanel width
SW=sideflange width
DW=door width

INSTALLATION
组成 配件



SA8300H-1 (2PCS)



SA8300H-2 (1PC)



SA8300H-3 (1PC)



SA8300H-4 (2PCS)




SA8300H-5 (2PCS)



SA8300H-6 (2PCS)



INSTALLATION PLAN 安装示意图





双开门结构示意图 Double door structure

SA8300H-1

玻璃开孔尺寸

根据门实际宽度确定尺寸，尺寸 $\geq 110\text{mm}$



OW=overpanel width
SW=sidelight width
DW=door width

INSTALLATION 組 成 配 件



SA8300H-1 (4PC)



SA8300H-2 (2PCS)



8300H-3 (1PC)



SA8300H-4 (4PCS)




SA8300H-5 (4PCS)



8300H-6 (2PCS)



INSTALLATION PLAN 安装示意图




单开门结构示意图 Single door structure

SA8300H-1B

玻璃开孔尺寸

hole dimension of glass

根据门实际宽度确定尺寸，尺寸 $\geq 110\text{mm}$
as required by installation, size $\geq 110\text{mm}$




OW=overpanel width
SW=sidelight width
DW=door width

INSTALLATION 组成 配件





INSTALLATION PLAN 安装示意图




双开门结构示意图 Double door structure

SA8300H-1B

玻璃开孔尺寸
hole dimension of glass

根据门实际宽度确定尺寸, 尺寸 $\geq 110\text{mm}$
as required by installation, size $\geq 110\text{mm}$















OW=overpanel width
SW=sidelight width
DW=door width

INSTALLATION
组成 配件





Item Number	Dimensions in mm/Specification	Image	Item Number	Dimensions in mm/Specification	Image
	<p>PRODUCT MODEL SA8300H-1</p> <p>下滑轮 Sliding door bottom wheel 最大承重100kg The maximum weight 100kg</p>	 		<p>PRODUCT MODEL SA8300H-4B</p> <p>上导轮 Sliding door clamp</p>	 
	<p>PRODUCT MODEL SA8300H-1B</p> <p>下滑轮 Sliding door bottom wheel 最大承重100kg The maximum weight 100kg</p>	 		<p>PRODUCT MODEL SA8300H-5</p> <p>止动器 Top track buffer stop</p>	 
	<p>PRODUCT MODEL SA8300H-2</p> <p>下导轨 Sliding door bottom track</p>	 		<p>PRODUCT MODEL SA8300H-6</p> <p>挡盖 Top track end cap</p>	 
	<p>PRODUCT MODEL SA8300H-3</p> <p>上导轨 Ceiling mounted top track</p>	 		<p>PRODUCT MODEL SA8300H-7</p> <p>下导轨 Sliding door bottom track</p>	 
	<p>PRODUCT MODEL SA8300H-4</p> <p>上导轮 Sliding door clamp</p>	 			





PRODUCT MODEL
SA8600C-1

移门吊轮 (2/PCS)
Sliding door hanger
最大承重90kg
The maximum weight 90kg

配套配件
Necessary fitting



SA8600A-3 (2PCS)



SA8600A-4A/R (1PC)



PRODUCT MODEL
SA8600B-4


导轨 (1/PCS)
Wall track with cover assembly



SA8600A-4A/L (1PC)



SA8300A-5A (1PC)





PRODUCT MODEL
SA8600C-2

移门吊轮 (2/PCS)
Sliding door hanger
最大承重90kg
The maximum weight 90kg

配套配件
Necessary fitting



SA8600A-3 (2PCS)



SA8600A-4 (2PCS)



SA8600B-1 (1PC)



SA8300A-5A (1PC)



PRODUCT MODEL
SA8600C-3

木门吊轮 (2/PCS)
Sliding wood door hanger
最大承重90kg
The maximum weight 90kg

配套配件
Necessary fitting



SA8600A-3 (2PCS)





SA8600A-4 (2PCS)





SA8600B-1 (1PC)












SA8300G-8 (1PC)








Item Number	Dimensions in mm/Specification
	<p>PRODUCT MODEL SA8600A-3 导轨止位器 Track mounted door stop with hold open/closed</p> 
	<p>PRODUCT MODEL SA8600A-4 导轨口封闭件 Single track end cap</p> 
	<p>PRODUCT MODEL SA8600A-5 与墙体连接 Track to wall bracket</p> 
	<p>PRODUCT MODEL SA8600A-5B 与墙体连接 Track to wall bracket</p> 
	<p>PRODUCT MODEL SA8600A-6A 与玻璃连接(斜口) Track to glass connector CS</p> 
	<p>PRODUCT MODEL SA8600A-6B 与玻璃连接(直口) Track to glass connector STD</p> 
	<p>PRODUCT MODEL SA8600A-6C 与玻璃连接(直口) Track to glass connector STD</p> 
	<p>PRODUCT MODEL SA8600A-14 导轨转角连接 Single 90 deg track connector</p> 
	<p>PRODUCT MODEL SA8600A-15 导轨与墙体连接 Single wall to track connector</p> 



INSTALLATION PLAN 安装示意图




单开门结构示意图 Single door structure

SA8600E-1

玻璃开孔尺寸 hole dimension of glass

根据门实际宽度确定尺寸, 尺寸 $\geq 110\text{mm}$
as required by installation, size $\geq 110\text{mm}$



OW=overpanel width
SW=sidelight width
DW=door width

INSTALLATION 组成配件






Item Number	Dimensions in mm/Specification	Image
SA8600E-1 滑轮 Sliding door roller 最大承重90kg The maximum weight 90kg	 PRODUCT MODEL SA8600E-1	
SA8600E-2 止动器 Sliding door roller stopper	 PRODUCT MODEL SA8600E-2	
SA8600E-3L/R 装饰板 (导轨) track end cap	 PRODUCT MODEL SA8600E-3L/R	
SA8600E-4 止摆器 Sliding door guide	 PRODUCT MODEL SA8600E-4	

Item Number	Dimensions in mm/Specification	Image
SA8600E-5 装饰板 (盖板) top track end cap	 PRODUCT MODEL SA8600E-5	
SA8600E-6 压板 Pressing plate	 PRODUCT MODEL SA8600E-6	
SA8600B-8 导轨 Single track	 PRODUCT MODEL SA8600B-8	
SA8600B-9 盖板 cover plate	 PRODUCT MODEL SA8600B-9	



INSTALLATION PLAN 安装示意图




单开门结构示意图 Single door structure

SA8600F-1

玻璃开孔尺寸
hole dimension of glass

根据门实际宽度确定尺寸, 尺寸 $\geq 110\text{mm}$
as required by installation, size $\geq 110\text{mm}$




OW=overpanel width
SW=sidelight width
DW=door width

INSTALLATION
组成 配件






INSTALLATION PLAN 安装示意图



SA8600F-1B

玻璃开孔尺寸
hole dimension of glass

根据门实际宽度确定尺寸, 尺寸 $\geq 110\text{mm}$
as required by installation, size $\geq 110\text{mm}$



OW=overpanel width
SW=sidelight width
DW=door width

INSTALLATION
组成 配件



SA8600F-1B (2PCS)



SA8600F-2 (2PCS)



SA8600F-3 (2PCS)




SA8300G-8 (1PC)



SA8600A-5 (6PCS)




SA8600B-10 (1PC)





INSTALLATION PLAN 安装示意图



固定于天花板，移动拉手时导轨内皮带可带动门页起联动效果
Fixed ceiling, the belt in the track can affect the door leaves movable when open/close the door

SA8600H INSTALLATION 组成 配件






Moving Gate Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION

INSTALLATION PLAN 安装示意图




SA8600H INSTALLATION 組成配件



ANSWER: C (A, B) ANSWER: A (B, C) ANSWER: A (B, C) ANSWER: B (A, C) ANSWER: B (A, C) ANSWER: C (A, B)



INSTALLATION PLAN 安装示意图



固定于墙面，移动拉手时导轨内皮带可带动门页起联动效果
Fixed wall, the belt in the track can affect the door leaves movable when open/close the door


SA8600H INSTALLATION 组成 配件



SA8600H-6 (4PCS) SA8600H-7 (1PC) SA8600H-8 (1PC) SA8600B-13 (1PC) SA8600B-14 (1PC) SA8600I-3A (2PCS)



INSTALLATION PLAN 安装示意图




SA8600H INSTALLATION 組成 配件








Item Number	Dimensions in mm/Specification
	PRODUCT MODEL SA8600H-8 活动止摆器 Sliding door movable guide
	PRODUCT MODEL SA8600H-9 玻璃固定槽 glass Fixed groove
	PRODUCT MODEL SA8600H-10 皮带 Leather belt
	PRODUCT MODEL SA8600B-13 导轨 Single track





INSTALLATION PLAN 安装示意图



单开门结构示意图 Single door structure


SA8600I-A

INSTALLATION
组成 配件





INSTALLATION PLAN 安装示意图



双开门结构示意图 Double door structure



SA8600I-A

INSTALLATION
组成配件





INSTALLATION PLAN 安装示意图



单开门结构示意图 Single door structure

SA8600I-B

INSTALLATION
组成 配件



SA8600I-1B (2PCS)



SA8600I-2B (2PCS)



SA8600I-3A (2PCS)




SA8600I-3B (1PC)



SA8600B-12B (1PC)



INSTALLATION PLAN 安装示意图



双开门结构示意图 Double door structure

SA8600I-B

INSTALLATION
组成 配件



SA8600I-1B (4PCS)



SA8600I-2B (4PCS)



SA8600I-3A (2PCS)




SA8600I-3B (2PCS)



SA8600B-12B (1PC)



INSTALLATION PLAN 安装示意图



单开门结构示意图 Single door structure


SA8600I-C

INSTALLATION
组成 配件





INSTALLATION PLAN 安装示意图




双开门结构示意图 Double door structure

SA8600I-C INSTALLATION 组成配件






INSTALLATION PLAN 安装示意图




双开门结构示意图 Double door structure

SA8600I-D INSTALLATION
组成配件





INSTALLATION PLAN 安装示意图



双开门结构示意图 Double door structure

SA8600I-D

INSTALLATION
组成配件



SA8600I-1D (4PCS)



SA8600I-2D (4PCS)



SA8600I-3D (2PCS)



SA8600I-4D (1PC)



SA8600I-5D (4PCS)











SA8600I-7D (2PCS)



SA8600B-12D (1PC)



Item Number	Dimensions in mm/Specification	Image
SA8600I-1A	<p>PRODUCT MODEL SA8600I-1A 滑轮 Sliding door wheel 最大承重60kg The maximum weight 60kg</p>	 
SA8600I-1B	<p>PRODUCT MODEL SA8600I-1B 移门滑轮 Sliding door hang wheel 最大承重60kg The maximum weight 60kg</p>	 
SA8600I-1C	<p>PRODUCT MODEL SA8600I-1C 移门滑轮 Sliding door hang wheel 最大承重90kg The maximum weight 90kg</p>	 
SA8600I-1D	<p>PRODUCT MODEL SA8600I-1D 移门滑轮 Front wheel connector 最大承重90kg The maximum weight 90kg</p>	 

Item Number	Dimensions in mm/Specification	Image
SA8600I-2A	<p>PRODUCT MODEL SA8600I-2A 上止动器 Buffer stop</p>	
SA8600I-2B	<p>PRODUCT MODEL SA8600I-2B 上止动器 Buffer stop</p>	
SA8600I-2C	<p>PRODUCT MODEL SA8600I-2C 上止动器 Buffer stop</p>	
SA8600I-2D	<p>PRODUCT MODEL SA8600I-2D 上止动器(夹板) Buffer stop</p>	





Item Number	Dimensions in mm/Specification		Item Number	Dimensions in mm/Specification	
SA8600I-5A-L/R 导轨固定座(左/右) Track fixed	 45 16.5 20		SA8600I-7D 玻璃固定 U channel	 20.8 8/10 7.8	
SA8600I-5C-L/R 装饰板(左/右) End cap	 73 38 2		SA8600B-12A 导轨 Single track	 34 55.3	
SA8600I-5D 上止动器(滑轮) Buffer stop	 21 82.5 16.5		SA8600B-12B 导轨 Track	 38.7 58.7	
SA8600I-6A-L/R 装饰板(左/右) End cap	 55.5 34 2		SA8600B-12C 导轨 Single track	 37.9 73	
SA8600I-6D-L/R 装饰板(左/右) End cap	 80 46.8 2		SA8600B-12D 导轨 Track	 80 46.8 8/10	



Moving Gate Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION




PRODUCT MODEL
SA8600A-7

移门拉手
Cupped handle



Hole dimension of glass 玻璃开孔尺寸




PRODUCT MODEL
SA8600A-8

移门锁(玻璃与玻璃)
Sliding door lock and keep (glass to glass)



Hole dimension of glass 玻璃开孔尺寸





PRODUCT MODEL
SA8600A-8A























移门锁(玻璃与墙体)
Sliding door lock and keep (glass to wall)



Hole dimension of glass 玻璃开孔尺寸





 <p>PRODUCT MODEL SA8600A-9 移门拉手 cupped handle</p> <p>Product size 产品尺寸  Ø64 7 10-12</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø50</p>	 <p>PRODUCT MODEL SA8600A-10 移门拉手 cupped handle</p> <p>Product size 产品尺寸  Ø64 7 10-12</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø50</p>	 <p>PRODUCT MODEL SA8600A-18A 移门拉手 Deep cupped handle</p> <p>Product size 产品尺寸  Ø50 10-12 21</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø40</p>	 <p>PRODUCT MODEL SA8600A-18B 移门拉手 Deep cupped handle</p> <p>Product size 产品尺寸  Ø50 10-12 21</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø46 Ø40 3 90°</p>
 <p>PRODUCT MODEL SA8600A-9S 移门拉手 cupped handle</p> <p>Product size 产品尺寸  Ø50 7 10-12</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø40</p>	 <p>PRODUCT MODEL SA8600A-10S 移门拉手 cupped handle</p> <p>Product size 产品尺寸  Ø50 7 10-12</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø40</p>	 <p>PRODUCT MODEL SA8600A-19 移门拉手 cupped handle square</p> <p>Product size 产品尺寸  50 11 10-12</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø15</p>	 <p>PRODUCT MODEL SA8600A-20 移门拉手 cupped handle</p> <p>Product size 产品尺寸  Ø59 10-12 20.5</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø26 Ø32 90°</p>
 <p>PRODUCT MODEL SA8600A-11 移门拉手 cupped handle</p> <p>Product size 产品尺寸  Ø65 9 10-12</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø50</p>	 <p>PRODUCT MODEL SA8600A-12 移门拉手 cupped handle</p> <p>Product size 产品尺寸  Ø65 9 10-12</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø50</p>	 <p>PRODUCT MODEL SA8600A-21 移门拉手 cupped handle</p> <p>Product size 产品尺寸  147 57 10-12</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø13 118</p>	 <p>PRODUCT MODEL SA8600A-22 玻璃门拉手 Back to back finger pulls short</p> <p>Product size 产品尺寸  50 30 31</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø12 30</p>
 <p>PRODUCT MODEL SA8600A-16 移门拉手 back to back finger pulls short</p> <p>Product size 产品尺寸  73 33 25</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø13 48</p>	 <p>PRODUCT MODEL SA8600A-17 移门拉手 back to back finger pulls long</p> <p>Product size 产品尺寸  184 10-12 24</p> <p>Hole dimension of glass 玻璃开孔尺寸  50 Ø13 160</p>		



Glass Door Lock Series
Modern Office Expert

Glass Door Lock Series
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Glass Door Lock System

INNOVATION THAT'S OUT OF YOUR IMAGINATION



Glass Door Lock Series
Modern Office Expert



Glass Door Lock Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION

Glass Door Lock Series
INNOVATION THAT'S OUT OF YOUR IMAGINATION




PRODUCT MODEL
SA8600A-13B

移门钩锁套
Double sliding door keep with finger pull


PRODUCT MODEL
SA8600A-13A

移门钩锁
Sliding door lock with finger pull

Dimensions in mm/Specification



安装示例
INSTALLATION



Outside glass door lock
外装玻璃门锁



PRODUCT MODEL
SA8600A-13F2


移门钩锁套
Double pivot door keep with finger pull



PRODUCT MODEL
SA8600A-13F1

移门钩锁
Pivot door lock with finger pull

Dimensions in mm/Specification



PRODUCT MODEL
SA8600A-13D


移门钩锁套
Sliding door keep (fixed panel)



PRODUCT MODEL
SA8600A-13A

移门钩锁
Sliding door lock with finger pull

Dimensions in mm/Specification




PRODUCT MODEL
SA8600A-13E2

移门钩锁套
Double pivot door keep with pull knob



PRODUCT MODEL
SA8600A-13E1

移门钩锁
pivot door lock with pull knob




PRODUCT MODEL
SA8600A-13C

移门钩锁扣
Keep box for wall



PRODUCT MODEL
SA8600A-13A

移门钩锁
Sliding door lock with finger pull






PRODUCT MODEL
SA7121

推拉门锁套
Double pivot door keep with pull handles


PRODUCT MODEL
SA7120

推拉门锁
pivot door lock with pull handles

Dimensions in mm/Specification



安装示例
INSTALLATION



Outside glass door lock
外装玻璃门锁



Glass Door Lock Series

Modern Office Expert

Glass Door Lock Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION




PRODUCT MODEL
SA7127

推拉门锁套
Double pivot door keep with pull handles

PRODUCT MODEL
SA7126

推拉门锁
pivot door lock with pull handles

Dimensions in mm/Specification




PRODUCT MODEL
SA7125

推拉门锁扣
Keep box for wall

PRODUCT MODEL
SA7120

推拉门锁
pivot door lock with pull handles

Dimensions in mm/Specification



PRODUCT MODEL
SA7122

推拉门锁套
Small patch keep

PRODUCT MODEL
SA7120

推拉门锁
pivot door lock with pull handles

产品尺寸
Hole dimension of glass
SA7122

玻璃开孔尺寸
Hole dimension of glass



PRODUCT MODEL
SA7123

玻璃门插销
Bottom lock with thumb turn

PRODUCT MODEL
SA7124

插销套
Dust proof socket

产品尺寸
Hole dimension of glass
SA7123

玻璃开孔尺寸
Hole dimension of glass




PRODUCT MODEL
SA8700A-28

移门钩锁套
Sliding door keep (fixed panel)


PRODUCT MODEL
SA8700A-27

推拉门锁
pivot door lock with pull handles

Dimensions in mm/Specification



- | | |
|-------------------------|--|
| 1 Mortise-Sashlock | 10 Strike Plate |
| 2 Inner Plate | 11 Inner Plate |
| 3 Fixing Screw | 12 Fixing Screw |
| 4 Bolt-Through Screw | 13 Bolt-Through Screw |
| 5 Outer Plate | 14 Outer Plate |
| 6 Lever Handle | 15 Latch can be twisted |
| 7 Spindle | 16 Place the plastic insert to twist the latch |
| 8 Cylinder | |
| 9 Cylinder Fixing Screw | |



安装示例
INSTALLATION




PRODUCT MODEL
SA8700A-29

推拉门锁扣
Keep box for wall

PRODUCT MODEL
SA8700A-27

推拉门锁
pivot door lock with pull handles




PRODUCT MODEL
SA8700A-32

移门钩锁套
Sliding door keep (fixed panel)




PRODUCT MODEL
SA8700A-30

推拉门锁
pivot door lock with pull handles



PRODUCT MODEL
SA8700A-31

推拉门锁套
Small patch keep






PRODUCT MODEL
SA8700A-29

推拉门锁扣
Keep box for wall

PRODUCT MODEL • NEW
SA8700A-45A/R

推拉门锁
pivot door lock with pull handles




PRODUCT MODEL
SA8700A-46A\L

移门钩锁套
Sliding door keep (fixed panel)

PRODUCT MODEL
SA8700A-45A\R

推拉门锁
pivot door lock with pull handles




PRODUCT MODEL
SA8700A-47A\L

推拉门锁套
Small patch keep

PRODUCT MODE
SA8700A-45A\R

推拉门锁
pivot door lock with pull handles






PRODUCT MODEL
SA8700A-29

推拉门锁扣
Keep box for wall

PRODUCT MODEL
SA8700A-45B\R

推拉门锁
pivot door lock with pull handles




PRODUCT MODEL
SA8700A-46B\L

移门钩锁套
Sliding door keep (fixed panel)

PRODUCT MODEL
SA8700A-45B\R

推拉门锁
pivot door lock with pull handles




PRODUCT MODEL
SA8700A-47B\L

推拉门锁套
Small patch keep


PRODUCT MODEL
SA8700A-45B\R

推拉门锁
pivot door lock with pull handles





- 1 Mortise-Deadlock
- 2 Inner Plate
- 3 Fixing Screw
- 4 Bolt-Through Screw
- 5 Outer Plate
- 6 Cylinder
- 7 Strike Plate
- 8 Inner Plate
- 9 Fixing Screw
- 10 Bolt-Thorough Screw
- 11 Outer Plate
- 12 Fixed Spindle



安装示例
INSTALLATION




PRODUCT MODEL
SA8700A-34

移门钩锁套
Sliding door lock (fixed panel)

PRODUCT MODEL
SA8700A-33

推拉门锁
pivot door lock with pull handles

Dimensions in mm/Specification



SA8700A-34 SA8700A-33

玻璃开孔尺寸
Hole dimension of glass




PRODUCT MODEL
SA8700A-35

移门钩锁套
Sliding door lock (fixed panel)

PRODUCT MODEL
SA8700A-33

推拉门锁
pivot door lock with pull handles



SA8700A-35 SA8700A-33

玻璃开孔尺寸
Hole dimension of glass




PRODUCT MODEL
SA8700A-37

移门钩锁套
Sliding door keep (fixed panel)

PRODUCT MODEL
SA8700A-36

推拉门锁
pivot door lock with pull handles




PRODUCT MODEL
SA8700A-40

推拉门锁套
Small patch keep

PRODUCT MODE
SA8700A-39

推拉门锁
pivot door lock with pull handles




PRODUCT MODEL
SA8700A-38


推拉门锁扣
Keep box for wall

PRODUCT MODEL
SA8700A-36

推拉门锁
pivot door lock with pull handles




- 1 Mortise-Deadlock
- 2 Inner Plate
- 3 Fixing Screw
- 4 Bolt-Through Screw
- 5 Outer Plate
- 6 Cylinder
- 7 Strike Plate
- 8 Inner Plate
- 9 Fixing Screw
- 10 Bolt-Through Screw
- 11 Outer Plate





- 1 Mortise-Latchlock
- 2 Inner Plate
- 3 Fixing Screw
- 4 Bolt-Through Screw
- 5 Outer Plate
- 6 Lever Handle
- 7 Spindle
- 8 Strike Plate
- 9 Fixing Screw
- 10 Bolt-Thorough Screw
- 11 Outer Plate
- 12 Inner Plate
- 13 Latch can be twisted
- 14 Place the plastic insert to twist the latch



安装示例
INSTALLATION


PRODUCT MODEL
SA8700A-42

移门钩锁套
Sliding door keep (fixed panel)

PRODUCT MODEL
SA8700A-41

通道锁
Channel Lock

Dimensions in mm/Specification



SA8700A-41




PRODUCT MODEL
SA8700A-44

移门钩锁套
Sliding door keep (fixed panel)

PRODUCT MODEL
SA8700A-43

通道锁
Channel Lock



SA8700A-44 SA8700A-43



Glass Door Lock Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION



PRODUCT MODEL
SA8700A-2

外装玻璃门锁套
Patch keep box



PRODUCT MODEL
SA8700A-3

外装玻璃门锁扣
Keep plate



PRODUCT MODEL
SA8700A-1




外装玻璃门锁
Patch lock with cylinder



PRODUCT MODEL
SA8700A-4



玻璃门铰
Frame mounted glass door hinge

Dimensions in mm/Specification



玻璃开孔尺寸
Hole dimension of glass

安装示例
INSTALLATION



SA8700A-2
玻璃开孔尺寸
Hole dimension of glass

SA8700A-1











Glass Door Lock Series
Modern Office Expert



Glass Door Lock Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION



Item Number	Dimensions in mm/Specification	Image	Item Number	Dimensions in mm/Specification	Image
	PRODUCT MODEL SA8700A-4A 玻璃门铰 Frame mounted glass door hinge			PRODUCT MODEL SA8700A-9 玻璃门铰 Frame mounted glass door hinge	
	PRODUCT MODEL SA8700A-4B 玻璃门铰 Frame mounted glass door hinge			PRODUCT MODEL SA8700A-9A 玻璃门铰 Frame mounted glass door hinge	
	PRODUCT MODEL SA8700A-4C 玻璃门铰 Frame mounted glass door hinge			PRODUCT MODEL SA8700A-9B 玻璃门铰 Frame mounted glass door hinge	
	PRODUCT MODEL SA8700A-4D 玻璃门铰 Frame mounted glass door hinge			PRODUCT MODEL SA8700A-9C 玻璃门铰 Frame mounted glass door hinge	




PRODUCT MODEL
SA8700A-24

外装玻璃门锁套
Glass door lock with handles

PRODUCT MODE
SA8700A-5

外装玻璃门锁
Glass door lock with cylinder and lever handles




PRODUCT MODEL
SA8700A-23

外装玻璃门锁套
Strike box long

PRODUCT MODEL
SA8700A-5

外装玻璃门锁
Glass door lock with cylinder and lever handles




PRODUCT MODEL
SA8700A-7

外装玻璃门锁套
Strike box short

PRODUCT MODEL
SA8700A-8

外装玻璃门锁
Glass door lock (latch only)




PRODUCT MODEL
SA8700A-7

外装玻璃门锁套
Strike box short

PRODUCT MODEL
SA8700A-8B

通道锁
Channel Lock






PRODUCT MODEL
SA8700A-7

外装玻璃门锁套
Strike box short

PRODUCT MODEL
SA8700A-5

外装玻璃门锁
Glass door lock with cylinder and lever handles




PRODUCT MODEL
SA8700A-52

外装玻璃门锁套
Glass door lock with handles

PRODUCT MODEL
SA8700A-51

外装玻璃门锁
Glass door lock with cylinder and lever handles




PRODUCT MODEL
SA8700A-7

外装玻璃门锁套
Strike box short

PRODUCT MODEL
SA8700A-5B

通道锁
Channel Lock




PRODUCT MODEL
SA8700A-3

外装玻璃门锁套
Strike box long

PRODUCT MODEL
SA8700A-51

外装玻璃门锁
Glass door lock with cylinder and lever handles






PRODUCT MODEL
SA8700A-7

外装玻璃门锁套
Glass door lock with handles

PRODUCT MODEL
SA8700A-50

外装玻璃门锁
Glass door lock with cylinder and lever handles




PRODUCT MODEL
SA8700A-25

外装玻璃门锁套
Glass door lock with handles

PRODUCT MODEL
SA8700A-20

外装玻璃门锁
Glass door lock with cylinder and lever handles




PRODUCT MODEL
SA8700A-3

外装玻璃门锁套
Glass door lock with handles

PRODUCT MODEL
SA8700A-50

外装玻璃门锁
Glass door lock with cylinder and lever handles




PRODUCT MODEL
SA8700A-26

外装玻璃门锁套
Strike box long

PRODUCT MODEL
SA8700A-20

外装玻璃门锁
Glass door lock with cylinder and lever handles






PRODUCT MODEL
SA8700A-21

外装玻璃门锁套
Strike box short

PRODUCT MODEL
SA8700A-19

外装玻璃门锁
Glass door lock with cylinder and lever handles




PRODUCT MODEL
SA8700A-21

外装玻璃门锁套
Strike box short

PRODUCT MODEL
SA8700A-20

外装玻璃门锁
Glass door lock with cylinder and lever handles




PRODUCT MODEL
SA8700A-21

外装玻璃门锁套
Strike box short

PRODUCT MODEL
SA8700A-19B

通道锁
Channel Lock




PRODUCT MODEL
SA8700A-21

外装玻璃门锁套
Strike box short

PRODUCT MODEL
SA8700A-20B


通道锁
Channel Lock





Handle Lock Series
Modern Office Expert

Handle Lock Series
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Handle Lock Series


INNOVATION THAT'S OUT OF YOUR IMAGINATION



Handle Lock Series
Modern Office Expert



产品尺寸
Hole dimension of glass




PRODUCT MODEL
SA8200D-7

拉手锁
Single locking pull handle (thick stems)



PRODUCT MODEL
SA8200B-7

拉手锁
back to back locking pull handle without thumb turn




PRODUCT MODEL
SA8200B-8

拉手锁
Single locking pull handle (thin bottom stem)



产品尺寸
Hole dimension of glass




Handle Lock Series
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Handle Lock Series
Modern Office Expert




产品尺寸
Hole dimension of glass 玻璃开孔尺寸
Hole dimension of glass



PRODUCT MODEL
SA8200D-1

拉手锁
Locking pull handles with thumb turn



PRODUCT MODEL
SA8200D-2

拉手锁
Locking pull handles without thumb turn




PRODUCT MODEL
SA8200D-4

拉手锁
Locking pull handles without thumb turn




产品尺寸
Hole dimension of glass 玻璃开孔尺寸
Hole dimension of glass





Handle Lock Series
Modern Office Expert




PRODUCT MODEL
SA8200D-1A
拉手锁
Locking pull handles with key both sides




PRODUCT MODEL
SA8200A-1
拉手锁
Cross locking pull handles (double door)

PRODUCT MODEL
SA8200A-2
拉手套锁
Cross Pull handles with keep



玻璃开孔尺寸
Hole dimension of glass



Handle Lock Series
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Handle Lock Series

Modern Office Expert



PRODUCT MODEL
SA8200B-1A

拉手锁
Short locking pull handles with leather insert



PRODUCT MODEL
SA8200B-1

拉手锁
short locking pull handles



PRODUCT MODEL
SA8200B-2

拉手锁
short locking pull handles with thumb turn only




产品尺寸

hole dimension of glass

玻璃开孔尺寸
Hole dimension of glass

Hole dimension of glass






Handle Lock Series
Modern Office Expert




PRODUCT MODEL
SA8200B-4

拉手锁
Locking pull handles (handed)




Handle Lock Series
INNOVATION THAT'S OUT OF YOUR IMAGINATION






Handle Lock Series
Modern Office Expert




PRODUCT MODEL
SA8200B-3
拉手锁
Locking pull handles (handed)



PRODUCT MODEL
SA8200B-5A
锁套
Double matching over panel keep for locking pull handles



PRODUCT MODEL
SA8200B-6
锁套
Double matching over panel keep for locking pull handles






Handle Lock Series
Modern Office Expert


PRODUCT MODEL
SA8200B-5A
锁套
Double matching over panel
keep for locking pull handles



产品尺寸
Hole dimension of glass



玻璃开孔尺寸
Hole dimension of glass



PRODUCT MODEL
SA8200B-5

拉手锁
Full Height locking pull handles (handed locks top & bottom)



Handle Lock Series
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Handle Lock Series
Modern Office Expert


PRODUCT MODEL
SA8200D-5A

锁套
Double matching over panel keep for locking pull handles



产品尺寸
Hole dimension of glass

玻璃开孔尺寸
Hole dimension of glass



PRODUCT MODEL
SA8200D-5

拉手锁
Double matching over panel keep for locking pull handles

SA8200D-5D

拉手锁
Full Height locking pull handles (locks top & bottom)

Model 型号	A	L
SA8200D-5	850	2000
SA8200D-5D	1050	2200




PRODUCT MODEL
SA8200D-6A

锁套
Double matching over panel keep for locking pull handles



产品尺寸
Hole dimension of glass

玻璃开孔尺寸
Hole dimension of glass



PRODUCT MODEL
SA8200D-6





拉手锁
Full Height locking pull handles (locks top & bottom)



SA8200D-6D

拉手锁
Full Height locking pull handles (locks top & bottom)

Model 型号	A	L
SA8200D-6	850	2000
SA8200D-6D	1050	2200



Item Number	Dimensions in mm/Specification
	<p>PRODUCT MODEL SA8200B-5A 拉手锁配件 Single over panel keep for locking pull handles STD</p> 
	<p>PRODUCT MODEL SA8200B-5B 拉手锁配件 Single over panel keep for locking pull handles STD</p> 
	<p>PRODUCT MODEL SA8200D-5A 拉手锁配件 Single over panel keep for locking pull handles CS</p> 
	<p>PRODUCT MODEL SA8200D-5B 拉手锁配件 Single over panel keep for locking pull handles CS</p> 

Item Number	Dimensions in mm/Specification
	<p>PRODUCT MODEL SA8200D-6A 拉手锁配件 Single over panel keep for locking pull handles STD</p> 
	<p>PRODUCT MODEL SA8200D-6B 拉手锁配件 Single over panel keep for locking pull handles STD</p> 
	<p>PRODUCT MODEL SA8200D-5C 拉手锁配件 Single point keep for locking pull handles</p> 
	<p>PRODUCT MODEL SA8200C-1 拉手锁配件 Dust proof socket for locking pull handles</p> 





Patch Fitting Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION





Square patch fitting models

方型门夹扇式样



Irregular patch fitting models

异型门夹扇式样



General purposes

SAFE provides different deployment proposals for different models of doors so that designers have boundless creation space in glass designs for modern buildings.

Simple glass processing and reliable connection. The processing of reinforced glass matching SAFE glass door clamps is very simple and its field installation is quick and reliable. In combination with the use of SAFE clamps and spring, the glass door will be ever more secure and durable.

Scope of application:

Standard models are adaptable to 12mm thick glass, and also applicable to 8mm, 10mm and 15mm thickness glass. Door weight ≤ 80kg. Door width ≤ 1100mm. 53mm or 56mm away from axial center point optional.

Finish:

SAFE general purpose door clamp standard overlay:
Mirror polished stainless steel,
Matt Stainless,
Titanium gold

通用

赛夫为各种门型提供了不同的配置方案，使设计师在现代建筑玻璃设计中有无限的创意空间。

玻璃加工简单、连接可靠
赛夫高玻璃门夹配套的钢化玻璃加工十分简单，现场安装快捷可靠。赛夫门夹配合地弹簧一起使用，使玻璃门更安全耐用。

适用范围

标准型号适合12mm厚玻璃，也可提供用于8mm、10mm、15mm厚的玻璃使用。
- 门重≤80kg
- 门宽≤1100mm
- 轴心点距边53mm或56mm可选



饰面

赛夫通用门夹的标准饰面：
镜面不锈钢
拉丝不锈钢
钛金



固定螺丝之扭矩
M6: 10Nm(4mm)
M6: 15Nm(4mm)
M6: 20Nm(4mm)




SA7502 上夹
Pneumatic top patch fitting




SA7501 带自动闭门功能下夹
Pneumatic bottom patch fitting



SA7505 带自动闭门功能上夹
Pneumatic top insert fitting for timber door




SA7504 带自动闭门功能下夹
Pneumatic bottom insert fitting for timber door







SA8900B-1 下门夹 (带锁)
100mm bottom rail with lock




SA7060 角锁
Square bottom patch lock


具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp, curve clamp and lock clamp.
suitable for each type of the floor hinge.




SA8900B-2A 上门夹
100mm top rail with pivot point



SA7060-B 移门专用锁套
Bottom locking point & guide for sliding door





SA8900B-1B 下门夹 (带锁)
75mm bottom rail with lock




SA7061 角锁
Round top patch lock



具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp, curve clamp and lock clamp.
suitable for each type of the floor hinge.



SA8900B-2B 上门夹
75mm top rail with pivot point



SA7061-B 移门专用锁套
Bottom locking point & guide for sliding door





SA8300D-6

下夹
Bottom oblong patch fitting



SA8300D-7

上夹
Top oblong patch fitting





SA8300D-8

顶夹
Over panel oblong patch fitting





玻璃开孔尺寸
hole dimension of glass



SA7101 下夹

Coverless bottom patch fitting



具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.



SA7102 上夹

Coverless top patch fitting



具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.



SA7103 顶夹

Coverless transom patch fitting



具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.



SA7104 顶夹

Coverless side panel / over panel patch fitting


具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.






SA7105 曲型顶夹
Side panel / over pane top pivot

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.




SA7106 双开型顶夹
Coverless double over panel patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.




SA7107 T型双开顶夹
Coverless double over panel with fin patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.




SA7108-A F型顶夹(左)
Coverless side panel / over panel & fin patch fitting (left hand)

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.




SA7108-B F型顶夹(右)
Coverless side panel / over panel & fin patch fitting (right hand)

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.




SA7117 锁夹
Coverless bottom lock patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.




SA7109 下夹
Coverless bottom patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.



SA7110 上夹
Coverless top patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.






SA7111 顶夹
Coverless transom patch fitting



SA7112 顶夹
Coverless side panel / over panel patch fitting



SA7113 曲型顶夹
Side panel / over pane top pivot





SA7114 双开型顶夹
Coverless double over panel patch fitting





SA7115 T型双开顶夹
Coverless double over panel with fin patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.





SA7116-A F型顶夹(左)
Coverless side panel / over panel & fin patch fitting (left hand)

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.





SA7116-B F型顶夹(右)
Coverless side panel / over panel & fin patch fitting (right hand)

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.



SA7117B 锁夹
Coverless bottom lock patch fitting



具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.







SA7010 下夹
Standard bottom patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.





SA7020 上夹
Standard top patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.





SA7030 锁夹
Standard bottom lock patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.





SA7040 曲型顶夹
Standard side panel & over panel pivot patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.





SA7050 顶夹
Standard transom patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.





SA7118 顶轴
Coverless wrap over pivot point patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.



SA7119 顶轴
Coverless wall mounted over panel patch fitting

具有不同上夹、顶夹、曲夹、锁夹配件，能够适合各种型号地弹簧配合使用。
We have difference door clamp,top clamp,curve clamp and lock clamp.
suitable for each type of the floor hinge.





Gating Controlling Series

INNOVATION THAT'S OUT OF YOUR IMAGINATION



The group spirit of cooperation is stem from progress

The professional persistence decides the constant working attitude; close cooperaton, high standard, ang quick reaction, Webecome a group,which is good at thinking and loves challenge. we put the emphasis on the combination is carefully written in an ornate style. We even think about the convenient methods or the architect is in good repair after it is used.




SA7208超薄单缸地弹簧
SA7208 Floor spring single action

技术参数及性能		SA7208
关门力(N·m)	0° - 4°	18—26
最大门宽(mm)		1000
最大门重(kg)		90
最大开启角度		130°
定位		105°, 90°
速度调节	1速	90°—15°
	2速	15°—0°
适用温度范围		-30°C—45°C
适用范围		木门、玻璃门、铝门及各类门扇安装。左开、右开、单开或双开门扇。
净重(kg)	4.5	4.55
铁壳尺寸(mm)	长	275
	宽	108
	高	40.5
使用寿命		500,000 次



门扇定位和闭门速度调整

1. 调整螺丝②④使地弹簧转轴的中心位和顶框板轴的中心位达到同一轴线;
2. 调整螺丝①使门扇关闭后达到所需轴线的位置;
3. 调整螺丝③使门扇底部达到和地面、地弹簧平行;
4. 闭门速度(第一速)和上闩力道(第二速)调整时,顺时针方向转动调整阀,则速度及力道变慢;逆时针方向转动调整阀,则速度及力道加快;



注意: A. 在适当的门上安装。
B. 为防止门损坏,不要打开门超过130度。
C. 为防止漏油,不要彻底地打开1和2的调节阀螺丝,只能轻轻地调整它们。



SA7202型超薄单缸地弹簧

SA7202 Floor spring single action


技术参数及性能		SA7202		
关门力(N·m)0° ~ 4°		18~26		
最大门宽(mm)		1000		
最大门重(kg)		120		
最大开启角度		130°		
定位		105°, 90°		
速度调节	1速	90° ~ 15°		
	2速	15° ~ 0°		
适用温度范围		-30°C ~ 45°C		
适用范围		木门、玻璃门、铝门及各类门扇安装。左开、右开、单开或双开门扇。		
净重(kg)		4.5	4.55	4.6
铁壳尺寸(mm)	长	245.5		
	宽	95		
	高	40.5		
使用寿命		500,000 次		



SA7308型双缸地弹簧


SA7308 Floor spring double action

技术参数及性能		SA7308		
关门力(N·m)	0° - 4°	18—26		
最大门宽(mm)		1000		
最大门重(kg)		90		
最大开启角度		130°		
定位		105°, 90°		
速度调节	1速	90° — 15°		
	2速	15° — 0°		
可换轴头		可选		
适用温度范围		-30°C—45°C		
适用范围		木门、玻璃门、铝门及各类 门扇安装。左开、右开、单 开或双开门扇。		
净重(kg)		5.0	5.1	5.2
铁壳尺寸(mm)	长		305	
	宽		108	
	高		40.5	
使用寿命		500,000 次		




门扇定位和闭门速度调整

1. 调整螺丝②④调整地弹簧转轴的中心位和顶框枢轴的中心位达到同一轴线；
 2. 调整螺丝①使门扇关闭后达到所需轴线的位置
 3. 调整螺丝③使门扇底部达到和地面、地弹簧平行；
 4. 闭门速度（第一速）和上闩力道（第二速）调整时，顺时针方向转动调整阀，则速度及力道变慢；逆时针方向转动调整阀，则速度及力道加快；



注意：

- A. 在适当的门上安装。
- B. 为防止门损坏，不要打开门超过130度。
- C. 为防止漏油，不要彻底地打开1和2的调节阀螺丝，只能轻轻地调整它们。



门扇定位和闭门速度调整

1. 调整螺丝②④调整地弹簧转轴的中心位和顶框枢轴的中心位达到同一轴线；
 2. 调整螺丝①使门扇关闭后达到所需轴线的位置
 3. 调整螺丝③使门扇底部达到和地面、地弹簧平行；
 4. 闭门速度(第一速)和上闩力道(第二速)调整时，
 顺时针方向转动调整阀，则速度及力道变慢；
 逆时针方向转动调整阀，则速度及力道加快；

注意:




- A. 在适当的门上安装。
- B. 为防止门损坏, 不要打开门超过130度。
- C. 为防止漏油, 不要彻底地打开1和2的调节阀螺丝, 只能轻轻地调整它们。



SA7302型双缸地弹簧

SA7302 Floor spring double action

技术参数及性能		SA7302			
关门力(N·m)	0° - 4°	26-37			
最大门宽(mm)		1200			
最大门重(kg)		120			
最大开启角度		130°			
定位		105°, 90°			
速度调节	1速	90° - 15°			
	2速	15° - 0°			
可换轴头		可选			
适用温度范围		-30°C - 45°C			
适用范围		木门、玻璃门、铝门及各类门扇安装。左开、右开、单开或双开门扇。			
净重(kg)	5.0	5.1	5.2	5.3	
铁壳尺寸(mm)	长	305			
	宽	108			
	高	40.5			
使用寿命	500,000 次				




门扇定位和闭门速度调整

1. 调整螺丝②④调整地弹簧转轴的中心位和顶框枢轴的中心位达到同一轴线；
2. 调整螺丝①使门扇关闭后达到所需轴线的位置
3. 调整螺丝③使门扇底部达到和地面、地弹簧平行；
4. 闭门速度(第一速)和上闩力道(第二速)调整时，顺时针方向转动调整阀，则速度及力道变慢；逆时针方向转动调整阀，则速度及力道加快；

注意：
 A. 在适当的门上安装。
 B. 为防止门损坏，不要打开门超过130度。
 C. 为防止漏油，不要彻底地打开1和2的调节阀螺丝，只能轻轻地调整它们。





Shower Hinge & Glass Clip




Modern Office Expert

Shower Hinge & Glass Clip
INNOVATION THAT'S OUT OF YOUR IMAGINATION



Shower Hinge & Glass Clip


INNOVATION THAT'S OUT OF YOUR IMAGINATION




**PRODUCT MODEL
SA8500A-1**
玻璃吊轮
Sliding door hanger for 20mm tube
(最大玻璃承重60kg)
The glass maximum weight 60kg




**PRODUCT MODEL
SA8500B-1**
玻璃吊轮
Sliding door hanger for 20mm tube
(最大玻璃承重60kg)
The glass maximum weight 60kg




**PRODUCT MODEL
SA8500A-2**
管夹/与玻璃连接
STD glass to tube fixing for 20mm tube











**PRODUCT MODEL
SA8500A-3**
管夹/与墙体连接
Wall to tube fixing for 20mm tube



**PRODUCT MODEL
SA8500A-4**
止动器
Buffer stop for 20mm tube








PRODUCT MODEL

SA8500A-13

玻璃固定
Shower track



Product structure and installation plan


产品结构与安装示意图

- A. (1+2)mm thickness glasket for 8mm thickness glass
- B. 2mm thickness glasket for 10mm thickness glass
- C. 1mm thickness glasket for 12mm thickness glass

夹8mm厚玻璃时可选(1+2)mm垫片

夹10mm厚玻璃时可选2mm垫片


夹12mm厚玻璃时可选1mm垫片



PRODUCT MODEL

SA8500A-14

玻璃固定
Shower track



Product structure and installation plan


产品结构与安装示意图

- A. (1+2)mm thickness glasket for 8mm thickness glass
- B. 2mm thickness glasket for 10mm thickness glass
- C. 1mm thickness glasket for 12mm thickness glass

夹8mm厚玻璃时可选(1+2)mm垫片

夹10mm厚玻璃时可选2mm垫片




夹12mm厚玻璃时可选1mm垫片



Product structure and installation plan

产品结构与安装示意图


- A. (1+2)mm thickness glasket for 8mm thickness glass
- B. 2mm thickness glasket for 10mm thickness glass
- C. 1mm thickness glasket for 12mm thickness glass




夹8mm厚玻璃时可选(1+2)mm垫片

夹10mm厚玻璃时可选2mm垫片

夹12mm厚玻璃时可选1mm垫片





Shower Hinge & Glass Clip

Modern Office Expert

Shower Hinge & Glass Clip

INNOVATION THAT'S OUT OF YOUR IMAGINATION

Item Number	Dimensions in mm/Specification																
PRODUCT MODEL SA8500A-5A\B\C 玻璃固定 Shower tracking	<table border="1"> <thead> <tr> <th>型号</th> <th>W1</th> <th>W2</th> <th>H</th> </tr> </thead> <tbody> <tr> <td>SA8500A-5A</td> <td>8</td> <td>30.5</td> <td>15</td> </tr> <tr> <td>SA8500A-5B</td> <td>10</td> <td>30.5</td> <td>15</td> </tr> <tr> <td>SA8500A-5C</td> <td>12</td> <td>30.5</td> <td>15</td> </tr> </tbody> </table>	型号	W1	W2	H	SA8500A-5A	8	30.5	15	SA8500A-5B	10	30.5	15	SA8500A-5C	12	30.5	15
型号	W1	W2	H														
SA8500A-5A	8	30.5	15														
SA8500A-5B	10	30.5	15														
SA8500A-5C	12	30.5	15														

Item Number	Dimensions in mm/Specification
PRODUCT MODEL SA8500A-5D 端盖 End cover	

Item Number	Dimensions in mm/Specification												
PRODUCT MODEL SA8500A-6A\B\C 玻璃固定 Shower tracking insert	<table border="1"> <thead> <tr> <th>型号</th> <th>W</th> <th>H</th> </tr> </thead> <tbody> <tr> <td>SA8500A-6A</td> <td>8</td> <td>13.5</td> </tr> <tr> <td>SA8500A-6B</td> <td>10</td> <td>13.5</td> </tr> <tr> <td>SA8500A-6C</td> <td>12</td> <td>13.5</td> </tr> </tbody> </table>	型号	W	H	SA8500A-6A	8	13.5	SA8500A-6B	10	13.5	SA8500A-6C	12	13.5
型号	W	H											
SA8500A-6A	8	13.5											
SA8500A-6B	10	13.5											
SA8500A-6C	12	13.5											

Item Number	Dimensions in mm/Specification												
PRODUCT MODEL SA8500A-7A\B\C 管连接90° Shower tracking 90 deg insert	<table border="1"> <thead> <tr> <th>型号</th> <th>W1</th> <th>W2</th> </tr> </thead> <tbody> <tr> <td>SA8500A-7A</td> <td>8</td> <td>11</td> </tr> <tr> <td>SA8500A-7B</td> <td>10</td> <td>10</td> </tr> <tr> <td>SA8500A-7C</td> <td>12</td> <td>9</td> </tr> </tbody> </table>	型号	W1	W2	SA8500A-7A	8	11	SA8500A-7B	10	10	SA8500A-7C	12	9
型号	W1	W2											
SA8500A-7A	8	11											
SA8500A-7B	10	10											
SA8500A-7C	12	9											

Item Number	Dimensions in mm/Specification
PRODUCT MODEL SA8500A-8A 管连接90° Shower tracking 90 deg cover	

Item Number	Dimensions in mm/Specification
PRODUCT MODEL SA8500A-8B 管连接135° Shower tracking 135 deg cover	


Item Number	Dimensions in mm/Specification
PRODUCT MODEL SA8500A-8C 管连接180° shower tracking straight cover	






SA8500F-1

FEATURES:
MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
 Satin stainless steel(SSS)




SA8500F-2

FEATURES:
MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
 Satin stainless steel(SSS)




SA8500F-3

FEATURES:
MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
 Satin stainless steel(SSS)




SA8500F-4

FEATURES:
MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
 Satin stainless steel(SSS)




SA8500F-5

FEATURES:
MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
 Satin stainless steel(SSS)



SA8500F-6

FEATURES:
MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
 Satin stainless steel(SSS)







SA8500F-7

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500G-1

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500G-2

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500G-3

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500G-4

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500G-5

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500G-6

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500G-7

FEATURES:

MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)






SA8500G-8

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500G-9

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500G-10

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500G-11

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500H-1

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500H-2

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500H-3

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500H-4

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)






SA8500H-5L

带自闭功能，可选择左、右方向
It has auto-close function,
You can select left or right direction




SA8500H-5R

带自闭功能，可选择左、右方向
It has auto-close function,
You can select left or right direction




SA8500H-6L

带自闭功能，可选择左、右方向
It has auto-close function,
You can select left or right direction




SA8500H-6R

带自闭功能，可选择左、右方向
It has auto-close function,
You can select left or right direction




SA8500H-7 NEW

FEATURES:
MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)




SA8500H-8

FEATURES:
MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)




SA8500H-9

FEATURES:
MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)




SA8500H-10

FEATURES:
MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)





SA8500H-11

FEATURES:
MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500H-11功能示意






SA8500K-1

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500K-2

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500K-3

FEATURES:




MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-1

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-2

FEATURES:



MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-3

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-4

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-5

FEATURES:

MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)






SA8500L-6

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-7

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-8

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-9

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-10

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-11

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-12

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-13

FEATURES:

MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)






SA8500L-14

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-15

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-16A · NEW

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-16B · NEW

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-17

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-18

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-19

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-20

FEATURES:

MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)





Shower Hinge & Glass Clip

Modern Office Expert



SA8500L-21


FEATURES:

MATERIAL:Stainless steel

DOOR THICKNESS:8mm to 12mm

FINISH:Polished stainless steel(PSS)

Satin stainless steel(SSS)



SA8500L-22


FEATURES:

MATERIAL:Stainless steel

DOOR THICKNESS:8mm to 12mm

FINISH:Polished stainless steel(PSS)

Satin stainless steel(SSS)



SA8500L-23


FEATURES:

MATERIAL:Stainless steel

DOOR THICKNESS:6mm

FINISH:Polished stainless steel(PSS)

Satin stainless steel(SSS)



SA8500L-24


FEATURES:

MATERIAL:Stainless steel

DOOR THICKNESS:6mm

FINISH:Polished stainless steel(PSS)

Satin stainless steel(SSS)







SA8500L-25

FEATURES:



MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-26

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 10mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-27

FEATURES:



MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 10mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-28

FEATURES:



MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 10mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500L-29

FEATURES:



MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 10mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-1

FEATURES:





MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-2

FEATURES:

MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)






SA8500E-3

FEATURES:


MATERIAL: Stainless steel
DOOR THICKNESS: 8mm to 12mm
FINISH: Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-3A

FEATURES:

MATERIAL: Stainless steel
DOOR THICKNESS: 8mm to 12mm
FINISH: Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-4

FEATURES:


MATERIAL: Stainless steel
DOOR THICKNESS: 8mm to 12mm
FINISH: Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-5

FEATURES:


MATERIAL: Stainless steel
DOOR THICKNESS: 8mm to 12mm
FINISH: Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-6

FEATURES:


MATERIAL: Stainless steel
DOOR THICKNESS: 8mm to 12mm
FINISH: Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-7

FEATURES:


MATERIAL: Stainless steel
DOOR THICKNESS: 8mm to 12mm
FINISH: Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-8

FEATURES:


MATERIAL: Stainless steel
DOOR THICKNESS: 8mm to 12mm
FINISH: Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-9

FEATURES:

MATERIAL: Stainless steel
DOOR THICKNESS: 8mm to 12mm
FINISH: Polished stainless steel(PSS)
Satin stainless steel(SSS)






SA8500E-10

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-11

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-12

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-13

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-14

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-15

FEATURES:





MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)




SA8500E-17

FEATURES:

MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)






SA8500E-16

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-18

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-19

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-20

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 10mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-21

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-22

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)



SA8500E-23

FEATURES:


MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)












SA8500T-01









FEATURES:

MATERIAL:Stainless steel
DOOR THICKNESS:8mm to 12mm
FINISH:Polished stainless steel(PSS)
Satin stainless steel(SSS)






Item Number	Dimensions in mm/Specification
SA8500T-02 FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:6mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)	 
SA8500T-03 FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:6mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)	 
SA8500T-04 FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)	 
SA8500T-05 FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)	 

Item Number	Dimensions in mm/Specification
SA8500T-06 FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)	 
SA8500T-07 FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)	 
SA8500T-08 FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)	 
SA8500T-09 FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)	 




Item Number	Dimensions in mm/Specification
SA8800A-1	<p>FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 10mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)</p>
SA8800A-2	<p>FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 10mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)</p>
SA8800A-4	<p>FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 10mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)</p>
SA8800A-6	<p>FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)</p>

Item Number	Dimensions in mm/Specification
SA8800A-18	<p>FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 10mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)</p>
SA8800A-18A	<p>FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 10mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)</p>



Item Number	Dimensions in mm/Specification
SA8800D-1	FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)
SA8800D-3	FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 10mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)
SA8800D-4	FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 10mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)
SA8800D-5	FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)

Item Number	Dimensions in mm/Specification
SA8800D-6	FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 12mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)
SA8800D-7	FEATURES: MATERIAL:Stainless steel DOOR THICKNESS:8mm to 10mm FINISH:Polished stainless steel(PSS) Satin stainless steel(SSS)





Shower Hinge & Glass Clip

Modern Office Expert

Item Number	Dimensions in mm/Specification
SA6000-1 浴室玻璃门防水胶条 Shower door seals	
SA6000-2 浴室玻璃门防水胶条 Shower wall flexible connection	
SA6000-3 浴室玻璃门防水胶条 Shower door bulb seal	
SA6000-4 浴室玻璃门防水胶条 Shower door flipper seal	



Glass Wall Spider Fitting

INNOVATION THAT'S OUT OF YOUR IMAGINATION





SA200K-1A

玻璃幕墙接驳构件
Glass fin and single spider assembly



SA200K-2A

玻璃幕墙接驳构件
Glass fin and single spider assembly







SA200K-1B

玻璃幕墙接驳构件
Glass fin double single point spider assembly



SA200K-2B

玻璃幕墙接驳构件
Glass fin double double point spider assembly





Item Number	Dimensions in mm/Specification
SA200-1A 玻璃幕墙接驳构件 Single spider short	A technical drawing showing a single spider fitting. It consists of a vertical stem with two horizontal arms extending at 90 degrees. The total height is 100mm. The distance from the center of the top hole to the wall is 48.5mm. The distance between the two holes on the stem is 26.5mm. The thickness of the glass is 10mm. A cross-sectional view labeled 'B-B' shows the internal structure.
SA200-1B 玻璃幕墙接驳构件 Single spider long	A technical drawing showing a single spider fitting. It has a longer vertical stem than SA200-1A. The total height is 141.4mm. The distance from the center of the top hole to the wall is 48.5mm. The distance between the two holes on the stem is 26.5mm. The thickness of the glass is 10mm. A cross-sectional view labeled 'B-B' shows the internal structure.
SA200-2A 玻璃幕墙接驳构件 Double 180 deg spider	A technical drawing showing a double spider fitting. It has two vertical stems, each with a horizontal arm extending at 180 degrees. The total height is 200mm. The distance from the center of the top hole to the wall is 48.5mm. The distance between the two holes on each stem is 26.5mm. The thickness of the glass is 10mm. A cross-sectional view labeled 'B-B' shows the internal structure.
SA200-2B 玻璃幕墙接驳构件 Double 90 deg spider	A technical drawing showing a double spider fitting. It has two vertical stems, each with a horizontal arm extending at 90 degrees. The total height is 200mm. The distance from the center of the top hole to the wall is 48.5mm. The distance between the two holes on each stem is 26.5mm. The thickness of the glass is 10mm. A cross-sectional view labeled 'B-B' shows the internal structure.

Item Number	Dimensions in mm/Specification
SA200-3 玻璃幕墙接驳构件 Triple spider	A technical drawing showing a triple spider fitting. It has three vertical stems meeting at a central point. The total height is 200mm. The distance from the center of the top hole to the wall is 48.5mm. The distance between the two holes on each stem is 26.5mm. The thickness of the glass is 10mm. A cross-sectional view labeled 'B-B' shows the internal structure.
SA200-4 玻璃幕墙接驳构件 Quad spider	A technical drawing showing a quad spider fitting. It has four vertical stems meeting at a central point. The total height is 200mm. The distance from the center of the top hole to the wall is 48.5mm. The distance between the two holes on each stem is 26.5mm. The thickness of the glass is 10mm. A cross-sectional view labeled 'B-B' shows the internal structure.
SA200-T-01 玻璃幕墙接驳构件 Routel 22 x 31 STD	A technical drawing showing a threaded spider fitting. It has a threaded stem and a flange. The total height is 100mm. The diameter of the flange is 31.5mm. The thickness of the flange is 12-18mm. The diameter of the stem is 24mm. A cross-sectional view labeled 'B-B' shows the internal structure.
SA200-T-01A 玻璃幕墙接驳构件 Routel 32 x 36 STD	A technical drawing showing a threaded spider fitting. It has a threaded stem and a flange. The total height is 105mm. The diameter of the flange is 35mm. The thickness of the flange is 10-18mm. The diameter of the stem is 24mm. A cross-sectional view labeled 'B-B' shows the internal structure.



K.

Glass Wall Spider Fitting
INNOVATION THAT'S OUT OF YOUR IMAGINATION


Item Number

Dimensions in mm/Specification




SA200-T-02

玻璃幕墙接驳构件
Routel 32 x 36 STD




SA200-T-03

玻璃幕墙接驳构件
Routel 34 x 35 CS




SA200-T-04

玻璃幕墙接驳构件
Single point adjustable spider connector






SA200-T-05

玻璃幕墙接驳构件
Single point adjustable spider connector





Item Number	Dimensions in mm/Specification
 SA200-T-06 玻璃幕墙接驳构件 Triple spider Routel 19x47.5 STD	
 SA200-T-07 玻璃幕墙接驳构件 Quad spider Routel 19x43.5 STD	
 SA200-T-08 玻璃幕墙接驳构件 Routel 22 x 31 STD Routel 40x47.5 CS	
 SA200-T-09 玻璃幕墙接驳构件 Routel 32 x 36 STD Routel 40x43.5 CS	