

## Guía de instalación de Bootstrap

### Formas de instalar Bootstrap

1. Content Delivery Network o CDN, se copia una dirección/link de la página de bootstrap, se añade a la página y listo.
2. Descargar el archivo, se descargan los archivos de bootstrap se suben junto a la aplicación, almacenados en el servidor.
3. Administrador de paquetes npm, bower o yarn, de la misma manera se descargan los archivos y guardan en el servidor (esto solo en caso de usar Node js o similares).

En mi caso con la CDN, ya que solo quiero incluir CSS compilado de Bootstrap.

Agregar las siguientes líneas de código dentro de mi etiqueta <head></head> y

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.1/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-4bw+ /aepP/YC94hEpVNVgiZdgIC5+VKNBQNGCHekRQN
+PtmoHDEXuppvnDJzQIu9" crossorigin="anonymous">
```

antes de mi etiqueta <title></title>:

He agregado iconos de Bootstrap con la siguiente línea de código seguida del anterior:

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.3.0/font/
bootstrap-icons.css">
```

Líneas de código en las que se ha incorporado Bootstrap:

```
<div id="contenedor" class="container border rounded-4 border-0">
```


```
<div class="row">
  <div class="col-12 text-center" style="color: white;">
```

```
<div class="form-group">
  <div for="username" class="cols-sm-10" style="padding-top: 10px;">
    <div class="input-group">
      <span class="pt-2 px-3 input-group-addon bg-warning">
        <i class="bi bi-person-fill"></i>
      </span>
      <input type="text" name="username" placeholder="usuario" class="form-control
```

```
<div for="password" class="form-group my-1" style="padding-top: 14px;">
  <div class="cols-sm-10">
    <div class="input-group">
      <span class="pt-2 px-3 input-group-addon bg-warning">
        <i class="bi bi-lock-fill"></i>
```

```
<div class="form-group text-center" style="padding-top: 7px;">  
  <button type="submit" class="btn btn-md btn-warning text-dark" style="padding: 7px
```

Resultado del Login básico:



Campo Usuario del tipo usuario con su respectivo placeholder:



Contraseña de tipo password:



A login form titled "INICIA SESIÓN" on a dark background. It features two input fields: the first is for the username, labeled "usuario" with a person icon, and the second is for the password, labeled with a lock icon and masked with dots. Below the password field is a checkbox labeled "Recordarme". A yellow button labeled "Iniciar sesión" is positioned below the checkbox. At the bottom, there is a link that says "¿Has olvidado la contraseña?".

Checkbox para recordar al usuario y botón de inicio de sesión:



A login form titled "INICIA SESIÓN" on a dark background. It features two input fields: the first is for the username, labeled "usuario" with a person icon, and the second is for the password, labeled with a lock icon and masked with dots. Below the password field is a checkbox labeled "Recordarme". A yellow button labeled "Iniciar sesión" is positioned below the checkbox. At the bottom, there is a link that says "¿Has olvidado la contraseña?". A hand cursor is shown clicking the "Iniciar sesión" button.