

<https://profile.intra.42.fr/searches>**jsemel** https://projects.intra.42.fr/scale_teams/6752102/edit#<https://profile.intra.42.fr/>

SCALE FOR PROJECT FT_PING (HTTPS://PROJECTS.INTRA.42.FR/PROJECTS/42COURSE/FT_PING)

You should evaluate 1 student in this team

Git repository

`git@vogsphere.42paris.fr:vogsphere/intra-uuid-3179b6ba-8c10-498e-84dt`

Introduction

For the smooth running of this evaluation, please respect the following rules:

- Remain polite, kind, respectful and constructive whatever happens during this conversation. It's a matter of confidence between you and the 42 community.
- Highlight the potential problems you've had with the work you're presented to the person or the group you're grading, and take the time to talk about and discuss those issues.
- Accept the fact that the exam subject or required functions might lead to different interpretations. Listen to your discussion partner's perspective with an open mind (are they right or wrong ?) and grade them as fairly as possible.
42's teaching methods can make sense only if peer-evaluation is taken seriously.

Guidelines

- You must only evaluate what you will find in the student's or group's GiT repository.
- Take the time to check that the GiT repository matches the student or group and the project.
- Double check that no malicious alias was used to mislead you and make you grade something different from the official repository content.
- If a script supposed to help evaluate the exam is supplied by either side, the other side will have to strictly check it to avoid nasty surprises.
- If the evaluating student has not yet taken this project, they will have to read the exam subject in its entirety before starting the evaluation.
- Use the flags available on this grading system to signal an empty or non-functional project, a norm flaw, cheating, etc. In that case, evaluation stops and final grade is 0 (or -42 if it's a cheating problem). However, if it's not a cheating problem, you are invited to keep talking about the work that has been done (or not done, as a matter of fact) in order to identify the issues that lead to this stalemate and avoid it next time.
- Evaluation must be made with a virtual machine running with Debian >= 7 with root rights.

Attachments

[subject.pdf \(https://cdn.intra.42.fr/pdf/pdf/124498/en.subject.pdf\)](https://cdn.intra.42.fr/pdf/pdf/124498/en.subject.pdf)

ft_ping base

Attempt to use the project with options.

Foreword

Before starting the evaluation, make sure that:

- the project is in C,
- the project only uses the authorised functions and NOT excve, ping, fcntl, poll and ppoll functions.
- one Makefile containing the usual rules is present.

If one of the conditions has not been met, evaluation stops.

Yes

No

Checking arguments

The program checks that user has the necessary permissions and executes correctly with the "?" option. It displays a simple, clear and correct explanation of its use.

Yes

No

ft_ping ip

For all the grading system questions, you will compare the standard output with the system ping command with a diff. A 30ms +/- difference on a package will be tolerated. The tested address' DNS resolution in the return package is not mandatory. The final line (concerting the RTT) will be ignored. Program stop will be prompted by CTRL+C.

ft_ping good ip

Run the program with a valid and functional IPv4 address as a parameter.

Does the program work like the system ping ?

Reminder: A 30ms +/- difference on a package will be tolerated.

Yes

No

ft_ping bad ip

Run the program with a valid and non-functional IPv4 address as a parameter.

Does the program work like the system ping?

Yes

No

ft_ping -v bad ip

Run the program with with the otion "-v" on a valid and non-functional IPv4 address.

The evaluated student will have to clearly explain the display return of their program.

Yes

No

ft_ping hostname

ft_ping good hostname

Run the program with a valid and functional hostname as a parameter.

Does the program work like the system ping?

Yes

No

ft_ping bad hostname

Run the program with a valid and non-functional hostname as a parameter.

Does the program work like the system ping?

Yes

No

ft_ping -v bad hostname

Run the program with the option "-v" on a valid and non-functional hostname as a parameter.

The TTL value will have to be modified. (you can use the flag --ttl if the student has implemented it otherwise change the hardcoded value and recompile the executable)

The evaluated student will have to clearly explain what their the display of their program.

Yes

No

ft_ping bonus

Bonus will be taken into account only if ALL the previous points are valid.

Bonus made for this project

For this project, you can take into account up to 5 different bonuses.

Check the subject for valid and invalid bonuses.

Rate it from 0 (failed) through 5 (excellent)



Ratings

Don't forget to check the flag corresponding to the defense

Ok

Outstanding project

Empty work

No author file

W Invalid compilation

Norme

Cheat

d Crash

I Forbidden function

Conclusion

Leave a comment on this evaluation

Finish evaluation