


Access Policies:

- Policies are the by which the Web Security Appliance identifies and controls web requests.
- When a client sends a web request to a server, the WSA Web Proxy receives the request.
- Web Security Appliance web Proxy evaluates it and determines to which policy it belongs.
- Access policies define whether client request needs to be allowed, blocked, or redirected.
- It is defined whether client request needs to be HTTP and decrypted HTTPS transactions.
- In Web Security Appliance, every client request always matches only one access policy.
- In Web Security Appliance (WSA), Access Policies are evaluated from top to bottom order.
- Client requests do not match any user-defined or custom access policy are assigned global.
- In Web Security Appliance (WSA), Each and every access policy is associated with an action.
- Can configure WSA so that transparent requests from particular clients bypass Web Proxy.
- Bypassing only works for requests that are transparently redirected to the web proxy.




Identification:


- Identification is needed upon receiving client request in order to classify End-Users Traffic.
- Configuration being used for this purpose is Identification Profiles in web security manager.
- One of the main purposes of Identification is to classify some traffic with specific criteria.
- Create fewer, more general Identification Profiles apply to all users or fewer, larger groups.
- By default, there in identification profiles have only “Global Identification Profile” in WSA.
- Global Identification Profile is without authentication requirements which match all traffic.
- Important is that WSA process identification profiles sequentially from up until it get match.
- In Web Security Appliance global profile is the last profile which usually match all traffic.
- Transaction can be identified based on Subnet, Protocol, Port, User Agent, URL Category.
- In WSA Identification Profiles let you classify users and user agents for these purposes.
- In Cisco WSA the Identification Profile can use IP addresses, CIDR blocks, and subnets.
- In Cisco Web Security Appliance Identification Profile can be defined members by Protocol.
- In Cisco Web Security Appliance Identification Profile with define members by Machine ID.

Transparent Identification:


- The Transparent User identification feature offered by Web Security appliance (WSA).
- It ensures identification & authentication of user without prompting to provide login.
- Transparent User identification requires a trusted source to be deployed to provide these.
- Trusted source to be deployed to provide these credentials on behalf of the End user.
- Transparent Identification of users with ISE, Cisco ASA and Active Directory or LDAP.



In the WEB GUI of WSA, go to 'Web Security Manager' tab then go to **Identification Profiles**



Click on "Add Identification Profile" button.



Give the new Identification Profile a Name and Identification Profile a Description, on “Define Members by Subnet”, enter your IP addresses, CIDR blocks, and subnets. Click on “Submit”

Identification Profiles: PC1Profile

Client / User Identification Profile Settings	
☒ Enable Identification Profile	
Name: ?	PC1Profile (e.g. my IT Profile)
Description:	
Insert Above:	1 (Global Profile) ▼
User Identification Method	
Identification and Authentication: ?	For additional options, define an authentication realm (see Network > Authentication) or enable ISE (see Network > Identity Services Engine).
Membership Definition	
Membership is defined by any combination of the following options. All criteria must be met for the policy to take effect.	
Define Members by Subnet:	192.168.1.50 (examples: 10.1.1.0, 10.1.1.0/24, 10.1.1.1-10, 2001:420:80:1::5, 2000:db8::1-2000:db8::10)
Define Members by Protocol:	☒ HTTP/HTTPS ☐ Native FTP
▶ Advanced	Define additional group membership criteria.
Cancel	Submit

Home

Reporting

Web Security Manager

Security Services

Network

Custom and External URL Categories

Authentication

Identification Profiles

SaaS Policies

Web Policies

Decryption Policies

Routing Policies

Access Policies

Overall Bandwidth Limits

Data Transfer Policies

Cisco Data Security

Outbound Malware Scanning

External Data Loss Prevention

SOCKS Policies

Custom Policy Elements

Custom and External URL Categories

Define Time Ranges and Quotas

Bypass Settings

L4 Traffic Monitor

Edit Category

Category

com

1, 2001:420:80:1::5, example.com.

essions: ?

Custom and External URL Categories: Edit Category

5 | Page Created by Ahmad Ali E-Mail: ahmadalimsc@gmail.com , Mobile: 056 430 3717

Finally, Custom URL Categories has been created.

Custom and External URL Categories

Success — Settings have been saved.

Categories List					
Add Category...					
Order	Category	Category Type	Last Updated	Feed Content	Delete
1	PCTwitter	Custom (Local)	N/A	-	

In the Web GUI of WSA, go to 'Web Security Manager' tab then go to **Access Policies**

Access Policies

Order	Group	Filtering	Applications	Objects
1	PC1Policy Identification Profile: All identified u	Block: 2 Monitor: 1 Director: 76 Direct: 1	Block: 4 Monitor: 341	Block: 1 HTTP/S FTP Ma
	Global Policy Identification Profile: All	Block: 2 Monitor: 79	Block: 4 Monitor: 345	Block: 1 HTTP/S FTP Ma

Click on **Add Policy** tab to create new policy

Access Policies

Success — Item was successfully deleted.

Policies							
Add Policy...							
Order	Group	Protocols and User Agents	URL Filtering	Applications	Objects	Anti-Malware and Reputation	Delete
	Global Policy Identification Profile: All	No blocked items	Monitor: 79	Monitor: 345	No blocked items	Web Reputation: Enabled Anti-Malware Scanning: Enabled	
Edit Policy Order...							

Type **Policy Name**, **Description**, Identification Profiles and Users: **Select One or More Identification Profiles** now in Identification Profile selected already created Profile in this case **PC1Profile** and click to **Submit**.

Access Policy: Add Group

Policy Settings

☒ **Enable Policy**

Policy Name:
(e.g. my IT policy)

Description:

Insert Above Policy: 1 (Global Policy) ▼

Policy Member Definition

Membership is defined by the combination of the following options. All criteria must be met for the policy to take effect.

Identification Profiles and Users: Select One or More Identification Profiles ▼

Identification Profile

PC1Profile ▼

Authorized Users and Groups

No authentication required

Add Identification Profile

▶ Advanced Define additional group membership criteria.

Cancel

Submit

Finally, Access Policy has been created with Group PC1Policy.

Access Policies

Success — The policy group "PC1Policy" was added.

Policies							
Add Policy...							
Order	Group	Protocols and User Agents	URL Filtering	Applications	Objects	Anti-Malware and Reputation	Delete
1	PC1Policy Identification Profile: PC1Profile All identified users	(global policy)	(global policy)	(global policy)	(global policy)	(global policy)	
	Global Policy Identification Profile: All	No blocked items	Monitor: 79	Monitor: 345	No blocked items	Web Reputation: Enabled Anti-Malware Scanning: Enabled	
Edit Policy Order...							

Click on **Commit Changes** to apply the changes.

Upgrade Available

Logged in as: **admin** on **WSA.cisco.com**

My Favorites ▾ Options ▾ Support and Help ▾

Commit Changes »

Type optional Comment and Click **Commit Changes** button to apply the changes.

Uncommitted Changes

Commit Changes

You have uncommitted changes. These changes will not go into effect until you commit them.

Comment (optional):

Go to **Web Security Manager > Access Policies** in custom Policy PC1Policy URL Filtering click on **Global Policy** link

Access Policies

Success — The policy group "PC1Policy" was added.

Policies							
Add Policy...							
Order	Group	Protocols and User Agents	URL Filtering	Applications	Objects	Anti-Malware and Reputation	Delete
1	PC1Policy Identification Profile: PC1Profile All identified users	(global policy)	(global policy)	(global policy)	(global policy)	(global policy)	
	Global Policy Identification Profile: All	No blocked items	Monitor: 79	Monitor: 345	No blocked items	Web Reputation: Enabled Anti-Malware Scanning: Enabled	
Edit Policy Order...							

Click on Select Custom Categories tab

Reporting Web Security Manager Security Services Network System Administration

Access Policies: URL Filtering: PC1Policy

Custom and External URL Category Filtering

No Custom Categories are included for this Policy.

Choose **Included in Policy** from Custom (Local) dropdown and click **Apply**.

Access Policies: URL Filtering: PC1Policy

Custom and External URL Category Filtering

No Custom Categories are included for this Policy.

Select Custom Categories...

Select Custom Categories for this Policy

Category	Category Type	Setting Selection
PCTwiter	Custom (Local)	Included in policy

Cancel Apply

In custom created Policy in this case PC1Twitter tick Block Select all and click **Submit**.

Access Policies: URL Filtering: PC1Policy

Custom and External URL Category Filtering

These URL Categories are defined as group membership criteria. All other categories are not applicable for this policy.

Category	Category Type	Use Global Settings	Override Global Settings						Quota-Based	Time-Based
			Block	Redirect	Allow	Monitor	Warn			
		Select all	Select all	Select all	Select all	Select all	Select all	Select all	(Unavailable)	(Unavailable)
PCTwiter	Custom (Local)	—	✓						—	—

Select Custom Categories...

Cancel Submit

Type optional Comment and Click **Commit Changes** button to apply the changes.

Uncommitted Changes

Commit Changes

You have uncommitted changes. These changes will not go into effect until you commit them.

Comment (optional):

Cancel Abandon Changes Show Changes **Commit Changes**

Verification:

For Verification go to **System Administration > Policy trace** type the URL and Client IP than click on Find Policy Match to find out the result.


Policy Trace

Destination	
URL:	www.twitter.com

Transaction	
Client or User:	<i>To represent a client by IP address, choose "No authentication or Identification" and enter the IP address below.</i>
Authentication / Identification:	No authentication or identification
Client IP Address:	192.168.1.50
User Name:	
Advanced	
 Find Policy Match	

Results
User Information User Name: None Authentication Realm Group Membership: None Secure Group Tag Membership: None User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/77.0.3865.75 Safari/537.36 Custom URL Category: PCTwitter
Policy Match Cisco Data Security policy: None Decryption policy: None Routing policy: None Identification Profile: PC1Profile Access policy: PC1Policy
Final Result Request blocked Details: Request blocked based on custom URL category Trace session complete

Or go to inside LAN PC1 to access twitter it will show block message.



This Page Cannot Be Displayed

Based on your organization's access policies, access to this web site (<https://twitter.com/>) has been blocked because the web category "Social Networking" is not allowed.

If you have questions, please contact your organization's network administrator and provide the codes shown below.