


Cisco WSA Transparent Lab Time:



EDG Router Configuration

```
EDG(config)#hostname EDG
EDG(config)#interface FastEthernet0/0
EDG(config-if)#ip address 192.168.2.2 255.255.255.0
EDG(config-if)#no shutdown
EDG(config)#interface FastEthernet0/1
EDG(config-if)#ip address dhcp
EDG(config-if)#no shutdown
EDG(config)#ip route 192.168.1.0 255.255.255.0 192.168.2.1
EDG(config)#ip name-server 8.8.8.8
EDG(config)#ip domain-lookup
EDG(config)#access-list 100 permit ip any any
EDG(config)#ip nat inside source list 100 interface FastEthernet0/1 overload
```

R Configuration

```
R(config)#hostname R
R(config)#interface FastEthernet0/0
R(config-if)#ip address 192.168.1.1 255.255.255.0
R(config-if)#no shut
R(config-if)#interface FastEthernet1/0
R(config-if)#ip address 192.168.2.1 255.255.255.0
R(config-if)#no shut
R(config)#ip route 0.0.0.0 0.0.0.0 192.168.2.2
R(config)#ip name-server 8.8.8.8
R(config)#ip domain-lookup
```

Traffic Identification ACL

```
R(config)#ip access-list extended 100
R(config-ext-nacl)#permit tcp any any eq 80
R(config-ext-nacl)#permit tcp any any eq 443
```

Define the Location of WSA using Standard ACL

```
R(config)#ip access-list standard 10
R(config-std-nacl)#permit host 192.168.1.100
```


Configure WCCP

```
R(config)#ip wccp 50 redirect-list 100 group-list 10
```

Apply WCCP on Interface


```
R(config)#interface f0/0
R(config-if)#ip wccp 50 redirect in
```

Go to main Menu **Network > Transparent Redirection** click on **Edit Device** tab.



Select the Type: **WCCP v2 Router** and click **Submit** button.

Edit Transparent Redirection Device



Now click on **Add Service** button to add WCCP v2 Services details.

Transparent Redirection

Warning — Transparent redirection device type has been changed. Please note that the WCCP v2 Router configuration must be completed by adding services.

Transparent Redirection Device

Type: WCCP v2 Router Edit Device...

WCCP v2 Services

Add Service...

No WCCP services are defined. WCCP routing will not be operational until services are configured.

Type any Service Profile Name in our case Router, type Dynamic Service ID: 50 in our case which is configured in Router the same, Choose Port Number to redirect in our case 80,443, Router IP address to direct the traffic in our case 192.168.1.1 click **Submit** to save setting.

Add WCCP v2 Service

WCCP v2 Service

Service Profile Name: Router

Service:

- ☐ Standard service ID: 0 web-cache (destination port 80)
- ☒ Dynamic service ID: 50 1-255

Port numbers: 80,443
(up to 8 port numbers, separated by commas)

- ☒ Redirect based on destination port
- ☐ Redirect based on source port (return path)
For IP spoofing, define two services, one based on destination port and another based on source port (return path).
- ☒ Load balance based on server address
- ☐ Load balance based on client address
Applies only if more than one Web Security Appliance is in use.

Router IP Addresses: 192.168.1.1
Enter either IPv4 or IPv6 addresses; IP address families may not be combined within a single service profile. Separate multiple entries with line breaks or commas.

Router Security:

☐ Enable Security for Service

Passphrase:
The passphrase must be between 1 and 7 characters long.

Confirm Passphrase:

Advanced: Optional settings for customizing the behavior of the WCCP v2 Router.

Cancel Submit

Finally, Transparent Redirection is look like below in screen short.

Transparent Redirection

Transparent Redirection Device


Type: WCCP v2 Router Edit Device...

WCCP v2 Services

Add Service...

Service Profile Name	Service ID	Router IP Addresses	Ports	Delete
Router	50	192.168.1.1	80,443	

Click on **Commit Changes** to apply the changes.



Type optional Comment and Click **Commit Changes** button to apply the changes.

Uncommitted Changes

A screenshot of the 'Commit Changes' dialog box. The title bar reads 'Commit Changes'. Below the title, a message states: 'You have uncommitted changes. These changes will not go into effect until you commit them.' There is a text input field labeled 'Comment (optional):'. At the bottom, there are four buttons: 'Cancel', 'Abandon Changes', 'Show Changes', and 'Commit Changes'. A red arrow points to the 'Commit Changes' button, which is also enclosed in a red rectangular box.