


FortiADC Lab Setup:




Management Subnet	192.168.100.0/24
FortiGate Management IP	192.168.100.200
FortiADC Management IP	192.168.100.210
Internal Servers Subnet	192.168.1.0/24
FortiADC External Subnet	192.168.2.0/24
FortiGate Firewall External	100.0.1.0/24
FortiADC Internal IP Address	192.168.1.254
FortiADC External IP Address	192.168.2.1
FortiGate Firewall Internal IP	192.168.2.254
FortiGate Firewall External IP	100.0.1.254
SRV1 IP Address	192.168.1.1
SRV2 IP Address	192.168.1.2
SRV3 IP Address	192.168.1.3
SRV3 IP Address	192.168.1.4
Virtual Sever-1	192.168.2.100
Virtual Sever-2	192.168.2.200
FortiGate VIP-1	100.0.1.100
FortiGate VIP-2	100.0.1.200
External PC1 IP Address	100.0.1.1
External PC2 IP Address	100.0.1.2
External PC3 IP Address	100.0.1.3

Images	Description
FortiGate Firewall	fortinet-FGT-v7.0.9-build0444
FortiADC	fortinet-FAD-v7.4.0-build0308
Cisco Switches	i86bi_linux_l2-ipbasek9-ms.high_iron_aug9_2017b.bin
Linux Web Servers	linux-ubuntu-srv-16.04.4-webmin
Linux Server 4	linux-metasploitable-2.0.0
Attacker Kali Linux	linux-Kali-2023.1
Clients	Linux-slax-9.11.0/linux-mint-21.1
Internet Link	NAT Cloud or Management Cloud

Devices	Username	Password
FortiADC 7.4.0	Admin	No password by default
FortiGate 7.0.9	Admin	No password by default
Linux Kali 2023.1	kali	kali
Linux Metasploitable 2.0	msfadmin	msfadmin
Linux Mint 21.1	user	Test123
Linux Ubuntu SRV 16.04.4	root	root

Main Topology:



The basic design includes an internet-facing FortiGate Firewall, with a FortiADC device with interfaces in a LAN (port2), and a data center (port3). The data center contains four application servers. On the other hand, the Kali Linux device serves as an external user/attacker with two more External users PC1 and PC2.