


Install ASA 9.1.5-16 Clustering/Security Contexts enabled in GNS3:


In my case, I have installed **GNS3 2.2.7** version on my laptop Windows 10 (64-bit), 16 GB RAM.




KVM Support Available to be **True** to run Cisco ASAv Firewall image in GNS3.

```
GNS3 server version: 2.2.5
Release channel: 2.2
VM version: 0.10.19
Ubuntu version: bionic
Qemu version: 3.1.0
Virtualization: vmware
KVM support available: True
```


Download the ASAv qcow2 file. Go **Edit > Preferences** and Open the GNS3 preferences.



Go to **QEMU > QEMU VMs** and hit **New**. Select the option to run the Qemu VM on the GNS3 VM. Hit **Next**.



Name the VM **ASA-FW** for example and hit **Next**.



Select the **x86_64** Qemu binary and set the RAM to **2048MB**. Hit **Next**.

Qemu VM templates

 New QEMU VM template

QEMU binary and memory
Please check the Qemu binary is correctly set and the virtual machine has enough memory to work.



Qemu binary:

RAM:

Set the console type to **telnet**. And hit **Next** button.

 New QEMU VM template

Console type
Please choose the console type. Telnet will connect to the serial console of the machine. VNC will connect to graphical output of the machine.



Note: You don't need to install anything on the VM itself.

Select **New Image**, browse to your downloaded **hda.qcow2** file, and click **open** to upload the file to your GNS3 VM. Once it has finished uploading, click **Next**.

 New QEMU VM template


Disk image
Please choose a base disk image for your virtual machine.



☒ Existing image ☐ New Image

Disk image (hda):

Once its installed then open VM for editing and got to **Network** Tab. Change the Adapter type to Intel **i82559ER Ethernet (i82559er)**



Next go to Advanced Settings. Add following parameters under Options
-no-kvm -machine type=pc-1.0,accel=tcg -serial mon:stdio -nographic -no-user-config -nodefaults -rtc base=utc -smbios type=1,product=asa5520 -icount 1

