
layout: post title: zabbix 监控windows下Oracle description: zabbix 监控 windows下Oracle tagline: image: date: 2017/03/06 categories: [linux] tags: [linux,zabbix,tocmat]

zabbix 监控windows下Oracle

1. 创建用户

运行以下脚本，创建一个用户，让orabbix来连接数据库

```
CREATE USER ZABBIX
IDENTIFIED BY <REPLACE WITH PASSWORD>
DEFAULT TABLESPACE SYSTEM
TEMPORARY TABLESPACE TEMP
PROFILE DEFAULT
ACCOUNT UNLOCK;
- 2 Roles for ZABBIX
GRANT CONNECT TO ZABBIX;
GRANT RESOURCE TO ZABBIX;
ALTER USER ZABBIX DEFAULT ROLE ALL;
- 5 System Privileges for ZABBIX
GRANT SELECT ANY TABLE TO ZABBIX;
GRANT CREATE SESSION TO ZABBIX;
GRANT SELECT ANY DICTIONARY TO ZABBIX;
GRANT UNLIMITED TABLESPACE TO ZABBIX;
GRANT SELECT ANY DICTIONARY TO ZABBIX;
```

如果是oracle 11g的话，还需要运行下面的语句:

```
exec dbms_network_acl_admin.create_acl(acl => 'resolve.xml',description =>
'resolve acl', principal =>'ZABBIX', is_grant => true, privilege => 'resolve');
```

```
exec dbms_network_acl_admin.assign_acl(acl => 'resolve.xml', host => '*'); commit; ``
```

2. 安装orabbix

zabbix 监控Oracle是使用一个插件orabbix,首先下载orabbix，并且解压到一个文件夹。首先打开conf中的conf.props,做如下修改

```
#comma separated list of Zabbix servers
ZabbixServerList=ZabbixServer1

ZabbixServer1.Address=120.26.36.24
ZabbixServer1.Port=10051
```

```

#pidFile
OrabbixDaemon.PidFile=./logs/orabbix.pid
#frequency of item's refresh
OrabbixDaemon.Sleep=300
#MaxThreadNumber should be >= than the number of your databases
OrabbixDaemon.MaxThreadNumber=100

#put here your databases in a comma separated list
DatabaseList=oracle1

#Configuration of Connection pool
#if not specified Orabbis is going to use default values (hardcoded)
#Maximum number of active connection inside pool
DatabaseList.MaxActive=10
#The maximum number of milliseconds that the pool will wait
#(when there are no available connections) for a connection to be returned
#before throwing an exception, or <= 0 to wait indefinitely.
DatabaseList.MaxWait=100
DatabaseList.MaxIdle=1

#define here your connection string for each database
oracle1.Url=jdbc:oracle:thin:@127.0.0.1:1521:ORCL
oracle1.User=zabbix
oracle1.Password=zabbix
#Those values are optionals if not specified Orabbix is going to use the
general values
oracle1.MaxActive=10
oracle1.MaxWait=100
oracle1.MaxIdle=1
oracle1.QueryListFile=./conf/query.props

#DB2.Url=jdbc:oracle:thin:@server2.domain.example.com:<LISTENER_PORT>:DB2
#DB2.User=zabbix
#DB2.Password=zabbix_password
#DB2.QueryListFile=./conf/query.props

#DB3.Url=jdbc:oracle:thin:@server3.domain.example.com:<LISTENER_PORT>:DB3
#DB3.User=zabbix
#DB3.Password=zabbix_password
#DB3.QueryListFile=./conf/query.props

```

- ZabbixServerList代表服务列表，一般我们就设置一个

- ZabbixServer1.Address=服务的ip，前缀一定要和ZabbixServerList中的一样
- ZabbixServer1.Port=服务的端口，前缀一定要和ZabbixServerList中的一样
- oracle1.Url=数据库的连接信息
- oracle1.User=数据库用户名
- oracle1.Password=数据库密码

3. 运行run.bat，启动orabbix，没有打印东西，说明启动成功。

4. 导入模板

导入以下模板：

```
<?xml version="1.0" encoding="UTF-8"?>
<zabbix_export>
  <version>3.0</version>
  <date>2017-03-24T09:24:43Z</date>
  <groups>
    <group>
      <name>Templates</name>
    </group>
  </groups>
  <templates>
    <template>
      <template>Template_Oracle</template>
      <name>Template_Oracle</name>
      <description/>
      <groups>
        <group>
          <name>Templates</name>
        </group>
      </groups>
      <applications>
        <application>
          <name>Oracle</name>
        </application>
      </applications>
      <items>
        <item>
          <name>Alive</name>
          <type>2</type>
          <snmp_community>public</snmp_community>
          <multiplier>0</multiplier>
```

```

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>alive</key>
    <delay>300</delay>
    <history>90</history>
    <trends>0</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>Oracle</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>Archivelog</name>
    <type>2</type>
    <snmp_community>public</snmp_community>
    <multiplier>0</multiplier>

```

```

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>archive</key>
    <delay>300</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>0</value_type>
    <allowed_hosts/>
    <units>MB</units>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>Oracle</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>Audit</name>
    <type>2</type>
    <snmp_community>public</snmp_community>
    <multiplier>0</multiplier>

```

```

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>audit</key>
    <delay>300</delay>
    <history>90</history>
    <trends>0</trends>
    <status>0</status>
    <value_type>4</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>Oracle</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>DB Block Gets</name>
    <type>2</type>
    <snmp_community>public</snmp_community>
    <multiplier>0</multiplier>

```

```

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>dbblockgets</key>
    <delay>300</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>Oracle</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>DB Consistent Gets</name>
    <type>2</type>
    <snmp_community>public</snmp_community>
    <multiplier>0</multiplier>

```

```

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>dbconsistentgets</key>
    <delay>300</delay>
    <history>300</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>Oracle</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>DB Files Size</name>
    <type>2</type>
    <snmp_community>public</snmp_community>
    <multiplier>0</multiplier>

```



```

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>dbfilesize</key>
    <delay>300</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units>MB</units>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>Oracle</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>DB Hit Ratio</name>
    <type>2</type>
    <snmp_community>public</snmp_community>
    <multiplier>0</multiplier>
</item>
<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>

```

```

<key>dbhitratio</key>
<delay>300</delay>
<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>DB Physical Reads</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>

```

```

<key>dbphysicalread</key>
<delay>300</delay>
<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>DB Size</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>

```

```

<key>dbsize</key>
<delay>300</delay>
<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units>MB</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params/>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>DB Version</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
<key>dbversion</key>

```

```

<delay>86400</delay>
<history>90</history>
<trends>0</trends>
<status>0</status>
<value_type>4</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Hit ratio - BODY</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>hitratio_body</key>

```

```

        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>0</value_type>
        <allowed_hosts/>
        <units>%</units>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Hit ratio - SQLAREA</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>hitratio_sqlarea</key>

```

```

        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>0</value_type>
        <allowed_hosts/>
        <units>%</units>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Hit ratio - TABLE/PROCEDURE</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>hitratio_table_proc</key>

```

```

        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>0</value_type>
        <allowed_hosts/>
        <units>%</units>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Hit ratio - TRIGGER</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>hitratio_trigger</key>

```



```

        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>0</value_type>
        <allowed_hosts/>
        <units>%</units>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>LI/O Block Change</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>lio_block_changes</key>

```

```

        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units>Blocks/sec</units>
        <delta>2</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>LI/O Consistent Read</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>lio_consistent_read</key>

```

```

        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>0</value_type>
        <allowed_hosts/>
        <units>Blocks/sec</units>
        <delta>2</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>LI/O Current Read</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>lio_current_read</key>

```

```

        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units>Blocks/sec</units>
        <delta>2</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Locks</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>locks</key>

```

```

        <delay>300</delay>
        <history>90</history>
        <trends>0</trends>
        <status>0</status>
        <value_type>4</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Max Processes</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>maxprocs</key>

```

```

<delay>86400</delay>
<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Max Sessions</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>maxsession</key>

```

```

<delay>86400</delay>
<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Miss Latch</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>miss_latch</key>

```

```

<delay>300</delay>
<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>OrabbixVersion</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>OrabbixVersion</key>

```



```

        <delay>300</delay>
        <history>90</history>
        <trends>0</trends>
        <status>0</status>
        <value_type>4</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>PGA</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>pga</key>
    <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>PGA Aggregate target</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>pga_aggregate_target</key>
  <delay>86400</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>PHI/O Datafile Reads</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>phio_datafile_reads</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units>IO/sec</units>
<delta>1</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>PHI/O Datafile Writes</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>phio_datafile_writes</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units>IO/sec</units>
<delta>1</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>PHI/O Redo Writes</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>phio_redo_writes</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units>IO/sec</units>
<delta>1</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Pin hit ratio - BODY</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>pinhitratio_body</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>%</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Pin hit ratio - SQLAREA</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>pinhitratio_sqlarea</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>%</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Pin hit ratio - TABLE-PROCEDURE</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>pinhitratio_table-proc</key>
  <delay>300</delay>

```



```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>%</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Pin hit ratio - TRIGGER</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>pinhitratio_trigger</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>%</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Pool dict cache</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>pool_dict_cache</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>M</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Pool free mem</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>pool_free_mem</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>M</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Pool lib cache</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>pool_lib_cache</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>M</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Pool misc</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>pool_misc</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>M</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Pool sql area</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>pool_sql_area</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>M</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Processes</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>procnum</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Sessions</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>session</key>
  <delay>300</delay>

```



```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Session Active</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>session_active</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Session Inactive</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>session_inactive</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Session System</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>session_system</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>SGA buffer cache</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>sga_buffer_cache</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>M</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>SGA fixed</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>sga_fixed</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>M</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>SGA java pool</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>sga_java_pool</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>M</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>SGA large pool</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>sga_large_pool</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>M</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>SGA log buffer</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>sga_log_buffer</key>
  <delay>300</delay>

```



```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>M</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>SGA shared pool</name>
  <type>2</type>
  <snmp_community>public</snmp_community>
  <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
  <key>sga_shared_pool</key>
  <delay>300</delay>

```

```

<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>0</value_type>
<allowed_hosts/>
<units>M</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>Oracle</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>Processor load</name>
  <type>0</type>
  <snmp_community/>
  <multiplier>0</multiplier>
  <snmp_oid/>
  <key>system.cpu.load[,avg1]</key>
  <delay>300</delay>
  <history>7</history>

```

```

    <trends>365</trends>
    <status>0</status>
    <value_type>0</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>0</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications/>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>Processor load5</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>system.cpu.load[,avg5]</key>
    <delay>300</delay>
    <history>7</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>0</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>

```

```

    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>0</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications/>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>Processor load15</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>system.cpu.load[,avg15]</key>
    <delay>300</delay>
    <history>7</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>0</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>

```

```

        <snmpv3_privpassphrase/>
        <formula>0</formula>
        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications/>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>CPU Util % Classic User</name>
        <type>0</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>system.cpu.load[,user,avg1]</key>
    <delay>120</delay>
    <history>90</history>
    <trends>365</trends>
    <status>1</status>
    <value_type>0</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>

```

```

        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications/>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>CPU Util % Classic Idle</name>
        <type>0</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>system.cpu.util[,idle,avg1]</key>
    <delay>120</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>0</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>

```

```

        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications/>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>CPU Util % Classic System</name>
        <type>0</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>system.cpu.util[,system,avg1]</key>
    <delay>120</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>0</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications/>

```

```

        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>CPU Util %</name>
        <type>0</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>system.cpu.util[ ]</key>
        <delay>120</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>0</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications/>
        <valuemap/>
        <logtimefmt/>
    </item>
</item>

```



```

        <name>Tablespaces</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>tbl_space</key>
        <delay>900</delay>
        <history>90</history>
        <trends>0</trends>
        <status>0</status>
        <value_type>4</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
</item>

```

```

        <name>Uptime</name>
        <type>0</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>uptime</key>
        <delay>30</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Users Connected</name>

```

```

        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>userconn</key>
    <delay>300</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>Oracle</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>Users Locked</name>
    <type>2</type>

```

```

        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>users_locked</key>
    <delay>300</delay>
    <history>90</history>
    <trends>0</trends>
    <status>0</status>
    <value_type>4</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>Oracle</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>Free memory</name>
    <type>0</type>

```

```

    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>vm.memory.size[free]</key>
    <delay>300</delay>
    <history>7</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units>B</units>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>0</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications/>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>Total memory</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>vm.memory.size[total]</key>
    <delay>1800</delay>
    <history>7</history>

```

```

        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units>B</units>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>0</formula>
        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications/>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Waits Controlfile I/O</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>waits_controfileio</key>
    <delay>300</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units>ms waits/s</units>

```

```

        <delta>1</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Waits direct path read</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>waits_directpath_read</key>
        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units>ms waits/s</units>

```

```

        <delta>1</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Waits File I/O</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>waits_file_io</key>
        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units>ms waits/s</units>

```



```

        <delta>1</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name>;\nuser=&lt;user
name>;\npassword=&lt;password>;\nsql=&lt;query>;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Waits latch</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>waits_latch</key>
        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units>ms waits/s</units>

```

```

        <delta>1</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Waits Logwrite</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>waits_logwrite</key>
    <delay>300</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units>ms waits/s</units>
    <delta>1</delta>

```

```

        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Waits multiblock read</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>waits_multiblock_read</key>
        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units>ms waits/s</units>
        <delta>1</delta>

```

```

        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Waits others</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>waits_other</key>
        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units>ms waits/s</units>
        <delta>1</delta>

```

```

        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Waits single block read</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
    <key>waits_singleblock_read</key>
    <delay>300</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units>ms waits/s</units>
    <delta>1</delta>

```

```

        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name&gt;\nuser=&lt;user
name&gt;\npassword=&lt;password&gt;\nsql=&lt;query&gt;</params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>Waits SQLNet</name>
        <type>2</type>
        <snmp_community>public</snmp_community>
        <multiplier>0</multiplier>

<snmp_oid>interfaces.ifTable.ifEntry.ifInOctets.1</snmp_oid>
        <key>waits_sqlnet</key>
        <delay>300</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units>ms waits/s</units>
        <delta>1</delta>

```

```

        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params>DSN=&lt;database source name>\nuser=&lt;user
name>\npassword=&lt;password>\nsql=&lt;query></params>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>Oracle</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
</items>
<discovery_rules/>
<macros/>
<templates/>
<screens/>
</template>
</templates>
<triggers>
    <trigger>
        <expression>
{Template_Oracle:session_active.last(0)}&gt;10</expression>
        <name>Active Session {HOSTNAME}</name>
        <url/>
        <status>0</status>
        <priority>4</priority>
        <description>DANGER</description>
    </trigger>

```

```

        <type>0</type>
        <dependencies/>
    </trigger>
    <trigger>
        <expression>
{Template_Oracle:session_active.last(0)}&gt;20</expression>
        <name>Active Session {HOSTNAME}</name>
        <url/>
        <status>0</status>
        <priority>4</priority>
        <description>DANGER</description>
        <type>0</type>
        <dependencies/>
    </trigger>
    <trigger>
        <expression>{Template_Oracle:alive.last(0)}&lt;&gt;1</expression>
        <name>Alive {HOSTNAME}</name>
        <url/>
        <status>0</status>
        <priority>4</priority>
        <description/>
        <type>0</type>
        <dependencies/>
    </trigger>
    <trigger>
        <expression>{Template_Oracle:archive.last(0)}&gt;100</expression>
        <name>Archivelog</name>
        <url/>
        <status>0</status>
        <priority>2</priority>
        <description>HIGH Archivelog generation</description>
        <type>0</type>
        <dependencies/>
    </trigger>
    <trigger>
        <expression>{Template_Oracle:audit.str(none)}=0</expression>
        <name>Audit on {HOSTNAME}</name>
        <url/>
        <status>0</status>
        <priority>4</priority>
        <description/>
        <type>0</type>
        <dependencies/>
    </trigger>
    <trigger>

```



```

        <expression>{Template_Oracle:hitratio_table_proc.avg(60)}&lt;50 or
{Template_Oracle:hitratio_trigger.avg(60)}&lt;50 or
{Template_Oracle:hitratio_sqlarea.avg(60)}&lt;50 or
{Template_Oracle:hitratio_body.avg(60)}&lt;50</expression>
        <name>Hit Ratio on {HOSTNAME}</name>
        <url/>
        <status>0</status>
        <priority>4</priority>
        <description/>
        <type>0</type>
        <dependencies/>
</trigger>
<trigger>
        <expression>{Template_Oracle:locks.str(none)}=0</expression>
        <name>Locks on {HOSTNAME}</name>
        <url/>
        <status>0</status>
        <priority>4</priority>
        <description/>
        <type>0</type>
        <dependencies/>
</trigger>
<trigger>
        <expression>{Template_Oracle:alive.sum(600)}&lt;1</expression>
        <name>No data received from Orabbix</name>
        <url/>
        <status>0</status>
        <priority>4</priority>
        <description>No data retrieved from Orabbix for
database</description>
        <type>0</type>
        <dependencies/>
</trigger>
<trigger>
        <expression>
({Template_Oracle:pga.last(0)}*100/{Template_Oracle:pga_aggregate_target.last(0
)})&gt;90</expression>
        <name>PGA Alarm on {HOSTNAME}</name>
        <url>http://10.10.64.93/overview.php</url>
        <status>0</status>
        <priority>4</priority>
        <description/>
        <type>0</type>
        <dependencies/>
</trigger>

```

```

    <trigger>
      <expression>
({Template_Oracle:procnum.last(0)}*100/{Template_Oracle:maxprocs.last(0)})>8
0</expression>
      <name>Process Alarm on {HOSTNAME}</name>
      <url/>
      <status>0</status>
      <priority>4</priority>
      <description/>
      <type>0</type>
      <dependencies/>
    </trigger>
    <trigger>
      <expression>
({Template_Oracle:session.last(0)}*100/{Template_Oracle:maxsession.last(0)})>8
;80</expression>
      <name>Session Alarm on {HOSTNAME}</name>
      <url>http://10.10.64.93/overview.php</url>
      <status>0</status>
      <priority>4</priority>
      <description/>
      <type>0</type>
      <dependencies/>
    </trigger>
    <trigger>
      <expression>{Template_Oracle:tbl_space.str(none)}=0</expression>
      <name>Tablespaces on {HOSTNAME}</name>
      <url/>
      <status>0</status>
      <priority>4</priority>
      <description/>
      <type>0</type>
      <dependencies/>
    </trigger>
    <trigger>
      <expression>{Template_Oracle:uptime.last(0)}<1</expression>
      <name>Uptime on {HOSTNAME}</name>
      <url/>
      <status>0</status>
      <priority>4</priority>
      <description/>
      <type>0</type>
      <dependencies/>
    </trigger>
    <trigger>

```

```

        <expression>{Template_Oracle:users_locked.str(none)}=0</expression>
        <name>User Locked on {HOSTNAME}</name>
        <url/>
        <status>0</status>
        <priority>4</priority>
        <description/>
        <type>0</type>
        <dependencies/>
    </trigger>
</triggers>
<graphs>
    <graph>
        <name>Archivelog</name>
        <width>900</width>
        <height>200</height>
        <yaxismin>0.0000</yaxismin>
        <yaxismax>100.0000</yaxismax>
        <show_work_period>1</show_work_period>
        <show_triggers>0</show_triggers>
        <type>0</type>
        <show_legend>1</show_legend>
        <show_3d>0</show_3d>
        <percent_left>0.0000</percent_left>
        <percent_right>0.0000</percent_right>
        <ymin_type_1>1</ymin_type_1>
        <ymin_type_1>0</ymin_type_1>
        <ymin_item_1>0</ymin_item_1>
        <ymin_item_1>0</ymin_item_1>
        <graph_items>
            <graph_item>
                <sortorder>0</sortorder>
                <drawtype>0</drawtype>
                <color>009900</color>
                <yaxisside>0</yaxisside>
                <calc_fnc>2</calc_fnc>
                <type>0</type>
                <item>
                    <host>Template_Oracle</host>
                    <key>archive</key>
                </item>
            </graph_item>
        </graph_items>
    </graph>
    <graph>
        <name>DB Size/FileSize</name>

```

```

<width>900</width>
<height>200</height>
<yaxismin>0.0000</yaxismin>
<yaxismax>100.0000</yaxismax>
<show_work_period>0</show_work_period>
<show_triggers>0</show_triggers>
<type>0</type>
<show_legend>1</show_legend>
<show_3d>0</show_3d>
<percent_left>0.0000</percent_left>
<percent_right>0.0000</percent_right>
<ymin_type_1>1</ymin_type_1>
<ymin_type_1>0</ymin_type_1>
<ymin_item_1>0</ymin_item_1>
<ymin_item_1>0</ymin_item_1>
<graph_items>
  <graph_item>
    <sortorder>0</sortorder>
    <drawtype>0</drawtype>
    <color>009900</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template_Oracle</host>
      <key>dbsize</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>1</sortorder>
    <drawtype>0</drawtype>
    <color>0000DD</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template_Oracle</host>
      <key>dbfilesize</key>
    </item>
  </graph_item>
</graph_items>
</graph>
<graph>
  <name>Events Waits</name>
  <width>900</width>

```

```

<height>200</height>
<yaxismin>0.0000</yaxismin>
<yaxismax>100.0000</yaxismax>
<show_work_period>0</show_work_period>
<show_triggers>0</show_triggers>
<type>1</type>
<show_legend>1</show_legend>
<show_3d>0</show_3d>
<percent_left>0.0000</percent_left>
<percent_right>0.0000</percent_right>
<ymin_type_1>1</ymin_type_1>
<ymax_type_1>0</ymax_type_1>
<ymin_item_1>0</ymin_item_1>
<ymax_item_1>0</ymax_item_1>
<graph_items>
  <graph_item>
    <sortorder>0</sortorder>
    <drawtype>1</drawtype>
    <color>CCFFCC</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template_Oracle</host>
      <key>waits_latch</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>0</sortorder>
    <drawtype>1</drawtype>
    <color>9999FF</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template_Oracle</host>
      <key>waits_file_io</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>1</sortorder>
    <drawtype>1</drawtype>
    <color>FF3333</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>

```

```

        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>waits_other</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>2</sortorder>
        <drawtype>1</drawtype>
        <color>FF00FF</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>waits_singleblock_read</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>3</sortorder>
        <drawtype>1</drawtype>
        <color>FFFF00</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>waits_multiblock_read</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>4</sortorder>
        <drawtype>1</drawtype>
        <color>009900</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>waits_directpath_read</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>5</sortorder>
        <drawtype>1</drawtype>

```

```

        <color>888888</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>waits_sqlnet</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>6</sortorder>
        <drawtype>1</drawtype>
        <color>00CCCC</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>waits_controfileio</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>7</sortorder>
        <drawtype>1</drawtype>
        <color>FF9999</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>waits_logwrite</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>Hit Ratio</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>0</show_work_period>
    <show_triggers>0</show_triggers>
    <type>0</type>
    <show_legend>1</show_legend>

```

```

<show_3d>0</show_3d>
<percent_left>0.0000</percent_left>
<percent_right>0.0000</percent_right>
<ymin_type_1>1</ymin_type_1>
<ymin_type_1>1</ymax_type_1>
<ymin_item_1>0</ymin_item_1>
<ymax_item_1>0</ymax_item_1>
<graph_items>
  <graph_item>
    <sortorder>0</sortorder>
    <drawtype>0</drawtype>
    <color>009900</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template_Oracle</host>
      <key>hitratio_table_proc</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>1</sortorder>
    <drawtype>0</drawtype>
    <color>FFFF33</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template_Oracle</host>
      <key>hitratio_body</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>2</sortorder>
    <drawtype>0</drawtype>
    <color>FF99FF</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template_Oracle</host>
      <key>hitratio_sqlarea</key>
    </item>
  </graph_item>
  <graph_item>

```



```

        <sortorder>3</sortorder>
        <drawtype>0</drawtype>
        <color>0000CC</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>hitratio_trigger</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>Logical I/O</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>0</show_work_period>
    <show_triggers>0</show_triggers>
    <type>1</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>1</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>1</drawtype>
            <color>0000FF</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>
            <type>0</type>
            <item>
                <host>Template_Oracle</host>
                <key>lio_consistent_read</key>
            </item>
        </graph_item>
    </graph_items>
    <sortorder>1</sortorder>

```

```

        <drawtype>1</drawtype>
        <color>00FFFF</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>lio_block_changes</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>2</sortorder>
        <drawtype>1</drawtype>
        <color>FF6666</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>lio_current_read</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>Memory Utilization</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>1</show_work_period>
    <show_triggers>1</show_triggers>
    <type>0</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>1</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>1</drawtype>

```

```

        <color>00CC00</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>vm.memory.size[free]</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>1</sortorder>
        <drawtype>0</drawtype>
        <color>0000CC</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>vm.memory.size[total]</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>PGA</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>0</show_work_period>
    <show_triggers>0</show_triggers>
    <type>0</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>1</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymax_type_1>0</ymax_type_1>
    <ymax_item_1>0</ymax_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>0</drawtype>
            <color>009900</color>

```

```

        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>pga</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>Physical I/O</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>0</show_work_period>
    <show_triggers>0</show_triggers>
    <type>0</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>1</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>0</drawtype>
            <color>0000CC</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>7</calc_fnc>
            <type>0</type>
            <item>
                <host>Template_Oracle</host>
                <key>phio_redo_writes</key>
            </item>
        </graph_item>
        <graph_item>
            <sortorder>1</sortorder>
            <drawtype>0</drawtype>
            <color>00FFFF</color>
            <yaxisside>0</yaxisside>

```

```

        <calc_fnc>7</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>phio_datafile_reads</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>2</sortorder>
        <drawtype>0</drawtype>
        <color>FF6666</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>7</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>phio_datafile_writes</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>Pin Hit Ratio</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>0</show_work_period>
    <show_triggers>0</show_triggers>
    <type>0</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>1</ymin_type_1>
    <ymin_type_1>1</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <ymax_item_1>0</ymax_item_1>
    <ymax_item_1>0</ymax_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>0</drawtype>
            <color>000099</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>

```

```

        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>pinhitratio_table-proc</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>1</sortorder>
        <drawtype>0</drawtype>
        <color>999900</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>pinhitratio_body</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>2</sortorder>
        <drawtype>0</drawtype>
        <color>990099</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>pinhitratio_sqlarea</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>3</sortorder>
        <drawtype>0</drawtype>
        <color>00CC00</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>pinhitratio_trigger</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>

```

```

<name>Session/Process</name>
<width>900</width>
<height>200</height>
<yaxismin>0.0000</yaxismin>
<yaxismax>100.0000</yaxismax>
<show_work_period>0</show_work_period>
<show_triggers>0</show_triggers>
<type>0</type>
<show_legend>1</show_legend>
<show_3d>0</show_3d>
<percent_left>0.0000</percent_left>
<percent_right>0.0000</percent_right>
<ymin_type_1>1</ymin_type_1>
<ymin_type_1>0</ymin_type_1>
<ymin_item_1>0</ymin_item_1>
<ymin_item_1>0</ymin_item_1>
<graph_items>
  <graph_item>
    <sortorder>0</sortorder>
    <drawtype>0</drawtype>
    <color>0000FF</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template_Oracle</host>
      <key>session</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>1</sortorder>
    <drawtype>0</drawtype>
    <color>009900</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template_Oracle</host>
      <key>procnum</key>
    </item>
  </graph_item>
</graph_items>
</graph>
<graph>
  <name>Sessions</name>

```

```

<width>900</width>
<height>200</height>
<yaxismin>0.0000</yaxismin>
<yaxismax>100.0000</yaxismax>
<show_work_period>1</show_work_period>
<show_triggers>1</show_triggers>
<type>1</type>
<show_legend>1</show_legend>
<show_3d>0</show_3d>
<percent_left>0.0000</percent_left>
<percent_right>0.0000</percent_right>
<ymin_type_1>1</ymin_type_1>
<ymin_type_1>0</ymin_type_1>
<ymin_item_1>0</ymin_item_1>
<ymin_item_1>0</ymin_item_1>
<graph_items>
  <graph_item>
    <sortorder>0</sortorder>
    <drawtype>1</drawtype>
    <color>0000FF</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template_Oracle</host>
      <key>session_inactive</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>1</sortorder>
    <drawtype>1</drawtype>
    <color>FF00FF</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template_Oracle</host>
      <key>session_system</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>2</sortorder>
    <drawtype>1</drawtype>
    <color>009900</color>
    <yaxisside>0</yaxisside>

```



```

        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>session_active</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>SGA Memory Usage</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>0</show_work_period>
    <show_triggers>0</show_triggers>
    <type>1</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>1</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>1</drawtype>
            <color>009900</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>
            <type>0</type>
            <item>
                <host>Template_Oracle</host>
                <key>sga_buffer_cache</key>
            </item>
        </graph_item>
        <graph_item>
            <sortorder>1</sortorder>
            <drawtype>1</drawtype>
            <color>CC0000</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>

```

```

        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>sga_fixed</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>2</sortorder>
        <drawtype>1</drawtype>
        <color>00CCCC</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>sga_java_pool</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>3</sortorder>
        <drawtype>1</drawtype>
        <color>CC00CC</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>sga_large_pool</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>4</sortorder>
        <drawtype>1</drawtype>
        <color>CCCC00</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>sga_log_buffer</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>5</sortorder>
        <drawtype>1</drawtype>

```

```

        <color>0000CC</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>sga_shared_pool</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>Shared Pool</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>0</show_work_period>
    <show_triggers>0</show_triggers>
    <type>1</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>1</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>1</drawtype>
            <color>009900</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>
            <type>0</type>
            <item>
                <host>Template_Oracle</host>
                <key>pool_dict_cache</key>
            </item>
        </graph_item>
    </graph_items>
    <graph_item>
        <sortorder>1</sortorder>
        <drawtype>1</drawtype>
        <color>990000</color>

```

```

        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>pool_free_mem</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>2</sortorder>
        <drawtype>1</drawtype>
        <color>009999</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>pool_lib_cache</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>3</sortorder>
        <drawtype>1</drawtype>
        <color>990099</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>pool_misc</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>4</sortorder>
        <drawtype>1</drawtype>
        <color>CCCC00</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template_Oracle</host>
            <key>pool_sql_area</key>
        </item>
    </graph_item>
</graph_items>

```

```
    </graph>  
  </graphs>  
</zabbix_export>
```

5. 新建一个host，链接到这个模板。