E-Commerce Sales Analysis

List of Orders — Data Cleaning

Overview

This section documents the data-cleaning steps performed on the **List of Orders** table in Power Query. The original step-by-step screenshots begin on the following page; this introduction is added before Step 1.

Work completed

• Kept the top 500 rows for the analysis.
• Standardized **CustomerName** using Capitalize Each Word.
• Merged **City** and **State** into a single **Location** column using a comma separator.
• Reviewed **Order Date**, **CustomerName**, and **Location** values using column filters.
• Applied the duplicate Order ID removal step shown in the screenshots.
• Used Trim on **Location** and **CustomerName** to remove leading/trailing spaces.


Purpose

These transformations help standardize text fields and prepare the List of Orders table for reporting and analysis.

Note: The original screenshot pages and their existing Step/Observation text are preserved without edits.


Step 1 — Open the Order Details source

Observation: The Order Details source is opened in Power Query to inspect the raw table before transformation.



Step 2 — Load Order Details into Power Query


Observation: The imported Order Details data is available for transformation and modelling.



	Order ID	Amount	Profit	Quantity	Category	Sub-Category
1	B-25601	1275	-1148	7	Furniture	Bookcases
2	B-25601	66	-12	5	Clothing	Stole
3	B-25601	8	-2	3	Clothing	Hankerchief
4	B-25601	80	-56	4	Electronics	Electronic Games
5	B-25602	168	-111	2	Electronics	Phones
6	B-25602	424	-272	5	Electronics	Phones
7	B-25602	2617	1151	4	Electronics	Phones
8	B-25602	561	212	3	Clothing	Saree
9	B-25602	119	-5	8	Clothing	Saree
10	B-25603	1355	-60	5	Clothing	Trousers
11	B-25603	24	-30	1	Furniture	Chairs
12	B-25603	193	-166	3	Clothing	Saree
13	B-25603	180	5	3	Clothing	Trousers
14	B-25603	116	16	4	Clothing	Stole
15	B-25603	107	36	6	Clothing	Stole
16	B-25603	12	1	2	Clothing	Hankerchief
17	B-25603	38	18	1	Clothing	Kurti
18	B-25604	65	17	2	Clothing	T-shirt
19	B-25604	157	5	9	Clothing	Saree
20	B-25605	75	0	7	Clothing	Saree
21	B-25606	87	4	2	Clothing	Shirt
22	B-25607	50	15	4	Clothing	Leggings
23	B-25608	1364	-1864	5	Furniture	Tables
24	B-25608	476	0	3	Furniture	Chairs
25	B-25608	257	23	5	Clothing	Hankerchief
26	B-25608	856	385	6	Electronics	Printers
27	B-25609	485	29	4	Electronics	Electronic Games
28	B-25609	25	-5	4	Clothing	Saree

Step 3 — Review the Order Details query


Observation: The Order Details query is visible with its columns and data types.



	Order ID	Amount	Profit	Quantity	Category	Sub-Category
1	B-25601	1275	-1148	7	Furniture	Bookcases
2	B-25601	66	-12	5	Clothing	Stole
3	B-25601	8	-2	3	Clothing	Hankerchief
4	B-25601	80	-56	4	Electronics	Electronic Games
5	B-25602	168	-111	2	Electronics	Phones
6	B-25602	424	-272	5	Electronics	Phones
7	B-25602	2617	1151	4	Electronics	Phones
8	B-25602	561	212	3	Clothing	Saree
9	B-25602	119	-5	8	Clothing	Saree
10	B-25603	1355	-60	5	Clothing	Trousers
11	B-25603	24	-30	1	Furniture	Chairs
12	B-25603	193	-166	3	Clothing	Saree
13	B-25603	180	5	3	Clothing	Trousers
14	B-25603	116	16	4	Clothing	Stole
15	B-25603	107	36	6	Clothing	Stole
16	B-25603	12	1	2	Clothing	Hankerchief
17	B-25603	38	18	1	Clothing	Kurti
18	B-25604	65	17	2	Clothing	T-shirt
19	B-25604	157	5	9	Clothing	Saree
20	B-25605	75	0	7	Clothing	Saree
21	B-25606	87	4	2	Clothing	Shirt
22	B-25607	50	15	4	Clothing	Leggings
23	B-25608	1364	-1864	5	Furniture	Tables
24	B-25608	476	0	3	Furniture	Chairs
25	B-25608	257	23	5	Clothing	Hankerchief
26	B-25608	856	385	6	Electronics	Printers
27	B-25609	485	29	4	Electronics	Electronic Games
28	B-25609	25	-5	4	Clothing	Saree


Step 4 — Open the Sales Target source

Observation: The Sales Target source is selected and its preview is displayed.




Step 5 — Browse for the source file

Observation: The file-selection window is used to locate the required source file.




Step 6 — Open the List of Orders source

Observation: The List of Orders source is selected and its preview is shown.




Step 7 — Load List of Orders

Observation: The List of Orders query is loaded into Power Query for cleaning.




Step 8 — Keep the required number of rows

Observation: The Keep Top Rows option is used to retain the required records.




Step 9 — Keep 500 rows

Observation: The query now contains the required 500 rows.



Step 11 — Select CustomerName for formatting


Observation: CustomerName is selected for text standardization.



	Order ID	Order Date	Cust		City
1	B-25601	01-04-2018	Bharat		Ahmedabad
2	B-25602	01-04-2018	Pearl	htra	Pune
3	B-25603	03-04-2018	Jahan	Pradesh	Bhopal
4	B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
5	B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
6	B-25606	06-04-2018	Hazel	Karnataka	Bangalore
7	B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
8	B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
9	B-25609	09-04-2018	Jitesh	Uttar Pradesh	Lucknow
10	B-25610	09-04-2018	Yogesh	Bihar	Patna
11	B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
12	B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
13	B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
14	B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
15	B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
16	B-25616	15-04-2018	Kanak	Goa	Goa
17	B-25617	17-04-2018	Sagar	Nagaland	Kohima
18	B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19	B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
20	B-25620	20-04-2018	Sarita	Maharashtra	Pune
21	B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
22	B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
23	B-25623	22-04-2018	Atharv	West Bengal	Kolkata
24	B-25624	22-04-2018	Vini	Karnataka	Bangalore
25	B-25625	23-04-2018	Pinky	Jammu and Kashmir	Kashmir
26	B-25626	23-04-2018	Bhishm	Maharashtra	Mumbai
27	B-25627	23-04-2018	Hitika	Madhya Pradesh	Indore
28	B-25628	24-04-2018	Pooja	Bihar	Patna

Step 12 — Capitalize CustomerName


Observation: Customer names are standardized using capitalization.



	Order ID	Order Date	CustomerName	State	City
1	B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
2	B-25602	01-04-2018	Pearl	Maharashtra	Pune
3	B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
4	B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
5	B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
6	B-25606	06-04-2018	Hazel	Karnataka	Bangalore
7	B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
8	B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
9	B-25609	09-04-2018	Jitesh	Uttar Pradesh	Lucknow
10	B-25610	09-04-2018	Yogesh	Bihar	Patna
11	B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
12	B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
13	B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
14	B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
15	B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
16	B-25616	15-04-2018	Kanak	Goa	Goa
17	B-25617	17-04-2018	Sagar	Nagaland	Kohima
18	B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19	B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
20	B-25620	20-04-2018	Sarita	Maharashtra	Pune
21	B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
22	B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
23	B-25623	22-04-2018	Atharv	West Bengal	Kolkata
24	B-25624	22-04-2018	Vini	Karnataka	Bangalore
25	B-25625	23-04-2018	Pinky	Jammu and Kashmir	Kashmir
26	B-25626	23-04-2018	Bhishm	Maharashtra	Mumbai
27	B-25627	23-04-2018	Hitika	Madhya Pradesh	Indore
28	B-25628	24-04-2018	Pooja	Bihar	Patna


Step 13 — Open Merge Columns

Observation: The Merge Columns dialog is opened to combine City and State.



Step 14 — Configure the Location column


Observation: The merged column is configured with a comma separator and the name Location.



	Order ID	Order Date	CustomerName	State	City
1	B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
2	B-25602	01-04-2018	Pearl	Maharashtra	Pune
3	B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
4	B-25604				
5	B-25605				
6	B-25606				
7	B-25607				
8	B-25608				
9	B-25609				
10	B-25610				
11	B-25611				
12	B-25612				
13	B-25613				
14	B-25614				
15	B-25615				
16	B-25616				
17	B-25617				
18	B-25618				
19	B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
20	B-25620	20-04-2018	Sarita	Maharashtra	Pune
21	B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
22	B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
23	B-25623	22-04-2018	Atharv	West Bengal	Kolkata
24	B-25624	22-04-2018	Vini	Karnataka	Bangalore
25	B-25625	23-04-2018	Pinky	Jammu and Kashmir	Kashmir
26	B-25626	23-04-2018	Bhishm	Maharashtra	Mumbai
27	B-25627	23-04-2018	Hitika	Madhya Pradesh	Indore
28	B-25628	24-04-2018	Pooja	Bihar	Patna

Step 15 — Create Location


Observation: City and State are successfully combined into Location.



	Order ID	Order Date	CustomerName	Location
1	B-25601	01-04-2018	Bharat	Ahmedabad, Gujarat
2	B-25602	01-04-2018	Pearl	Pune, Maharashtra
3	B-25603	03-04-2018	Jahan	Bhopal, Madhya Pradesh
4	B-25604	03-04-2018	Divsha	Jaipur, Rajasthan
5	B-25605	05-04-2018	Kasheen	Kolkata, West Bengal
6	B-25606	06-04-2018	Hazel	Bangalore, Karnataka
7	B-25607	06-04-2018	Sonakshi	Kashmir, Jammu and Kashmir
8	B-25608	08-04-2018	Aarushi	Chennai, Tamil Nadu
9	B-25609	09-04-2018	Jitesh	Lucknow, Uttar Pradesh
10	B-25610	09-04-2018	Yogesh	Patna, Bihar
11	B-25611	11-04-2018	Anita	Thiruvananthapuram, Kerala
12	B-25612	12-04-2018	Shrichand	Chandigarh, Punjab
13	B-25613	12-04-2018	Mukesh	Chandigarh, Haryana
14	B-25614	13-04-2018	Vandana	Simla, Himachal Pradesh
15	B-25615	15-04-2018	Bhavna	Gangtok, Sikkim
16	B-25616	15-04-2018	Kanak	Goa, Goa
17	B-25617	17-04-2018	Sagar	Kohima, Nagaland
18	B-25618	18-04-2018	Manju	Hyderabad, Andhra Pradesh
19	B-25619	18-04-2018	Ramesh	Ahmedabad, Gujarat
20	B-25620	20-04-2018	Sarita	Pune, Maharashtra
21	B-25621	20-04-2018	Deepak	Bhopal, Madhya Pradesh
22	B-25622	22-04-2018	Monisha	Jaipur, Rajasthan
23	B-25623	22-04-2018	Atharv	Kolkata, West Bengal
24	B-25624	22-04-2018	Vini	Bangalore, Karnataka
25	B-25625	23-04-2018	Pinky	Kashmir, Jammu and Kashmir
26	B-25626	23-04-2018	Bhishm	Mumbai, Maharashtra
27	B-25627	23-04-2018	Hitika	Indore, Madhya Pradesh
28	B-25628	24-04-2018	Pooja	Patna, Bihar


Step 16 — Check Location values

Observation: Location values are reviewed for consistency.




Step 17 — Check Order Date values

Observation: Order Date values are checked for missing or unusual records.




Step 18 — Check CustomerName values

Observation: CustomerName values are reviewed for consistency.




Step 19 — Open row-removal options

Observation: Remove Rows options are opened for duplicate, blank-row and error cleanup.




Step 20 — Remove duplicate Order IDs

Observation: Duplicate Order IDs are removed while retaining the cleaned result.




Step 21 — Check Order Date again

Observation: Order Date is checked again for empty or invalid values.




Step 22 — Review filtered date records

Observation: The date filter view is used to validate the available Order Date values.




Step 23 — Review row-removal options

Observation: The row-removal controls are reviewed as part of data-quality validation.




Step 24 — Continue data-quality validation

Observation: The query is reviewed after the row-cleaning operations.




Step 25 — Verify the cleaned table

Observation: The List of Orders table remains populated and ready for final cleanup.




Step 26 — Review the final query before error cleanup

Observation: The query and applied transformations are reviewed before final text cleanup.




Step 27 — Confirm Order Date data type

Observation: Order Date is shown with the Date data type.



Step 28 — Select CustomerName


Observation: CustomerName is selected for the final text-cleaning operation.



	Order ID	Order Date	CustomerName	Location
1	B-25601	01-04-2018	Bharat	Ahmedabad, Gujarat
2	B-25602	01-04-2018	Pearl	Pune, Maharashtra
3	B-25603	03-04-2018	Jahan	Bhopal, Madhya Pradesh
4	B-25604	03-04-2018	Divsha	Jaipur, Rajasthan
5	B-25605	05-04-2018	Kasheen	Kolkata, West Bengal
6	B-25606	06-04-2018	Hazel	Bangalore, Karnataka
7	B-25607	06-04-2018	Sonakshi	Kashmir, Jammu and Kashmir
8	B-25608	08-04-2018	Aarushi	Chennai, Tamil Nadu
9	B-25609	09-04-2018	Jitesh	Lucknow, Uttar Pradesh
10	B-25610	09-04-2018	Yogesh	Patna, Bihar
11	B-25611	11-04-2018	Anita	Thiruvananthapuram, Kerala
12	B-25612	12-04-2018	Shrichand	Chandigarh, Punjab
13	B-25613	12-04-2018	Mukesh	Chandigarh, Haryana
14	B-25614	13-04-2018	Vandana	Simla, Himachal Pradesh
15	B-25615	15-04-2018	Bhavna	Gangtok, Sikkim
16	B-25616	15-04-2018	Kanak	Goa, Goa
17	B-25617	17-04-2018	Sagar	Kohima, Nagaland
18	B-25618	18-04-2018	Manju	Hyderabad, Andhra Pradesh
19	B-25619	18-04-2018	Ramesh	Ahmedabad, Gujarat
20	B-25620	20-04-2018	Sarita	Pune, Maharashtra
21	B-25621	20-04-2018	Deepak	Bhopal, Madhya Pradesh
22	B-25622	22-04-2018	Monisha	Jaipur, Rajasthan
23	B-25623	22-04-2018	Atharv	Kolkata, West Bengal
24	B-25624	22-04-2018	Vini	Bangalore, Karnataka
25	B-25625	23-04-2018	Pinky	Kashmir, Jammu and Kashmir
26	B-25626	23-04-2018	Bhishm	Mumbai, Maharashtra
27	B-25627	23-04-2018	Hitika	Indore, Madhya Pradesh
28	B-25628	24-04-2018	Pooja	Patna, Bihar

Step 29 — Select Location


Observation: Location is selected for text cleanup.



	Order ID	Order Date	CustomerName	Location
1	B-25601	01-04-2018	Bharat	Ahmedabad, Gujarat
2	B-25602	01-04-2018	Pearl	Pune, Maharashtra
3	B-25603	03-04-2018	Jahan	Bhopal, Madhya Pradesh
4	B-25604	03-04-2018	Divsha	Jaipur, Rajasthan
5	B-25605	05-04-2018	Kasheen	Kolkata, West Bengal
6	B-25606	06-04-2018	Hazel	Bangalore, Karnataka
7	B-25607	06-04-2018	Sonakshi	Kashmir, Jammu and Kashmir
8	B-25608	08-04-2018	Aarushi	Chennai, Tamil Nadu
9	B-25609	09-04-2018	Jitesh	Lucknow, Uttar Pradesh
10	B-25610	09-04-2018	Yogesh	Patna, Bihar
11	B-25611	11-04-2018	Anita	Thiruvananthapuram, Kerala
12	B-25612	12-04-2018	Shrichand	Chandigarh, Punjab
13	B-25613	12-04-2018	Mukesh	Chandigarh, Haryana
14	B-25614	13-04-2018	Vandana	Simla, Himachal Pradesh
15	B-25615	15-04-2018	Bhavna	Gangtok, Sikkim
16	B-25616	15-04-2018	Kanak	Goa, Goa
17	B-25617	17-04-2018	Sagar	Kohima, Nagaland
18	B-25618	18-04-2018	Manju	Hyderabad, Andhra Pradesh
19	B-25619	18-04-2018	Ramesh	Ahmedabad, Gujarat
20	B-25620	20-04-2018	Sarita	Pune, Maharashtra
21	B-25621	20-04-2018	Deepak	Bhopal, Madhya Pradesh
22	B-25622	22-04-2018	Monisha	Jaipur, Rajasthan
23	B-25623	22-04-2018	Atharv	Kolkata, West Bengal
24	B-25624	22-04-2018	Vini	Bangalore, Karnataka
25	B-25625	23-04-2018	Pinky	Kashmir, Jammu and Kashmir
26	B-25626	23-04-2018	Bhishm	Mumbai, Maharashtra
27	B-25627	23-04-2018	Hitika	Indore, Madhya Pradesh
28	B-25628	24-04-2018	Pooja	Patna, Bihar


Step 30 — Open Format > Trim for Location

Observation: The Format menu is opened with Trim available for Location.



Step 31 — Trim Location


Observation: Unnecessary leading or trailing spaces are removed from Location.



	Order ID	Order Date	CustomerName	Location
1	B-25601	01-04-2018	Bharat	Ahmedabad, Gujarat
2	B-25602	01-04-2018	Pearl	Pune, Maharashtra
3	B-25603	03-04-2018	Jahan	Bhopal, Madhya Pradesh
4	B-25604	03-04-2018	Divsha	Jaipur, Rajasthan
5	B-25605	05-04-2018	Kasheen	Kolkata, West Bengal
6	B-25606	06-04-2018	Hazel	Bangalore, Karnataka
7	B-25607	06-04-2018	Sonakshi	Kashmir, Jammu and Kashmir
8	B-25608	08-04-2018	Aarushi	Chennai, Tamil Nadu
9	B-25609	09-04-2018	Jitesh	Lucknow, Uttar Pradesh
10	B-25610	09-04-2018	Yogesh	Patna, Bihar
11	B-25611	11-04-2018	Anita	Thiruvananthapuram, Kerala
12	B-25612	12-04-2018	Shrichand	Chandigarh, Punjab
13	B-25613	12-04-2018	Mukesh	Chandigarh, Haryana
14	B-25614	13-04-2018	Vandana	Simla, Himachal Pradesh
15	B-25615	15-04-2018	Bhavna	Gangtok, Sikkim
16	B-25616	15-04-2018	Kanak	Goa, Goa
17	B-25617	17-04-2018	Sagar	Kohima, Nagaland
18	B-25618	18-04-2018	Manju	Hyderabad, Andhra Pradesh
19	B-25619	18-04-2018	Ramesh	Ahmedabad, Gujarat
20	B-25620	20-04-2018	Sarita	Pune, Maharashtra
21	B-25621	20-04-2018	Deepak	Bhopal, Madhya Pradesh
22	B-25622	22-04-2018	Monisha	Jaipur, Rajasthan
23	B-25623	22-04-2018	Atharv	Kolkata, West Bengal
24	B-25624	22-04-2018	Vini	Bangalore, Karnataka
25	B-25625	23-04-2018	Pinky	Kashmir, Jammu and Kashmir
26	B-25626	23-04-2018	Bhishm	Mumbai, Maharashtra
27	B-25627	23-04-2018	Hitika	Indore, Madhya Pradesh
28	B-25628	24-04-2018	Pooja	Patna, Bihar

Step 32 — Open Format > Trim for CustomerName


Observation: The Format menu is opened with Trim available for CustomerName.



	Order ID	Order Date	Customer Name	Location
1	B-25601	01-04-2018	Bharat	Mumbai, Maharashtra
2	B-25602	01-04-2018	Pearl	Indore, Madhya Pradesh
3	B-25603	03-04-2018	Jahan	Kolkata, West Bengal
4	B-25604	03-04-2018	Divsha	Jaipur, Rajasthan
5	B-25605	05-04-2018	Kasheen	Kolkata, West Bengal
6	B-25606	06-04-2018	Hazel	Bangalore, Karnataka
7	B-25607	06-04-2018	Sonakshi	Kashmir, Jammu and Kashmir
8	B-25608	08-04-2018	Aarushi	Chennai, Tamil Nadu
9	B-25609	09-04-2018	Jitesh	Lucknow, Uttar Pradesh
10	B-25610	09-04-2018	Yogesh	Patna, Bihar
11	B-25611	11-04-2018	Anita	Thiruvananthapuram, Kerala
12	B-25612	12-04-2018	Shrichand	Chandigarh, Punjab
13	B-25613	12-04-2018	Mukesh	Chandigarh, Haryana
14	B-25614	13-04-2018	Vandana	Simla, Himachal Pradesh
15	B-25615	15-04-2018	Bhavna	Gangtok, Sikkim
16	B-25616	15-04-2018	Kanak	Goa, Goa
17	B-25617	17-04-2018	Sagar	Kohima, Nagaland
18	B-25618	18-04-2018	Manju	Hyderabad, Andhra Pradesh
19	B-25619	18-04-2018	Ramesh	Ahmedabad, Gujarat
20	B-25620	20-04-2018	Sarita	Pune, Maharashtra
21	B-25621	20-04-2018	Deepak	Bhopal, Madhya Pradesh
22	B-25622	22-04-2018	Monisha	Jaipur, Rajasthan
23	B-25623	22-04-2018	Atharv	Kolkata, West Bengal
24	B-25624	22-04-2018	Vini	Bangalore, Karnataka
25	B-25625	23-04-2018	Pinky	Kashmir, Jammu and Kashmir
26	B-25626	23-04-2018	Bhishm	Mumbai, Maharashtra
27	B-25627	23-04-2018	Hitika	Indore, Madhya Pradesh
28	B-25628	24-04-2018	Pooja	Patna, Bihar

Step 33 — Trim CustomerName

Observation: CustomerName is trimmed successfully.



Order Details – Data Cleaning


Power Query | E-Commerce Sales Analysis | Step-by-Step Screenshot Observations

Overall observation: The screenshots document the Order Details query with six columns: Order ID, Amount, Profit, Quantity, Category, and Sub-Category. The sequence shows error-removal steps for each column, inspection of filter dropdowns for empty values, and a distinct-row step across all six columns. Observations below describe only what is visible in each screenshot.

Each following page contains the numbered step, its matching observation, and the corresponding original screenshot.


Step 1 – Open the Order ID column menu

Observation: The Order ID column is selected and its right-click menu is open. The menu shows the Remove Errors command, which is used to remove rows containing errors in this column.



Step 2 – Apply error removal to Order ID


Observation: The formula bar shows Table.RemoveRowsWithErrors applied to the Order ID column, and Applied Steps includes “Removed Errors order Id.” The table preview remains visible with Order ID values.



	Order ID	Amount	Profit	Quantity	Category	Sub-Category
1	B-25601	1275	-1148	7	Furniture	Bookcases
2	B-25601	66	-12	5	Clothing	Stole
3	B-25601	8	-2	3	Clothing	Hankerchief
4	B-25601	80	-56	4	Electronics	Electronic Games
5	B-25602	168	-111	2	Electronics	Phones
6	B-25602	424	-272	5	Electronics	Phones
7	B-25602	2617	1151	4	Electronics	Phones
8	B-25602	561	212	3	Clothing	Saree
9	B-25602	119	-5	8	Clothing	Saree
10	B-25603	1355	-60	5	Clothing	Trousers
11	B-25603	24	-30	1	Furniture	Chairs
12	B-25603	193	-166	3	Clothing	Saree
13	B-25603	180	5	3	Clothing	Trousers
14	B-25603	116	16	4	Clothing	Stole
15	B-25603	107	36	6	Clothing	Stole
16	B-25603	12	1	2	Clothing	Hankerchief
17	B-25603	38	18	1	Clothing	Kurti
18	B-25604	65	17	2	Clothing	T-shirt
19	B-25604	157	5	9	Clothing	Saree
20	B-25605	75	0	7	Clothing	Saree
21	B-25606	87	4	2	Clothing	Shirt
22	B-25607	50	15	4	Clothing	Leggings
23	B-25608	1364	-1864	5	Furniture	Tables
24	B-25608	476	0	3	Furniture	Chairs
25	B-25608	257	23	5	Clothing	Hankerchief
26	B-25608	856	385	6	Electronics	Printers
27	B-25609	485	29	4	Electronics	Electronic Games
28	B-25609	25	-5	4	Clothing	Saree


Step 3 – Open the Amount column menu

Observation: The Amount column is selected and its right-click menu is open. The Remove Errors command is available for this column.



Step 4 – Apply error removal to Amount


Observation: Applied Steps includes “Removed Errors Amount,” and the formula bar shows the prior Order ID error-removal step. The Amount column displays numeric values in the preview.



	Order ID	Amount	Profit	Quantity	Category	Sub-Category
1	B-25601	1275	-1148	7	Furniture	Bookcases
2	B-25601	66	-12	5	Clothing	Stole
3	B-25601	8	-2	3	Clothing	Hankerchief
4	B-25601	80	-56	4	Electronics	Electronic Games
5	B-25602	168	-111	2	Electronics	Phones
6	B-25602	424	-272	5	Electronics	Phones
7	B-25602	2617	1151	4	Electronics	Phones
8	B-25602	561	212	3	Clothing	Saree
9	B-25602	119	-5	8	Clothing	Saree
10	B-25603	1355	-60	5	Clothing	Trousers
11	B-25603	24	-30	1	Furniture	Chairs
12	B-25603	193	-166	3	Clothing	Saree
13	B-25603	180	5	3	Clothing	Trousers
14	B-25603	116	16	4	Clothing	Stole
15	B-25603	107	36	6	Clothing	Stole
16	B-25603	12	1	2	Clothing	Hankerchief
17	B-25603	38	18	1	Clothing	Kurti
18	B-25604	65	17	2	Clothing	T-shirt
19	B-25604	157	5	9	Clothing	Saree
20	B-25605	75	0	7	Clothing	Saree
21	B-25606	87	4	2	Clothing	Shirt
22	B-25607	50	15	4	Clothing	Leggings
23	B-25608	1364	-1864	5	Furniture	Tables
24	B-25608	476	0	3	Furniture	Chairs
25	B-25608	257	23	5	Clothing	Hankerchief
26	B-25608	856	385	6	Electronics	Printers
27	B-25609	485	29	4	Electronics	Electronic Games
28	B-25609	25	-5	4	Clothing	Saree


Step 5 – Open the Profit column menu

Observation: The Profit column is selected and its right-click menu is open. The Remove Errors command is available for the Profit column.



Step 6 – Apply error removal to Profit


Observation: Applied Steps includes “Removed Errors profit.” The visible Profit values include positive numbers, zero, and negative numbers; these are values shown in the data, not necessarily errors.



	Order ID	Amount	Profit	Quantity	Category	Sub-Category
1473	B-26094	152	50	6	Clothing	Stole
1474	B-26095	6	1	1	Clothing	Kurti
1475	B-26096	45	9	3	Clothing	Leggings
1476	B-26096	103	46	2	Clothing	Saree
1477	B-26096	140	56	4	Clothing	Shirt
1478	B-26096	88	11	3	Electronics	Accessories
1479	B-26096	451	25	3	Electronics	Phones
1480	B-26096	264	-26	3	Clothing	Trousers
1481	B-26097	97	12	2	Clothing	Hankerchief
1482	B-26097	14	5	1	Clothing	Hankerchief
1483	B-26097	19	8	2	Clothing	Hankerchief
1484	B-26097	39	18	2	Clothing	Leggings
1485	B-26097	185	-26	6	Furniture	Chairs
1486	B-26097	663	-212	5	Electronics	Printers
1487	B-26097	671	-309	5	Electronics	Electronic Games
1488	B-26098	82	8	3	Electronics	Accessories
1489	B-26098	497	179	3	Furniture	Chairs
1490	B-26098	96	48	5	Clothing	Leggings
1491	B-26098	409	86	3	Clothing	Saree
1492	B-26098	59	15	2	Clothing	T-shirt
1493	B-26098	46	14	5	Clothing	Skirt
1494	B-26099	9	3	1	Clothing	Skirt
1495	B-26099	207	37	4	Clothing	Hankerchief
1496	B-26099	835	267	5	Electronics	Phones
1497	B-26099	2366	552	5	Clothing	Trousers
1498	B-26100	828	230	2	Furniture	Chairs
1499	B-26100	34	10	2	Clothing	T-shirt
1500	B-26100	72	16	2	Clothing	Shirt


Step 7 – Open the Quantity column menu

Observation: The Quantity column is selected and its right-click menu is open. The Remove Errors command is available for the Quantity column.



Step 8 – Apply error removal to Quantity


Observation: Applied Steps includes “Removed Errors Quantity.” The Quantity column displays whole-number values in the visible rows.



	Order ID	Amount	Profit	Quantity	Category	Sub-Category
1473	B-26094	152	50	6	Clothing	Stole
1474	B-26095	6	1	1	Clothing	Kurti
1475	B-26096	45	9	3	Clothing	Leggings
1476	B-26096	103	46	2	Clothing	Saree
1477	B-26096	140	56	4	Clothing	Shirt
1478	B-26096	88	11	3	Electronics	Accessories
1479	B-26096	451	25	3	Electronics	Phones
1480	B-26096	264	-26	3	Clothing	Trousers
1481	B-26097	97	12	2	Clothing	Hankerchief
1482	B-26097	14	5	1	Clothing	Hankerchief
1483	B-26097	19	8	2	Clothing	Hankerchief
1484	B-26097	39	18	2	Clothing	Leggings
1485	B-26097	185	-26	6	Furniture	Chairs
1486	B-26097	663	-212	5	Electronics	Printers
1487	B-26097	671	-309	5	Electronics	Electronic Games
1488	B-26098	82	8	3	Electronics	Accessories
1489	B-26098	497	179	3	Furniture	Chairs
1490	B-26098	96	48	5	Clothing	Leggings
1491	B-26098	409	86	3	Clothing	Saree
1492	B-26098	59	15	2	Clothing	T-shirt
1493	B-26098	46	14	5	Clothing	Skirt
1494	B-26099	9	3	1	Clothing	Skirt
1495	B-26099	207	37	4	Clothing	Hankerchief
1496	B-26099	835	267	5	Electronics	Phones
1497	B-26099	2366	552	5	Clothing	Trousers
1498	B-26100	828	230	2	Furniture	Chairs
1499	B-26100	34	10	2	Clothing	T-shirt
1500	B-26100	72	16	2	Clothing	Shirt


Step 9 – Open the Category column menu

Observation: The Category column is selected and its right-click menu is open. The Remove Errors command is available for the Category column.




Step 10 – Open the Sub-Category column menu

Observation: The Sub-Category column is selected and its right-click menu is open. The formula bar shows error removal being applied to Category, and Applied Steps includes "Removed Errors Category."




Step 11 – Apply error removal to Sub-Category

Observation: The formula bar shows Table.RemoveRowsWithErrors applied to Sub-Category after the Category step. Applied Steps now includes “Removed Errors Sub-Category,” and the table preview shows product sub-category labels.



Step 12 – Review the cleaned Sub-Category preview


Observation: The same Sub-Category error-removal step is selected while the preview is scrolled to rows 1473–1500. The six columns remain visible, and Power Query reports “999+ rows” in the preview status.



	Order ID	Amount	Profit	Quantity	Category	Sub-Category
1473	B-26094	152	50	6	Clothing	Stole
1474	B-26095	6	1	1	Clothing	Kurti
1475	B-26096	45	9	3	Clothing	Leggings
1476	B-26096	103	46	2	Clothing	Saree
1477	B-26096	140	56	4	Clothing	Shirt
1478	B-26096	88	11	3	Electronics	Accessories
1479	B-26096	451	25	3	Electronics	Phones
1480	B-26096	264	-26	3	Clothing	Trousers
1481	B-26097	97	12	2	Clothing	Hankerchief
1482	B-26097	14	5	1	Clothing	Hankerchief
1483	B-26097	19	8	2	Clothing	Hankerchief
1484	B-26097	39	18	2	Clothing	Leggings
1485	B-26097	185	-26	6	Furniture	Chairs
1486	B-26097	663	-212	5	Electronics	Printers
1487	B-26097	671	-309	5	Electronics	Electronic Games
1488	B-26098	82	8	3	Electronics	Accessories
1489	B-26098	497	179	3	Furniture	Chairs
1490	B-26098	96	48	5	Clothing	Leggings
1491	B-26098	409	86	3	Clothing	Saree
1492	B-26098	59	15	2	Clothing	T-shirt
1493	B-26098	46	14	5	Clothing	Skirt
1494	B-26099	9	3	1	Clothing	Skirt
1495	B-26099	207	37	4	Clothing	Hankerchief
1496	B-26099	835	267	5	Electronics	Phones
1497	B-26099	2366	552	5	Clothing	Trousers
1498	B-26100	828	230	2	Furniture	Chairs
1499	B-26100	34	10	2	Clothing	T-shirt
1500	B-26100	72	16	2	Clothing	Shirt


Step 13 – Inspect Order ID filter values

Observation: The Order ID filter dropdown is open. It shows order IDs and the Remove Empty option; no blank/null item is visible in the displayed list.




Step 14 – Inspect Amount filter values

Observation: The Amount filter dropdown is open. It shows numeric amount values and the Remove Empty option; no blank/null item is visible in the displayed list.




Step 15 – Inspect Profit filter values

Observation: The Profit filter dropdown is open. It shows numeric values, including negative and positive values, and the Remove Empty option; no blank/null item is visible in the displayed list.




Step 16 – Inspect Quantity filter values

Observation: The Quantity filter dropdown is open. The visible choices include whole numbers from 1 to 14, with the Remove Empty option above the list; no blank/null item is visible in the displayed list.




Step 17 – Inspect Category filter values

Observation: The Category filter dropdown is open. The visible category choices are Clothing, Electronics, and Furniture; no blank/null item is visible in the displayed list.




Step 18 – Inspect Sub-Category filter values

Observation: The Sub-Category filter dropdown is open. The visible choices include Accessories, Bookcases, Chairs, Electronic Games, Furnishings, Handkerchief, Kurti, Leggings, Phones, Printers, Saree, Shirt, Skirt, Stole, T-shirt, Tables, and Trousers; no blank/null item is visible in the displayed list.




Step 19 – Review duplicate-removal command for all columns

Observation: All six columns are selected and the right-click menu shows Remove Duplicates. The formula bar shows Table.Distinct, and Applied Steps includes “Removed Duplicates All Columns,” indicating the distinct-row step is already present.



Step 20 – Review the result after duplicate removal

Observation: The table preview shows all six columns with the “Removed Duplicates All Columns” step in Applied Steps. The status still says “999+ rows,” so this screen alone does not show the exact number of rows removed.



E-Commerce Sales Analysis

Project Overview: Sales Target Data Cleaning & Relationships

1. Sales Target Data Cleaning

Reviewed the Sales target table containing Month of Order Date, Category, and Target. Inspected the date values, categories, target values, and data types shown in the screenshots. The screenshots document the visible Power Query actions; they do not independently confirm every possible cleaning check.

2. Creating Data Model Relationships

Reviewed the model relationships shown in Power BI: Order Details and Orders Data connect to List of Orders through Order ID; category-based tables connect to Category Lookup; Sales target connects to Category Lookup through Category. The visible relationship dialog shows these relationships as Active.


3. Report Visualizations

Built report visuals for Total Sales, Total Profit, Total Orders, Total Quantity, Sales by Category, Profit by Category, Monthly Sales Trend, Profit Status Distribution, and Sales Target vs Actual Sales.

The 50 screenshot steps and their observations follow this overview page.


Step 1: Review the Sales target query

Observation: The Sales target query is selected in Power Query. The preview contains Month of Order Date, Category, and Target, with the existing Source, Promoted Headers, and Changed Type steps visible.




Step 2: Inspect the Month of Order Date filter

Observation: The filter menu for Month of Order Date is open. Date values are listed for inspection; this screenshot shows the filter options, not a confirmed applied filter.




Step 3: Inspect the Category filter

Observation: The Category filter menu is open and lists Furniture, Clothing, and Electronics. The visible values are being reviewed; no category selection change is confirmed in this screenshot.




Step 4: Inspect the Target filter

Observation: The Target filter menu is open and displays numeric target values. This is a review of available values; the screenshot alone does not confirm a filter was applied.




Step 5: Open the Target column menu

Observation: The context menu for the Target column is open. Available actions include Remove Duplicates and Change Type; this screenshot shows the menu rather than a completed action.




Step 6: Apply the displayed table transformation

Observation: The Sales target query shows an additional Applied Step named Removed Duplicates All Columns. The formula bar indicates a Table.Distinct transformation across the table.




Step 7: Review the Sales target result

Observation: The Sales target preview shows the three columns Month of Order Date, Category, and Target after the duplicate-removal step.




Step 8: Open the Target column menu again

Observation: The Target column context menu is open for another transformation. Use the following screenshots to verify which option was selected and applied.




Step 9: Review the Target column transformation

Observation: The formula bar and Applied Steps show the current transformation in the Sales target query. The preview still contains Month of Order Date, Category, and Target.




Step 10: Open the data type options

Observation: The Power Query data type dropdown is open for the selected Target column. The screenshot shows available data types, not the final type choice by itself.




Step 11: Review the Target column after type change

Observation: The Target column is displayed as numeric values and an additional Changed Type step is visible in Applied Steps.




Step 12: Inspect data type options in Order Details

Observation: The Order Details query is selected and the data type dropdown is open while the numeric columns are visible. This screenshot documents the data-type menu.




Step 13: Review cleaned Order Details columns

Observation: The Order Details query displays Order ID, Amount, Profit, Quantity, Category, and Sub-Category. Applied Steps show error-removal steps for the columns and a duplicate-removal step.




Step 14: Create the Profit Margin custom column

Observation: The Custom Column dialog is open with the new column name Profit Margin and a formula using Profit divided by Amount. The dialog indicates that no syntax errors were detected.




Step 15: Review the Profit Margin result

Observation: A Profit Margin column has been added to Order Details. The preview displays calculated decimal values for the rows shown.




Step 16: Open the data type menu for Profit Margin

Observation: The data type dropdown is open for the Profit Margin column, allowing the column's data type or display type to be changed.




Step 17: Review Profit Margin as a percentage

Observation: The Profit Margin values are displayed as percentages, and Applied Steps includes a percentage-format/type change for the column.




Step 18: Start creating the Profit Status conditional column

Observation: The Add Conditional Column dialog is open and the new column is named Profit Status. The rules are being configured in the dialog.




Step 19: Configure Profit Status rules

Observation: The conditional-column dialog shows rules based on Profit, including outputs for Loss and Break-Even, with a default output configured. This screenshot documents the rule setup.




Step 20: Review the Profit Status result

Observation: The Profit Status column is visible beside Profit Margin, with row values such as Profit, Loss, and Break-Even based on the configured conditions.




Step 21: Review the List of Orders query

Observation: The List of Orders query is selected. The preview shows Order ID, Order Date, CustomerName, and Location, and the Applied Steps include earlier cleaning and transformation steps.




Step 22: Open the Merge dialog

Observation: The Merge dialog is open with List of Orders as the first table. The second table has not yet been selected, so the merge is not configured in this screenshot.




Step 23: Configure the merge with Order Details

Observation: The Merge dialog shows List of Orders and Order Details, with a join condition configured. The dialog indicates matching rows are available for the merge.




Step 24: Review the merged table column

Observation: A new column named Order Details appears in List of Orders and contains Table values, showing that the merge created a nested table column.




Step 25: Open the expand options for Order Details

Observation: The expand menu for the merged Order Details column is open. Available fields such as Amount, Profit, Quantity, Category, Sub-Category, Profit Margin, and Profit Status are listed for selection.




Step 26: Review expand-column options

Observation: The expand dialog is open with the available Order Details fields and the option to use the original column name as a prefix. This screenshot records the selection stage.




Step 27: Review expanded Order Details fields

Observation: The merged Order Details table has been expanded, and its fields are now visible as columns in the resulting query preview.




Step 28: Open a blank report canvas

Observation: Power BI Desktop is in Report view with a blank Page 1 canvas. The Data pane lists the imported tables, ready for report visuals.




Step 29: Review the data model relationships

Observation: Model view displays the Order Details, List of Orders, Orders Data, and Sales target tables. Relationship lines are visible between tables; this screenshot documents the model layout.




Step 30: Start a new calculated column

Observation: A new column is being created in the Orders Data table. The formula bar is active and the new column name is shown as Column, ready for a DAX expression.




Step 31: Enter the Profit Status DAX expression

Observation: The formula bar contains a SWITCH-based expression that checks the Profit field and returns labels such as Loss, Break-Even, and Profit. This screenshot shows formula entry.




Step 32: Inspect the Category Lookup values

Observation: The Category Lookup query is selected and its Category filter menu lists Clothing, Electronics, and Furniture. The screenshot shows the available category values.




Step 33: Review the Category Lookup table

Observation: The Category Lookup table preview shows a single Category column with repeated category entries before the duplicate-removal result is reviewed.




Step 34: Review the deduplicated Category Lookup

Observation: The Category Lookup table now displays three category values?Furniture, Clothing, and Electronics?and Applied Steps includes a duplicate-removal step.




Step 35: Review the completed model relationships

Observation: Model view shows the tables connected through relationship lines, including Category Lookup and Sales target. Review the relationships for correct key fields and filter direction.




Step 36: Create the Total Sales measure

Observation: A measure named Total Sales is being created with a DAX expression that sums the Amount field from Orders Data. The report canvas is otherwise blank at this stage.




Step 37: Add a Total Sales card

Observation: A Card visual has been placed on the report canvas and displays the Total Sales measure. The visual's field well contains Total Sales.




Step 38: Create the Total Profit measure

Observation: The formula bar shows a Total Profit measure based on the Profit field in Orders Data. This step defines the measure for use in a card.




Step 39: Add a Total Profit card

Observation: A second Card visual is added to the canvas to display Total Profit, alongside the existing Total Sales card.




Step 40: Create the Total Orders measure

Observation: The formula bar shows a Total Orders measure using DISTINCTCOUNT on the Order ID field in Orders Data.




Step 41: Add a Total Orders card

Observation: A third Card visual is placed on the canvas to display the Total Orders measure.




Step 42: Create the Total Quantity measure

Observation: The formula bar shows a Total Quantity measure that sums the Quantity field from Orders Data.




Step 43: Add a Total Quantity card

Observation: A fourth Card visual is placed on the canvas to display Total Quantity alongside the other KPI cards.




Step 44: Insert a column chart

Observation: A column chart visual is inserted on the report canvas. The visual fields are being configured in the Visualizations pane.




Step 45: Build the Sales by Category chart

Observation: The column chart uses Category on the X-axis and Sum of Amount on the Y-axis, comparing sales across the available categories.




Step 46: Format the Sales by Category chart

Observation: The chart title is set to Sales by Category, and the chart is displayed with category labels and data bars.




Step 47: Create a Profit by Category chart and arrange KPI cards

Observation: The report canvas now includes the KPI cards and two category charts. Profit by Category uses Category and Sum of Profit in its field configuration.




Step 48: Add the Monthly Sales Trend visual

Observation: A line chart is added to show sales by month. The visual is arranged on the report canvas with the existing KPI cards and category charts.



Step 49: Add the Profit Status Distribution visual

Observation: A doughnut chart is added using Profit Status as the legend and Count of Order ID as the value, showing the distribution of profit statuses.



Step 50: Add the Sales Target vs Actual Sales visual

Observation: A clustered column chart is added using Category on the X-axis and Sum of Target plus Sum of Amount on the Y-axis to compare target and actual sales by category.

