List of Orders – Data Cleaning Observations

Power Query | E-Commerce Sales Analysis

Objective

To prepare the List of Orders query for analysis by reviewing the order records, standardizing customer names, combining location fields, and checking data quality.

Rows retained

Used Keep Top Rows to retain 500 rows in the List of Orders query.

CustomerName standardization

Applied capitalization to standardize CustomerName values, then used Trim to remove unnecessary leading and trailing spaces.

Location column

Merged City and State into a new column named Location, using a comma as the separator. The merged values were reviewed and Trim was applied to remove extra leading or trailing spaces.

Order Date and data-quality checks

Reviewed Order Date, CustomerName, and Location values using the column filters as part of the cleaning workflow. The screenshots document checks for blank or unusual values and the available row-removal options.

Duplicate and error checks

The screenshots show a duplicate-removal step for Order ID and additional row-removal/error-checking actions. The exact final row count after the duplicate-removal step is not confirmed in the observation source, so no final count is stated here.

Conclusion

The List of Orders query was prepared by retaining 500 rows, standardizing and trimming CustomerName, creating and trimming Location from City and State, and reviewing order dates and data quality before continuing with the Power BI analysis.

Order Details – Data Cleaning Observations

Power Query | E-Commerce Sales Analysis

Objective

To clean and review the Order Details query before using it for E-Commerce Sales Analysis.

Columns reviewed

Order ID, Amount, Profit, Quantity, Category, and Sub-Category.

Data types and error removal

The first row was promoted to headers and data types were assigned. Power Query error-removal steps were applied separately to Order ID, Amount, Profit, Quantity, Category, and Sub-Category. The Applied Steps pane shows these steps as “Removed Errors order Id,” “Removed Errors Amount,” “Removed Errors profit,” “Removed Errors Quantity,” “Removed Errors Category,” and “Removed Errors Sub-Category.”

Blank/null value checks

The filter dropdowns were inspected for all six columns. The user reported that no blank or null values were found. The screenshots show the filter lists and the “Remove Empty” option, but do not display a separate blank/null count.

Duplicate-row check

All six columns were selected together and the Remove Duplicates command was used. The Applied Steps pane shows “Removed Duplicates All Columns,” and the formula bar shows Table.Distinct. This checks for rows that match across all six selected columns; it does not remove repeated Order IDs when the other column values differ.

Result and note

The Order Details query now includes the recorded error-removal steps and the duplicate-removal step. The preview status shows “999+ rows,” so the exact final row count and the exact number of duplicate rows removed cannot be confirmed from the screenshots alone.

Conclusion: Order Details was reviewed for errors, blank/null values, and fully duplicated rows across all six columns as part of the Power Query data-cleaning process.

Sales Target Data Cleaning & Relationship – Observation

Objective

Prepare the Sales target table for analysis and connect it to the report's category dimension so target values can be compared with actual sales by category.

1. Sales Target Data Review

Item	Observation
Columns reviewed	Month of Order Date, Category, Target.
Rows	The Data view showed 36 rows in the Sales target table.
Target field	Target is numeric and its summarization is set to Sum so target values can be aggregated in visuals.
Category field	Contains the product groups used in the report: Furniture, Clothing, and Electronics.
Date field	Month of Order Date contains monthly dates for the sales-target records.

2. Relationship Created

An active relationship was created from **Sales target[Category]** to **Category Lookup[Category]**. The relationship view showed Sales target on the many (*) side and Category Lookup on the one (1) side. This allows the category lookup table to filter sales-target records by category.

Observation: Manage relationships also showed active relationships from Order Details and Orders Data to Category Lookup, and from those order tables to List of Orders through Order ID.

3. Use in the Report

The **Sales Target vs Actual Sales** visual uses Category on the X-axis and Sum of Target and Sum of Amount on the Y-axis to compare target and actual sales for Furniture, Clothing, and Electronics.

Note: The screenshots confirm the category relationship is active. They do not confirm a separate relationship between Sales target[Month of Order Date] and Orders Data[Order Date], so monthly filtering should not be assumed to be connected.

Conclusion

The Sales target table was reviewed, Target was configured for summation, and an active many-to-one relationship was established through Category Lookup. The table is used to compare target values with actual sales by category.