


LUTHFI PUTRA MAHARDIKA


SIB 3C / 21



JS FLUTTER 1 – PEMROGRAMAN MOBILE




The screenshot shows an IDE with the Explorer panel on the left displaying a project structure for 'WORLD_HELLO'. The main editor shows the 'main.dart' file with the following code:

```
lib > main.dart > ...
1 import 'package:flutter/material.dart';
2
3 Run | Debug | Profile
4 void main() {
5   runApp(const MyApp());
6 }
7
8 class MyApp extends StatelessWidget {
9   const MyApp({super.key});
10
11   // This widget is the root of your application.
12   @override
13   Widget build(BuildContext context) {
14     return MaterialApp(
15       title: 'Flutter Demo',
16       theme: ThemeData(
17         // This is the theme of your application.
18         // TRY THIS: Try running your application with "flutter run". You'll see
19         // the application has a purple toolbar. Then, without quitting the app,
20         // try changing the seedColor in the colorScheme below to Colors.green
21         // and then invoke "hot reload" (save your changes or press the "hot
22         // reload" button in a Flutter-supported IDE, or press "r" if you used
23         // the command line to start the app).
24         //
25         // Notice that the counter didn't reset back to zero; the application
26         // state is not lost during the reload. To reset the state, use hot
27         // restart instead.
28         //
29         // This works for code too, not just values: Most code changes can be
30         // tested with just a hot reload.
31         colorScheme: ColorScheme.fromSeed(seedColor: Colors.deepPurple),
32       ), // ThemeData
33       home: const MyHomePage(title: 'Flutter Demo Home Page'),
34     ); // MaterialApp
35   }
36 }
```









```
PS D:\MOBILE\world_hello> git init
Initialized empty Git repository in D:\MOBILE\world_hello\.git/
PS D:\MOBILE\world_hello> git add .
warning: in the working copy of '.metadata', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'linux/flutter/generated_plugin_registrant.cc', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'linux/flutter/generated_plugin_registrant.h', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'linux/flutter/generated_plugins.cmake', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'macos/Flutter/GeneratedPluginRegistrant.swift', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'pubspec.lock', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'windows/flutter/generated_plugin_registrant.cc', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'windows/flutter/generated_plugin_registrant.h', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'windows/flutter/generated_plugins.cmake', LF will be replaced by CRLF the next time Git touches it
PS D:\MOBILE\world_hello> git commit -m "world hello"
[master (root-commit) 7819e45] world hello
129 files changed, 4949 insertions(+)
```

```
PS D:\MOBILE\world_hello> git branch -M main
PS D:\MOBILE\world_hello> git remote add origin https://github.com/luthfimahardika/flutter-fundamental-p1.git
PS D:\MOBILE\world_hello> git push -u origin main
PS D:\MOBILE\world_hello> git push -u origin main
Enumerating objects: 179, done.
PS D:\MOBILE\world_hello> git push -u origin main
PS D:\MOBILE\world_hello> git push -u origin main
Enumerating objects: 179, done.
Counting objects: 100% (179/179), done.
Delta compression using up to 16 threads
Compressing objects: 100% (148/148), done.
Writing objects: 100% (179/179), 267.57 KiB | 3.52 MiB/s, done.
Total 179 (delta 19), reused 0 (delta 0), pack-reused 0 (from 0)
```





luthfimahardika

praktikum3

95ff195 · 1 minute ago

2 Commits

android	world hello	45 minutes ago
images	praktikum3	1 minute ago
ios	world hello	45 minutes ago
lib	world hello	45 minutes ago
linux	world hello	45 minutes ago
macos	world hello	45 minutes ago
test	world hello	45 minutes ago
web	world hello	45 minutes ago
windows	world hello	45 minutes ago
.gitignore	world hello	45 minutes ago
.metadata	world hello	45 minutes ago
README.md	praktikum3	1 minute ago

#16 | Flutter Fundamental - Bagian 1

Readme

Activity

0 stars

0 watching

0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Languages

C++ 44.8%

CMake 35.9%

Dart 10.9%

Swift 3.3%

C 2.6%

HTML 2.2%


Other 0.3%

basic_widgets > text_widget.dart > MyTextWidget > build

```

1 import 'package:flutter/material.dart';
2
3 class MyTextWidget extends StatelessWidget {
4   const MyTextWidget({super.key});
5
6   @override
7   Widget build(BuildContext context) {
8     return const Text(
9       "Nama saya Luthfi Putra Mahardika, sedang belajar Pemrograman Mobile",
10      style: TextStyle(color: Colors.red, fontSize: 14),
11      textAlign: TextAlign.center); // Text
12    }
13  }

```



PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Filter (e.g. text, exclude, \escape)

```

I/flutter ( 8912): [IMPORTANT:flutter/shell/platform/android/android_context_gl_impeller.cc(104)] Using the
Connecting to VM Service at ws://127.0.0.1:50743/awi9Uch0kFI=/ws
Connected to the VM Service.
I/Choreographer( 8912): Skipped 38 frames! The application may be doing too much work on its main thread.
D/WindowLayoutComponentImpl( 8912): Register WindowLayoutInfoListener on Context=com.example.world_hello.Ma
pp.ContextImpl@4a390f5
D/InsetsController( 8912): hide(ime(), fromIme=false)
I/ImeTracker( 8912): com.example.world_hello:b8e4864: onCancelled at PHASE_CLIENT_ALREADY_HIDDEN
D/ProfileInstaller( 8912): Installing profile for com.example.world_hello

```