

## TP4 ASO


**4. Entrega del trabajo** La entrega del trabajo consiste en subir al git de los prácticos capturas de pantalla que muestren que se cumplieron los objetivos mostrados abajo:

a) Luego de clonar el repositorio

<https://github.com/rzrokon/Docker-NGINX-PHP-MySQL-PhpMyadmin.git>, mostrar con captura de pantalla la creación de los servicios y que los servicios están corriendo vía docker-compose ps.

b) Mostrar los sitio que crean los servicios phpmyadmin (<http://localhost:8000/>) y nginx (<http://localhost/>) con capturas de pantalla de un navegador web.

c) Luego de clonar el sitio de la facultad, mostrar que está corriendo en forma local (<http://localhost/>) con capturas del navegador web. Y si se animan modifiquen algo



```
lu@lu-VirtualBox: ~/www.frbb.utn.edu.ar/frbb
$ docker-compose ps
=> => naming to docker.io/library/docker-nginx-php-mysql-phpmyadmin-php 0.0s
[+] Running 8/6
✔ Network docker-nginx-php-mysql-phpmyadmin_default Created 0.2s
✔ Volume "docker-nginx-php-mysql-phpmyadmin_db_data" Created 0.0s
✔ Container docker-nginx-php-mysql-phpmyadmin-db-1 Started 1.1s
✔ Container docker-nginx-php-mysql-phpmyadmin-pma-1 Started 2.7s
✔ Container docker-nginx-php-mysql-phpmyadmin-php-1 Started 2.2s
✔ Container docker-nginx-php-mysql-phpmyadmin-nginx-1 Started 3.3s
lu@lu-VirtualBox: ~/Docker-NGINX-PHP-MySQL-PhpMyadmin$ sudo docker-compose ps:

Usage: docker compose [OPTIONS] COMMAND

Define and run multi-container applications with Docker.

Options:
  --ansi string          Control when to print ANSI control
                        characters ("never"|"always"|"auto")
                        (default "auto")
  --compatibility         Run compose in backward compatibility mode
  --dry-run              Execute command in dry run mode
  --env-file stringArray Specify an alternate environment file.
  -f, --file stringArray Compose configuration files
  --parallel int         Control max parallelism, -1 for
                        unlimited (default -1)
  --profile stringArray  Specify a profile to enable
  --project-directory string
                        Specify an alternate working directory
                        (default: the path of the, first
                        specified, Compose file)
  -p, --project-name string
                        Project name

Commands:
  build      Build or rebuild services
  config     Parse, resolve and render compose file in canonical format
  cp        Copy files/folders between a service container and the local filesystem
  create     Creates containers for a service.
  down       Stop and remove containers, networks
  events     Receive real time events from containers.
  exec       Execute a command in a running container.
  images     List images used by the created containers
  kill       Force stop service containers.
```

```
Actividades Terminal 17 de jun 01:17 lu@lu-VirtualBox: ~/www.frbb.utn.edu.ar/frbb
```

cp Copy files/folders between a service container and the local filesystem  
create Creates containers for a service.  
down Stop and remove containers, networks  
events Receive real time events from containers.  
exec Execute a command in a running container.  
images List images used by the created containers  
kill Force stop service containers.  
logs View output from containers  
ls List running compose projects  
pause Pause services  
port Print the public port for a port binding.  
ps List containers  
pull Pull service images  
push Push service images  
restart Restart service containers  
rm Removes stopped service containers  
run Run a one-off command on a service.  
start Start services  
stop Stop services  
top Display the running processes  
unpause Unpause services  
up Create and start containers  
version Show the Docker Compose version information

Run 'docker compose COMMAND --help' for more information on a command.  
unknown docker command: "compose ps:"  
lu@lu-VirtualBox: ~/Docker-NGINX-PHP-MySQL-PhpMyadmin\$ sudo docker-compose ps

NAME	STATUS	PORTS	IMAGE	COMMAND	SERVICE	CRE
docker-nginx-php-mysql-phpmyadmin-db-1	Up About a minute	33060/tcp, 127.0.0.1:3300->3306/tcp	mysql:latest	"docker-entrypoint.s..."	db	Abo
docker-nginx-php-mysql-phpmyadmin-nginx-1	Up About a minute	0.0.0.0:80->80/tcp, ::80->80/tcp	nginx:1.17	"nginx -g 'daemon of..."	nginx	Abo
docker-nginx-php-mysql-phpmyadmin-php-1	Up About a minute	0.0.0.0:9000->9000/tcp, ::9000->9000/tcp	docker-nginx-php-mysql-phpmyadmin-php	"docker-php-entrypoi..."	php	Abo
docker-nginx-php-mysql-phpmyadmin-pma-1	Up About a minute	127.0.0.1:8000->80/tcp	phpmyadmin/phpmyadmin	"/docker-entrypoint..."	pma	Abo

lu@lu-VirtualBox: ~/Docker-NGINX-PHP-MySQL-PhpMyadmin\$ phpmyadmin  
phpmyadmin: orden no encontrada

