

# ACMG Variant Classification Tool

Enter an HGVS variant notation to get ACMG classification results.

HGVS Variant

NM\_005257.6(GATA6):c.1135+2T>C

Analyze Variant

Variant Information

NM\_005257.6, MANE Select, protein length 595, gene GATA6, splice donor variant variant.

Phenotypes

No matching phenotype found for gene GATA6.

Mode of Inheritance

AR, based on gene information.

### Instructions

Enter a variant in HGVS notation format: **Supported formats:**

◦ cDNA splice site:  
NM\_005257.6(GATA6):c.1135+2T>C

☰ Examples

NM\_005257.6(GATA6):c.1135+2T>C

### Germline Variant Classification

Pathogenic 10 points = 11 P - 1 B

PM2: Supporting ?

Variant is absent from gnomAD with good exome coverage 40.6

PP3: Supporting ?

The variant is predicted to be benign {'pathogenicity': 'pathogenic', 'strength': 'supporting', 'pathogenicity\_level': 4, 'tool': 'ada\_score', 'raw\_score': 'score'}

PVS1: Very Strong ?

The consequence term is splice\_donor\_variant

BP4: Supporting ?

The variant is predicted to be pathogenic {'pathogenicity': 'pathogenic', 'strength': 'supporting', 'pathogenicity\_level': 4, 'tool': 'ada\_score', 'raw\_score': 'score'}

### List of Criteria Classifications

#### Benign Standalone

| Criteria | Status | Strength | Reason |
|----------|--------|----------|--------|
|----------|--------|----------|--------|

|     |         |   |                          |
|-----|---------|---|--------------------------|
| BA1 | Not Met | - | No gnomAD data available |
|-----|---------|---|--------------------------|

Benign Strong

| Criteria | Status  | Strength | Reason                                                     |
|----------|---------|----------|------------------------------------------------------------|
| BS1      | Not Met | -        | No gnomAD data available                                   |
| BS2      | Not Met | -        | No gnomAD data available                                   |
| BS3      | Not Met | -        | Functional studies not available for checking BS3 criteria |

Pathogenic Moderate

| Criteria | Status  | Strength   | Reason                                                                   |
|----------|---------|------------|--------------------------------------------------------------------------|
| PM2      | ✓ Met   | Supporting | Variant is absent from gnomAD with good exome coverage 40.6              |
| PM4      | Not Met | -          | The variant type is not valid for this evidence ['splice_donor_variant'] |
| PM5      | Not Met | -          | The variant type is not valid for this evidence splice_donor_variant     |

Pathogenic Supporting

| Criteria | Status  | Strength   | Reason                                                                                                                                                               |
|----------|---------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PP3      | ✓ Met   | Supporting | The variant is predicted to be benign {'pathogenicity': 'pathogenic', 'strength': 'supporting', 'pathogenicity_level': 4, 'tool': 'ada_score', 'raw_score': 'score'} |
| PP2      | Not Met | -          | The variant type is not valid for this evidence splice_donor_variant                                                                                                 |

Benign Supporting

| Criteria | Status  | Strength   | Reason                                                                                                                                                                   |
|----------|---------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BP4      | ✓ Met   | Supporting | The variant is predicted to be pathogenic {'pathogenicity': 'pathogenic', 'strength': 'supporting', 'pathogenicity_level': 4, 'tool': 'ada_score', 'raw_score': 'score'} |
| BP1      | Not Met | -          | The variant type is not valid for this evidence splice_donor_variant                                                                                                     |
| BP3      | Not Met | -          | The variant type is not valid for this evidence ['splice_donor_variant']                                                                                                 |
| BP7      | Not Met | -          | The variant is not valid for this evidence                                                                                                                               |

Pathogenic Very Strong

| Criteria | Status | Strength    | Reason                                       |
|----------|--------|-------------|----------------------------------------------|
| PVS1     | ✓ Met  | Very Strong | The consequence term is splice_donor_variant |

Pathogenic Strong

| Criteria | Status  | Strength | Reason                                                               |
|----------|---------|----------|----------------------------------------------------------------------|
| PS1      | Not Met | -        | The variant type is not valid for this evidence splice_donor_variant |
| PS3      | Not Met | -        | Functional studies not available for checking PS3 criteria           |

# Variant Summary

|                           |                        |
|---------------------------|------------------------|
| <b>Consequence Term</b>   | splice_donor_variant   |
| <b>NMD Prediction</b>     | predicted_to_cause_nmd |
| <b>Impact</b>             | HIGH                   |
| <b>UniProt Isoform</b>    | Q92908-1               |
| <b>Ensembl Protein ID</b> | ENSP00000269216        |
| <b>Protein Location</b>   | N/A                    |
| <b>Codons</b>             | N/A                    |
| <b>Amino Acids</b>        | N/A                    |
| <b>Overlapped Domains</b> |                        |