

WonderID — Feature Test Plan

Follow the sections in order, as an administrator would. Use a test organization and test accounts. Mark each test Pass or Fail and note any issue. 109 tests.

Environment:

Build / commit: main +
FOUNDATION-P0-26

Tester:

Date:

1. Access & sign-in

#	Test	Steps	Expected result	Pass / Fail
1	Landing page	Open the site signed out.	Hero, features and Help load. Light/Dark/System toggle works.	☐ P ☐ F
2	Sign up	Sign up with a new email; confirm from the email.	Account created; lands in onboarding to create an organization.	☐ P ☐ F
3	Create organization	Onboarding → enter organization name → Create.	Home opens for the new organization; you are Tenant Administrator.	☐ P ☐ F
4	Sign in / out	Sign out via the account menu, then sign in again.	Lands on Home; protected pages redirect to sign-in when signed out.	☐ P ☐ F
5	Global sign-out	Sign in on two browsers; sign out on one; reload the other.	The other browser is signed out too.	☐ P ☐ F
6	Reset password	Forgot password → email link → set a new password.	Can sign in with the new password; old one fails.	☐ P ☐ F
7	Expired reset link	Open /update-password without a reset link.	Shows the expired-link state, not a bare form.	☐ P ☐ F
8	Rate limit	Request password reset repeatedly for one email.	After the limit, a rate-limit message appears.	☐ P ☐ F
9	MFA	Sign-in Security → enroll TOTP → sign out → sign in.	A 6-digit code is required; wrong code is refused.	☐ P ☐ F
10	Tenant address	Open <slug>.<BASE_APP_HOST>/sign-in.	Title reads “Sign in to your organization” with its logo.	☐ P ☐ F
11	Unknown tenant address	Open a subdomain that does not exist.	“Tenant not found” page; no other organization shown.	☐ P ☐ F
12	Organization switcher	Member of two orgs: switch organization in the header.	All data changes to the chosen organization only.	☐ P ☐ F

2. Shell, search & help

#	Test	Steps	Expected result	Pass / Fail
13	Sidebar	Collapse/expand the sidebar; hover a group while collapsed.	Flyout shows the group's pages; active page highlighted.	☐ P ☐ F
14	Mobile layout	Open at phone width (390px).	Bottom tab bar + menu drawer; no sideways scrolling.	☐ P ☐ F
15	Theme	Switch Light, Dark and System in the account menu.	Whole app, sidebar and logo follow the theme.	☐ P ☐ F
16	Global search	Press the search shortcut; search an agent name.	Results from this organization only; click opens it.	☐ P ☐ F
17	Help centre	Account menu → Get Help.	Guide sections, FAQ and contents links all work.	☐ P ☐ F

#	Test	Steps	Expected result	Pass / Fail
18	Help assistant	Ask a question in Help; then ask something unrelated.	Answers with a guide link; says so when the guide doesn't cover it.	☐ P ☐ F
19	Browser tab & icon	Look at the tab title and favicon on any page.	"<Org> · <Page> · WonderID" and the WonderID icon.	☐ P ☐ F

3. Home

#	Test	Steps	Expected result	Pass / Fail
20	Home dashboard	Open Home.	Real counts, risks and next actions; slow panels show loaders, then data.	☐ P ☐ F
21	Drill-down	Click a KPI card or attention item.	Opens the matching filtered list.	☐ P ☐ F

4. Identities

#	Test	Steps	Expected result	Pass / Fail
22	Overview	Identities → Overview.	Counts by type (people, external, machine, AI agents).	☐ P ☐ F
23	All identities	Identities → All Identities; filter and search.	List filters in the database; pagination works.	☐ P ☐ F
24	Create identity	Identities → New → create a person.	Appears in People with its attributes.	☐ P ☐ F
25	Identity detail	Open any identity.	Profile, access, ownership and history tabs load.	☐ P ☐ F
26	External & machine	Open External Identities and Machine Identities.	Only that identity type is listed.	☐ P ☐ F
27	Lifecycle work	Identities → Lifecycle Work; run a joiner/mover/leaver.	Governed tasks created; leaver revokes access after approval.	☐ P ☐ F
28	Ownership transfer	Leaver who owns agents → transfer ownership.	New owner shown on each agent; audited.	☐ P ☐ F
29	Identity attributes	Administration → Identity Attributes; add an attribute.	Available on identity forms; source of truth shown.	☐ P ☐ F
30	Non-human identities	Identities → Non-human Identities.	Service accounts/keys listed with owner and expiry.	☐ P ☐ F

5. AI agents

#	Test	Steps	Expected result	Pass / Fail
31	Register agent	AI Agents → Register Agent → name, type, purpose → Register.	Agent detail opens in Draft/registered state.	☐ P ☐ F
32	Agent list	AI Agents → All Agents; filter by status and risk.	Filters apply; each row opens Agent 360.	☐ P ☐ F
33	Agent contract (SHOULD)	Agent → Contract → set purpose, apps, data, actions → Save.	Contract saved; completeness score updates.	☐ P ☐ F
34	Owners	Agent → Owners → add a delegated owner.	Owner listed; ownership review available.	☐ P ☐ F
35	Lifecycle	Agent → change lifecycle (activate, suspend, retire) with a reason.	State changes; history shows who, when, why.	☐ P ☐ F

#	Test	Steps	Expected result	Pass / Fail
36	API keys	Agent → API keys → create; copy; revoke.	Secret shown once only; revoked key stops working.	☐ P ☐ F
37	Discovery inbox	AI Agents → Discovery Inbox → register or dismiss an item.	Registered item becomes an agent; dismissed leaves the inbox.	☐ P ☐ F
38	Duplicate review	AI Agents → Duplicate Review → merge or keep separate.	Decision recorded; list updates.	☐ P ☐ F
39	Shadow AI	Open a discovered unregistered agent.	Marked Shadow AI with where it was seen.	☐ P ☐ F

6. Runtime assurance

#	Test	Steps	Expected result	Pass / Fail
40	Runtime activity	AI Agents → Runtime Activity; open an agent's timeline.	Events with tool, resource, action and decision.	☐ P ☐ F
41	SHOULD / CAN / DID	Open an agent's runtime comparison.	Three columns; mismatches highlighted.	☐ P ☐ F
42	Runtime gateway	Call the gateway with an agent API key (observe mode).	Decision returned and logged; repeat request id is not duplicated.	☐ P ☐ F
43	Enforcement flag	Platform admin enables runtime enforcement for one tenant.	That tenant's agent gets DENY; others still observe only.	☐ P ☐ F
44	Emergency controls	Runtime → engage kill switch for an agent with a reason.	Agent blocked immediately; lifting it restores; both audited.	☐ P ☐ F
45	Revoke all keys	Runtime → revoke all API keys of an agent.	Every key revoked; agent calls fail.	☐ P ☐ F

7. Risk & security

#	Test	Steps	Expected result	Pass / Fail
46	Risk overview	Risk & Security → Risk Overview.	Scores, findings by severity, top risky agents.	☐ P ☐ F
47	Finding detail	Open a finding.	Evidence, recommendation and status shown.	☐ P ☐ F
48	Rogue agents	AI Agents → Rogue Agents; open one.	Why it is rogue, with runtime and access evidence.	☐ P ☐ F
49	Investigations	Risk → Investigations → open one from a finding; add notes; close.	Timeline and status saved.	☐ P ☐ F
50	Central scenario	FinanceBot touches CustomerDB (runtime event).	CRITICAL finding; remove entitlement; re-evaluate; finding resolves.	☐ P ☐ F

8. Applications

#	Test	Steps	Expected result	Pass / Fail
51	Inventory	Applications → Application Inventory; search.	Catalog with owner, type and onboarding status.	☐ P ☐ F
52	Add application	Applications → New → fill details → Save.	Application detail opens.	☐ P ☐ F

#	Test	Steps	Expected result	Pass / Fail
53	Onboarding	Application → Onboarding: configure → validate → simulate → approve → promote.	Each step gated; failed validation stops it visibly.	☐ P ☐ F
54	Discovery	Applications → Discovery; accept or ignore an unrecognized app.	Accepted app joins the inventory.	☐ P ☐ F
55	Accounts	Applications → Accounts; filter orphan and dormant.	Accounts correlated to identities; orphans flagged.	☐ P ☐ F
56	Data sources	Applications → Data Sources; add one; link to an application.	Shown with sensitivity; feeds CAN.	☐ P ☐ F

9. Access governance

#	Test	Steps	Expected result	Pass / Fail
57	Request access	Access Governance → Request Access → pick app/entitlement → submit.	Request created with its approval chain.	☐ P ☐ F
58	Approve / reject	Approver opens Access Requests → approve or reject with comment.	Next stage or final state; requester notified.	☐ P ☐ F
59	Four-eyes	Requester tries to approve own request.	Refused.	☐ P ☐ F
60	Request policies	Access Governance → Request Policies → set approval and expiry.	New requests follow the policy.	☐ P ☐ F
61	SoD check	Request an entitlement that conflicts with one held.	SoD conflict shown before submit and on the request.	☐ P ☐ F
62	Access packages	Access Packages → create a package; request it; approve.	Assignment created; items provisioned or shown failed.	☐ P ☐ F
63	Package expiry	Assign a package with an expiry date in the past (test data).	Assignment expires; revocation work items created.	☐ P ☐ F

10. Certifications & policies

#	Test	Steps	Expected result	Pass / Fail
64	Campaign	Certifications → create a campaign for agents' access.	Reviewers see their items.	☐ P ☐ F
65	Decide	Reviewer certifies one item, revokes another, with comments.	Decisions saved; revoke creates remediation.	☐ P ☐ F
66	Evidence	Open a completed campaign.	Decisions and evidence exportable.	☐ P ☐ F
67	Policies	Governance & Policies → create, publish a policy version.	Version history kept; exceptions listed.	☐ P ☐ F

11. Integrations

#	Test	Steps	Expected result	Pass / Fail
68	Connectors	Integrations → Connectors → add a REST/Saviynt connector → test.	Credentials hidden; test result shown truthfully.	☐ P ☐ F
69	Read-only guard	Try a write action on a read-only connector.	Refused; nothing sent.	☐ P ☐ F
70	Sync jobs	Run a sync; open Integrations → Sync Jobs.	Job shows progress and final counts.	☐ P ☐ F

#	Test	Steps	Expected result	Pass / Fail
71	Identity sources	Integrations → Identity Sources → add a source → run import.	Run shows created/updated/conflicts.	☐ P ☐ F
72	Pending matches	Integrations → Pending Matches → confirm or reject a match.	Confirmed record linked to the identity.	☐ P ☐ F
73	MCP servers	Integrations → MCP Servers.	Servers, tools and resources inventory listed.	☐ P ☐ F

12. Insights & audit

#	Test	Steps	Expected result	Pass / Fail
74	Reports	Insights → Reports → open a report; export CSV.	Data matches the screens; export downloads.	☐ P ☐ F
75	Audit trail	Insights → Audit Trail; filter by action and actor.	Every sensitive action with actor, target, outcome, time.	☐ P ☐ F
76	Notifications	Administration → Notifications; change preferences.	Mandatory types can't be switched off.	☐ P ☐ F
77	Announcements	Platform admin posts an announcement.	Banner shows to customer users; dismissible.	☐ P ☐ F

13. Users, groups & roles

#	Test	Steps	Expected result	Pass / Fail
78	Users list	Permissions → Users; search, filter by status, role, group.	Filters apply; KPI cards count correctly.	☐ P ☐ F
79	Add user	Users → Add user → details → roles → review → invite.	Invited user listed; email sent (or told it wasn't).	☐ P ☐ F
80	Accept invitation	Invitee signs in and accepts.	Lands in the organization as Active.	☐ P ☐ F
81	Suspend / reactivate	User → Suspend with reason; later Reactivate.	Their sessions end at once; access returns on reactivate.	☐ P ☐ F
82	Deactivate / remove	User → Deactivate, then Remove.	No access; roles and groups cleared; history kept.	☐ P ☐ F
83	Self-protection	Try to change your own status or give yourself a role.	Refused.	☐ P ☐ F
84	Last administrator	Remove the only Tenant Administrator's role.	Refused: organization must keep one.	☐ P ☐ F
85	Effective permissions	User → Effective permissions tab.	Each permission with the role (or group) that grants it.	☐ P ☐ F
86	Sessions	User → Sessions → End sessions.	User is signed out everywhere.	☐ P ☐ F
87	Groups	Permissions → Groups → create; add a role; add a member.	Member gets the role on next request; shown as "via group".	☐ P ☐ F
88	Group removal	Remove the member, or delete the group.	Access from that group disappears.	☐ P ☐ F
89	Group escalation	Add yourself to a group, or give roles to your own group.	Refused.	☐ P ☐ F
90	System roles	Permissions → WonderID Roles → open a system role.	Read-only; per-module summary; Copy available.	☐ P ☐ F

#	Test	Steps	Expected result	Pass / Fail
91	Custom role	Roles → New → name → permissions → review → Create.	Role grants exactly those permissions when assigned.	☐ P ☐ F
92	No escalation	Design a role with a permission you don't hold.	That permission is disabled with the reason.	☐ P ☐ F
93	Role lifecycle	Deactivate a custom role; try to delete one in use.	Inactive grants nothing; in-use delete refused.	☐ P ☐ F
94	Permission catalog	Permissions → Permission Catalog; filter by module and sensitivity.	Every permission with resource, action and granting roles.	☐ P ☐ F

14. Administration & settings

#	Test	Steps	Expected result	Pass / Fail
95	Organization	Administration → Organization; edit name and details.	Saved; shown in header and titles.	☐ P ☐ F
96	Sign-in security	Authentication → Sign-in Security; review MFA and sessions.	Settings saved and applied.	☐ P ☐ F
97	Single sign-on	Authentication → Single Sign-On → add SAML/OIDC connection.	Connection saved; secrets never shown back.	☐ P ☐ F
98	AI assistance	Administration → AI Assistance; set provider key.	Key stored masked; AI features use it.	☐ P ☐ F
99	Read-only user	Sign in as Read Only; open Settings pages.	Admin pages redirect; no edit buttons.	☐ P ☐ F

15. Platform administration (vendor only)

#	Test	Steps	Expected result	Pass / Fail
100	Access boundary	Customer admin opens /platform-admin.	Refused; nothing revealed.	☐ P ☐ F
101	Tenants	Platform admin → Tenants; create, suspend, view usage.	Suspended tenant cannot sign in.	☐ P ☐ F
102	Feature flags	Platform admin → Features; toggle a flag for one tenant.	Only that tenant changes.	☐ P ☐ F
103	Branding & health	Open Branding and Health.	Brand assets shown; health checks green or explained.	☐ P ☐ F
104	Platform admins	Platform admin → Admins; add/remove an admin.	Change audited in the platform audit log.	☐ P ☐ F

16. Security & tenant isolation

#	Test	Steps	Expected result	Pass / Fail
105	Cross-tenant URL	In tenant A open a tenant B record's URL.	404 / not found; no data leaks.	☐ P ☐ F
106	Cross-tenant API	Call a tenant B id through tenant A's API.	404 or 403; never B's data.	☐ P ☐ F
107	Tampered tenant id	Send a tenant_id in a request body.	Ignored; server uses your organization.	☐ P ☐ F
108	Secrets	View page source and network responses.	No service keys, tokens or connector secrets.	☐ P ☐ F
109	Audit of refusals	Trigger a refused sensitive action; open Audit Trail.	Refusal recorded as failure with reason.	☐ P ☐ F