CISC327- Assignment 1

Front End Testing Requirements and Plan

Group 57 - Loaft Inc.

Samir Mekhdi 10191295

Jessica Wong 10181646

Luvit Chumber 10190467

Tayyab Ahmad 10197212

Test Plan

Our test plan will consist of separating the individual functions/units of the front-end into different folders. For subfolder, the tests will be separated by requirements, where they will be tested individually using input test cases via shell files. The outputs of these tests will be stored in corresponding log files within its respective function folder which can be used for generating reports/comparisons.

We will validate the outputs of our tests by comparing them to the expected output (or lack thereof). This allows us to automatically run tests and to efficiently ensure that the software fulfills the intended requirements. Automatically validating test output by comparison works best when the requirements tests are robust and planned well. Below are the requirements for this software broken down into units of functionality, and our outline of how to test them.

login

| Requirement s | Test No. | Test Name | Purpose | Input | Input Files | Output | Output Files |
|-------------------------------------|-------------|----------------------|--|------------------------|---------------------|---|-----------------|
| No transactions before logins | R1T1 | idle logout | Can't logout without logging in | logout | None | Error, must login before performing action | None |
| | R1T2 | idle createacct | Can't create an account without logging in | createacct | None | Error, must login before performing action | None |
| | R1T3 | idle deleteacct | Can't delete account without logging on | deleteacct | None | Error, must login before performing action | None |
| | R1T4 | idle deposit | Can't deposit without logging in | deposit | None | Error, must login before performing action | None |
| | R1T5 | idle withdraw | Can't withdraw without logging in | withdraw | None | Error, must login before performing action | None |
| | R1T6 | idle transfer | Can't transfer without logging in | transfer | None | Error, must login before performing action | None |
| Agent login | R2T1 | Agent Login | Choose agent login | login agent | Valid_accts.tx t | Successful login with the Agent | None |
| ATM login | R3T1 | ATM login | Choose machine login | login machine | Valid_accts.tx t | Successful login on the machine | None |
| Can't login if logged in | R4T1 | login after login | Can't login if already logged in | Login(sessionType) | None | Error, logout before logging into another account | None |

logout

| Requirements | Test No. | Test Name | Purpose | Input | Input Files | Output | Output Files |
|---|-------------|------------------------|---|--------|----------------|---|--------------------------------|
| Can only logout if already logged in | R1T1 | Logged in-logout | Successfully logout of current session | logout | none | Logout successful message, return to login page | Transaction Summary File |
| | R1T2 | Logged out- logout | Cannot logout if already logged out | logout | none | Error prompt for the user to log in | none |
| Generate Transaction Summary File on Logout | R2T1 | TSF Generation | Successfully generate the TSF file on logout | logout | none | TSF File generated | Transaction Summary File |
| Validate Transaction | R3T1 | TSF Detail Validity | Verify that TSF corresponds correctly to the session activities | logout | TSF | TSF File incorrect | none |
| Summary File | R3T2 | Transaction Code | First 3 characters of message line should be DEP, WDR, XFR, NEW, DEL, or EOS | logout | TSF | Transaction Code error | none |
| | R3T3 | Transaction Line | Each line should be at most 61 characters +newline | logout | TSF | Transaction Lines error | none |
| | R3T4 | Item Separation | Items should be separated by a single space | logout | TSF | Item Spacing error | none |
| | R3T5 | Account Number | Account numbers must be 7 decimal digits not starting with 0 | logout | TSF | Invalid Account Number | none |
| | R3T6 | Money Validation | Monetary amounts are between 3-8 decimal digits | logout | TSF | Invalid Monetary Amount | none |
| | R3T7 | Account Name | Account names between 3-30 alphanumeric characters, no spaces in beginning or end | logout | TSF | Invalid Account Name | none |
| | R3T8 | Numeric Blanks | Unused numeric fields must be filled with zeros | logout | TSF | Invalid Numeric Field | none |
| | R3T9 | Name Blanks | Unused name fields filled with 3 asterisks *** | logout | TSF | Invalid Text Field | none |
| | R3T1 0 | End of Session | Set of transactions ends with EOS transaction code | logout | TSF | Invalid Transaction Set | none |

createacct

| Requirements | Test No. | Test Name | Purpose | Input | Inpu t Files | Output | Outp ut Files |
|--|-------------|---------------------------|---|-------------------------|--------------------|---|---------------------|
| Valid account information | R1T1 | Account # format check | Check that new account # is 7 digits long and does not start with a 0 | createacct(accountNum) | none | invalid account number: must be 7 digits long and cannot begin with a 0 | none |
| | R1T2 | Account # validation | Check that new account # is different from all other account numbers | createacct(accountNum) | none | invalid account number: this number is already in use | none |
| | R1T3 | Account name validation | Check that new account name is between 3 and 30 alphanumeric characters | createacct(accountName) | none | invalid account name: must be between 3-30 alphanumeric characters | none |
| | R1T4 | Account name format check | Check that new account name does not start or end with a space | createacct(accountName) | none | invalid account name: cannot begin or end with a space | none |
| Save to Transaction Summary File | R2T1 | Save to TSF | Ensure that the new account was saved to TSF for logging purposes | createacct | TSF | Saved to TSF | Add to TSF |
| Confirmation | R3T1 | Confirm account creation | Confirm to the user that the account was created | result | none | Account was created successfully | none |
| Can't create account on ATM | R3T1 | ATM create account | Can't create an account on ATM | sessionType | none | Error, see teller | None |

deleteacct

| Requirements | Test No. | Test Name | Purpose | Input | Input Files | Output | Outp ut Files |
|--|-------------|-----------------------------------|--|---|----------------|---|---------------------|
| User must be in agent mode to delete account | R2T1 | Deleting while in agent mode | Ensure that the account is being deleted while in agent mode | deleteacct(sessionType) | none | Error: must be in agent mode to delete an account | none |
| Valid account information for deletion | R1T1 | Valid account information | Ensure that the account number to be deleted exists | deleteacct(accountNum) | Account s file | Invalid account number: account does not exist | none |
| No further transactions on a deleted | R4T1 | No deposits on deleted account | Cannot make a deposit on a deleted account | deposit | none | Error: cannot deposit into a deleted account | none |
| account | R4T2 | No withdrawals on deleted account | Cannot make a withdrawal from a deleted account | withdraw | none | Error: cannot withdraw from a deleted account | none |
| | R4T3 | No transfers with deleted account | Cannot make a transfer to or from a deleted account | transfer | none | Error: cannot transfer to or from a deleted account | none |
| Save information in TSF | R3T1 | Save to TSF | Ensure that the name and number of the deleted account was saved in Transaction Summary File | deleteacct(accountNum , accountName) | TSF | Saved to TSF | Add to TSF |
| Confirmation | R5T1 | Confirm account deletion | Confirm to the user that the account was deleted | result | none | Account was deleted successfully | none |
| Can't delete account on ATM | R6T1 | ATM delete accout | Can't delete account on ATM | sessionType | None | Error, see teller | None |

deposit

| Requirements | Test No. | Test Name | Purpose | Input | Input Files | Output | Outpu t Files |
|---------------------------------------|-------------|-----------------------------|--|-------------------|----------------------------|---|------------------|
| User Prompt for Deposit Details | R1T1 | Deposit Prompt | Ensure the user is prompted to input the deposit information upon selecting deposit | deposit | none | account number, amount (text lines) | none |
| Validate Deposit Account | R2T1 | Account Input Validation | Ensure the user inputs 7 digits not starting with 0 as the account number | account number | none | Invalid account number format | none |
| | R2T2 | DoesAccountExi st | Check the user-inputted account number with the valid accounts list file to ensure it exists | account number | valid account s list | error prompt indicating the account number does not exist | none |
| Validate Deposit | R3T1 | Amount Input Validation | Ensure the user inputs 3-8 decimal digits into the amount field | amount | none | error prompt indicating invalid deposit input | none |
| Amount | R3T2 | ATM Transaction Limit | If in ATM mode, reject transactions greater than \$2000 | sessionTyp e | none | error prompt indicating \$2000 limit | none |
| | R3T3 | ATM Daily Limit | If in ATM mode, reject transactions if total transactions on the current account exceed \$5000 | sessionTyp e | none | error prompt indicating exceeding daily \$5000 limit | none |
| | R3T4 | Agent Transaction | If in Agent mode, no transaction limits | sessionTyp e | none | approved | none |
| Store Transaction in TSF | R4T1 | TSF-Add | After a successful transaction, add the transaction details to the TSF file | none | TSF File | Transaction added to TSF file | TSF File |

withdraw

| Requirements | Test No. | Test Name | Purpose | Input | Input Files | Output | Output Files |
|-------------------------|----------|------------------------------------|---|----------|----------------|---------------------------------------|-----------------|
| Test | R1T1 | Normal Withdrawal | Test withdrawals works | withdraw | NA | Withdraw \$100 | Add to TSF |
| Withdrawal - ATM | R1T2 | withdraw more than account balance | Stop withdrawals with insufficient funds | withdraw | NA | Error: Insufficient Funds | NA |
| | R1T3 | Incorrect Account | Make sure withdraw only pulls from active accounts | withdraw | NA | Error: Incorrect Account | NA |
| | R1T4 | Extra withdrawal | Make sure only can withdraw \$1000 from ATM | withdraw | NA | Error: Reached ATM Limit | NA |
| Test total | R2T1 | Transaction 1 | Lower daily total available | withdraw | NA | Withdraw \$1,000 | Add to TSF |
| withdrawal - | R2T2 | Transaction 2 | Lower daily total available | withdraw | NA | Withdraw \$1,000 | Add to TSF |
| ATM | R2T3 | Transaction 3 | Lower daily total available | withdraw | NA | Withdraw \$1,000 | Add to TSF |
| | R2T4 | Transaction 4 | Lower daily total available | withdraw | NA | Withdraw \$1,000 | Add to TSF |
| | R2T5 | Transaction 5 | Lower daily total available | withdraw | NA | Withdraw \$1,000 | Add to TSF |
| | R2T6 | Over total limit | Go past daily total available | withdraw | NA | Error: Reached ATM Daily Limit | NA |
| Test | R3T1 | Normal Withdrawal | Test withdrawals works | withdraw | NA | Success | Add to TSF |
| Withdrawal - Agent | R3T2 | withdraw more than account balance | Stop withdrawals with insufficient funds | withdraw | NA | Error: Insufficient Funds | NA |
| • | R3T3 | Incorrect Account | Make sure withdraw only pulls from active accounts | withdraw | NA | Error: Incorrect Account | NA |
| | R3T4 | Extra withdrawal | Make sure only can withdraw \$999,999.99 from Agent | withdraw | NA | Error: Reached Max Withdrawl Limit | |
| Test total withdrawal - | R4T1 | Transaction 1 | Test no total limit in Agent mode | withdraw | NA | Withdraw \$1,000 | Add to TSF |
| Agent | R4T2 | Transaction 2 | Test no total limit in Agent mode | withdraw | NA | Withdraw \$1,000 | Add to TSF |
| | R4T3 | Transaction 3 | Test no total limit in Agent mode | withdraw | NA | Withdraw \$1,000 | Add to TSF |
| | R4T4 | Transaction 4 | Test no total limit in Agent mode | withdraw | NA | Withdraw \$1,000 | Add to TSF |
| | R4T5 | Transaction 5 | Test no total limit in Agent mode | withdraw | NA | Withdraw \$1,000 | Add to TSF |
| | R4T6 | Transaction 6 | Test no total limit in Agent mode | withdraw | NA | Withdraw \$10 | Add to TSF |

transfer

| Requirements | Test No. | Test Name | Purpose | Input | Input Files | Output | Output Files |
|-------------------------------|----------|------------------------------------|---|----------|----------------|---|-----------------|
| Test Transfer - ATM | R1T1 | Normal transfer | Test transfer works | transfer | NA | Transfer \$100 | Add to TSF |
| | R1T2 | Transfer more than account balance | Stop transfers with insufficient funds | transfer | NA | Error: Insufficient Funds | NA |
| | R1T3 | Incorrect account | Make sure transfer only pulls from and to active accounts | transfer | NA | Error: Incorrect Account | NA |
| | R1T4 | Extra transfer | Make sure only can transfer \$10,000 from ATM | transfer | NA | Error: Reached ATM Limit | NA |
| Test Total Transfer- ATM | R2T1 | Transaction 1 | Lower daily total available | transfer | NA | Transfer \$10,000 | Add to TSF |
| | R2T2 | Over total limit | Go past daily total available | transfer | NA | Error: Reached ATM Daily Limit | NA |
| Test Transfer - Agent | R3T1 | Normal transfer | Test transfer works | transfer | NA | Transfer \$100 | Add to TSF |
| - | R3T2 | Transfer more than account balance | Stop transfer with insufficient funds | transfer | NA | Error: Insufficient Funds | NA |
| | R3T3 | Incorrect account | Make sure transfer only pulls from active accounts | transfer | NA | Error: Incorrect Account | NA |
| | R3T4 | Extra transfer | Make sure only can transfer \$999,999.99 from Agent | transfer | NA | Error: Reached Max Transfer Limit | NA |
| Test Total Transfer- Agent | R2T1 | Transaction 1 | Test no total limit in Agent mode | transfer | NA | Transfer \$10,000 | Add to TSF |
| | R2T2 | Transaction 2 | Test no total limit in Agent mode | transfer | NA | Transfer \$10,000 | Add to TSF |