Quarterly Logistics Review

Section 1: Operational detail

Page marker 1. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Region	Pallets	On-time %	Cost / pallet
North	48,120	97.4	3.85
Central	41,600	95.1	4.02
South	38,680	93.8	4.31
Total	128,400	95.7	4.03

Section 2: Operational detail

Page marker 2. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 3: Operational detail

Page marker 3. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 4: Operational detail

Page marker 4. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 5: Operational detail

Page marker 5. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 6: Operational detail

Page marker 6. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 7: Operational detail

Page marker 7. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 8: Operational detail

Page marker 8. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 9: Operational detail

Page marker 9. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 10: Operational detail

Page marker 10. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 11: Operational detail

Page marker 11. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 12: Operational detail

Page marker 12. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 13: Operational detail

Page marker 13. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 14: Operational detail

Page marker 14. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 15: Operational detail

Page marker 15. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 16: Operational detail

Page marker 16. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 17: Operational detail

Page marker 17. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 18: Operational detail

Page marker 18. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 19: Operational detail

Page marker 19. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 20: Operational detail

Page marker 20. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 21: Operational detail

Page marker 21. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 22: Operational detail

Page marker 22. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 23: Operational detail

Page marker 23. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 24: Operational detail

Page marker 24. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 25: Operational detail

Page marker 25. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 26: Operational detail

Page marker 26. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 27: Operational detail

Page marker 27. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 28: Operational detail

Page marker 28. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 29: Operational detail

Page marker 29. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.

Section 30: Operational detail

Page marker 30. The pilot program moved 128,400 pallets across three regional hubs in the second quarter, a 12.5 percent increase over the same period last year. Average dock-to-stock time fell from 4.2 hours to 3.1 hours after the scheduling change, while the number of missed appointments dropped by 38 percent. Warehouse B remains the constraint: its inbound lane utilisation reached 94 percent during peak weeks.

Two risks need attention. First, the cold-chain corridor depends on a single carrier and any interruption would delay roughly 900 shipments per week. Second, the new scanning stations are running firmware 2.4.1, which has a known issue with duplicate labels. A remediation plan is due on 15 November 2026 and will be tracked weekly.