

Fraud Review Console

Step-by-step guide: how to review a flagged transaction, from open to decision

This guide walks through the fraud review workflow for an analyst using the console: what to check first, how to read the risk signals, and how to decide on a next action. Every screenshot below is taken directly from the working app with real pipeline output.

The review workflow, at a glance:

- 1. Check the day's overall numbers (KPIs)
- 2. Understand why transactions are getting flagged
- 3. Prioritize the queue by risk level
- 4. Read each transaction's "flag DNA"
- 5. Check the route (home city vs. transaction location)
- 6. Decide on an action using the decision matrix
- 7. Escalate high-risk cases through the AI triage agent

1

Check the day's overall numbers

Start at the top of the console. The five KPI cards give an immediate read on pipeline volume and performance before looking at any individual transaction.



Figure 1 — the KPI row: volume scanned, flagged, and pipeline accuracy.

KPI	What it tells the analyst
Transactions scanned	Total volume processed this run — context for how large the queue is
Flagged for review	How many need analyst attention, and what share of total volume that is
Recall	Of all real fraud in the data, what percentage the rules actually caught
Precision	Of everything flagged, what percentage turned out to be real fraud
Data quality	Whether the underlying pipeline's automated tests are passing — trust signal

A sudden drop in precision or recall between runs is itself a signal worth escalating to the data team — it may mean transaction patterns have shifted and the rules need retuning.

2

Understand why transactions are flagged

Before diving into individual transactions, check the breakdown panel. This shows which of the three detection rules is driving today's volume — useful for spotting whether one rule is unusually noisy (which may mean it needs tuning, not that fraud has spiked).



Figure 2 — rule breakdown: amount, location, and velocity flags.

Rule	What it catches
Amount	Spending far above the customer's own historical average
Location	Activity in a city the customer doesn't normally transact in
Velocity	Multiple transactions in a very short window (e.g. a card being drained quickly)

3

Prioritize the queue by risk level

Use the filter buttons to work the queue in priority order: High risk first, then Medium, then Low. Risk level is simply how many of the three rules a transaction triggered at once.

MERIDIAN TRUST BANK — FRAUD OPERATIONS (DEMO)

Fraud Review Console

Transactions flagged by the SQL-based dbt fraud pipeline, ranked by risk. Data refreshed from flagged_transactions.




Figure 3 — queue filtered to Medium risk (2 rules triggered simultaneously).

Fraud Review Console

Transactions flagged by the SQL-based dbt fraud pipeline, ranked by risk. Data refreshed from flagged_transactions.




Figure 4 — queue filtered to Low risk (1 rule triggered).

In this run, no transactions hit all three rules at once (High risk = 0) — most flagged activity is Medium (2 rules) or Low (1 rule). A real High-risk case, where all three signals agree, warrants immediate attention ahead of everything else in the queue.

4

Read the “flag DNA” for each transaction

Each row has a row of three small indicators — the “flag DNA.” A filled, colored bar means that specific rule triggered for that transaction; a pale bar means it didn't. This lets an analyst see the exact reasoning at a glance, without opening a separate detail view.

TRANSACTION	CUSTOMER	AMOUNT	ROUTE	FLAG DNA	RISK
66977a60...	CUST00064	\$4,729.84	Grand Baie → Lagos		Medium

Figure 5 — transaction rows with the flag DNA and risk pill columns visible.

Reading order: amount (orange), location (darker orange), velocity (red). A transaction with only the velocity bar filled, for example, is being flagged purely for rapid repeat activity — useful context if the amount and location both look otherwise normal.

5

Check the route: home city vs. transaction location

The Route column shows the customer's home city on the left and where the transaction actually happened on the right. When these differ, the destination city is highlighted — this is often the fastest single check for card-not-present or stolen-card fraud.

MERIDIAN TRUST BANK — FRAUD OPERATIONS (DEMO)

Fraud Review Console

Transactions flagged by the SQL-based dbt fraud pipeline, ranked by risk. Data refreshed from flagged_transactions.




Figure 6 — full queue view; note the highlighted foreign-city routes on the right.

6

Decide on an action

Use flag count and rule type together to decide the next action. This is a starting decision matrix — adjust thresholds based on your institution's actual risk tolerance.

Risk level	Flags	Suggested action
High	3 rules	Contact customer immediately; consider temporary card block
Medium	2 rules	Review within the shift; contact customer if amount is large
Low	1 rule	Log and monitor; escalate only if pattern repeats for same customer

Always confirm with the customer before blocking a card or reversing a transaction where possible. False positives have a real cost to customer trust, which is exactly why precision (Step 1) matters as much as recall.

7

Escalate through the AI triage agent

For high-priority cases, the n8n AI triage agent can pick up a flagged transaction, generate a plain-language risk summary via Claude, and post it to the right Slack channel automatically — urgent channel for high-risk, standard queue otherwise.

This keeps a human in the loop at every stage: the agent enriches and routes the alert, but the analyst always makes the final call on contacting a customer or blocking a card.

All screenshots in this guide were captured directly from the working Fraud Review Console, using real output from the underlying dbt fraud-detection pipeline.