

Yao Lu (鹿尧) · CV

鹿尧 · CV / Yao Lu · Curriculum Vitae

中英双语 · 单文件并排 · 长版（不压缩到 1–2 页） · 2014 → 2026 全覆盖

Bilingual (Chinese / English) · single-file side-by-side · long form · covers 2014 → 2026.

Target role: Senior Software Engineer · Data + Full-Stack + AI Agent Engineering

网页版（双语切换）: <https://luyao618.github.io/cv/>

基本信息 / Contact

- 姓名 / Name: 鹿尧 · Yao Lu
- 定位 / Headline: Senior Software Engineer · AI-Native Data & Product Systems · Agent Engineering
- 所在地 / Location: 中国 苏州 · Suzhou, China
- 邮箱 / Email: 364939526@qq.com
- 电话 / Phone: (+86) 136-9977-4962
- 微信 / WeChat: luyao4962
- 个人主页 / Website: <https://luyao618.github.io>
- GitHub: <https://github.com/luyao618>
- 知乎 / Zhihu: <https://www.zhihu.com/people/LuisHome>

个人简介 / Summary

中文: 十年软件 / 数据工程师，长期把数据平台、数仓、实时计算、用户画像与产品分析做成可落地的生产软件。在微软 Copilot Mac 团队负责 AI Agent、KG-RAG 系统、跨端遥测和质量框架，数据工作 100% AI-Native 化，个人日均 token 消耗 8 个月内由 < 1M 升至约 100M（约 100× 增长）。**FY25 AI School China 一等奖**（独立提交）。开源活跃，GitHub 16 个原创 repo 累计 **1,613 stars / 556 forks**，对外项目 **15 commits 进 NousResearch/hermes-agent** (🌟 187k) **main**、**8 commits 进 openclaw/openclaw** (🌟 378k) **main**，近期 12 周累计 600+ PR。求职方向：Senior Software Engineer，同时在 **Data + Full Stack + AI Agent** 三轴均能独立交付。

English: A decade of software / data engineering, turning data platforms, warehouses, real-time pipelines, user profiles, and analytics into production software. At Microsoft's Copilot Mac team I lead AI agent work, KG-RAG systems, cross-platform telemetry, and quality frameworks; my data workflow is now 100% AI-native and my daily personal token consumption went from < 1M (8 months ago) to about 100M (Apr 2026), a ~100× ramp. **1st Prize, FY25 AI School China**, submitted solo. Active in open source: 16 original GitHub repos totalling **1,613 stars / 556 forks**, **15 commits merged to main of NousResearch/hermes-agent** (🌟 187k) and **8 commits merged to main of openclaw/openclaw** (🌟 378k).

378k), 600+ PRs in the past 12 weeks. Targeting **Senior Software Engineer** roles where Data, Full-Stack, and AI Agent engineering all matter.

工作经历 / Experience

微软 / Microsoft — Senior Software Engineer

STCA WebXT · Copilot Mac · Surfaces Connectivity · Suzhou · 2022.04 — 至今 / Apr 2022 — Present

中文：负责 Copilot Mac 与跨端（Mac / iOS / Android / Web / CMC）连通质量的数据、遥测、实验和 AI Agent 工程，并担任团队 AI-Native 转型负责人。先后主导：搭建 Copilot Mac 数据 / 遥测 / ICM 监控体系；语音质量与文字 TDR 优化；首版 Mobile-aligned Mac 跨端 chat-funnel；CMC 1DS 后台 Tab 终端事件丢失 RCA；FY25 AI School 一等奖项目 Copilot Mac Data Agent。在团队过去四年内从纯数据角色逐步扩展到 macOS 客户端 / 全栈 / AI Agent 工程。

English: Data, telemetry, experimentation, and AI-agent engineering for Copilot Mac and cross-surface (Mac / iOS / Android / Web / CMC) connectivity quality; AI-native transformation lead for the squad. Built the Copilot Mac data / telemetry / ICM monitoring stack; drove voice and text quality optimization; authored the first Mobile-aligned Mac cross-surface chat-funnel; root-caused the CMC 1DS background-tab terminal-event drop; led the 1st-Prize Copilot Mac Data Agent project at FY25 AI School China. Over four years scope expanded from pure-data engineer to macOS client / full-stack / AI agent engineering.

北京小米移动软件有限公司 / Xiaomi — Senior Software Engineer

大数据部 · 用户画像 / MiPush · Beijing & Nanjing · 2019.04 — 2022.03 / Apr 2019 — Mar 2022

- 2021.04 — 2022.03 · 大数据 · 用户数据 · 用户画像 · 高级软件研发工程师 / Senior SDE, Big Data · User Data · User Profile
- 2019.04 — 2021.04 · 南京分公司 · 小米推送 · 数据组组长 / Data Team Lead, MiPush

中文：小米换机标签数据 owner，定义集团换机口径，准确率 90%+ / 月活覆盖 80%；MiPush 实时推送统计重构（Flink + Spark Streaming → HBase，PB 级、99% 可用性、分钟级聚合千万级事件）；MiPush 安卓竞品分析（覆盖 90%+ 安卓设备保有量，与 BCI 误差由 > 50% 降至 10%）；小米推送赋能销售（购买意愿打分模型 + 意向品牌标签，DMP 联合算法上线）。带过最多 4 人的数据小组，完成北京 → 南京交接、招聘组建。

English: Owner of Xiaomi's device-swap label — defined the corporate swap taxonomy with **90%+ accuracy and 80% monthly active coverage**; rewrote MiPush real-time statistics on Flink + Spark Streaming → HBase (PB scale, 99% availability, tens of millions of events aggregated per minute); led MiPush Android competitor analytics covering 90%+ of Android devices in China, **closing the BCI gap from > 50% to 10% within one month** of takeover; designed the purchase-intent scoring model and intent-brand label that powered Mi Mall's smart marketing. Led a data team of up to 4, ran Beijing → Nanjing handover and rebuilt the team via hiring.

美图创新科技 / Meitu — Big Data Engineer

大数据与 AI · 风控 · Xiamen · 2018.04 — 2019.03 / Apr 2018 — Mar 2019

中文： 负责美图秀秀社区反作弊实时规则引擎（Spark Streaming + QLEXPRESS，多线程并行执行规则、接入文本相似 / 分类模型）；牵头数据监控预警系统（Spark Streaming + Redis 信号管理，Prophet / SVM 时序异常检测，Livy 暴露算法服务），覆盖亿级指标、精度 98%+。

English: Built Meitu's community anti-abuse real-time rule engine (Spark Streaming + QLEXPRESS, multi-thread parallel rule execution, text-similarity / classification model hooks). Led the metric anomaly-detection alerting platform — Spark Streaming + Redis signal management, Prophet / SVM time-series detection exposed via Livy — covering hundreds of millions of metrics at **98%+ precision**.

创维集团酷开网络科技 / Skyworth Coocaa — Big Data Engineer

大数据部 · Shenzhen · 2016.07 — 2018.03 / Jul 2016 — Mar 2018

中文： 作为最早期成员之一，参与从零搭建数据平台。承担 DMP 平台分人群运营（HyperLogLog 加速人群规模估算、Spark UDF/UDAF 提速画像计算，新增标签作业耗时缩短 1 小时）、BI 平台基础表（用户播放行为表、数十个 Hive UDF）、Redis 有序集合 + Spark Streaming 实时直播数据解析，并参与 K-means / 协同过滤等算法落地。

English: Joined the data team in its earliest days and helped build it from scratch. Owned the DMP audience-selection platform (HyperLogLog cardinality estimation, Spark UDF/UDAF profile acceleration, **cut new-label jobs by 1 hour**), the BI platform's foundational tables (user-playback table and dozens of Hive UDFs), and a Redis sorted-set + Spark Streaming pipeline for real-time live-stream parsing on smart TVs. Also helped land K-means clustering and collaborative-filtering recommendation features.

精选项目与影响力 / Selected Impact

A. Copilot Mac & 跨端连通质量 / Copilot Mac & Connectivity Quality

中文：

- **Copilot Mac 留存全端 Top 1：** 搭建 ICM 框架、质量看板、每周 LT/PM 评审节奏，新用户留存 **24.0% → 31.7%**、回访留存 **59.9% → 73.1%**。
- **Voice TDR 46.3% → 31.93%：** 从全客户端倒数第二跃升首位；分阶段 voice telemetry、Voice Quality Dashboard、Mac Voice Funnel。
- **Mac 迁移期遥测回填 + 原生重写：** 助推 **WAU 34.1K → 105K**，2026/02 进一步到 **150K**（C1 OKR 达成）；主笔 Copilot Mac Telemetry Guidance（被 Wicresoft / 内部团队采纳为团队遥测标准）。
- **跨端 Connectivity 基线：** 首次输出与 Mobile 对齐的 Mac chat-funnel KQL、Grafana 看板，以及对齐 iOS 阈值的 Geneva ICM 监控。**Mac no-response 基线 0.8%（带重试 99.7%）**，量化 Picasso 部署对 Mac actionable-rate 的影响为 **-1.3% abs**。
- **CMC 1DS 后台 Tab RCA：** 定位 CMC "incomplete-after-backgrounding" 中 **32-46% 来自 1DS terminal-event 丢失**；提出 `visibilitychange → hidden flush + sendBeacon` 修复。AB 读数：`chat-resend-fix` Web **-25.3% rel**、`flush-log-on-vis` no-content **-34.9%**、App Exit **-11.9%**。
- **Sev2 P1 事件响应：** ~5 天端到端推动 cross-Mac empty-scorecard 紧急修复（根因 Picasso `x-ceto-ref → x-trace-id`），恢复全部 Mac 实验 scorecard，解锁 Connector-on-Mac 等 October-moment GA。

- 遥测 PR 14 条落地至 mac / app-ios / data-schema 仓库（旗舰：mac#1790 Mobile-parity、mac#2651 Onboarding picassold 队列 + 回填、mac#3278 resend、data-schema#659）。
- Mac App Rating Worldwide 4.73 → 4.74；每日 / 每周 ~60 份 OCV 报告横跨 4 个滚动 canvas，是团队默认的信号源。

English:

- **Copilot Mac retention — #1 across all surfaces.** New-user retention 24.0% → 31.7%, returning-user retention 59.9% → 73.1%, after I stood up the team's ICM framework, quality dashboards, and the weekly LT / PM review cadence.
- **Voice Thumb-Down Rate 46.3% → 31.93%** — from second-worst to best across all clients — via stage-level voice telemetry, the Voice Quality Dashboard, and a Mac Voice Funnel.
- **Telemetry backfill + native rewrite during Mac migration** — contributed to WAU 34.1K → 105K and later 150K (Feb 2026, C1 OKR met); authored Copilot Mac Telemetry Guidance, the team's canonical telemetry standard, adopted by Wicresoft and internal partner squads.
- **Cross-surface connectivity baseline** — first Mobile-aligned Mac chat-funnel KQL, Grafana dashboard, and Geneva ICM monitor at iOS thresholds. **Mac no-response baseline 0.8% (99.7% with retry)**; quantified Picasso-deploy impact on Mac actionable-rate at -1.3% abs.
- **CMC 1DS background-tab RCA** — proved 32-46% of CMC "incomplete-after-backgrounding" messages were 1DS terminal-event drops, not real failures. Proposed visibilitychange → hidden flush + sendBeacon fix. AB readouts: chat-resend-fix Web -25.3% rel, flush-log-on-vis no-content -34.9%, App Exit -11.9%.
- **Sev2 P1 incident response** — drove the cross-Mac empty-scorecard hot-fix end-to-end in ~5 days (root cause: Picasso x-ceto-ref → x-trace-id), restoring scorecards across all Mac experiments and unblocking Connector-on-Mac and other October-moment GAs.
- **14 telemetry PRs** shipped across mac / app-ios / data-schema (flagships: mac#1790 Mobile-parity, mac#2651 Onboarding picassold queue + backfill, mac#3278 resend, data-schema#659).
- **Mac App Rating Worldwide 4.73 → 4.74**; ~60 daily / weekly OCV reports across 4 rolling canvases serve as the squad's de-facto signal source.

B. 增长 / Paid Ads / Growth Analytics

中文:

- **Paid Ads ROI 提升**：通过 LTV 建模、归因管线 ownership 与拉新分析推动业务显著增长，FY25 管理层绩效总结明确表彰 ("Driving Paid Ads ROI improvements")。
- 修复影响约 20K 用户的渠道归因问题 (Adjust / 安装渠道 / 遥测三方)，显著改善投放 ROI 与 LTV 报告准确性。
- Bing / SuperApp 时期：**Paid Ads ROI 由 40% (2024/05) 提升到 180%+**，超过 Finance 150% 阈值；Google Ads ACE 召回 churned user，ROI 从 ~60% 优化至 200%+；Web2App / 安卓 install 对齐 iOS 后 ROI 进一步 +30%。
- 核心看板：Acquisition OKR Dashboard (迁 Kusto，查询从分钟级降至秒级)、Titan RPM Dashboard、Upsell New User Activation Funnel。
- **Skype Call 1-to-1 成功率 88% → 98%、通话相关差评 30% → 15%**：Call Quality 数据 owner，搭建并持续优化 Call Quality Funnel；定义并跟踪 Severe Failure UU Rate (基线 0.16%)；扩展至 SMS

funnel、Send-to-Myself 等 feature 数据支持 (Send-to-Myself 上线后 被 2% DAU / 6.5% IDAU 使用)。

English:

- **Drove Paid Ads ROI improvements** through LTV modeling, attribution-pipeline ownership, and acquisition analytics — explicitly recognized in management's FY25 performance summary ("Driving Paid Ads ROI improvements").
- Fixed install-channel attribution issues affecting **~20K users** across Adjust / install channels / telemetry, materially improving ROI and LTV reporting accuracy.
- Bing / SuperApp era: **Paid Ads ROI 40% (May 2024) → 180%+, surpassing Finance's 150% threshold; Google Ads ACE retargeting ROI ~60% → 200%+**; aligning Android install logic with iOS yielded **another ~30% ROI lift**.
- Core dashboards: Acquisition OKR Dashboard (migrated to Kusto, query latency from minutes to seconds), Titan RPM Dashboard, Upsell New User Activation Funnel.
- **Skype Call 1-to-1 success rate 88% → 98%, call-quality complaints 30% → 15%** as Call Quality data owner; built and optimized the Call Quality Funnel, defined and tracked Severe Failure UU Rate (baseline 0.16%); extended to SMS funnels and feature support such as Send-to-Myself (adopted by 2% of DAU / 6.5% of IDAU on launch).

C. 数据平台 / 数仓 / 可观测性 / Data Platform · Warehouse · Observability

中文:

- **MiPush 实时推送统计重构**: Flink + Spark Streaming → HBase, **PB 级吞吐、99% 可用性、分钟级聚合千万级事件**。
- **存储成本下降 ~RMB 30 万 / 月**: 通过 MiPush 统计数仓与调度的全面重构实现。
- **Android 手机竞品分析**: 覆盖 **中国 90%+ 安卓设备保有量**; 接手一个月内将与 BCI 的统计误差由 **> 50% 降至 10%**; 调研多种 OLAP 后落地 Kylin + Redash 提供自助式 OLAP。
- **美图异常检测告警平台**: 摄入 **亿级指标**, Prophet / SVMM 时序异常检测, **精度 98%+**, 配套 Livy Spark service 接口; 覆盖数据中心 / 算法中心 / 预警中心 / 注册中心多模块。
- **Bingviz / Skype 数据基础**: 完成 ELK 迁移 (Bingviz_AXSC_ELK, **节省 ~\$1,300 / 天**)、ELK 冷热分层 (**节省 ~15 台 D32 ≈ \$23,301 / 月**), Grafana 7.4 → 8.5 升级 + HA + 告警系统迭代; 维护 124 个 ELK 节点 (Super Bowl 期间扩容 / 缩容、证书续期、数据合规)。
- **PME Kusto 平台部署**: 从 ELK / PGSQL 迁移至 PME Kusto, 物化视图 **将 Growth & Search Dashboard 加载时间从 5 分钟降至 < 10 秒**。
- **创维酷开 BI / DMP 平台**: 用户播放行为表 + 数十个 Hive UDF + Redis 有序集合 + Spark Streaming 实时直播解析; DMP 中 HyperLogLog 加速人群规模、Spark UDAF **将新增标签作业耗时缩短 1 小时**。

English:

- **MiPush real-time statistics rewrite** — Flink + Spark Streaming → HBase pipeline at **PB scale, 99% availability**, aggregating tens of millions of events per minute.
- **Storage cost reduced ~RMB 300K / month** by restructuring the MiPush statistics warehouse and scheduling.
- **Android handset competitor analytics** — covering **90%+ of China's Android device base**; reduced BCI gap from **> 50% to 10%** within one month of takeover; surveyed OLAP options and shipped Kylin + Redash for self-serve OLAP.

- **Meitu anomaly-detection alerting platform** — ingested **hundreds of millions of metrics**, ran Prophet / SVMM time-series detection at **98%+ precision**, exposed via Livy Spark service interface; spans data center / algorithm center / alerting center / registry modules.
- **Bingviz / Skype data foundation** — completed the ELK migration (Bingviz_AXSC_ELK, **saved ~\$1,300 / day**) and ELK hot-cold tiering (**saved ~15x D32 VMs ≈ \$23,301 / month**); led Grafana 7.4 → 8.5 upgrade with HA + new alerting; maintained 124 ELK nodes through Super Bowl scale-up / scale-down, cert renewals, and compliance.
- **PME Kusto deployment** — migrated from ELK / PGSQL to PME Kusto, with materialized views taking **Growth & Search Dashboard load time from > 5 minutes to < 10 seconds**.
- **Skyworth Coocaa BI / DMP platform** — user-playback table + dozens of Hive UDFs + Redis sorted-set + Spark Streaming live-stream parser; HyperLogLog audience sizing and Spark UDAF that **cut new-label jobs by 1 hour**.

D. 用户画像 / 推荐 / 数据科学 / User Profile · Recommendation · Data Science

中文:

- **小米换机标签**: 定义官方换机口径, 多信号打分模型解决多卡多机场景, **准确率 90%+、月活覆盖 80%**; 被集团战略办公室采纳为品牌忠诚度评估标准; 同时支撑流入换机留存、XAIOT 战略分析等多个集团项目。
- **MiPush sales-enablement DMP 标签**: 联合算法团队搭建意图挖掘数仓 (30+ 张表)、购买意图 logistic-regression 模型, 以及 DMP 特征表。
- **创维酷开 DMP 圈选 + 画像**: 基于用户标签的人群圈选 + Spark UDAF 画像计算, HyperLogLog 加速规模估算。
- **Bing / SuperApp 用户画像**: RFM 七分群用户分层, BingViz User Profile 单用户视图 + LLM 摘要 + 高 RPM query 推荐 (FY25 一期已上线)。
- **MiniApp 数据 ownership**: Reward / Wallpaper / Weather MiniApp 增长看板; 担任 "Start" app MiniApp 域数据 owner, 支撑 65K SA DAU 增长 (截至 2022/10)。

English:

- **Xiaomi device-swap label** — defined the official Mi swap taxonomy and a multi-signal scoring model handling multi-SIM / multi-device cases, with **90%+ accuracy and 80% monthly active coverage**; adopted by the corporate strategy office as the brand-loyalty standard, and feeds inflow-swap retention and XAIOT strategy analyses.
- **MiPush sales-enablement DMP labels** — co-built the intent-mining warehouse (30+ tables), the purchase-intent logistic-regression model, and the DMP feature tables alongside the algorithm team.
- **Skyworth Coocaa DMP audience + profiling** — audience selection over user-label tags + Spark UDAF profiling, HyperLogLog cardinality estimation for fast audience sizing.
- **Bing / SuperApp user profile** — RFM 7-segment user stratification; BingViz single-user dashboard with LLM-generated user summaries and high-RPM query recommendations (shipped in FY25 H1).
- **MiniApp data ownership** — Reward / Wallpaper / Weather MiniApp growth dashboards; data owner of the "Start" app's MiniApp domain, contributing to 65K SA DAU growth (as of Oct 2022).

AI Agent 与 AI-Native 工程 / AI Agent & AI-Native Engineering

中文:

- 🏆 **FY25 AI School China 一等奖 (Microsoft, 2026/02)** : 全 Microsoft 中国 AI 培训项目共 3 组 / 8 位学员入选, AI Agents 赛道独立提交。
- 项目: Copilot Mac Data Agent (KG-RAG 驱动)** — 在团队没有数仓、只有原始 telemetry 的情况下, 构建 LLM agent 提升 Kusto 查询效率。技术栈: **OpenAI Agent SDK + MCP-style tool calling + Neo4j 知识图谱 + Kusto connector + Azure Container Registry**; 解决幻觉控制、Kusto 集群权限、原始 telemetry 脏数据等真实工程问题。
- 团队级 AI-Native 转型**: 个人日均 token 消耗 8 个月内 $< 1M \rightarrow \sim 100M$ (2026/04, 约 100x 增长); 100% 数据工作走 AI 自动化 (KQL/SQL、看板、OCV 报告、AB 读数)。
- AI 辅助 RCA 与代码阅读**: 通过 LLM 多轮辅助阅读穿透 Chromium 1DS SDK 与 Picasso 源码, 直接打通 CMC bot filter 与 1DS terminal-event 丢失的 RCA。
- 内部技术分享** — "Copilot Mac Data Agent powered by KG-RAG": 架构走查、工程难点与可运行 prototype demo; 同时主笔 Mac-on-Chromium 3-Track Telemetry Architecture canvas。
- 下一阶段目标**: AI-on-demand $\rightarrow$ AI-initiated 数据运营, 目标 1B tokens / day (10x 当前), 并把开源积累 (Claude-Code-Source-Study / Hermes 等) 的 pattern 反哺内部工具链。

English:

- 🏆 **1st Prize · FY25 AI School China (Microsoft, Feb 2026)** — one of only 3 groups / 8 students across the entire Microsoft China AI training program, **submitted solo** in the AI Agents track.
- Project: Copilot Mac Data Agent (KG-RAG)** — an LLM agent that lifts Kusto query efficiency for the Copilot Mac team against raw telemetry with no data warehouse. Stack: **OpenAI Agent SDK + MCP-style tool calling + Neo4j knowledge graph + Kusto connector + Azure Container Registry**. Tackled hallucination control, Kusto cluster permissions, and messy raw telemetry.
- AI-native transformation at the squad level** — daily personal token consumption scaled from $< 1M$ (8 mo ago) $\rightarrow \sim 100M$ (Apr 2026), $\sim 100\times$ growth; 100% of data work is AI-automated (KQL / SQL, dashboards, OCV reports, AB readouts).
- AI-aided RCA & code reading** — used LLM-assisted multi-pass source reading to traverse Chromium 1DS SDK and Picasso source, directly unblocking the CMC bot filter and the 1DS terminal-event drop RCA.
- Internal Tech Sharing** — "Copilot Mac Data Agent powered by KG-RAG" — architecture walk-through, real engineering challenges, working prototype demo. Authored the canonical Mac-on-Chromium 3-Track Telemetry Architecture canvas.
- Next horizon** — move from AI-on-demand to AI-initiated data operations; target 1B tokens / day (10x current); port patterns from open-source labs (Claude-Code-Source-Study, Hermes) back into internal tooling.

开源贡献 / Open Source

中文: GitHub 主页 github.com/luyao618: 27 个 public repo, 16 个原创 repo 累计 1,613 stars / 556 forks; 过去 12 周累计 621 PR / 189 个对外贡献 PR, 月均 200+。

- **Claude-Code-Source-Study**  1,522 /  536 — 独立维护的 Anthropic Claude Code 深度源码研究项目, 国内同类项目头部, TypeScript, 2026/04 起持续迭代。 <https://github.com/luyao618/Claude-Code-Source-Study>
- **NousResearch/hermes-agent**  187k — 核心贡献者, 15 个 commit 进 main, 覆盖 ACP 协议、agent runtime、配置、工具, 以及 Discord / Telegram / Desktop / Gateway 多 channel。 <https://github.com/NousResearch/hermes-agent/commits/main/?author=luyao618>
- **openclaw/openclaw**  378k — 贡献者, 8 个 commit 进 main, 覆盖消息适配 (Matrix / GoogleChat)、agent dispatch 与 transport layer。 <https://github.com/openclaw/openclaw/commits/main/?author=luyao618>
- **Hermes-Source-Code-Study**  54 — 因深读源码成为 Hermes contributor 的 lab repo。
- **自建 AI-Native 工具生态:**
 - **skila** — AI agent skill 生命周期控制器 (TypeScript)
 - **voice-buddy** — Claude Code 语音化 (Python)
 - **code-while-shit** — 远程驱动 AI coding (Python)
 - **Claude-Code-Data-Studios** — Claude Code 的 data scientist 人格 (Shell + workflows / skills / MCP)
 - **dashboard-gen-skill** — CSV → HTML dashboard
 - **golden-flower / breakout-maker / first-to-the-key / watch-claw** — LLM × Game 实验
 - **fawn** (私有) — 育儿 agent, 84 PRs / 81 merged, 长期维护
- **早期开源:** coolplaydata/coolplayspark (2018, 3 PRs merged, CN Spark 社区)。

English: GitHub home github.com/luyao618: 27 public repos, 16 original repos totalling 1,613 stars / 556 forks; 621 PRs in the past 12 weeks, of which 189 are external contributions, averaging 200+ PRs / month.

- **Claude-Code-Source-Study**  1,522 /  536 — sole maintainer of a deep-dive source-code study of Anthropic's Claude Code; the leading reference of its kind in the Chinese AI engineering community. TypeScript, active since Apr 2026. <https://github.com/luyao618/Claude-Code-Source-Study>
- **NousResearch/hermes-agent**  187k — Core Contributor, 15 commits merged to **main** covering ACP protocol, agent runtime, config, tools, and Discord / Telegram / Desktop / Gateway channels. <https://github.com/NousResearch/hermes-agent/commits/main/?author=luyao618>
- **openclaw/openclaw**  378k — Contributor, 8 commits merged to **main** spanning messaging adapters (Matrix / GoogleChat), agent dispatch, and the transport layer. <https://github.com/openclaw/openclaw/commits/main/?author=luyao618>
- **Hermes-Source-Code-Study**  54 — the lab repo whose deep reads turned into the Hermes contributor track above.
- **Self-built AI-native developer tools:**
 - **skila** — AI-agent skill lifecycle controller (TypeScript)
 - **voice-buddy** — voice for Claude Code (Python)

- **code-while-shit** — remote-driven AI coding (Python)
 - **Claude-Code-Data-Studios** — data-scientist personality for Claude Code (Shell + workflows / skills / MCP)
 - **dashboard-gen-skill** — CSV → HTML dashboard
 - **golden-flower / breakout-maker / first-to-the-key / watch-claw** — LLM × game experiments
 - **fawn** (private) — long-running parenting agent, 84 PRs / 81 merged
 - **Earlier OSS**: 3 PRs merged to coolplaydata/coolplayspark in 2018 (CN Spark community).
-

技术栈 / Skills

中文:

- **AI / Agents**: LLM agent 架构、OpenAI Agent SDK、MCP (Model Context Protocol) 、KG-RAG / Knowledge-Graph + RAG、Neo4j、Claude Code 内核、Agentic workflow、Prompt engineering 与 token economics
- **数据工程 / Data Engineering**: Spark (批 + 流) 、Flink、Kafka、HBase、Hive / HDFS、Kylin / Doris、Kusto (KQL) 、PB 级管线
- **分析与实验 / Analytics & Experimentation**: A/B testing 与 scorecard、Funnel 分析 (call / voice / chat) 、LTV 建模、Attribution、OCV / 用户反馈分析、Power BI / Grafana / Redash
- **可观测性 / Observability & Telemetry**: OneCollector / 1DS、Geneva / ICM、跨平台 telemetry schema 设计、事件埋点与校验、SLO / 质量看板
- **后端 / 全栈 / Backend / Full-Stack**: Python、TypeScript / Node.js、Shell、Docker / Azure Container Registry、Web / CLI 工具、REST / 异步服务
- **客户端 / Client**: macOS / iOS (Swift, 2025 起在 Mac client 直接提交 PR) 、跨端遥测埋点
- **语言与工具 / Languages & Tools**: Git、Markdown、Maven、PySpark、SQL、Liquid / Jekyll、GDScript (hobby)

English:

- **AI / Agents** — LLM agent architectures, OpenAI Agent SDK, MCP (Model Context Protocol), KG-RAG / Knowledge-Graph + RAG, Neo4j, Claude Code internals, agentic workflows, prompt engineering & token economics.
- **Data Engineering** — Spark (batch & streaming), Flink, Kafka, HBase, Hive / HDFS, Kylin / Doris, Kusto (KQL), PB-scale pipelines.
- **Analytics & Experimentation** — A/B testing & scorecards, funnel analysis (call / voice / chat), LTV modeling, attribution, OCV / user-feedback analytics, Power BI / Grafana / Redash.
- **Observability & Telemetry** — OneCollector / 1DS pipelines, Geneva / ICM, cross-platform telemetry schema design, event instrumentation & validation, SLO / quality dashboards.
- **Backend / Full-Stack** — Python, TypeScript / Node.js, Shell, Docker / Azure Container Registry, Web / CLI tooling, REST / async services.
- **Client** — macOS / iOS (Swift; shipping PRs directly on the Mac client since 2025), cross-platform telemetry instrumentation.
- **Languages & Tools** — Git, Markdown, Maven, PySpark, SQL, Liquid / Jekyll, GDScript (hobby).

写作 / 分享 / 知识沉淀 / Writing · Talks · Knowledge Sharing

中文:

- **Claude-Code-Source-Study** — 开源长文系列 (🌟 1.5k+) , 中文社区影响力最高的 Claude Code 内核研究参考。
- **内部技术分享** — "Copilot Mac Data Agent powered by KG-RAG" — 面向 Copilot Mac 团队的架构、工程难点与 live demo。
- **Copilot Mac Telemetry Guidance** — 团队权威遥测标准, 被合作 vendor / 内部团队采纳。
- **Mac-on-Chromium 3-Track Telemetry Architecture** canvas + Daily Check History / OCV / App-rating 滚动 canvas (团队周度信号节奏) 。
- **跨职能 playbook**: Mac Connectivity Unresponsive Analytics、C1 baseline / C1-sustain、单用户 ± 100 事件 Kusto 模板 (团队复用) 。
- **Elastic / Grafana 升级 / 迁移 wiki**: 在小米 / 微软早期内部沉淀的两份长文档。
- **知乎 [zhihu.com/people/LuisHome](https://www.zhihu.com/people/LuisHome)** — 长文写作, 主题覆盖 AI agent、数据系统、工程实践。

English:

- **Claude-Code-Source-Study** — open-source long-form source-code study series (🌟 1.5k+); the most-starred Chinese-community reference on Claude Code internals.
- **Internal Tech Sharing** — "Copilot Mac Data Agent powered by KG-RAG" — architecture, engineering challenges, and live demo to the Copilot Mac team.
- **Copilot Mac Telemetry Guidance** — canonical internal doc adopted by partner engineers (Wicresoft, internal squads) as the team's telemetry standard.
- **Mac-on-Chromium 3-Track Telemetry Architecture** canvas; rolling Daily Check History / OCV / App-rating canvases as the squad's weekly signal cadence.
- **Cross-functional playbooks** — Mac Connectivity Unresponsive Analytics, C1 baseline / C1-sustain canvases, per-user ± 100 -event Kusto template (now reused squad-wide).
- **Elastic / Grafana migration & upgrade wikis** — two long internal documents from the Xiaomi and Microsoft early-tenure periods.
- **Zhihu [zhihu.com/people/LuisHome](https://www.zhihu.com/people/LuisHome)** — long-form writing on AI agents, data systems, and engineering practice.

奖项与认可 / Awards & Recognition

中文:

- 🏆 **一等奖 · FY25 AI School China** (Microsoft, 2026/02) — 全 Microsoft 中国 AI 培训项目 Top 8 学员, AI Agents 赛道**独立提交** Copilot Mac Data Agent (KG-RAG); 从 4 个赛道 (AI Agents / RAG / Fine-tuning / Multimodal) 共 9 个决赛项目中胜出。
- **管理层表彰** · "Driving Paid Ads ROI improvements" (Microsoft FY25 绩效总结, 2025) — 与 "为 Copilot Mac 搭建基础系统" 并列。
- **跨团队致谢** · **Empty-Scorecard P1 紧急修复** (Microsoft Copilot Mac LT, 2026/02) — Dave Lakshmanan 与 Max He 致谢, ~5 天端到端修复, 解锁 October-moment GA。

- 晋升 (2023) — 微软晋升一档 (Manager 评语原文于 2023/10 Connect 中明确祝贺)。

English:

- 🏆 **1st Prize · FY25 AI School China** (Microsoft, Feb 2026) — top 8 students across the entire Microsoft China AI training program. **Submitted solo** in the AI Agents track with Copilot Mac Data Agent (KG-RAG); selected from 9 finalist projects across 4 tracks (AI Agents / RAG / Fine-tuning / Multimodal).
- **Manager recognition** — "Driving Paid Ads ROI improvements" (Microsoft FY25 Performance Summary, 2025) — listed alongside "building foundational systems for Copilot Mac."
- **Cross-team thanks** — **Empty-Scorecard P1 hot-fix** (Microsoft Copilot Mac LT, Feb 2026) — thanked by Dave Lakshmanan and Max He for driving the ~5-day end-to-end fix that unblocked the October-moment GAs.
- **Promotion** (2023) — promoted one band at Microsoft (Manager congratulations recorded in the Oct 2023 Connect).

教育背景 / Education

- **湖南大学 (985) / Hunan University** — 信息与计算科学 / Information and Computing Science · 学士 / B.Sc. — 中国 长沙 / Changsha, China · 2012.09 — 2016.06

语言 / Languages

- **中文 / Chinese** — 母语 / Native
- **英文 / English** — 工作流利, 日常技术读写 / Professional working proficiency, daily technical reading & writing.

完整网页版 (双语切换 + 链接可点击) : <https://luyao618.github.io/cv/>

Web version (live bilingual toggle, clickable links): <https://luyao618.github.io/cv/>